

Remember how good it felt the first time you took a car on the road? It's the same way you'll feel the first time you take this SUV off of it. Introducing the Grand Vitara. If you need the power to say "I'm outta here," this one has your name on it.



### suzuki.com

# MSRP STARTING AT \$18,399\*

\*Grand Vitara 2WD LX. MSRP does not include freight, government fees or dealer charges. Grand Vitara 2WD EX shown in Silky Silver Metallic, MSRP \$20,899.

## Styling

## Comfort

### Performance

## Safety



**16 "aluminum-alloy wheels.** Very stylish and lightweight, the 16" aluminum-alloy wheels on the Grand Vitara not only enhance its looks, but help improve performance. (Standard on EX, optional on LX)

#### Let their be light.

Fog lamps come standard on the Grand Vitara EX, a feature which greatly improves visibility in poor weather.

#### Built smart.

Suzuki designed our 4WD SUVs so they don't rack up miles when towed. And with a towing capacity of up to 1,500 lbs., the Grand Vitara also has a lot of pulling power, too.



Let the sunshine in. A power tilt-and-slide sunroof on the EX brings the outdoors along for the ride.

#### A matter of power.

A long list of amenities includes power windows and door locks. It even has power-mirror controls.

#### Listen closely.

The Grand Vitara is equipped with a powerful CD player with 7 speakers, including subwoofer. Everyone can sing along — which may or may not be a very good thing.

#### The comforts of home, in an SUV.

The Grand Vitara features standard automatic climate control with a micron air-filtration system to help reduce airborne pollen and dust.



Shift-on-the-fly 4WD. On some SUVs, you have to stop to

activate the 4-wheel-drive system. On a Grand Vitara, you don't. The optional shift-on-the-fly 4WD system lets you engage 4WD at speeds of up to 60 mph while traveling in a straight line.

#### What's under the hood?

The Grand Vitara comes with a 165-hp, 2.5-liter, 24-valve, DOHC V6 engine. The towing capability is up to 1,500 lb.

#### 5-speed automatic transmission.

The electronically controlled automatic transmission has five speeds, as well as a Power-mode selector switch. (Standard on EX, optional on LX)



Peace of mind is a nice thing.

Second-generation dual-stage airbags will deploy at different rates, depending on the severity of the crash and the distance from the front-seat occupant to the airbags.

#### "Kids will be kids."

Since they all will, Suzuki vehicles have rear-door child-safety locks. You already have a lot of things on your mind; this doesn't need to be one of them.

#### Better safe than sorry.

No cargo is more precious than that of a child. That's why every Suzuki features a child-seat LATCH system (Lower Anchors and Tethers for CHildren) to help secure your child's seat.

#### Keeping impact at a minimum.

The doors on the Grand Vitara are reinforced with side-impact beams that help protect you in the event of a collision.

### AMERICA'S #1 WARRANTY

See your local dealer for full details.

Suzuki's 100,000-mile/7-year Powertrain Limited Warranty: Every 2005 Suzuki comes standard with America's #1 Warranty, a fully transferable, \$0-deductible, 100,000-mile/7-year powertrain limited warranty. Duration: Covers 100,000 miles or 7 years, whichever comes first. This provides owners over 14,000 miles of coverage per year. Most competitive warranties cover only 10,000–12,000 miles per year. Fully Transferable: Can be transferred from owner to owner, adding value at the time of resale or trade-in. No Deductible: If any repairs to covered components are necessary within 100,000 miles or 7 years, there is zero charge for parts and labor.

Suzuki's New Vehicle Limited Warranty: Covers all components of the vehicles as supplied by Suzuki for 36 months or 36,000 miles, whichever comes first. The battery is covered for 24,000 miles. There is no deductible. Any repairs to correct defects in materials will be made with no charge for parts or labor. Should original body sheet-metal panels develop perforation due to corrosion, they're covered for 36 months, with no limit on mileage. Tires are covered by a separate warranty from the tire manufacturer. Roadside Assistance Program: Covers any new Suzuki vehicle during the 36,000-mile/3-year New Vehicle Limited Warranty period. Roadside Assistance is available 24 hours a day, 365 days a year, in the U.S. and Canada. Courtesy Vehicle Program: The Warranty Repair Courtesy Vehicle Program is administered through Suzuki dealers and Enterprise Rent-A-Car. If a Suzuki vehicle is rendered inoperable, unsafe or illegal to operate due to a defect in materials or workmanship, and is required to stay overnight at a Suzuki dealer to complete a warranty repair during the 36,000-mile/3-year New Vehicle Limited Warranty period, your Suzuki dealer will provide a courtesy rental vehicle for up to five days through Enterprise Rent-A-Car.

### Specifications and Features

| EXTERIOR  | LX | LX4WD | EX | <b>EX</b> 4WD |
|---|----|-------|----|---------------|
| Multireflector jewel-type headlamps                               | •  | •     | •  | •             |
| Fog lamps   | -  | —     | •  | •             |
| Color-keyed bumpers   | •  | •     | •  | •             |
| Intermittent windshield wipers                                    | •  | •     | ٠  | •             |
| Remote keyless entry with Panic button                            | ٠  | •     | •  | •             |
| Power mirrors   | •  | •     | •  | ٠             |
| Heated power mirrors  | -  | •     | •  | •             |
| Power tilt-and-slide sunroof                                      | -  | —     | •  | •             |
| Privacy glass   | •  | •     | •  | •             |
| Fuel-tank skid plate  | •  | •     | ٠  | •             |
| 16" aluminum-alloy wheels   | 0  | 0     | •  | ٠             |
| Roof rails  | •  | •     | •  | •             |
| Rear-window wiper/washer  | •  | •     | •  | •             |
| Rear spoiler with brake light                                     | _  | —     | •  | •             |
| Full-size spare tire with color-keyed hard-shell spare-tire cover | •  | •     | •  | •             |

#### INTERIOR

| Power windows and door locks                                | • | ٠ | • | • |
|---|---|---|---|---|
| Front and rear 12-volt auxiliary power outlets              | • | • | • | • |
| CD player with 7 speakers, including adjustable subwoofer   | • | • | • | ٠ |
| Steering-wheel-integrated audio controls                    | • | • | • | ٠ |
| Tilt steering wheel   | • | • | • | • |
| Cruise control  | • | ٠ | • | ٠ |
| Automatic climate control with micron air-filtration system | • | • | • | • |
| Rear-window defroster                                       | • | ٠ | • | • |
| Split-folding rear seatbacks                                | • | • | • | ٠ |
| Overhead console with reading lamps and storage             | • | ٠ | _ | _ |
| Adjustable center armrest with CD storage and cupholders    | • | ٠ | • | ٠ |
| Front and rear cupholders                                   | • | • | • | • |
| Below-seat storage bin                                      | • | • | • | ٠ |
| Retractable cargo cover (XL-7 5-passenger model)            | • | ٠ | • | • |
| Automatic lighting system                                   | • | ٠ | • | • |
| Map lights  | • | ٠ | • | • |
| Cargo-area light and dome light                             | • | • | • | • |
| Outside temperature display                                 | • | • | • | • |
| Floor mats  | • | ٠ | • | • |
|   |   |   |   |   |

| EXTERIOR                                    | LX        | LX4WD      | EX        | <b>EX</b> 4WD |  |
|---|-----------|------------|-----------|---------------|--|
| Wheelbase (in.)                             | 97.6      | 97.6       | 97.6      | 97.6          |  |
| Overall length (in.)                        | 164.5     | 164.5      | 164.5     | 164.5         |  |
| Overall width (in.)                         | 70.1      | 70.1       | 70.1      | 70.1          |  |
| Overall height (in.)                        | 67.3      | 67.8       | 67.3      | 67.8          |  |
| Minimum ground clearance (in.)              | 7.0       | 7.5        | 7.0       | 7.5           |  |
| Angle of approach (deg.)                    | 27.5      | 28.5       | 27.5      | 28.5          |  |
| Angle of departure (deg.)                   | 27.0      | 28.1       | 27.0      | 28.1          |  |
| INTERIOR DIMENSIONS                         |           |            |           |               |  |
| Headroom, front/middle/rear (in.)           |           |            |           |               |  |
| Legroom, front/middle/rear (in.)            |           | 41.4//30.6 |           |               |  |
| Shoulder room, front/middle/rear (in.)      |           | 52.8//52.6 |           |               |  |
| Hip room, front/middle/rear (in.)           |           | 50.7//46.8 |           |               |  |
| CAPACITIES                                  |           |            |           |               |  |
| Seating                                     | 5         | 5          | 5         | 5             |  |
| Interior volume (cu. ft.), 5/7passengers    | 106.3     | 106.3      | 106.3     | 106.3         |  |
| SAE cargo index rear seat up/down (cu. ft.) | 23.4/50.2 | 23.4/50.2  | 23.4/50.2 | 23.4/50.      |  |
| Tow rating (lb.)                            | 1500      | 1500       | 1500      | 1500          |  |
| Fuel capacity (gal.)                        | 16.9      | 16.9       | 16.9      | 16.9          |  |
| CURB WEIGHT                                 |           |            |           |               |  |
| Manual (lb.) 5/7 passengers                 | 3108      | 3230       | _         | _             |  |
| Automatic (lb.) 5/7 passengers              | 3108      | 3230       | 3108      | 3230          |  |
| EPA FUEL-ECONOMY ESTIMATES                  |           |            |           |               |  |
| Manual, city/highway (mpg)                  | 19/22     | 19/22      | _         | _             |  |
| Automatic, city/highway (mpg)               | 19/22     | 19/22      | 19/22     | 19/22         |  |
|   |           |            |           |               |  |

• = Standard O = Optional - = Not applicable



#### Specifications and Features

#### SAFETY

| 4-wheel antilock braking system<br>(Optional on Grand Vitara LX 2WD and EX 2WD) |
|---|
| Steel ladder-type frame   |
| Front and rear energy-absorbing zones   |
| Steel-reinforced passenger compartment  |
| Side-impact door beams  |
| Second-generation dual-stage airbags  |
| Front-seat height-adjustable shoulderbelts                                      |
| Child-seat LATCH system<br>(Lower Anchors and Iethers for <u>CH</u> ildren)     |
| Rear-door child-safety locks  |
| Daytime running lights  |

\*It is not a substitute for regular tire-pressure inspections. Tire pressures should be checked at least monthly using a tire-pressure gauge. Maintaining the recommended tire pressure can help avoid performance problems, tire damage and premature tire wear. See the owner's manual for additional details.

#### MECHANICAL

2.5-liter, 24-valve, DOHC V6 engine with 165 hp @ 6500 rpm Torque: 162 ft-lb @ 4000 rpm 5-speed manual transmission (Grand Vitara LX)

4-speed automatic transmission (Grand Vitara EX, optional on LX)

Zero-maintenance timing chain

Shift-on-the-fly 4WD with 2-speed transfer case (optional)

Direct ignition system

Liquid-filled engine mounts

Power rack-and-pinion steering

Strut-tower brace

MacPherson Strut front suspension

5-link coil-spring rear suspension

Wheel and tire size: P235/60R16

#### **Exterior Colors**





Black Onyx\*\*2



Cool Beige Metallic<sup>1</sup>



Cosmic Blue Metallic\*\*2



Racy Red\*\*2



White Pearl\*<sup>\*2</sup>

\*\*Two-tone exterior paint; combines with Silky Silver Metallic.

<sup>1</sup> With two-tone beige interior. <sup>2</sup> With two-tone gray interior.

#### © American Suzuki Motor Corporation 2004 P.O. Box 1100 Brea, CA 92822-1100 1-877-MY-SUZUKI (1-877-697-8985)

Drive responsibly: Buckle up for safety-don't drink and drive. WARNING: Sport Utility Vehicles handle differently from ordinary passenger cars. Avoid sharp turns and abrupt maneuvers. Always wear your seatbelt. For specific details, please read your owner's manual for on- and off-road driving tips. To avoid injury from an airbag, always place children twelve years old and under in the rear seat; always move both driver and passenger seats as far back from airbag as practical; never transport a child in a rear-facing child seat in the front seat; and always use the seatbelts and buckle up properly. Always keep cargo loads within specified weight limits, distribute cargo evenly and secure it from shifting. Pricing, specifications and equipment based on information available at the time of file posting, subject to change without notice and may differ in each sales area. Some vehicles shown with optional equipment. For more details on 2005 options, accessories, specifications and prices, contact your local Suzuki dealer. "Tread Lightly®" on public and private land. Along with concerned conservationists everywhere, Suzuki urges you to preserve your future off-road driving opportunities by showing respect for the environment, local laws and the rights of others. The "S" logo, Suzuki and Suzuki model names are Suzuki trademarks or ®.

