### THE WHOLE ENCHILADA

A FULL LIST OF FEATURES, SPECS, AND PRICES.



NA = Not Available NC = No Charge option DA = Dealer Accessory S = Standard O = Option ^ = Also in Combo

ase MSRP* cludes D&H)	2006 MINI COOPER \$18,000	2006 MINI COOPER CONV. \$22,500	2006 MINI COOPER S \$21,450	2006 MINI COOPER'S CONV. \$25,950
ACKAGES				
ombo #1: remium	\$1,400	\$1,400	\$1,400	\$1,400
	Multifunction leather wheel	Multifunction leather wheel	Multifunction leather wheel	Multifunction leather wheel
	Cruise control	Cruise control	Cruise control	Cruise control
	Dual pane panoramic sunroof	Chrome line interior	Dual pane panoramic sunroof	Chrome line interior
	Auto AC w/active carbon air filter	Auto AC w/active carbon air filter	Auto AC w/active carbon air filter	Auto AC w/active carbon air filter
	On-board computer	On-board computer	On-board computer	On-board computer
		Harman Kardon Stereo		Harman Kardon Stereo
ombo #2: port	\$1,400	\$1,400	\$1,400	\$1,400
port	Dynamic Stability Control (DSC)	Dynamic Stability Control (DSC)	Dynamic Stability Control (DSC)	Dynamic Stability Control (DSC)
	- Commence of the control of the con		Bonnet stripes (if you want them)	Bonnet stripes (if you want them)
	16" Alloy 5-star wheels with	16" Alloy 5-star wheels with	17" Alloy S-lite wheels with 205/45	17" Alloy 5-spoke bullet wheels with
	195/55R16 perf. run flat tires	195/55R16 perf. run flat tires	R17 perf. or all-season run flat tires	205/45 R17 perf. or all-season run flat tires
	•		or 17" web-spoke wheels w/perf.	or 17" web-spoke wheels w/perf. run-flats
			run-flats (web-spoke wheels add \$500)	(web-spoke wheels add \$500)
	Sport seats	Sport seats	Xenon Headlamps w/powerwashers	Xenon Headlamps w/powerwashers
	Front fog lamps	Front fog lamps	Front fog lamps	Front fog lamps
Combo #3: Cold Weather	\$300	\$300	\$300	\$300
	Heated washer jets	Heated washer jets	Heated washer jets	Heated washer jets
	Heated mirrors	Heated mirrors	Heated mirrors	Heated mirrors
	Heated seats	Heated seats	Heated seats	Heated seats
Combo #4: Convenience	\$400	\$400	\$400	\$400
.ovee.ee	Auto dimming rearview mirror	Auto dimming rearview mirror	Auto dimming rearview mirror	Auto dimming rearview mirror
	Auto rain sensor	Auto rain sensor	Auto rain sensor	Auto rain sensor
	Auto headlamp	Auto headlamp	Auto headlamp	Auto headlamp
	Universal garage door opener	Universal garage door opener	Universal garage door opener	Universal garage door opener
Combo #5: John Cooper Works Tuning Kit	NA	NA	\$6,300	\$6,300
	<u>.                                      </u>		JCW Engine Kit	JCW Engine Kit
			JCW Sport Brake Kit	JCW Sport Brake Kit
			Limited Slip Differential	Limited Slip Differential

\*Each new MINI comes with a Manufacturer's Suggested Retail Price (MSRP) listed on its "window sticker."
MSRP includes destination and handling charge of \$550 and excludes title, license, registration, taxes and options. Actual price is determined by your authorized MINI Dealer.

#### INDIVIDUAL FEATURES AND OPTIONS

Performance & Efficiency	MINI Cooper	MINI Cooper Convertible	MINI Cooper S	MINI Cooper S Convertible
1.6 - liter overhead cam (OHC), 16 - valve incline 4 - cyl. engine (115 hp)	S	s	NA	NA
Supercharged, intercooled 1.6-liter overhead cam (OHC), 16-valve inline 4-cylinder engine (168 hp)	NA NA	NA	S	S
Drive-by-Wire – Electronic throttle control	S	S	S	S
5-speed manual Getrag transmission	S	S	NA NA	NA NA
6-speed manual Getrag transmission	NA	NA	S	S
CVT (Continuously-Variable automatic Transmission) with lever-mounted 6-speed Steptronic mode	\$1300	\$1300	NA NA	NA NA
Automatic Transmission with Steering wheel mounted Agitronic paddleshifters	NA	NA	\$1350	\$1350
Wide Bulldog Stance	S	S	S	S
Hood scoop Air-instake	NA	NA	S	5
John Cooper Works Engine Kit	NA NA	NA	DA	DA
JCW Air Filter Kit	NA	NA	DA	DA
JCW Sport Suspension	DA	NA	DA	NA NA
JCW Sport Brake Kit	DA	DA	DA	DA
Handling, Ride & Braking	MINI Cooper	MINI Cooper Convertible	MINI Cooper S	MINI Cooper S Convertible
Ultra-rigid body frame construction	s	s	s	s
MacPherson strut front suspension	S	s	s	S
Multi-link rear suspension	S	S	S	S
Equal-length drive shafts	S	S	s	S
Dual-cone synchronizers	S	S	S	S
Electro-hydraulic, engine-speed-sensitive, variable-assisted power steering	s	s	s	s
4-wheel anti-lock disc brakes (front vented/rear solid)	S	S	S	S
Electronic Brake Distribution	s	s	S	S
Corner Brake Control	S	S	S	S
All-Season Traction Control (ASC)	NA NA	NA	S	S

# THE WHOLE ENCHILADA Page 2



Handling, Ride & Braking Cont.  Dynamic Stability Control (DSC) (incorporates ASC functions)  Sport Suspension w/ front and rear stabilizer bars  Sport Suspension Plus w/ stiffer front and rear stabilizer bars  Limited Slip differential  Exterior  15" alloy wheels, 175/658-15 performance tires, Delta-spoke design	\$500^ \$ \$500 NA	Convertible \$500^ \$500 NA	\$500^ NA S	Convertible \$500^ S
Sport Suspension Plus w/ stiffer front and rear stabilizer bars Limited Slip differential  Exterior 15" alloy wheels, 175/65R-15 performance tires, Delta-spoke design	\$500	NA		S
Limited Slip differential  Exterior  15" alloy wheels, 175/65R-15 performance tires, Delta-spoke design				NA
15" alloy wheels, 175/65R-15 performance tires, Delta-spoke design		NA	\$500	\$500
15" alloy wheels, 175/65R-15 performance tires, Delta-spoke design	MINI Cooper	MINI Cooper	MINI Cooper S	MINI Cooper S
15" allow who als 175 (CER 15 works were a time 7 halo design	s	Convertible S	NA NA	Convertible NA
15" alloy wheels, 175/65R-15 performance tires, 7-hole design 15" alloy wheels, 175/65R-15 performance tires, 5-star rocket design	NC NC	NC NC	NA NA	NA NA
16" alloy wheels, 195/55R-16 performance run flat tires, 5-star design	\$600^	\$600^	NA	NA
16" alloy wheels, 195/55R-16 all-season run flat tires, V-spoke design 16" alloy wheels, 195/55R-16 performance tires, 7-fin spoke design	NA NA	NA NA	S NA	NC S
17" alloy wheels, 205/45R-17 perf. or all season run flat tires, S-lite design	DA	DA	\$600^	\$600^
17" alloy wheels, 205/45R-17 performance tires, 5-spoke Bullet design 17" alloy wheels, 205/45R-17 performance run flat tires, Web-spoke design	NA NA	NA NA	NA \$1100	\$600^ \$1100
Alloy wheels – all available in white	NC	NC	NC NC	NC
Space saver wheel and tire  Xenon headlights with retractable, high-intensity power wash and auto-leveling feature	\$ \$550	\$ \$550	NA \$550	NA \$550
Front fog lamps (halogen free-form)	\$150^	\$150^	\$150^	\$150^
Sculpted bonnet Chrome grill and surround	S	S	S NA	S NA
Body-colored bumpers	S	S	NA	NA
Chrome mirror caps (and chrome hinges for Convertible) Body-colored grill	\$150 NA	\$150 NA	\$150 S	\$150 \$
Body-colored sport bumpers	NA	NA	S	S
Body-colored roof Contrasting roof and mirror caps (available black, white, or silver)	NC S	NA NA	NC S	NA NA
Rear spoiler Soft-top convertible roof (in black, dark green or blue)	S	NA	S	NA
Sont-top convertible roof (in black, dark green of blue)  Bonnet stripes (black or white)	NA DA	S DA	NA \$100^	\$ \$100^
Single chrome tailpipe				
Center-mounted dual-tailpipes	S NA	S NA	NA S	NA S
Chrome fuel filler cap cover Glass band "greenhouse" windows	NA S	NA NA	S S	S NA
Open-wide front doors	S	S	S	S
Open-wide hatch Easy load boot	S NA	NA S	S NA	NA S
Metallic paint	\$450	\$450	\$450	\$450
	<u> </u>		1	<u> </u>
Interior Seating & Trim	MINI Cooper	MINI Cooper Convertible	MINI Cooper S	MINI Cooper S Convertible
5-way adjustable seats (manual) w/ height adjustment iport seats - 6-way adjustable (manual) w/ height adjustment	\$ \$300	\$ \$300	NA S	NA S
2-way adjustable lumbar support (only with leather and cloth upholstery)	0	0	0	0
Height adjustable headrests Seatback easy-entry feature	S	S	S	S
Power exterior mirror control LED waterfall lighting	S	S	S	S
Leatherette upholstery	S	S	S	S
Cloth upholstery Cloth/leather combo upholstery	NC \$800	NC \$800	NC \$800	NC \$800
Leather upholstery with leather steering wheel and gear shift	\$1,300	\$1,300	\$1,300	\$1,300
Heated front seats 3-spoke leather steering wheel	\$270^ S	\$270^	\$270^	\$270^ S
3-spoke multi-function leather steering wheel with fingertip cruise control and audio controls	\$250	\$ \$250	\$ \$250	\$250
Tilt steering wheel column Silver high-gloss trim	S	<b>S</b>	S	S NC
Alloy patina trim	NC NC	NC	NC S	S
Anthracite trim Body color trim	NC NA	NC 5300	NC 5300	NC \$200
'Seven" piano black dash	\$200	\$200 NA	\$200 \$200	NA
'Park Lane" dash Aluminum alloy foot pedals	\$200 NA	NA NA	\$200 S	NA S
Chrome line interior trim	\$200	\$200	\$200	\$200
eather English Panther Black	\$1,700	NA	\$1,700	NA
Instrumentation & Controls	MINI Cooper	MINI Cooper Convertible	MINI Cooper S	MINI Cooper S Convertible
Eenter-mounted speedometer Steering column-mounted tachometer	S S	S S	S S	S
Service interval indicator with miles-to-service readout	S	S	S	S
theck control vehicle monitor system with pictogram display On-board computer indicating average fuel/speed, outside temperature, rip computer and range	\$ \$200^	\$ \$200^	\$ \$200^	\$ \$200^
in computer and range Di-board navigation system with 16:9 screen w/ on-board computer (speedometer moves to steering column) Cockpit Chrono Pack	\$1,700 \$300	\$1,700 \$300	\$1,700 \$300	\$1,700 \$300
Comfort & Convenience	MINI Cooper	MINI Cooper Convertible	MINI Cooper S	MINI Cooper S
oggle switch instrument controls			S	
emote entry, including 2-step unlocking and remote trunk release	S S	S S	S	S S
tir-conditioning with pollen micro-filter and air-recirculation tutomatic air-conditioning with active carbon filter and air-recirculation	\$ \$300^	\$ \$300^	\$ \$300^	\$ \$300^
limate controlled glovebox	S	S	S	S
ark Distance Control – rear only Glass rear window w/defroster	\$350 S	S	\$350 S	S
peed-sensitive intermittent windshield wipers	S	S	S	S
Rear windshield wiper	\$ \$200	NA \$200	\$ \$200	NA \$200
Rain sensors and Auto headlamps		S	S	S



Comfort & Convenience Cont.	MINI Cooper	MINI Cooper Convertible	MINI Cooper S	MINI Cooper S Convertible
Dual-pane panoramic power sunroof	\$850^	NA	\$850	NA
Automatic cloth sunroof	NA	S	NA	S
Cruise control (with leather multi-function steering wheel)	\$350^	\$350^	\$350^	\$350^
Map-reading and footwell lights	S	S	S	S
0/50 Split fold-down rear seats for expandable cargo space	S	S	S	S
cupholders – 2 front/1 rear	S	S	S	S
sun visors (2 with illuminated vanity mirrors)	S	S	S	S
lectronic digital clock	S	S	S	S
lug and play electronics system	S	S	S	S
auto-sealing door windows	5	S	S	S
One-touch" window/roof control using key	5	S	S	S
2V Power outlet in the boot and cockpit	S	S	S	S
Iniversal garage door opener	\$200	\$200	\$200	\$200
ide sun visor	S	S	S	S
irab handles in headliner	5	NA	S	NA NA
Auto-dimming mirror	\$200	\$200	\$200	\$200


Audio System			М	INI Cooper	MINI Cooper Convertible	MINI Cooper S	MINI Cooper S Convertible
Speakers with AM/FM & CD				S	s	s	S
Speakers with AM/FM & Cassette				NC	NC	NC	NC
	8 upgraded speakers, upgraded amplificati	on, digital sound processing (DSP) and multipl	le	\$550	\$550	\$550	\$550
lriver-spatial acoustic settings IRIUS Satellite Radio (price doesn't i	include installation or subscription fees)			\$499	\$499	\$499	\$499
afety & Security			N	IINI Cooper	MINI Cooper	MINI Cooper S	MINI Cooper
Itra-rigid body frame construction				-	Convertible		Convertible
nti-lock braking system (ABS)				S	S	S	S
orner Brake Control (CBC)				S	S	S	S
ectronic Brake Distribution (EBD)				S	S	S	S
at Tire Monitor				S	S	S	S
help prevent unnecessary passeng	er airbag deployment	mart" dual-threshold, dual-stage deployment	and sensor	S	S	S	S
	nted, side-impact airbags (thorax protective	bags on convertible)		S	S	S	S
dvanced Head Protection System II ( ide-impact door beams with interlo				S S	NA S	S	NA S
re-wired for alarm system installation				5	5	5	5
entral locking system with center to				S	S	S	S
ngine immobilizer with coded drive	away protection			S	S	S	S
emote keyless entry and "one-turn"				S	S	S	S
eight-adjustable front safety belts v OFIX child restraint seat anchorage:	with automatic pretensioners & force limite	rs		S S	S	S	S
		loors w/ auto fuel cut-off triggered by airbag d	deployment	5	5	S	S S
attery misconnection alarm		, unbug u		S .	S	5	S
aytime running lights – programme	d by MINI dealer			NC	NC	NC	NC
einforced rear seat rollbars				NA	S	NA	S
ear fog-lamp				\$100	\$100	\$100	\$100
/EHICLE SPECIFICATIONS							
VEHICLE SPECIFICATIONS							
Engine	MINI Cooper	MINI Cooper Convertible	MINI Coop			MINI Cooper S Co	
iters/type	1.6/transverse 4-cyl.	1.6/transverse 4-cyl.	Supercharg	er S ed 1.6/transv	erse 4-cyl.	Supercharged 1.6/	
ingine iters/type iore/stroke, inch	1.6/transverse 4-cyl. 3.03/3.38	1.6/transverse 4-cyl. 3.03/3.38	Supercharg 3.03/3.38		erse 4-cyl.	Supercharged 1.6/ 3.03/3.38	
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm	1.6/transverse 4-cyl.	1.6/transverse 4-cyl.	Supercharg		erse 4-cyl.	Supercharged 1.6/	
ingine iters/type ore/stroke, inch //ax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm	1.6/transverse 4-cyl. 3.03/3.38 115/6000	1.6/transverse 4-cyl. 3.03/3.38 115/6000	Supercharg 3.03/3.38 168/6000		erse 4-cyl.	Supercharged 1.6/ 3.03/3.38 168/6000	
ingine iters/type ore/stroke, inch fax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500	Supercharg 3.03/3.38 168/6000 162/4000	ed 1.6/transvo	erse 4-cyl.	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000	transverse 4-cyl.
ingine iters/type iters/type iore/stroke, inch Max. Horsepower, hp/rpm Max. Torque, lb-ft/rpm iower to Weight Ratio, lbs./hp uel Efficiency, city/highway iransmission	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded)	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded)	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t	ed 1.6/transvi		Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade	transverse 4-cyl.
ingine iters/type ore/stroke, inch flax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway ransmission ear ratios	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t	ed 1.6/transvo	o - Agitronic	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade	transverse 4-cyl. d) Auto - Agitron
ingine iters/type ore/stroke, inch Alax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway ransmission ear ratios 1/II	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium u	ed 1.6/transverse  inleaded)  anual Auto  4.0	o - Agitronic 044 / 2.371	Supercharged 1.6/ 3.03/3.38 158/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793	d)  Auto - Agitron 4.044 / 2.37
ingine iters/type ore/stroke, inch dax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway ransmission ear ratios 1/II 111//V	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t	ed 1.6/transvi	o - Agitronic	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade	d) Auto - Agitron 4.044 / 2.37. 1.556 / 1.155
ingine iters/type ore/stroke, inch flax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway ransmission ear ratios 1/II III/IV V/VI	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium u 6-speed ma 12.789/7.79 5.651/4.615	ed 1.6/transvi	o - Agitronic )44 / 2.371 56 / 1.159 52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615	d) Auto - Agitron 4.044 / 2.37. 1.556 / 1.155
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway vransmission ear ratios 1/II III/IV J/YI Final drive ratio	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium u 6-speed ma 12.789/7.79 5.651/4.615	ed 1.6/transvi	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.155 0.852 / 0.672
ingine iters/type ore/stroke, inch flax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway  ransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded)  5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed ms 12.789/7.79 5.651/4.615 3.828/3.126 total trans re	ed 1.6/transverse and 1.6/transverse and 1.6/transverse and 1.5 and 1.	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944	d) Auto - Agitron 4.044 / 2.37: 1.556 / 1.155 0.852 / 0.672 3.683
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway ransmission ear ratios i/il III/V V/VI Final drive ratio Reverse erformance rag coefficient	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1  28/36 mpg (26/34 w/CVT)** (premium unleaded)  5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded)  5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable 3.509/ variable total trans ratio 5.76 14.065 3.82	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed ma 12.789/7.79 5.651/4.615 3.828/3.126 total trans re 11.944	ed 1.6/transverse and 1.6/transverse and 1.6/transverse and 1.5 and 1.	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 1.68/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944	d) Auto - Agitron 4.044 / 2.37/ 1.556 / 1.15/ 0.852 / 0.67/ 3.683
ngine ters/type ore/stroke, inch lasx. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway ransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient pp speed	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded)  5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed ms 12.789/7.79 5.651/4.615 3.828/3.126 total trans re	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944	d) Auto - Agitron 4.044 / 2.37/ 1.556 / 1.15/ 0.852 / 0.67/ 3.683
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway vransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient py speed cceleration – 0-60 uspension	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/cVT)/1 28/36 mpg (26/34 w/cVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82 .35 .24 mph (115 mph w/cVT) 8.5 seconds (manual only)	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only)	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed mt 12.789/7.79 5.651/4.615 3.828/3.126 total trans r 11.944 .36 134 mph 6.8 seconds	ed 1.6/transverse	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 .37 134 mph 7.0 seconds	d) Auto - Agitron 4.044 / 2.37/ 1.556 / 1.15/ 0.852 / 0.67/ 3.683
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway  ransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient pp speed cceleration – 0-60 uspension reverse/troke, inch services uspension Front:	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium u 6-speed ma 12.789/7.79 5.651/4.615 3.828/3.126 total trans r 11.944 3.6 134 mph	ed 1.6/transverse	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944	d) Auto - Agitron 4.044 / 2.37/ 1.556 / 1.15/ 0.852 / 0.67/ 3.683
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway vransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient upp speed cceleration – 0-60 uspension Front: Rear:	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1  28/36 mpg (26/34 w/CVT)** (premium unleaded)  5-speed manual CVT 14.4/3.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/CVT) 8.5 seconds (manual only)  MacPherson Strut	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded)  5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only)  MacPherson Strut	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed ms 12.789/7.79 5.651/4.615 3.828/3.126 total trans rs 11.944 3.6 134 mph 6.8 seconds MacPherso Multi-link	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 .37 134 mph 7.0 seconds	d) Auto - Agitron 4.044 / 2.37/ 1.556 / 1.15/ 0.852 / 0.67/ 3.683
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway ransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient ap speed cceleration – 0-60 uspension Front: Rear: ires, Wheels & Brakes re dimensions	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/CVT) 8.5 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed ma 12.789/7.79 5.651/4.615 3.828/3.126 total trans r 11.944 3.6 134 mph 6.8 seconds MacPherso Multi-link	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 37 134 mph 7.0 seconds MacPherson Strut Multi-link	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.15 0.852 / 0.67 3.683 3.193
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway vransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient payspeed cceleration – 0-60 uspension Front: Rear: ires, Wheels & Brakes redimensions finel drivelerations	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 5.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/CVT) 8.5 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season 15" × 5.5"	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only) MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5"	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed mt 12.789/7.79 5.651/4.615 3.828/3.126 total trans r 11.944 .36 134 mph 6.8 seconds MacPherso Multi-link 195/55R-11 16" x 6.5"	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 .37 134 mph 7.0 seconds MacPherson Strut Multi-link 195/55R-16 all sea 16" x 6.5"	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.15; 0.852 / 0.67; 3.683 3.193
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway  ransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient pp speed cceleration – 0-60 uspension Front: Rear: ires, Wheels & Brakes re dimensions daterial	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/CVT) 8.5 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed ma 12.789/7.79 5.651/4.615 3.828/3.126 total trans r 11.944 3.6 134 mph 6.8 seconds MacPherso Multi-link	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 37 134 mph 7.0 seconds MacPherson Strut Multi-link	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.15 0.852 / 0.67 3.683 3.193
ngine ters/type oros/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway vransmission ear ratios 1/11 IIII/IV V/VI Final drive ratio Reverse erformance rag coefficient p speed cceleration – 0-60 uspension Front: Revar: ires, Wheels & Brakes re dimensions heel dimensions heel dimensions aterial ake dimensions (diameter)	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/CVT) 8.5 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5" Alloy	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5" Alloy	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed ma 12.789/7.79 5.651/4.615 3.828/3.126 total trans r 11.944 36 134 mph 6.8 seconds MacPherso Multi-link 195/55R-11 16" x 6.5" Alloy	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944  .37 134 mph 7.0 seconds  MacPherson Strut Multi-link  195/55R-16 all sea 16" x 6.5" Alloy	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.15 0.852 / 0.67 3.683 3.193
ngine ters/type ore/stroke, inch lax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway vransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse erformance rag coefficient payspeed cceleration – 0-60 uspension Front: Rear: ires, Wheels & Brakes re dimensions theel dimensions daterial rake dimensions (diameter) Front – vented: inch	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 28/36 mpg (26/34 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 5.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/CVT) 8.5 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season 15" × 5.5"	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only) MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5"	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium t 6-speed mt 12.789/7.79 5.651/4.615 3.828/3.126 total trans r 11.944 .36 134 mph 6.8 seconds MacPherso Multi-link 195/55R-11 16" x 6.5"	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 .37 134 mph 7.0 seconds MacPherson Strut Multi-link 195/55R-16 all sea 16" x 6.5"	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.15; 0.852 / 0.67; 3.683 3.193
ingine iters/type ore/stroke, inch dax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway  ransmission ear ratios 1/II III/IV V/VI Final drive ratio Reverse  erformance rag coefficient ops speed cceleration – 0-60 uspension Front: Rear: ires, Wheels & Brakes ire dimensions Irel dimensions Irel dimensions Intel dimensions (diameter) Front – vented: inch Rear – solid: inch	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/cVT)/1 28/36 mpg (26/34 w/cVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/cVT) 8.5 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5" Alloy 10.9"	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only) MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5" Alloy	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium to the second management of the second management of the second	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 .37 134 mph 7.0 seconds MacPherson Strut Multi-link 195/55R-16 all sea 16" x 6.5" Alloy	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.15; 0.852 / 0.67; 3.683 3.193
ingine iters/type ore/stroke, inch flax. Horsepower, hp/rpm Max. Torque, lb-ft/rpm ower to Weight Ratio, lbs./hp uel Efficiency, city/highway  ransmission ear ratios I/II III/IV V/VI Final drive ratio Reverse	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/cVT)/1 28/36 mpg (26/34 w/cVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .35 124 mph (115 mph w/cVT) 8.5 seconds (manual only)  MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5" Alloy 10.9"	1.6/transverse 4-cyl. 3.03/3.38 115/6000 111/4500 21.9 (22.2 w/CVT)/1 27/35 mpg (26/33 w/CVT)** (premium unleaded) 5-speed manual CVT 14.4/8.327 variable 5.476/4.105 variable 3.509/ variable total trans ratio 5.76 14.065 3.82  .37 121mph (115 mph w/CVT) 8.9 seconds (manual only) MacPherson Strut Multi-link  175/65R-15 all season 15" x 5.5" Alloy	Supercharg 3.03/3.38 168/6000 162/4000 16.4/1 25/32 mpg (premium to the second management of the second management of the second	ed 1.6/transverse et al.6/transverse et al.6/transv	o - Agitronic )44 / 2.371 56 / 1.159 :52 / 0.672	Supercharged 1.6/ 3.03/3.38 168/6000 162/4000 16.4/1 25/32mpg** (premium unleade 6-speed manual 12.789/7.793 5.651/4.615 3.828/3.126 total trans ratio 11.944 .37 134 mph 7.0 seconds MacPherson Strut Multi-link 195/55R-16 all sea 16" x 6.5" Alloy	d) Auto - Agitron 4.044 / 2.37 1.556 / 1.15 0.852 / 0.67 3.683 3.193

<sup>\*\*</sup> Preliminary data. EPA-estimated figures are for comparison purposes only. Your actual mileage may vary, depending on speed, weather and trip length; actual highway mileage will most likely be lower.

## MINI COOPER AND MINI COOPER S DIMENSIONS

Where different, MINI Cooper S dimensions in parentheses.





## MINI COOPER AND MINI COOPER S CONVERTIBLE DIMENSIONS

Where different, MINI Cooper S Convertible dimensions in parentheses.

