

2007 B-Series Truck

Summary



S Standard P Package Option □ Stand-Alone Option A Dealer Installed Accessory X Not Available

2007 B-Series Truck

|                  | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|------------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
| MSRP starting at | \$16,170*        | \$19,675*       | \$20,310*           | \$22,065*          | \$22,680*       | \$27,225*          |

PERFORMANCE

|   |                |                |                |                |                |                |
|---|----------------|----------------|----------------|----------------|----------------|----------------|
| 2.3L DOHC 16-valve 4-cylinder engine                                  | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> |
| 3.0L OHV 12-valve V6 engine   | <span>X</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> |
| 4.0L SOHC 12-valve V6 engine  | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> |
| 4-wheel drive system with dual-range transfer case                    | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> |
| 5-speed manual transmission with floor mounted shifter                | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>X</span> |
| 5-speed electronic automatic transmission with column mounted shifter | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>S</span> |
| Limited slip differential   | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> |
| Skid plates, fuel tank and transfer case                              | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> |

SUSPENSION / STEERING

|   |                |                |                |                |                |                |
|---|----------------|----------------|----------------|----------------|----------------|----------------|
| Power-assisted rack and pinion steering                           | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Front suspension, double wishbone with coil springs               | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> |
| Front suspension, raised double wishbone with torsion bar springs | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Rear suspension, leaf spring                                      | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> |
| Rear suspension, raised leaf spring                               | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Stabilizer bar, front   | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Stabilizer bar, rear  | <span>X</span> | <span>X</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> |

BRAKES

|   |                |                |                |                |                |                |
|---|----------------|----------------|----------------|----------------|----------------|----------------|
| Power-assisted front ventilated disc brakes with rear drum brakes | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Anti-lock braking system (ABS)                                    | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |

TOWING

|  |                |                |                |                |                |                |
|--|----------------|----------------|----------------|----------------|----------------|----------------|
| Trailer hitch reciever (Class III frame mounted) | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>S</span> |
| Trailer hitch cover                              | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> |
| Trailer towing wiring harness                    | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Front tow hooks                                  | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> |

TOWING AND PAYLOAD W/5-SPEED MANUAL TRANSMISSION

|            |      |      |      |      |      |      |
|------------|------|------|------|------|------|------|
| axle ratio | 3.73 | 3.73 | 4.10 | 4.10 | 4.10 | 4.10 |
|------------|------|------|------|------|------|------|

2007 B-Series Truck

Summary



S Standard   P Package Option   D Stand-Alone Option   R Dealer Installed Accessory   X Not Available

2007 B-Series Truck

|                        | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|------------------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
| MSRP starting at       | \$16,170*        | \$19,675*       | \$20,310*           | \$22,065*          | \$22,680*       | \$27,225*          |
| maximum payload        | 1260             | 1680            | 1260                | 1260               | 1260            | 1260               |
| GVWR                   | 4380             | 5020            | 4680                | 4920               | 5140            | 5140               |
| maximum trailer weight | 1580             | 2480            | 2520                | 2360               | 3100            | 3100               |
| GCWR                   | 4800             | 6000            | 6000                | 6000               | 7000            | 7000               |

TOWING AND PAYLOAD W/5-SPEED AUTOMATIC TRANSMISSION

|                        |      |      |      |      |      |      |
|------------------------|------|------|------|------|------|------|
| axle ratio             | 4.10 | 3.73 | 4.10 | 4.10 | 4.10 | 4.10 |
| maximum payload        | 1260 | 1680 | 1260 | 1260 | 1260 | 1260 |
| GVWR                   | 4380 | 5020 | 4680 | 4920 | 5140 | 5140 |
| maximum trailer weight | 2260 | 2420 | 2480 | 2320 | 5600 | 5600 |
| GCWR                   | 5500 | 6000 | 6000 | 6000 | 9500 | 9500 |

FUEL ECONOMY. EPA CITY/HIGHWAY (MPG)

|                                |         |         |         |         |         |                |
|--------------------------------|---------|---------|---------|---------|---------|----------------|
| 5-speed manual transmission    | 24 / 29 | 18 / 23 | 18 / 23 | 18 / 23 | 16 / 19 | <span>X</span> |
| 5-speed automatic transmission | 22 / 26 | 18 / 22 | 18 / 22 | 18 / 22 | 16 / 20 | 16 / 20        |

EXTERIOR FEATURES

|   |                |                |                |                |                |                |
|---|----------------|----------------|----------------|----------------|----------------|----------------|
| Door handles, black   | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> |
| Door handles, body-color  | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>D</span> |
| Bumpers, black  | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>X</span> |
| Bumpers, body-colored   | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>D</span> |
| Bumpers, chrome   | <span>D</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> |
| Wheel-arch moldings, black  | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> |
| Wheel-arch moldings, body-color   | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>D</span> |
| Front grille trim, black  | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>X</span> |
| Front grille, bright  | <span>D</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> |
| Front grille, body-color  | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>D</span> |
| Cargo-bed tie down hooks  | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Bedliner  | <span>D</span> | <span>D</span> | <span>S</span> | <span>S</span> | <span>D</span> | <span>S</span> |
| Front mudguards, black  | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> |
| Front mudguards, contoured  | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Rear mudguards, black   | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> |
| Rear mudguards, contoured   | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Wheels, 15-inch styled steel with 225/70R15 outline white letter all-season tires | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> |
| Wheels, 15-inch styled steel with 235/75R15 all-terrain white letter tires        | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>X</span> |

2007 B-Series Truck

Summary



S Standard P Package Option □ Stand-Alone Option R Dealer Installed Accessory X Not Available

2007 B-Series Truck

|  | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|--|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
| MSRP starting at   | \$16,170*        | \$19,675*       | \$20,310*           | \$22,065*          | \$22,680*       | \$27,225*          |
| Wheels, 15-inch alloy with 235/75R15 all-terrain white letter tires        | <span>□</span>   | <span>X</span>  | <span>S</span>      | <span>S</span>     | <span>X</span>  | <span>X</span>     |
| Wheels, 16-inch alloy with 255/70R16 all-terrain with outline white letter | <span>X</span>   | <span>X</span>  | <span>X</span>      | <span>X</span>     | <span>X</span>  | <span>S</span>     |
| Spare tire, limited service  | <span>X</span>   | <span>X</span>  | <span>S</span>      | <span>S</span>     | <span>S</span>  | <span>S</span>     |
| Spare tire, limited service (mini)   | <span>S</span>   | <span>S</span>  | <span>X</span>      | <span>X</span>     | <span>X</span>  | <span>X</span>     |
| Spare tire, exterior lock  | <span>S</span>   | <span>S</span>  | <span>S</span>      | <span>S</span>     | <span>S</span>  | <span>S</span>     |
| Halogen headlights   | <span>S</span>   | <span>S</span>  | <span>S</span>      | <span>S</span>     | <span>S</span>  | <span>S</span>     |
| Halogen fog lights   | <span>□</span>   | <span>□</span>  | <span>S</span>      | <span>S</span>     | <span>□</span>  | <span>S</span>     |
| Windshield wipers, 2-speed variable-intermittent                           | <span>S</span>   | <span>S</span>  | <span>S</span>      | <span>S</span>     | <span>S</span>  | <span>S</span>     |
| Manual side mirrors, (black)   | <span>S</span>   | <span>S</span>  | <span>X</span>      | <span>X</span>     | <span>S</span>  | <span>X</span>     |
| Remote side mirrors, (black)   | <span>X</span>   | <span>X</span>  | <span>S</span>      | <span>S</span>     | <span>X</span>  | <span>S</span>     |

EXTERIOR DIMENSIONS

|                 |       |       |       |       |       |       |
|-----------------|-------|-------|-------|-------|-------|-------|
| Length (inches) | 187.5 | 201.7 | 187.7 | 202.9 | 202.9 | 202.9 |
| Width (inches)  | 69.4  | 69.4  | 70.3  | 70.3  | 70.3  | 70.3  |
| Height (inches) | 64.9  | 64.8  | 67.6  | 67.5  | 67.5  | 67.5  |

INTERIOR FEATURES

|   |                |                |                |                |                |                |
|---|----------------|----------------|----------------|----------------|----------------|----------------|
| Cloth-trimmed upholstery                | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Full carpeted floor covering            | <span>□</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Vinyl floor covering                    | <span>S</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> |
| Floor mats, front carpeted              | <span>□</span> | <span>S</span> | <span>□</span> | <span>□</span> | <span>S</span> | <span>S</span> |
| Floor mats, front all-weather           | <span>□</span> | <span>□</span> | <span>S</span> | <span>S</span> | <span>□</span> | <span>□</span> |
| Power door locks with 2-stage unlocking | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>S</span> |
| Map pockets, driver and passenger door  | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>S</span> |
| Steering wheel, urethane                | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>X</span> |
| Steering wheel, leather-wrapped         | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>X</span> | <span>S</span> |
| Tilt steering column                    | <span>□</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>S</span> |
| Front Bucket Seats w/center console     | <span>X</span> | <span>X</span> | <span>X</span> | <span>□</span> | <span>X</span> | <span>□</span> |
| 60/40 split bench front seat            | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Fold-down center armrest w/storage      | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Fold-down rear jump seats               | <span>X</span> | <span>S</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>S</span> |
| Manual windows                          | <span>S</span> | <span>S</span> | <span>X</span> | <span>X</span> | <span>S</span> | <span>X</span> |
| Power windows                           | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>S</span> |
| Sliding rear window with privacy glass  | <span>X</span> | <span>X</span> | <span>S</span> | <span>S</span> | <span>X</span> | <span>S</span> |
| Windshield sunscreen                    | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> | <span>□</span> |

2007 B-Series Truck

Summary



**S** Standard    **P** Package Option    **□** Stand-Alone Option    **R** Dealer Installed Accessory    **✕** Not Available

2007 B-Series Truck

|  | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|--|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
| MSRP starting at   | \$16,170*        | \$19,675*       | \$20,310*           | \$22,065*          | \$22,680*       | \$27,225*          |
| Air conditioning, CFC-free   | □                | S               | S                   | S                  | S               | S                  |
| Demisters, front side-window   | S                | S               | S                   | S                  | S               | S                  |
| 12-volt power outlet   | S                | S               | S                   | S                  | S               | S                  |
| Cigarette lighter socket   | S                | S               | S                   | S                  | S               | S                  |
| Gauge cluster with tachometer, speedometer, odometer, and dual resettable trip odometers   | S                | S               | S                   | S                  | S               | S                  |
| Coolant temperature gauge  | S                | S               | S                   | S                  | S               | S                  |
| Warning lamps: parking brake, high-beam, check engine, oil pressure, battery charge, seatbelts, airbags, O/D off (A/T only), door ajar, low fuel | S                | S               | S                   | S                  | S               | S                  |
| Center console with storage and armrest lid  | S                | S               | S                   | S                  | S               | S                  |
| Floor console with dual cup holders  | S                | S               | S                   | S                  | S               | S                  |
| Remote keyless entry system  | ✕                | ✕               | S                   | S                  | ✕               | S                  |
| Cruise control with steering-wheel-mounted controls  | □                | ✕               | S                   | S                  | ✕               | S                  |
| Compass display/Auto-dimming rearview mirror   | □                | □               | □                   | □                  | □               | □                  |
| Compass/ outside-temperature display, Auto-dimming rearview mirror   | □                | □               | □                   | □                  | □               | □                  |
| Passenger-side vanity mirror and visor   | ✕                | ✕               | ✕                   | ✕                  | ✕               | S                  |

AUDIO / ENTERTAINMENT SYSTEMS

|  |   |   |   |   |   |   |
|--|---|---|---|---|---|---|
| AM/FM audio system with 2 speakers                         | S | S | ✕ | ✕ | S | ✕ |
| AM/FM/CD audio system with 4 speakers and audio input jack | □ | ✕ | S | S | ✕ | S |
| Fixed fender-mounted radio antenna                         | S | S | S | S | S | S |

INTERIOR DIMENSIONS

|                                    |      |             |      |             |             |             |
|------------------------------------|------|-------------|------|-------------|-------------|-------------|
| Seating capacity                   | 2    | 4           | 2    | 4           | 4           | 4           |
| Headroom, front/rear (inches)      | 39.2 | 39.2 / 35.6 | 39.2 | 39.2 / 35.6 | 39.2 / 35.6 | 39.2 / 35.6 |
| Shoulder room, front/rear (inches) | 54.5 | 53.8 / 15.3 | 54.5 | 53.8 / 15.3 | 53.8 / 15.3 | 53.8 / 15.3 |
| Leg room, front/rear (inches)      | 42.4 | 42.2 / 40.3 | 42.4 | 42.2 / 40.3 | 42.2 / 40.3 | 42.2 / 40.3 |
| Hip room, front (inches)           | 52.7 | 52.7        | 52.7 | 52.7        | 52.7        | 52.7        |

CAPACITIES

|                                    |      |      |      |      |      |      |
|------------------------------------|------|------|------|------|------|------|
| Passenger volume, EPA (cubic feet) | 52.6 | 63.7 | 52.6 | 63.7 | 63.7 | 63.7 |
|------------------------------------|------|------|------|------|------|------|

SAFETY

|                              |   |   |   |   |   |   |
|------------------------------|---|---|---|---|---|---|
| Front side-impact door beams | S | S | S | S | S | S |
|------------------------------|---|---|---|---|---|---|

2007 B-Series Truck

Summary



Standard Package Option Stand-Alone Option Dealer Installed Accessory Not Available

2007 B-Series Truck

|   | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|---|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
| MSRP starting at                                    | \$16,170*        | \$19,675*       | \$20,310*           | \$22,065*          | \$22,680*       | \$27,225*          |
| Dual front air bags                                 |                  |                 |                     |                    |                 |                    |
| Passenger-side air bag deactivation switch          |                  |                 |                     |                    |                 |                    |
| Front safety-belt pretensioners with force limiters |                  |                 |                     |                    |                 |                    |
| 3-point safety belts for outboard seating positions |                  |                 |                     |                    |                 |                    |
| Height adjustable front shoulder belt anchors       |                  |                 |                     |                    |                 |                    |
| Passive Anti-theft System (Engine immobilizer)      |                  |                 |                     |                    |                 |                    |
| Tailgate lock                                       |                  |                 |                     |                    |                 |                    |
| Tire pressure monitor system                        |                  |                 |                     |                    |                 |                    |

Standard Package Option Stand-Alone Option Dealer Installed Accessory Not Available

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.

\* MSRP includes destination charges but excludes tax, title and license fees. Destination charges may vary in Alaska and Hawaii. Actual dealer price may vary.



Performance Features

2007 B-Series Truck

| B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|

ENGINE

|                           |                        |                       |                        |
|---------------------------|------------------------|-----------------------|------------------------|
| Engine Type               | 2.3L DOHC, 16-valve I4 | 3.0L OHV, 12-valve V6 | 4.0L SOHC, 12-valve V6 |
| Horsepower, SAE net       | 143 @ 5250             | 148 @ 5200            | 207 @ 5250             |
| Torque, SAE net (lb./ft.) | 154 @ 3750             | 180 @ 3900            | 238 @ 3000             |
| Bore x Stroke (inches)    | 3.45 x 3.70            | 3.50 x 3.14           | 3.95 x 3.35            |
| Compression Ratio         | 9.7:1                  | 9.14:1                | 9.0:1                  |
| Valvetrain                | Dual overhead cam      | Single cam in-block   | Single overhead cam    |
| Engine Block              | Aluminum alloy         | Iron                  | Iron                   |
| Cylinder Heads            | Aluminum alloy         |                       |                        |

TOWING AND PAYLOAD W/5-SPEED MANUAL TRANSMISSION

|                        |      |      |      |      |      |      |
|------------------------|------|------|------|------|------|------|
| axle ratio             | 3.73 | 3.73 | 4.10 | 4.10 | 4.10 | 4.10 |
| maximum payload        | 1260 | 1680 | 1260 | 1260 | 1260 | 1260 |
| GVWR                   | 4380 | 5020 | 4680 | 4920 | 5140 | 5140 |
| maximum trailer weight | 1580 | 2480 | 2520 | 2360 | 3100 | 3100 |
| GCWR                   | 4800 | 6000 | 6000 | 6000 | 7000 | 7000 |

TOWING AND PAYLOAD W/5-SPEED AUTOMATIC TRANSMISSION

|                        |      |      |      |      |      |      |
|------------------------|------|------|------|------|------|------|
| axle ratio             | 4.10 | 3.73 | 4.10 | 4.10 | 4.10 | 4.10 |
| maximum payload        | 1260 | 1680 | 1260 | 1260 | 1260 | 1260 |
| GVWR                   | 4380 | 5020 | 4680 | 4920 | 5140 | 5140 |
| maximum trailer weight | 2260 | 2420 | 2480 | 2320 | 5600 | 5600 |
| GCWR                   | 5500 | 6000 | 6000 | 6000 | 9500 | 9500 |

DRIVETRAIN

|                                     |                  |      |     |   |      |
|-------------------------------------|------------------|------|-----|---|------|
| Type                                | Rear wheel drive |      |     |   | 4x4  |
| Clutch Type for Manual Transmission | Dry              |      |     |   |      |
| Transfer case ratio (low)           | ×                | ×    | ×   | × | 2.48 |
| Transfer case ratio (high)          | ×                | ×    | ×   | × | 1    |
| Gear Ratios, 5-speed automatic (:1) |                  |      |     |   |      |
| 1st                                 | 2.47             |      |     |   |      |
| 2nd                                 | 1.85             |      |     |   |      |
| 3rd                                 | 1.47             |      |     |   |      |
| 4th                                 | 1.00             |      |     |   |      |
| 5th                                 | 0.75             |      |     |   |      |
| Final Drive                         | 4.1              | 3.73 | 4.1 |   |      |
| Gear Ratios, 5-speed manual (:1)    |                  |      |     |   |      |
| 1st                                 | 3.72             |      |     |   | 3.4  |

2007 B-Series Truck



Performance Features

2007 B-Series Truck

|             | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|-------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
| 2nd         |                  |                 | 2.20                |                    |                 | 2.05               |
| 3rd         |                  |                 | 1.50                |                    |                 | 1.31               |
| 4th         |                  |                 | 1.00                |                    |                 | 1                  |
| 5th         |                  |                 | 0.79                |                    |                 | 0.79               |
| Final Drive |                  | 3.73            |                     | 4.1                |                 |                    |

CHASSIS

|                                     |   |        |  |        |          |        |
|-------------------------------------|---|--------|--|--------|----------|--------|
| Body Type                           | Body on frame                           |        |  |        |          |        |
| Front Suspension                    | Double wishbone with coil springs       |        | Double wishbone with torsion bar springs |        |          |        |
| Rear Suspension                     | Solid Axle w/ Leaf Springs              |        |  |        |          |        |
| Steering Type                       | Rack-and-pinion                         |        |  |        |          |        |
| Overall Steering Ratio              | 22.0 : 1                                | 18.7:1 | 21.5:1                                   | 18.7:1 | 18.7:1   | 18.7:1 |
| Turning Circle, Curb-to-Curb (feet) | 37.7                                    | 43     | 39.1                                     | 43     | 43       | 43     |
| Braking System                      | 4-wheel power-assisted disc/drum brakes |        |  |        |          |        |
| Front Brakes                        | 10.3 in.                                |        |  |        | 11.3 in. |        |
| Rear Brakes                         | 9                                       | 10     | 9  | 10     | 10       | 10     |
| Parking Brake                       | Activates rear drum shoes               |        |  |        |          |        |

WHEELS & TIRES

|               |                         |                         |            |                       |
|---------------|-------------------------|-------------------------|------------|-----------------------|
| Tires         | 225/70R15 All season    | 235/75R15 All terrain   |            | 255/70R16 All terrain |
| Sidewall type | outline white lettering | outline white lettering |            |                       |
| Wheels        | 15x6.5 styled steel     | 15x7 Aluminum alloy     | 15x7 steel | 16x7 Aluminum alloy   |
| Tire Brand    | Continental             | Goodyear                |            |                       |

FUEL SYSTEM

|                     |                      |      |      |      |      |      |
|---------------------|----------------------|------|------|------|------|------|
| Recommended Fuel    | 87 octane            |      |      |      |      |      |
| Fuel Tank (gallons) | 16.5                 | 19.5 | 16.5 | 19.5 | 19.5 | 19.5 |
| Fuel injection      | Electronic multiport |      |      |      |      |      |

FUEL ECONOMY

|                                |         |         |         |         |         |         |
|--------------------------------|---------|---------|---------|---------|---------|---------|
| 5-speed manual transmission    | 24 / 29 | 18 / 23 | 18 / 23 | 18 / 23 | 16 / 19 | ✖       |
| 5-speed automatic transmission | 22 / 26 | 18 / 22 | 18 / 22 | 18 / 22 | 16 / 20 | 16 / 20 |

Standard

Package Option

Stand-Alone Option

Dealer Installed Accessory

✖ Not Available

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.

2007 B-Series Truck



Exterior Features

| 2007 B-Series Truck | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|---------------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
|---------------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|

EXTERIOR FEATURES

|   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|
| Door handles, black   | S | S | X | X | S | S |
| Door handles, body-color  | X | X | S | S | X | D |
| Bumpers, black  | S | S | X | X | S | X |
| Bumpers, body-colored   | X | X | S | S | X | D |
| Bumpers, chrome   | D | X | X | X | X | S |
| Bumper, rear step   | S | S | S | S | S | S |
| Wheel-arch moldings, black  | X | X | X | X | S | S |
| Wheel-arch moldings, body-color   | X | X | S | S | X | D |
| Front grille trim, black  | S | S | X | X | S | X |
| Front grille, chrome  | D | X | X | X | X | S |
| Front grille, body-color  | X | X | S | S | X | D |
| Cargo-bed tie down hooks  | S | S | S | S | S | S |
| Bedliner  | D | D | S | S | D | S |
| Front mudguards, black  | S | S | X | X | X | X |
| Front mudguards, contoured  | X | X | S | S | S | S |
| Rear mudguards, black   | S | S | X | X | X | X |
| Rear mudguards, contoured   | X | X | S | S | S | S |
| Wheels, 15-inch styled steel with 225/70R15 outline white letter all-season tires | S | S | X | X | X | X |
| Wheels, 15-inch styled steel with 235/75R15 all-terrain white letter tires        | X | X | X | X | S | X |
| Wheels, 15-inch alloy with 235/75R15 all-terrain white letter tires               | D | X | S | S | X | X |
| Wheels, 16-inch alloy with 255/70R16 all-terrain with outline white letter        | X | X | X | X | X | S |
| Spare tire, limited service   | X | X | S | S | S | S |
| Spare tire, limited service (mini) with exterior lock                             | S | S | X | X | X | X |
| Halogen clear lens headlights   | S | S | S | S | S | S |
| Windshield wipers, 2-speed variable-intermittent                                  | S | S | S | S | S | S |
| Side mirrors, manual  | S | S | X | X | S | X |
| Side mirrors, remote  | X | X | S | S | X | S |

WHEELS & TIRES

|               |                         |                         |                       |
|---------------|-------------------------|-------------------------|-----------------------|
| Tires         | 225/70R15 All season    | 235/75R15 All terrain   | 255/70R16 All terrain |
| Sidewall type | outline white lettering | outline white lettering |                       |
| Wheels        | 15x6.5 styled steel     | 15x7 Aluminum alloy     | 15x7 steel            |
|               |                         |                         | 16x7 Aluminum alloy   |
| Tire Brand    | Continental             | Goodyear                |                       |

EXTERIOR DIMENSIONS

|                                       |       |       |       |       |       |       |
|---------------------------------------|-------|-------|-------|-------|-------|-------|
| Length (inches)                       | 187.5 | 201.7 | 187.7 | 202.9 | 202.9 | 202.9 |
| Width (inches)                        | 69.4  | 69.4  | 70.3  | 70.3  | 70.3  | 70.3  |
| Height (inches)                       | 64.9  | 64.8  | 67.6  | 67.5  | 67.5  | 67.5  |
| Minimum Ground Clearance, (rear axle) | 6.7   | 7.9   | 7.3   | 7.9   | 7.9   | 7.9   |





Exterior Features

| 2007 B-Series Truck                | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|------------------------------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
| Front Bumper to rear of Cab        | 107.3            | 121.3           | 107.3               | 121.3              | 121.3           | 121.3              |
| Back of Cab to end of Box          | 77.1             | 77.3            | 77.1                | 77.3               | 77.3            | 77.3               |
| Cab to Centerline of Rear Axle     | 37.6             | 37.8            | 37.6                | 37.8               | 37.8            | 37.8               |
| Frame Width (rear)                 | 32.8             | 32.8            | 32.8                | 32.8               | 32.8            | 32.8               |
| Cab Height (empty)                 | 64.9             | 64.9            | 67.6                | 67.6               | 67.5            | 67.5               |
| Cab Height (loaded)                | 62               | 62              | 65.2                | 65.2               | 65.2            | 65.2               |
| Load Height @ cargo floor (empty)  | 28.5             | 27.9            | 31.3                | 31                 | 31              | 31                 |
| Load Height @ cargo floor (loaded) | 23.1             | 23.1            | 26.9                | 26.9               | 26.9            | 26.9               |
| Front Overhang                     | 33.3             | 33.3            | 33.3                | 33.3               | 33.3            | 33.3               |
| Rear Overhang                      | 42.6             | 43.9            | 43.8                | 42.5               | 42.5            | 42.5               |
| Rear opening @ floor               | 52               | 52              | 52                  | 52                 | 52              | 52                 |
| Width between Wheel Houses         | 40.4             | 40.4            | 40.4                | 40.4               | 40.4            | 40.4               |
| Maximum Box width @ floor          | 52               | 52              | 52                  | 52                 | 52              | 52                 |
| Inside length of Box @ floor       | 71.8             | 71.8            | 71.8                | 71.8               | 71.8            | 71.8               |
| Inside Box Height                  | 16.5             | 16.5            | 16.5                | 16.5               | 16.5            | 16.5               |
| Coefficient of Drag (CD)           | 0.49             | 0.49            | 0.49                | 0.49               | 0.49            | 0.49               |
| Approach angle                     | 21°              | 21°             | 28°                 | 28°                | 28°             | 28°                |
| Departure angle                    | 15°              | 15°             | 20°                 | 20°                | 20°             | 20°                |
| Wheelbase (inches)                 | 111.6            | 125.9           | 111.6               | 125.9              | 125.9           | 125.9              |
| Track, front (inches)              | 58.6             | 58.6            | 58.6                | 58.6               | 58.6            | 58.6               |
| Track, rear (inches)               | 57.3             | 57.3            | 57.3                | 57.3               | 57.3            | 57.3               |

Standard Package Option Stand-Alone Option Dealer Installed Accessory Not Available

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.

Interior Features

| 2007 B-Series Truck | B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|---------------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
|---------------------|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|

INTERIOR FEATURES

|  |   |   |   |   |   |   |
|--|---|---|---|---|---|---|
| Cloth-trimmed upholstery   | S | S | S | S | S | S |
| Full carpeted floor covering   | D | S | S | S | S | S |
| Vinyl floor covering   | S | X | X | X | X | X |
| Floor mats, front carpeted   | D | S | D | D | S | S |
| Floor mats, front all-weather  | D | D | S | S | D | D |
| Power door locks with 2-stage unlocking  | X | X | S | S | X | S |
| Map pockets, driver and passenger door   | X | X | S | S | X | S |
| Steering wheel, urethane   | S | S | S | S | S | X |
| Steering wheel, leather-wrapped  | X | X | X | X | X | S |
| Tilt steering column   | D | X | S | S | X | S |
| Front Bucket Seats w/center console  | X | X | X | D | X | D |
| 60/40 split bench front seat   | S | S | S | S | S | S |
| Fold-down center armrest w/storage   | S | S | S | S | S | S |
| Fold-down rear jump seats  | X | S | X | S | S | S |
| Manual windows   | S | S | X | X | S | X |
| Power windows  | X | X | S | S | X | S |
| Sliding rear window with privacy glass   | X | X | S | S | X | S |
| Windshield sunscreen   | D | D | D | D | D | D |
| CFC-free air conditioning  | D | S | S | S | S | S |
| Demisters, front side-window   | S | S | S | S | S | S |
| Engine block heater  | D | D | D | D | D | D |
| Center-dash panel trim, "circle check pattern"   | S | S | S | S | S | S |
| 12-volt power outlet   | S | S | S | S | S | S |
| Gauge cluster with tachometer, speedometer, odometer, and dual resettable trip odometers | S | S | S | S | S | S |
| Gauges, black with white lettering and white nighttime gauge illumination                | S | S | X | X | S | X |
| Gauges, silver with black lettering and white nighttime gauge illumination               | X | X | S | S | X | S |
| Center console with storage and armrest lid  | S | S | S | S | S | S |
| Floor consolette with dual cup holders   | S | S | S | S | S | S |
| Remote keyless entry system  | X | X | S | S | X | S |
| Cruise control with steering-wheel-mounted controls                                      | D | X | S | S | X | S |
| Compass display/Auto-dimming rearview mirror   | D | D | D | D | D | D |
| Compass/ outside-temperature display, Auto-dimming rearview mirror                       | D | D | D | D | D | D |
| Cloth covered sun visors   | S | S | S | S | S | S |
| Passenger-sidevanity morror and visor  | X | X | X | X | X | S |
| Glove compartment  | S | S | S | S | S | S |

AUDIO / ENTERTAINMENT SYSTEMS

|  |   |   |   |   |   |   |
|--|---|---|---|---|---|---|
| AM/FM audio system with 2 speakers                         | S | S | X | X | S | X |
| AM/FM/CD audio system with 4 speakers and audio input jack | D | X | S | S | X | S |
| Fixed fender-mounted radio antenna                         | S | S | S | S | S | S |



Interior Features

2007 B-Series Truck

| B2300<br>Rg. Cab | B3000<br>Cab +4 | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|
|------------------|-----------------|---------------------|--------------------|-----------------|--------------------|

INTERIOR DIMENSIONS

|                                    |      |             |      |             |             |             |
|------------------------------------|------|-------------|------|-------------|-------------|-------------|
| Seating capacity                   | 2    | 4           | 2    | 4           | 4           | 4           |
| Headroom, front/rear (inches)      | 39.2 | 39.2 / 35.6 | 39.2 | 39.2 / 35.6 | 39.2 / 35.6 | 39.2 / 35.6 |
| Shoulder room, front/rear (inches) | 54.5 | 53.8 / 15.3 | 54.5 | 53.8 / 15.3 | 53.8 / 15.3 | 53.8 / 15.3 |
| Leg room, front/rear (inches)      | 42.4 | 42.2 / 40.3 | 42.4 | 42.2 / 40.3 | 42.2 / 40.3 | 42.2 / 40.3 |
| Hip room, front (inches)           | 52.7 | 52.7        | 52.7 | 52.7        | 52.7        | 52.7        |

CAPACITIES

|                                    |      |      |      |      |      |      |
|------------------------------------|------|------|------|------|------|------|
| Passenger volume, EPA (cubic feet) | 52.6 | 63.7 | 52.6 | 63.7 | 63.7 | 63.7 |
|------------------------------------|------|------|------|------|------|------|

Standard Package Option Stand-Alone Option Dealer Installed Accessory Not Available

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.



2007 B-Series Truck

B2300 Rg. Cab    B3000 Cab +4    B3000 DS Rg. Cab    B3000 DS Cab +4    B4000 Cab +4    B4000 SE Cab +4

SAFETY

|   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|
| Side-impact door beams, front                       | S | S | S | S | S | S |
| Dual front air bags                                 | S | S | S | S | S | S |
| Passenger-side air bag deactivation switch          | S | S | S | S | S | S |
| Front safety-belt pretensioners with force limiters | S | S | S | S | S | S |
| 3-point safety belts for outboard seating positions | S | S | S | S | S | S |
| Height adjustable front shoulder belt anchors       | S | S | S | S | S | S |
| Passive Anti-theft System (Engine immobilizer)      | X | S | S | S | S | S |
| Tailgate Lock                                       | □ | □ | □ | □ | □ | □ |
| Tire pressure monitor system                        | S | S | S | S | S | S |

S

 Standard    

P

 Package Option    

□

 Stand-Alone Option    

P

 Dealer Installed Accessory    

X

 Not Available

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.

\* Always wear your safety belt and deactivate passenger side air bag when using a rear-facing child seat

2007 B-Series Truck



Options & Accessories

2007 B-Series Truck

| B2300<br>Rg. Cab | B3000<br>Cab + | B3000 DS<br>Rg. Cab | B3000 DS<br>Cab +4 | B4000<br>Cab +4 | B4000 SE<br>Cab +4 |
|------------------|----------------|---------------------|--------------------|-----------------|--------------------|
|------------------|----------------|---------------------|--------------------|-----------------|--------------------|

OPTION PACKAGES

|   |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| SE-5 Package  |  |  |  |  |  |  |
| • Wheels, 15-inch alloy with 235/75R15 all-terrain white letter tires |  |  |  |  |  |  |
| • AM/FM/CD audio system with 4 speakers and audio input jack          |  |  |  |  |  |  |
| • Air conditioning  |  |  |  |  |  |  |
| • Bumpers, chrome   |  |  |  |  |  |  |
| • Front grille, chrome  |  |  |  |  |  |  |
| • Tilt Steering Column  |  |  |  |  |  |  |
| • Cruise control  |  |  |  |  |  |  |
| • Full carpeted floor covering  |  |  |  |  |  |  |
| • Floor mats, front carpeted  |  |  |  |  |  |  |
| Air Conditioning  |  |  |  |  |  |  |
| Bucket Seats  |  |  |  |  |  |  |
| Monochromatic Paint   |  |  |  |  |  |  |

EXTERIOR FEATURES

|                                  |  |  |  |  |  |  |
|----------------------------------|--|--|--|--|--|--|
| Bed extender                     |  |  |  |  |  |  |
| Soft Tonneau                     |  |  |  |  |  |  |
| Bedliner                         |  |  |  |  |  |  |
| Bed Rail caps: Silver or Black   |  |  |  |  |  |  |
| Side Step Tubes: Silver or Black |  |  |  |  |  |  |
| Fog lights, clear-lens halogen   |  |  |  |  |  |  |
| Door Edge Guards (Color-Keyed)   |  |  |  |  |  |  |

INTERIOR FEATURES

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| Compass, Auto Dimming Mirror               |  |  |  |  |  |  |
| Compass, Outside Temp, Auto Dimming Mirror |  |  |  |  |  |  |
| Folding Storage Box                        |  |  |  |  |  |  |

Standard   Package Option   Stand-Alone Option   Dealer Installed Accessory   Not Available

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.