Engine & Mechanical





2008 RX-8 6-Speed Sport Automatic 6-Speed Manual

ENGINE

| Engine type | 1.3 liter RENESIS 2-rotor rotary | 1.3 liter RENESIS 2-rotor rotary |
|---------------------------|----------------------------------|-------------------------------------|
| Horsepower, SAE net | 212 @ 7,500 | 232 @ 8,500 |
| Torque, SAE net (lb./ft.) | 159 @ 5,500 | 159 @ 5,500 |
| Redline | 7500 | 9000 |
| Displacement (L) | 0.654L x 2 | 0.654L x 2 |
| Bore x Stroke (inches) | × | × |
| Compression Ratio | 10.0 : 1 | 10.0 : 1 |

DRIVETRAIN

| Туре | Rear-Wheel Drive | (RWD) |
|-------------------------------------|------------------------------|----------------------------------------------|
| Transmissions | 6-speed electronic automatic | 6-speed manual |
| Clutch type for manual transmission | × | Single dry plate with diaphragm spring |
| Clutch Size | × | 236x160 |
| Gear Ratios (:1) | | |
| 1st | 3.538 | 3.760 |
| 2nd | 2.060 | 2.269 |
| 3rd | 1.404 | 1.645 |
| 4th | 1.000 | 1.187 |
| 5th | 0.713 | 1.000 |
| 6th | 0.582 | 0.843 |

Engine & Mechanical



Ventilated discs (11.9 inches)



| Standard | Package Option | Stand-Alone Option | ■ Dealer Installed Accessory | X Not Available |
|----------|----------------|--------------------|------------------------------|-----------------|
|----------|----------------|--------------------|------------------------------|-----------------|

| 2008 RX-8 | 6-Speed Sport Automatic | 6-Speed Manual | |
|-------------|-------------------------|----------------|--|
| Reverse | 3.168 | 3.564 | |
| Final Drive | 4.300 | 4.444 | |

FUEL ECONOMY

| EPA Mileage, City/Highway (mpg) (6-speed Automatic Transmission) | 16/23* |
|---------------------------------------------------------------------|--------|
| EPA Mileage, City/Highway (mpg) (6-speed Manual Transmission) | 16/22* |

^{*} These estimates reflect new EPA methods beginning with 2008 models

FUEL SYSTEM

| Fuel Injection | Multi-port electronic fuel injection |
|----------------|--------------------------------------|
| | |

Required Minimum Fuel Requirement (rating)

Premium Unleaded 91 octane

CHASSIS

Rear brakes

| Body type | Unibody with front and rear suspension subframe | | |
|-------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------|--|
| Front suspension | Double wishbone | | |
| Rear suspension | Multi-link | | |
| Steering type | Rack-and-pinion | | |
| Power assist | Direct-drive electronic power steering | | |
| Overall steering ratio | 16.43:1 | | |
| Steering wheel Turns-to-Lock | 2.99 | | |
| Turning circle, Curb-to-Curb (feet) | 34.8 | | |
| Turning circle, Wall-to-wall (feet) | 36.8 | | |
| Braking system | Power assist; 4-wheel Anti-Lock Brake System with Electronic Brakeforce Distribution | | |
| Front brakes | Ventilated discs (11.9 inches) | Ventilated discs (12.7 inches) | |

Engine & Mechanical





2008 RX-8 6-Speed Sport Automatic 6-Speed Manual

TIRES & WHEELS

Tires 225/55R16 (Sport AT) / 225/45R18 225/45R18

Wheels 16x7.5J (Sport AT) / 18x8JJ 18x8JJ

Tire Brand Bridgestone

WEIGHTS

Weight distribution, % front: rear 50 / 50

Curb weight, federal spec (lbs.) 3083 3053





| 2008 RX-8 | Sport | Touring | Grand Touring | 40 th Anniversary Edition |
|----------------------------------------------------------------|-------|---------|------------------|--------------------------------------------|
| EXTERIOR FEATURES | | | | |
| Front fog lamps | P | 5 | 5 | 5 |
| Xenon headlights, auto leveling High Intensity Discharge (HID) | P | S | 5 | 5 |
| Headlights, halogen | 5 | × | × | × |
| Mazda advanced keyless entry and start system | × | × | 5 | 5 |
| Dual power remote / body colored mirrors | 5 | 5 | × | × |
| Mirrors, heated dual power remote / body colored | X | × | 5 | 5 |
| Moonroof, power sliding glass with one-touch open and sunshade | × | 5 | 5 | 5 |
| Remote keyless illuminated entry | 5 | 5 | 5 | 5 |
| Windshield, heat absorbent glass / tinted with sunshade | 5 | 5 | 5 | 5 |
| Wipers, variable intermittent | 5 | 5 | 5 | 5 |
| Free style doors for easy passenger access | 5 | 5 | 5 | 5 |
| Dual chrome tailpipe garnish | 5 | 5 | 5 | 5 |
| Rear window with integrated radio antenna | 5 | 5 | 5 | 5 |
| Engine cover, silver | × | × | × | 5 |
| 40 th anniversary emblem | × | × | × | 5 |
| EXTERIOR DIMENSIONS | | | | |
| Wheelbase (inches) | | 1 | 06.4 | |
| Track, front (inches) | | ! | 58.9 | |
| Track, rear (inches) | | ! | 59.3 | |
| Length (inches) | 174.3 | | | |
| Width (inches) | 69.7 | | | |
| Height (inches) | 52.8 | | | |
| Minimum ground clearance, laden (inches) | | | 4.7 | |
| Coefficient of Drag (cd) | | (| 0.31 | |
| TIRES & WHEELS | | | | |

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.

| Tires | 225/55R16 / 225/45R18 | 225/45R18 |
|------------|-----------------------------|-----------|
| Wheels | 16x7.5J / 18x8JJ | 18x8JJ |
| Tire brand | Bridg | estone |





| Standard Package Option Stand-Alone Option Dealer Inst | talled Accessor | y X Not Av | /ailable | |
|--------------------------------------------------------------------------|-----------------|------------|------------------|--------------------------------------------|
| 2008 RX-8 | Sport | Touring | Grand Touring | 40 th Anniversary Edition |
| COMFORT & CONVENIENCE | | | | |
| Air bags, driver and passenger front, side, head curtain | 5 | 5 | 5 | 5 |
| Air conditioning, CFC-Free | 5 | 5 | 5 | 5 |
| Alarm system with engine immobilizer | 5 | 5 | 5 | 5 |
| Cigarette lighter with ash tray | 5 | 5 | 5 | 5 |
| Cruise control with steering wheel mounted controls | 5 | 5 | 5 | 5 |
| Cup holders, 2 front / 2 rear | 5 | 5 | 5 | 5 |
| Defogger, rear window with auto shutoff | 5 | 5 | 5 | 5 |
| Demisters, front side windows | 5 | 5 | 5 | 5 |
| Door locks, power with front passenger switch illumination | 5 | 5 | 5 | 5 |
| DVD - navigation system with retractable 7" LCD screen | × | × | | • |
| Floor mats, carpeted front/rear | 5 | 5 | 5 | 5 |
| Foot pedals, aluminum including foot rest | 5 on MT | 5 on MT | on MT | □ on MT |
| | × on AT | × on AT | × on AT | × on AT |
| Glove box, illuminated & locking | 5 | 5 | 5 | 5 |
| Heater/Defroster, with rear duct | 5 | 5 | 5 | 5 |
| Ignition key illumination | 5 | 5 | 5 | 5 |
| Lighting, door / overhead dimming, dual map lights | 5 | 5 | 5 | 5 |
| Rear view mirror with autodim, HomeLink [®] , day/night view | × | 5 | 5 | 5 |
| Mirror, vanity / driver & passenger / illuminated | 5 | 5 | 5 | 5 |
| Parking brake, urethane handle with bright button | 5 | 5 | 5 | 5 |
| Power outlet | 5 | 5 | 5 | 5 |
| Power windows, illuminated switches with driver's one-touch-down feature | 5 | 5 | 5 | 5 |
| Rear storage console with lid | 5 | 5 | 5 | 5 |
| Remote releases, trunk lid / fuel door / hood | 5 | 5 | 5 | 5 |
| Scuff plates, black with aluminum accents | 5 | 5 | 5 | 5 |
| Seat upholstery, cloth with cloth door trim | 5 | 5 | × | × |
| Seat upholstery, leather with synthetic leather door trim | × | × | 5 | 5 |

| Seats, bucket type with integrated head restraints | 5 | 5 | 5 | 5 |
|-------------------------------------------------------------------------------------------------|-------------|---------|------------|----------------|
| Seats, heated (front) | × | × | 5 | 5 |
| Seats, power driver's seat (8 way) | × | × | 5 | 5 |
| Shift knob, aluminum and leather wrapped | 🗉 on MT | □ on MT | on MT | 互 on MT |
| | × on AT | × on AT | × on AT | × on AT |
| Shift knob, leather wrapped w/silver accent | 5 on AT | on AT | □ on AT | □ on AT |
| | × on MT | × on MT | × on MT | × on MT |
| Steering Wheel, leather wrapped with tilt | 5 | 5 | 5 | 5 |
| Storage console, overhead with sunglasses holder | 5 | 5 | 5 | 5 |
| Tire Pressure Monitoring System (TPMS) | 5 | 5 | 5 | 5 |
| Trip odometer, two resettable | 5 | 5 | 5 | 5 |
| Warning lamps: air bags, battery, brake, engine, fuel, high-beam, oil, seat belt, tire pressure | 5 | 5 | 5 | 5 |
| AUDIO FEATURES | | | | |
| AM/FM stereo w/single CD player and six speakers | 5 | × | × | × |
| Antenna, mounted in rear glass | 5 | 5 | 5 | 5 |
| Bose [®] 9-speaker 300 watt sound system | × | 5 | 5 | 5 |
| In-dash 6-CD changer | | 5 | 5 | 5 |
| SIRIUS Satellite Radio® system with 1 year free subscription | | | | 0 |
| INTERIOR DIMENSIONS | | | | |
| Seating capacity | | | 4 | |
| Headroom without moonroof, front/rear (inches) | | 38 | 3.2 / 36.8 | |
| Headroom with moonroof, front/rear (inches) | 36.7 / 36.5 | | | |
| Shoulder room, front/rear (inches) | 54.8 / 54.9 | | | |
| Leg room, front/rear (inches) | 42.7 / 32.2 | | | |
| Hip room, front/rear (inches) | 53.3 / 48.1 | | | |
| CAPACITIES | | | | |
| Passenger volume, EPA (cubic feet) | | | 89 | |
| Cargo volume, SAE (cubic feet) | | | 7.575 | |





| 5 Standard | | | | |
|---------------------------------------------------------------|-------|---------|------------------|--------------------------------------------|
| 2008 RX-8 | Sport | Touring | Grand Touring | 40 th Anniversary Edition |
| SAFETY & SECURITY | | | | |
| Air bags: front/side/curtain for driver & front passenger | 5 | 5 | 5 | 5 |
| Alarm with immobilizer | 5 | 5 | 5 | 5 |
| Front seatbelts - 3-point with pretensioners & force limiters | 5 | 5 | 5 | 5 |
| Tire Pressure Monitoring System (TPMS) | 5 | 5 | 5 | 5 |
| Anti-lock brake system w/EBD | 5 | 5 | 5 | 5 |
| Dynamic Stability Control (DSC) w/Traction Control | × | 5 | 5 | 5 |

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.

^{*} Always wear your safety belt and secure children in the rear seat.



Packages & Options

| | 5 Standard | | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--|--|----------|---------|------------------|--------------------------------------------|--|
| 2008 RX-8 | | | | Sport | Touring | Grand Touring | 40 th Anniversary Edition | |
| PACKAGES & (| OPTIONS | | | | | | | |
| Performance Packag • Xenon headlights • DSC with traction • Fog lamps | | | | • | S | 5 | 5 | |
| Performance Packag Xenon headlights DSC with traction Fog lamps Tochigi Fuji Limit 18" alloy wheels a Larger brakes* Sport Tuned susp | control ed Slip Differer and 225/45R18 | | | <u> </u> | 5 | <u>5</u> | 5 | |
| Navigation System | | | | × | × | • | • | |

Mazda reserves the right to change specifications at any time without incurring obligation. Availability may be limited by location and time. Please consult your local dealer for full details.

^{*} Performance Package AT, includes the following optional features for the Sport AT -Tochigi Fuji Limited Slip Differential, 18" alloy wheels and 225/45R18 tires, larger front brakes, and sport tuned suspension.