







MAZDASPEED3 AT A GLANCE



ENGINE TYPE

263-hp, MZR 2.3L Direct-Injection Spark Ignition (DISI) turbocharged 4-cylinder engine with 280 lb-ft of torque at 3000 rpm and Mazda Advanced Torque Management System



DRIVETRAIN

Close-ratio 6-speed manual transmission, torque-sensing conical limited-slip differential, equal-length half shafts, Mazdaspeed-tuned suspension and brakes



EXTERIOR FEATURES

Functional hood scoop for turbo intercooler, painted black side mirrors, rear spoiler and rear bumper trim, MAZDASPEED rear spoiler, new gunmetal finish 18-inch aluminum-alloy wheels and high-performance Y-speed rated summer tires



INTERIOR FEATURES

Standard dual-zone automatic climate control, Bluetooth® hands-free phone and audio capability† and 265-watt Bose[®] audio system with 10 speakers. Available 5.8" color touchscreen display with navigation system, Pandora audio, HD Radio, and SiriusXM™ Satellite Radio with free 4-month subscription**

Engine Pipe 3.1.2.1.2.1.2	2013 MAZDASPEED3	Touring
Horsepower 283 hg 6550 rpm Torque 6280 ht 63000 rpm Redline 67000 rpm Displacement (co) 2261 Bore x stroke (mm) 725 kg 75 x 94.0 Compression ratio 9.51 cm Turbocharger Warren-Hitachi Kod with air-d-air intercooler Engine management Direct-injection Spark (gnition (DIS)) with Mazcia Advanced Torque Management System Fugine place Direct-injection Spark (gnition (DIS)) with Mazcia Advanced Torque Management System Required fuel Direct-injection Spark (gnition (DIS)) with Mazcia Advanced Torque Management System Valvetrain Direct colli-on-plug electronic (gnition with platiam reliped spark plugs of the properties of the proper	Engine	
Torque 280 th 6 3000 rpm Redine 6700 rpm Displacement (co) 2261 Displacement (co) 6.05 x 940.0 Core yet sche (mm) 5.5 x 94.0 Compression ratio 9.5:1 Turbocharger Warner-Hitachi KO4 with air-to-air intercooler Engine management Direct-Injection Spark Ignition (DIS) with Mazda Advanced Torque Management System Fuel system Premium unleaded (91 octane) Ignition system Direct coil-on-plug electronic ignition with platinum-tipped spark plugs Valvetarin Chain-driven dual overhead cams. 4 valves per cylinder with vaniable intake valve timing (VVT) Engine block Chain-driven dual overhead cams. 4 valves per cylinder with vaniable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Sport-tuned stainless steel cystaus system with crimen tips Exhaust Sport-tuned stainless steel cystaus tystem with crimen tips Exhaust Sport-tuned stainless steel cystaus tystem with crimen tips Exhaust Sport-tuned stainless steel cystaus tystem with crimen tips Exhaust Front-wheel drive (FWD) Exhaust Front-wheel drive (FWD)	Engine type	2.3L DOHC DISI turbo 4-cylinder with VVT
Redline 6700 rpm Displacement (cc) 2261 Bore x stroke (mm) 6.875 x 94.0 Compression ratio 9.5:1 Turbocharger Warner-Hitach KO4 with air-to-air intercooler Engine management Direct-Injection Spark Ignition (DISI) with Mazda Advanced Torque Management System Foul system O Prect coil-on-plug electronic ignition with platnum-lisped spark plugs Ignition system Direct coil-on-plug electronic ignition with platnum-lisped spark plugs Valvetain C Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Englied block Aluminum alloy Cylinder head E General System with full-floating wist plus Connecting rods E Forged steel with full-floating wist plus Exhaust Sport-tuned stainless steel curbaust system with chrome tips Enhance Tre2-BINS/ULEV II Exhaust Sport-tuned stainless steel curbaust system with chrome tips Enhance Tre2-BINS/ULEV II Exhaust Sport-tuned stainless steel curbaust system with chrome tips Exhaust Tre2-BINS/ULEV II Exhaust Front-wheel drive (FWD) Almanual tran	Horsepower	263 hp @ 5500 rpm
Displacement (cc) 2251 Bore x stroke (mm) 68.75. x 94.0 Compression ratio 9.5:1 Turbocharger Warner-Hattach KO4 with air-to-air intercooler Engine management Direct-Injection Spark Ignition (DISI) with Mazda Advanced Torque Management System Fuel system Direct onl-on-plug electronic ignition with platinum-lipped spark plugs Required fuel Premium unleaded (91 octane) Ignition system Direct coil-on-plug electronic ignition with platinum-lipped spark plugs Salvetrain Aluminum alloy Valvetrain Aluminum alloy Cyrinder head Aluminum alloy Cyrinder head Forged stated Connecting rods Sport-tuned statistiss stated exhaut system with chrome tips Exhaust Sport-tuned statistiss stated exhaut system with chrome tips Exhaust Sport-tuned statistiss stated exhaut system with chrome tips Exhibition Sport-tuned statistiss stated exhaut system with chrome tips Exhibition Sport-tuned statistiss stated exhaut system with chrome tips Exhibition Sport-tuned statistiss stated exhaut system with chrome tips Exhibition Sport-tuned statistiss stated exhaut system	Torque	280 lb-ft @ 3000 rpm
Bore x stroke (mm) 87.5 x 94.0 Compression ratio 9.51 Turbocharger Maraner-Hitachi KO4 with airt-oar intercooler Engine management Direct-Injection Spark Ignition (DISI) with Mazda Advanced Torque Management System Required fuel Direct-Injection Spark Ignition (DISI) with Mazda Advanced Torque Management System Ignition system Direct coli-on-plug electronic ignition with platinum-tipped spark plugs Velvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Aluminum alloy Connecting rods Forged steel Exhaust Sport-tuned stainless steel exhaust system with chrome tips Exhaust Sport-tuned stainless steel exhaust system with chrome tips Exhibited Fuel Economy Tier2-BINS/ULEV II Explay HWY)† 1825 Type Front-wheel drive (FWD) Manual transmission Front-wheel drive (FWD) Gear ratios (1) Sport-tuned stainless steel exhaust system with chrome tips Gear ratios (2) Front-wheel drive (FWD) Manual transmission Good Front-wheel drive (FWD)	Redline	6700 rpm
Compression ratio 9.5:1 Turbocharger Warmer-Hitachi K04 with air-to-air intercooler Engine management Direct-Injection Spark Ignition (DISI) with Macda Advanced Torque Management System Feuli system Direct Injection Spark Ignition (DISI) with Macda Advanced Torque Management System Isquifide fuel Premium unleaded (91 octane) Isquition system Direct coll-on-plug electronic ignition with platinum-tipped spark plugs Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Connecting rods Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BINS/ULEV II EXPA-Estimated Fuel Economy Tier2-BINS/ULEV II Exity (HVYT) [†] Sport-tuned stainless steel exhaust system with chrome tips Type Front-wheel drive (FWD) Manual transmission Front-wheel drive (FWD) Sear ratios (1) Sport-tuned stainless steel exhaust system with chrome tips Sear ratios (2)	Displacement (cc)	2261
Turbocharger Warner-Hilbachi KO4 with air-to-air intercooler Engine management Direct-Injection Spark Ignition (DISI) with Mazda Advanced Torque Management System Fuel system Direct Injection Required fuel Premium unleaded (91 octane) Uginton system Direct coil-on-put electronic ignition with platinum-tipped spark plugs Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Aluminum alloy Connecting rods Forged steel Connecting rods Forged steel with full-floating wrist pins Emission control type (Fed/Cal) Sport-tuned staniess steel exhaust system with chrome tips Emission control type (Fed/Cal) Ter2-BINS/LUEV I PPA-Estimated Fuel Economy (city)HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Sear ratios (-1) 3.214 2nd 1.913 3rd 1.913 3rd 1.913 4th<	Bore x stroke (mm)	87.5 x 94.0
Engine management Direct-Injection Spark Ignition (DISI) with Mazda Advanced Torque Management System Required fuel Direct Injection Ignition system Direct Coil-on-plug electronic ignition with platinum-tipped spark plugs Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Aluminum alloy Connecting rods Forged steel Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BINS/ULEV I EPA-Estimated Fuel Economy Tier2-BINS/ULEV I (city/HUY)* \$ Forged steel with full-floating wrist pins Type \$ Tier2-BINS/ULEV I Type \$ Fore-wheel drive (FWD) Manual transmission \$ Close-ratio 6-speed with short-throw shifter Gear ratios (:1) \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Compression ratio	9.5:1
Fuel system Direct Injection Required fuel Premium unleaded (91 octane) Ignition system Direct coil-on-plug electronic ignition with platinum-tipped spark plugs Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Englie block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrome tips Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BINS/ULEV II EPA-Estimated Fuel Economy (city/HWY)* \$ 18/25 Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (*1) \$ 2.214 2nd \$ 3.214 2nd \$ 1.913 3rd \$ 1.913 4rd \$ 1.905 5rd \$ 1.905 6rd \$ 1.905 6rd \$ 1.905	Turbocharger	Warner-Hitachi K04 with air-to-air intercooler
Required fuel Premium unleaded (91 octane) Ignition system Direct coil-on-plug electronic ignition with platinum-tipped spark plugs Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Connecting rods Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrone tips Emission control type (Fed/Cal) Tierz-BINS/ULEV II EPA-Estimated Fuel Economy EvilyHWY)* Front-wheel drive (FWD) Manual transmission Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (*1) 4 1st 3.214 2nd 1.1366 3rd 1.1366 4th 1.025 5th 0.948	Engine management	Direct-Injection Spark Ignition (DISI) with Mazda Advanced Torque Management System
Ignition system Direct coil-on-plug electronic ignition with platinum-tipped spark plugs Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Connecting rods Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tierz-BINS/IULEV II EPA-Estimated Fuel Economy Erick State (**) Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (*1) Close-ratio 6-speed with short-throw shifter 1st 3.214 2nd 1.913 3rd 1.913 3rd 1.913 4th 0.948	Fuel system	Direct Injection
Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Connecting rods Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BINS/ULEV II EPA-Estimated Fuel Economy (city/HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Required fuel	Premium unleaded (91 octane)
Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Connecting rods Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BINS/ULEV II EPA-Estimated Fuel Economy (city/HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 3.214 2nd 1.913 3rd 1.366 4th 0.948	Ignition system	Direct coil-on-plug electronic ignition with platinum-tipped spark plugs
Cylinder headAluminum alloyCrankshaftForged steelConnecting rodsForged steel with full-floating wrist pinsExhaustSport-tuned stainless steel exhaust system with chrome tipsEmission control type (Fed/Cal)Tier2-BIN5/ULEV IIEPA-Estimated Fuel Economy(city/HWY)†18/25DrivetrainTypeFront-wheel drive (FWD)Manual transmissionClose-ratio 6-speed with short-throw shifterGear ratios (:1)3.2141st3.2142nd1.9133rd1.3664th1.0255th0.948	Valvetrain	Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT)
Crankshaft Forged steel Connecting rods Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BIN5/ULEV II EPA-Estimated Fuel Economy (city/HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Engine block	Aluminum alloy
Connecting rods Forged steel with full-floating wrist pins Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BIN5/ULEV II EPA-Estimated Fuel Economy (city/HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Cylinder head	Aluminum alloy
Exhaust Sport-tuned stainless steel exhaust system with chrome tips Emission control type (Fed/Cal) Tier2-BIN5/ULEV II EPA-Estimated Fuel Economy (city/HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 1st 1st 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Crankshaft	Forged steel
Emission control type (Fed/Cal) Tier2-BIN5/ULEV II EPA-Estimated Fuel Economy (city/HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Connecting rods	Forged steel with full-floating wrist pins
EPA-Estimated Fuel Economy (city/HWY)† 18/25 Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 1st 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Exhaust	Sport-tuned stainless steel exhaust system with chrome tips
(city/HWY)† 18/25 Drivetrain Front-wheel drive (FWD) Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Emission control type (Fed/Cal)	Tier2-BIN5/ULEV II
Drivetrain Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	EPA-Estimated Fuel Economy	
Type Front-wheel drive (FWD) Manual transmission Close-ratio 6-speed with short-throw shifter Cear ratios (:1) 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	(city/HWY) [†]	18/25
Manual transmission Close-ratio 6-speed with short-throw shifter Gear ratios (:1) 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Drivetrain	
Gear ratios (:1) 1st 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Туре	Front-wheel drive (FWD)
1st 3.214 2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Manual transmission	Close-ratio 6-speed with short-throw shifter
2nd 1.913 3rd 1.366 4th 1.025 5th 0.948	Gear ratios (:1)	
3rd 1.366 4th 1.025 5th 0.948	1st	3.214
4th 1.025 5th 0.948	2nd	1.913
5th 0.948	3rd	1.366
	4th	1.025
6th 0.790	5th	0.948
	6th	0.790

Reverse	3.456
Final drive	1st ~ 4th: 4.187 / 5th & 6th: 3.526
Limited-slip type	Torque-sensing conical limited-slip differential
Top speed (mph) with speed limiter	155
Chassis	
Brakes	4-wheel disc
- Front	12.6-inch vented disc
- Rear	11.0-inch solid disc with aluminum calipers
- ABS	4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist
Steering type	Rack-and-pinion
Power assist	Electro-Hydraulic Power Assist Steering (EHPAS)
Overall steering ratio	16.2:1
Steering wheel turns, lock-to-lock	2.7
Turning circle diameter, curb-to-curb (ft)	36.1
Suspension	4-wheel independent
- Front	Mazdaspeed-tuned MacPherson strut
- Rear	Mazdaspeed-tuned E-type multilink
Wheel size (in)	18 x 7.5
Tire size	P225/40R18 Y-speed rated high-performance summer tires
Tire manufacturer	Dunlop
Weights / Capacities / Aerodynamics	
Curb weight (lbs)	3281
Weight distribution	62/38
Fuel capacity (gallons)	15.9
Oil capacity (quarts)	5.8
Coefficient of drag (Cd)	0.32





	■ Standard Package Option Stand-Alone Option Accessory
2013 MAZDASPEED3	Touring
Body	
Halogen headlights	5
Self-leveling Bi-Xenon High-Intensity-Discharge (HID) headlights with auto on/off feature	P
Adaptive Front-lighting System (AFS)	P
Halogen fog lights	5
Variable-intermittent windshield wipers	5
Rain-sensing windshield wipers	P
Intermittent rear wiper/washer	5
Dual black-painted power side mirrors with integrated turn signals	<u>s</u>
Body-color door handles	5
Side sill extensions	5
Roof-mounted antenna	5
MAZDASPEED rear spoiler with black-painted inner spoiler	5
Clear-lens taillights	<u>s</u>
Clear-lens LED taillights	P
Sport-tuned dual exhaust with chrome tips	5
Chrome fuel-filler door	□
Wheel locks (set of 4)	□ / R
Wheels & Tires	
18-inch aluminum-alloy wheels with gunmetal finish	<u>s</u>
225/40 R18 88Y high-performance Y-speed rated summer tires	5
Temporary spare tire	5
Exterior Dimensions	
Wheelbase (in)	103.9
Track, front (in)	60.4
Track, rear (in)	60.0
Length (in)	177.6
Width (in)	69.7
Height (in) - (unladen)	57.5
Minimum ground clearance (in) - (laden)	4.7





	☐ Standard
2013 MAZDASPEED3	Touring
Comfort & Convenience	
Dual-zone automatic climate control with pollen filter	5
Power windows with driver's one-touch-down/up feature	<u> </u>
Power door locks with 2-stage unlocking	5
Cruise control with steering-wheel-mounted controls	5
Bluetooth® hands-free phone and audio capability†	5
Remote keyless entry	5
Mazda Advanced Keyless Entry & Start System with push-button start	₽ P
Manual day/night rearview mirror	5
Welcome lighting system	5
Tilt & telescopic steering wheel	5
Height-adjustable front shoulder-belt anchors	5
12-volt power outlet (2)	<u> </u>
Cargo area light	<u> </u>
Rear window defogger with timer	<u> </u>
All-weather floor mats	
SiriusXM Satellite Radio with 4-month trial subscription	0/0/0
Compass auto-dimming rearview mirror	0
	0/8
Compass auto-dimming rearview mirror with HomeLink®	B
Cargo net	•
Storage	<u> </u>
Driver's-side in-dash storage bin	_
Front center console storage with dual cup holders	<u> </u>
Sliding center console armrest	<u> </u>
Overhead sunglasses holder	<u> </u>
Front door storage pockets with bottle holders	<u> </u>
Front passenger-side seatback pocket	<u> </u>
Rear center armrest with cup holders	5
Rear door bottle holders	5
Removable cargo cover	5
Seating & Trim	
5-passenger seating	5
6-way manual driver's seat	<u>5</u>
4-way manual front passenger seat	<u>5</u>
60/40 split fold-down rear seatback	5
Leather- and cloth-trimmed red and black Mazdaspeed sport seats	5
Mazdaspeed red and black door and instrument panel trim	5
Leather-wrapped steering wheel with red stitching	S
Leather-wrapped shift knob — black with silver ring	5
Aluminum-alloy pedals and driver's footrest	5
Mazdaspeed door sill plates	5
Mazdaspeed carpet floor mats	5
Audio & Navigation	
265-watt Bose® Centerpoint® Surround Sound System with AudioPilot® 2, AM/FM stereo, in-dash CD/MP3-compatible player and 10 speakers	=
5.8" full color touch screen navigation system with voice command	P
SiriusXM Satellite Radio-compatible audio system**	5
SiriusXM Satellite Radio with free 4-month subscription	0
Auxiliary-audio input jack	5
USB audio input port	5
Pandora internet radio connectivity	P

HD Radio	P
SMS text-to-voice delivery and reply	P
Audio menu voice command	P
Radio Broadcast Data System (RBDS) program information	P
Steering-wheel-mounted audio controls	5
Bluetooth® hands-free phone and audio capability†	5
Instrumentation	
Speedometer, tachometer and fuel gauge	5
Digital turbo boost gauge	5
Dual trip odometers	5
Center instrument panel display (air conditioning & audio)	<u> </u>
Multi-Information Display (MID)	<u> </u>
Interior Dimensions & Capacities	
Headroom, front/rear (in)	38.9/38.0
Shoulder room, front/rear (in)	54.9/54.0
Hip room, front/rear (in)	53.7/52.2
Legroom, front/rear (in)	42.0/36.2
EPA passenger volume (cu ft)	94.6
EPA cargo volume 2nd-row down (cu ft)	42.8
EPA cargo volume 2nd-row up (cu ft)	17.0





	■ Standard Package Option Stand-Alone Option Accessory
2013 MAZDASPEED3	Touring
Safety	
Advanced front air bags†† with seat belt-use, passenger-weight and driver's seat-position sensors	5
Front side-impact air bags and side-impact air curtains††	5
3-point seat belts for all seating positions	5
Front seat-belt pretensioners with force limiters	5
Active front headrests	<u> </u>
Blind Spot Monitoring (BSM) System	<u> </u>
Anti-lock Brake System (ABS) w/ Electronic Brakeforce Distribution (EBD) & Brake Assist	5
Dynamic Stability Control (DSC)‡‡ and Traction Control System (TCS)	5
Triple H body construction	5
Side-impact door beams	5
Collapsible steering column	5
Foldaway brake pedal assembly	5
Security	
Engine-immobilizer antitheft system	<u> 5</u>
Alarm system	<u> </u>
Keyless remote panic button (on key fob)	5
E911 Automatic emergency notification system	P
Automatic door locks (speed-sensitive and transmission-sensitive)	<u>5</u>
Tire-Pressure Monitoring System (TPMS)	<u>5</u>
LATCH child-safety-seat anchors & upper tethers	5
Child-safety rear door locks	5





	Standard Package Option Stand-Alone Option Accessory
2013 MAZDASPEED3	Touring
Packages	
Mazdaspeed Technology Package Blind Spot Monitoring System 5.8" full color touchscreen navigation system with voice command. HD Radio, Pandora internet radio connectivity, SMS text message audio delivery and reply E911 automatic emergency notification Audio menu voice command. Mazda Advanced Keyless Entry and Start System with Push Button Start Rain-sensing windshield wipers Bi-Xenon headlights with auto leveling Auto on/off headlights Adaptive Front-lighting System LED combination taillights Alarm system SiriusXM Satellite Radio with 4-month trial subscription	
Exterior	
Chrome fuel-filler door	R .
Wheel locks (set of 4)	□ / □
Interior	
All-weather floor mats	□ /
SiriusXM Satellite Radio with 4-month trial subscription	O/A/P
Compass auto-dimming rearview mirror	A
Compass auto-dimming rearview mirror with HomeLink®	O / R
Cargo net	B





Every new Mazda comes with a comprehensive limited warranty that provides coverage in the unlikely event a repair is needed in the first years after your vehicle's purchase. We'll be right there with you all the time, wherever you go by providing warranty coverage and roadside assistance so that the total enjoyment of driving a Mazda never stops.

2013 Mazda Vehicles:

Mazda Limited Warranty Coverage:

3-year/36,000-mile* "Bumper-to-Bumper" Limited Warranty 5-year/60,000-mile* Limited Powertrain Warranty 3-year/36,000-mile* 24/7 Roadside Assistance Program

BUMPER-TO-BUMPER LIMITED WARRANTY

Mazda warrants that new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 36 months or 36,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This transferable "limited warranty" is included on all new Mazda vehicles sold and serviced in the United States.

POWERTRAIN LIMITED WARRANTY

Mazda warrants that the Powertrain Components of new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 60 months or 60,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This "limited warranty" is transferable during the warranty period on all new Mazda vehicles sold and serviced in the United States.

24/7 ROADSIDE ASSISTANCE

If Mazda vehicle is not driveable due to a warranted part failure during the coverage period of the New Vehicle Limited Warranty (36 months/36,000 miles), towing service will be covered to the nearest Mazda Dealer. In addition, if a Mazda vehicle is not driveable due to the failure of a warranted powertrain component, then towing service will be covered during the coverage period of the Powertrain Limited Warranty (60 months/60,000 miles).

Call 1-800-866-1998



Or download the free Mazda Assist mobile app to your iPhone®*.

iPhone is a registered trademark of Apple Computer, Inc.

PROLONG YOUR PEACE OF MIND



The Mazda Extended Confidence service plan helps keep your Mazda in peak driving condition after your New-Vehicle Limited Warranty expires





- † The Bluetooth® system functions only with select manufactured devices. Please consult www.MazdaUSA.com/bluetooth for device compatibility.
- ‡ EPA-estimated mileage. Actual results will vary.
- ** SiriusXM Satellite Radio-compatible audio system requires additional dealer-installed hardware and subscription.
- †† Always wear your seat belt and secure children in the rear seats in appropriate child restraints.
- ## Dynamic Stability Control (DSC) is an electronic system to help the driver maintain control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether DSC will be effective in preventing loss of control. Please see the Owners Manual for further details.

^{*}Whichever comes first.