Overview

Standard Package Option Port Installed Option Accessory

2014 MX-5 Miata Power Retractable Hardtop Club **Grand Touring** \$28,665* MSRP starting at \$29,450*





MX-5 MIATA POWER RETRACTABLE HARDTOP AT A GLANCE

ENGINE TYPE 167-hp†, MZR 2.0L DOHC 16-valve 4-cylinder engine with variable valve timing (VVT)



CONVERTIBLE OPTIONS

Choice of soft top or Power Retractable Hard Top (PRHT)



EPA-ESTIMATED FUEL EFFICIENCY 21/28 city/HWY - 6-speed MT‡ 21/28 city/HWY — 6-speed AT‡



SAFETY FEATURES

Standard advanced front air bags and side-impact air bags**

Available torque-sensing limited-slip (manual transmission only)

Engine & Mechanical

Differential

Standard Package Option Port Installed Option Accessory - Not Available 2014 MX-5 Miata Power Retractable Hardtop Club **Grand Touring** Engine Engine Type MZR 2.0L DOHC 16-valve 4-cylinder engine with VVT Horsepower - Manual transmission 167 hp @ 7000 rpm - Automatic transmission 158 hp @ 6700 rpm Torque 140 lb-ft @ 5000 rpm Redline - Manual transmission 7200 rpm - Automatic transmission 6700 rpm Displacement (cc) 1999 87.5 x 83.1 Bore x stroke (mm) 10.8:1 Compression ratio Electronically controlled multiport fuel injection with tuned air intake Fuel system Recommended fuel Premium unleaded Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Direct coil-on-plug electronic ignition with platinum-tipped spark plugs Ignition system Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Forged steel Connecting rods Tier2 - BIN5 / ULEV2-B Emission control type (Fed/Cal) **EPA-Estimated Fuel Economy** Manual transmission (city/hwy)† 21/28 Automatic transmission (city/hwy)† 21/28 Drivetrain Rear-wheel drive (RWD) Туре Manual transmission 6-speed close-ratio with short-throw shifter Automatic transmission 6-speed Sport with Adaptive Shift Logic and steering-wheel-mounted paddle shifters

Engine & Mechanical

■ Standard Package Option Port Installed Option Accessory Not Available

■ Not Available

■ Port Installed Option ■ Accessory ■ Not Available

■ Not Available

■ Port Installed Option ■ Accessory ■ Not Available

■ Port Installed Option ■ Accessory ■ Not Available

■ Not Available

■ Port Installed Option ■ Accessory ■ Not Available

■ Not

Sear Platos (1) Self Nation (2) Self Nation (3.8.2) 3.5.4	2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring	
1	Drivetrain			
tend of 1,64 1,40 1,40 1,40 1,40 1,40 1,40 1,40 1,4	Gear Ratios (:1)	6MT	6AT	
red 1.64 1.40 teh 1.18 1.00 teh 1.00 0.71 teh 0.79 0.58 tekense 3.60 3.17 closed 4.10 4.10 Chassis Chassis Backbone frame construction with front and rear suspension subframes Profession 4-wheel disc Front 11.0-inch solid disc with a luminum brake calipers ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBQ) and Brake Assist Steering type Rear Overall steering ratio 15.0-1 Steering type Part of the Color of Steering (HPAS) Overall steering ratio 5.0-1 Steering vipe 2.7 Uning circle diameter, curb-to-cub (th) 3.0 Size persion 4-wheel independent Front Double wishbone with forget all luminum control arms Size persion Available sport-under of sirring Size persion Available sport-under of sirring Size persion Available sport-under of sirring <	1st	3.82	3.54	
### 1.16	2nd	2.26	2.06	
### 1.00	3rd	1.64	1.40	
1	4th	1.18	1.00	
Reverse 3.60 3.17 Phone 4.10 4.10 Chassis Brack Backbone frame construction with front and rear suspension subframes Brack 4-wheel disc Front 1.1.4-inch vented disc Rear 1.1.6-inch solid disc with luminum brake calipars ABS 4-wheel, 4-channel with Electronic Brake-fore Delribution (EBD) and Brake Assist to the property of B	5th	1.00	0.71	
Find Drive 4.10 4.10 Chassis Strakes 4-wheel disc Front 11.4-inch verted disc Rear 11.0-inch solid disc with a luminum brake calipers ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Rearing yap Power assist Reack-and-pinion Power assist 15.0-1 Usering wheel turns, lock-to-lock 2.7 Turning circle diameter, curb-to-curb (fl) 3. Supernsion 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (front) Available sport-tured coil springs Stabilizer bar (front) Available sport-tured coil springs Springs Available sport-tured coil springs Front stu tower brace Gas-filled, double acting; aluminum control arms Rear Available sport-tured coil springs Front stu tower brace Gas-filled, double acting; aluminum control arms Wheel size (in) Pront stu tower brace	6th	0.79	0.58	
Chassis Backbone frame construction with front and rear suspension subframes Princt 4-wheel disc Front 11.0-inch solid disc with aluminum brake calipers ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Rear Back-and-pinion Power assist Hydraulic Power Assist Steering (HPAS) Oberall steering ratio 15.0:1 Obserall steering ratio 3.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (ront) Holiow Stabilizer bar (rear) Solid Springs Available sport-tuned coll springs Front strut tower brace Gas-filled, double acting; available Bilstein® Notes size (in) Gas-filled, double acting; available Bilstein® Weights & Capacities Post Stabilizer & Post Staff17 high performance summer tres Weights & Capacities Post Staff Staf	Reverse	3.60	3.17	
Chassis Backbone frame construction with front and rear suspension subframes Brakes 4-wheel disc Front 11.4-inch vented disc ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Beering type ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Beering type Overall Steering ratio Rack-and-pinion Steering wheel turns, lock-to-lock 15.0:1 Steering wheel turns, lock-to-lock 2.7 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Reac Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (rear) 4-wheel size (mon) Holiow Stabilizer bar (rear) Standard Stock absorber Gas-filled, double acting; available Bilstein® Shock absorbers Gas-filled, double acting; available Bilstein® Pront stut tower brace and part in the part of the part	Final Drive	4.10	4.10	
Barkees 4-wheel disc Front 11.4-inch solid disc with aluminum brake calipers ABS 4-wheel, 4-channel with Electroic Brakeforce Distribution (EBD) and Brake Assist Steering type Steering type Rack-and-pinion Over a ssist Hydraulic Power Assist Steering (HPAS) Overall steering ratio 15.0:1 Steering wheal turns, lock-to-lock 2.7 Front 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (rear) 9 Solid Stabilizer bar (rear) 4-wheel independent Front stut flower brace 5 Available sport-tuned coil springs Front stut flower brace Gas-filled, double acting; available Bisteries Wheel size (in) 17 x 7.0 Times P205/45R17 high performance summer tires Weights & Capacities 2-vision with foundable Bisteries Wheel size (in) 2593 Automatic transmission 2619 Wattownstic transmission 2619 Weight distr	Chassis			
Front 11.4-inch solid disc with aluminum brake calipers Rear 11.0-inch solid disc with aluminum brake calipers ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Over assist Hydraulic Power Assist Steering (HPAS) Overall steering ratio 15.0:1 Steering wheel turns, lock-to-lock 2.7 Front 4-wheel independent Suspension Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Solid Stabilizer bar (rear) Available sport-turned coil springs Storit strucker brace Gas-filled, double acting; available Bilstein® Short strucker brace Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Ties size P205/45R17 high performance summer tires Websteet Viewberght (lbs) Manual transmission 2593 Automatic transmission 51/49	Chassis	Backbone frame construction with fro	ont and rear suspension subframes	
Rear 11.0-inch solid disc with aluminum brake calipers ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Ower all steering type Rack-and-pinion Overall steering ratio Hydraulic Power Assist Steering (HPAS) Steering wheel turns, lock-to-lock 2.7 User particular dismeter, curb-to-curb (ft) 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Solid Stabilizer bar (rear) Multi-link with tubular control arms and aluminum knuckle Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Use size P205/45R17 high performance summer tires Velights & Capacities 250 Water and particular transmission 2619 Weight distribution (front/rear) 51/49	Brakes	4-wheel	disc	
ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Steering type Rack-and-pinion Overall steering ratio 15.0:1 Steering wheel turns, lock-to-lock 2.7 Turning circle diameter, curb-to-curb (ft) 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) 4-wheel independent Stabilizer bar (rear) Stall standard Shock absorbers Standard Wheel size (in) Gas-filled, double acting; available Bilstein® Wheel size (in) 7 x x 0. Tire size P205/45R17 high performance summer tires Weights & Capacities 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	- Front	11.4-inch ve	nted disc	
Steering type Rack-and-pinion Power assist Hydraulic Power Assist Steering (HPAS) Description 15.0:1 Steering wheel turns, lock-to-lock 2.7 furning orlicel diameter, curb-to-curb (ft) 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Gas-filled, double acting; available Bilstein® Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 7 x 7.0 Kre size P205/45R17 high performance summer tires Weights & Capacities P205/45R17 high performance summer tires Warm weight (tbs) 4 Manual transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	- Rear	11.0-inch solid disc with a	luminum brake calipers	
Power assist Hydraulic Power Assist Steering (HPAS) Overall steering ratio 15.0:1 Steering wheel turns, lock-to-lock 2.7 furning circle diameter, curb-to-curb (ft) 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (rear) Hollow Stabilizer bar (rear) Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Tree size P205/45R17 high performance summer tires Weights & Capacities 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	- ABS	4-wheel, 4-channel with Electronic Brakefo	orce Distribution (EBD) and Brake Assist	
Overall steering ratio 15.0:1 Steering wheel turns, lock-to-lock 2.7 Turning circle diameter, curb-to-curb (ft) 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Mutti-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Tire size P205/45R17 high performance summer tires Weights & Capacities Und weight (lbs) 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Steering type	Rack-and	-pinion	
Steering wheel turns, lock-to-lock 2.7 furning circle diameter, curb-to-curb (ft) 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Tire size P205/45R17 high performance summer tires Weights & Capacities 2593 Automatic transmission 2619 Welpht distribution (front/rear) 51/49	Power assist	Hydraulic Power Assi	Hydraulic Power Assist Steering (HPAS)	
Funding circle diameter, curb-to-curb (ft) 30.8 Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Tire size P205/45R17 high performance summer tires Weights & Capacities 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Overall steering ratio	15.0	15.0:1	
Suspension 4-wheel independent Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Alveel size (in) 17 x 7.0 Tire size P205/45R17 high performance summer tires Weights & Capacities Durb weight (lbs) Manual transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Steering wheel turns, lock-to-lock	2.7	2.7	
Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Available sport-tuned coil springs Tront strut tower brace Standard Tront strut tower brace P205/45R17 high performance summer tires Weights & Capacities Durb weight (lbs) Manual transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Turning circle diameter, curb-to-curb (ft)	30.8	30.8	
Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Tire size P205/45R17 high performance summer tires Weights & Capacities Veights & Capacities Curb weight (lbs) 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Suspension	4-wheel inde	4-wheel independent	
Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Tire size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	- Front	Double wishbone with forge	Double wishbone with forged aluminum control arms	
Stabilizer bar (rear) Springs Available sport-tuned coil springs Front strut tower brace Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) Tre size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission Automatic transmission Weight distribution (front/rear) Solid Available sport-tuned coil springs Standard Standar	- Rear	Multi-link with tubular control a	Multi-link with tubular control arms and aluminum knuckle	
Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Fire size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	- Stabilizer bar (front)	Hollo	ow .	
Front strut tower brace Standard Gas-filled, double acting; available Bilstein® Meel size (in) Try 7.0 Front size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission Automatic transmission Weight distribution (front/rear) Standard Gas-filled, double acting; available Bilstein® 17 x 7.0 P205/45R17 high performance summer tires P205/45R17 high performance summer tires P2593 Automatic transmission Standard Gas-filled, double acting; available Bilstein® 17 x 7.0 P205/45R17 high performance summer tires P2619 Standard Standard Standard Standard Standard 17 x 7.0 P205/45R17 high performance summer tires P2619 Standard Stand	- Stabilizer bar (rear)	Soli	Solid	
Shock absorbers Wheel size (in) Tre size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission Automatic transmission Weight distribution (front/rear) Gas-filled, double acting; available Bilstein® 17 x 7.0 P205/45R17 high performance summer tires P205/45R17 high performance summer tires P2593 2619 S1/49	- Springs	Available sport-tur	ned coil springs	
Wheel size (in) Tire size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission Automatic transmission Veight distribution (front/rear) 17 x 7.0 P205/45R17 high performance summer tires 2593 2593 2619 51/49	- Front strut tower brace	Stand	Standard	
P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission Automatic transmission Self distribution (front/rear) P205/45R17 high performance summer tires P205/45R17 high performance summer tires Self distribution (front/rear) P2593 Self distribution (front/rear) Self distribution (front/rear)	Shock absorbers	Gas-filled, double acting	Gas-filled, double acting; available Bilstein®	
Weights & Capacities Curb weight (lbs) Manual transmission Automatic transmission Seight distribution (front/rear) Meights & Capacities 2593 2619 2619	Wheel size (in)	17 x 7		
Curb weight (lbs) Manual transmission Automatic transmission Seight distribution (front/rear) 2593 2619 51/49	Tire size	P205/45R17 high perfor	P205/45R17 high performance summer tires	
Manual transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Weights & Capacities			
Automatic transmission 2619 Weight distribution (front/rear) 51/49	Curb weight (lbs)			
Neight distribution (front/rear) 51/49	- Manual transmission	259	2593	
	- Automatic transmission	261	2619	
uel capacity (gallons) 12.7	Weight distribution (front/rear)	51/4	51/49	
	Fuel capacity (gallons)	12.1	7	

Exterior

Standard Package Option Port Installed Option Accessory - Not Available

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Body		
Halogen headlights	5	5
Black headlight bezel		
Chrome headlight bezel		9
Halogen fog lights		5
Lightweight aluminum-alloy hood and trunklid	6	5
Black front air dam and rear diffuser	=	
Variable-intermittent windshield wipers	5	S
Body-colored Power Retractable Hard Top (PRHT)		5
Black Power Retractable Hard Top (PRHT)	5	
Dual body-colored power side mirrors	-	S



2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Body		
Dual black power side mirrors	6	
Body-colored door handles	5	-
Body-colored door handles with chrome accents		s
Exclusive Club badges and graphics	6	
Glass rear window with defogger	s	s
Rear-fender-mounted antenna	<u> </u>	
Dual exhaust outlets with chrome tips	s	s
Wheels & Tires		
17-inch gunmetal aluminum-alloy wheels	5	
17-inch silver aluminum-alloy wheels (Split 5-spoke design)		<u> </u>
P205/45 R17 high-performance radial tires	5	s
Exterior Dimensions		
Wheelbase (in)		91.7
Track, front (in)		58.7
Track, rear (in)		58.9
Length (in)		157.3
Width (in)		67.7
Height (in)		49.0
Minimum ground clearance, laden (in)		4.6

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Comfort & Convenience		
Air conditioning	s	
Automatic climate control	-	=
Power windows with driver one-touch-down feature	5	5
Power door locks with 2-stage unlocking	5	6
Cruise control with steering-wheel-mounted controls	5	5
Bluetooth® hands-free phone capability	-	2
Remote keyless entry with retractable key		s
Mazda Advanced Keyless Entry & Start System		P
Auto-dimming rearview mirror with HomeLink®		s
Interior illumination - dome light, ignition switch and trunk	<u> </u>	5
Driver and passenger visor vanity mirrors	5	5
Retractable mesh wind blocker	5	5
12-volt power outlet	5	s
Rear window defogger with timer	5	5
Storage		
Lockable glove compartment	□	=
Center console storage with cup holder	5	<u>s</u>
Door net pockets with bottle holders		5
Lockable rear storage	5	6
Driver's seatback storage pocket	5	5



Interior Standard Package Option Port Installed Option Accessory Not Available

	Outlidate Trackage Option Trackage	
2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Seating & Trim		
2-passenger seating	в	S
6-way adjustable driver's seat	■	=
4-way adjustable passenger seat	S	=
Heated seats		=
Black cloth-trimmed seats with red stitching	S	
Leather-trimmed seats		<u> </u>
Leather-wrapped steering wheel	5	S
Leather-wrapped shift knob	<u> </u>	5
Leather-wrapped parking brake handle		S
Dark gray decoration panel		
Body-colored decoration panel with Club graphics	s	
Silver seatback bar accents		5
Dark Gray seatback bar accents	s	
Padded center console and door armrests	5	<u> </u>
Carpet floor mats	s	5
Audio		
AM/FM/CD/MP3 with 6 speakers	S	
Bose® audio system, AudioPilot®, AM/FM/in-dash 6-disc CD/MP3-compatible changer and 7 speakers		5
SiriusXM Satellite Radio-compatible audio system	s tt	5 11
SiriusXM Satellite Radio with 4-month trial subscription to Sirius Select	O/A	O/A/P
Auxiliary-audio input jack	5	s
Steering-wheel-mounted audio controls	<u> </u>	
Instrumentation		
Speedometer, tachometer, oil pressure, coolant temperature and fuel gauge	<u> </u>	6
Dual trip odometers	S	5
Trip computer	=	5
Interior Dimensions & Capacities		
Headroom (in)	37.	
Shoulder room (in)	53.:	
Hip room (in)	50.	
Legroom (in) Cargo volume (cu ft)	43.	
Cargo volumo (ou ti)	5.3	

Safety & Security

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Safety		
Advanced front air bags** with seat belt-use, passenger-weight and driver's seat-position sensors	5	S
Side-impact air bags**	6	<u> </u>
3-point seat belts with pretensioners and force limiters	5	S
Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	6	<u> </u>
Dynamic Stability Control (DSC)*** and Traction Control System (TCS)	s	s
Side-impact door beams	5	5

Standard Package Option Port Installed Option Accessory Not Available



Safety & Security

■ Standard Package Option Port Installed Option Accessory Not Available

■ Not Available

■ Port Installed Option ■ Accessory Not Available

■ Not Available

■ Port Installed Option ■ Accessory Not Available

■ Not Availab

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Security		
Engine-immobilizer antitheft system	s	5
Anti-theft alarm system		
Keyless remote panic button (on key fob)	S	s
Tire-Pressure Monitoring System (TPMS)		5
Tire puncture repair kit (includes compressor, tire sealant, injection hose, spare valve core, valve core tool)	s	S

Packages & Options

Packages & Options	Standard Package Option Port Installed	Option Accessory - Not Available
2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Packages & Options		
Premium Package - Xenon High-Intensity-Discharge (HID) low-beam headlights - Mazda Advanced Keyless Entry & Start System - Bluetooth® hands-free phone capability - SiriusXM Satellite Radio with 4-month trial subscription - Anti-theft alarm		(w/MT requires Suspension Package)
Appearance Package (not available with splash guards) - Front air dam - Rear underskirt	5	
Suspension Package - Sport-tuned suspension - Bilstein® shock absorbers - Limited-slip differential	5	(Requires Premium Package)
(Available on manual transmissions only)		
Exterior		
Paint protection film	н	Ā
Chrome fuel-filler door	A	□
Splash guards front and rear (not available with Appearance Package)	Ħ	B
Rear spoiler	FI FI	Ē
Interior		
All-weather floor mats	O/A	□/ · B
Cargo net (not available with Premium Package)	D/H	□/A
Alarm system with shock sensor (not available with Premium Package)	D/A/P	□/A/P
Audio		
In-dash 6-disc CD/MP3-compatible changer	A	5
SiriusXM Satellite Radio with 4-month trial subscription (not available with Premium Package)	Ħ	A



Warranty

Every new Mazda comes with a comprehensive limited warranty that provides coverage in the unlikely event a repair is needed in the first years after your vehicle's purchase. We'll be right there with you all the time, wherever you go by providing warranty coverage and roadside assistance so that the total enjoyment of driving a Mazda never stops.

2014 Mazda Vehicles:

Mazda Limited Warranty Coverage:

3-year/36,000-mile*	"Bumper-to-Bumper" Limited Warranty
5-year/60,000-mile*	Limited Powertrain Warranty
3-year/36,000-mile*	24/7 Roadside Assistance Program

^{*}Whichever comes first.

BUMPER-TO-BUMPER LIMITED WARRANTY

Mazda warrants that new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 36 months or 36,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This transferable "limited warranty" is included on all new Mazda vehicles sold and serviced in the United States.

POWERTRAIN LIMITED WARRANTY

Mazda warrants that the Powertrain Components of new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 60 months or 60,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This "limited warranty" is transferable during the warranty period on all new Mazda vehicles sold and serviced in the United States.

24/7 ROADSIDE ASSISTANCE

If Mazda vehicle is not driveable due to a warranted part failure during the coverage period of the New Vehicle Limited Warranty (36 months/36,000 miles), towing service will be covered to the nearest Mazda Dealer. In addition, if a Mazda vehicle is not driveable due to the failure of a warranted powertrain component, then towing service will be covered during the coverage period of the Powertrain Limited Warranty (60 months/60,000 miles).

Call 1-800-866-1998



Or <u>download</u> the free Mazda Assist mobile app to your iPhone®*.

* iPhone is a registered trademark of Apple Computer, Inc.

PROLONG YOUR PEACE OF MIND



The Mazda Extended Confidence service plan helps keep your Mazda in peak driving condition after your New-Vehicle Limited Warranty expires.

©2013 MAZDA NORTH AMERICAN OPERATIONS. ALL RIGHTS RESERVED



Product Changes and Options Availability: Following publication of this website, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included here. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described on this website are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

- * Vehicle MSRP excludes \$795 destination charge (Alaska \$840), taxes, title and license fees. Actual dealer price may vary. See dealer for complete details.
- [†]158 hp 6-speed Sport automatic transmission.
- [‡] EPA-estimated mileage. Actual results will vary.
- ** Always wear your seat belt and ensure that the passenger air bag deactivation light is illuminated when using a childor infant-restraint system. Please see your owner's manual for details.
- ^{††} SiriusXM Satellite Radio-compatible audio system requires additional dealer-installed hardware and subscription.
- *** Dynamic Stability Control (DSC) is an electronic system designed to help the driver maintain control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether DSC will be effective in preventing loss of control. Please see your owner's manual for further details.