


# Product of FORD DAGENHAM ENGLAND





# REAR-END DESIGN CLEVERLY CONCEALS SPACIOUS LUGGAGE COMPARTMENT. Exceptionally roomy luggage accommo-


dation (left) is an important feature of all closed models of "The Prefect." Accessible from outside the car, the lock-up lid, when lowered, is hung on broad straps thus providing an extra luggage carrying medium. Housed in an individual compartment below, the spare wheel is kept safe from dust, mud and weather.


# **COMPACT INSTRUMENT PANEL.** Conveniently grouped on the instrument panel (below) all controls are within easy reach and sight. The handbrake lever, of the pull-out trigger type, is centred below the dash. The windscreen is sloping to deflect glare and is opened by a convenient central winding control. A clock and dual ashtrays fitted on the instrument panel are standard equipment. A parcels shelf runs full length beneath instrument panel.

# HANDY BUMPER JACK

The bumper jack (illustrated at right) has already proved itself an inestimable convenience to motorists. To raise the car, simply place the head of the jack under the bracket of the bumper bar and turn the handle. The bumper jack eliminates the trouble of reaching below the body of the car.







# Check List of Features Standard at List Price

1. Unusual roominess. Prove it with a tape measure.

2. Large luggage compartment.

3. "Centre-Poise" riding comfort and smoothness.

4. 4 Hydraulic double-acting shock absorbers.

5. Interleaf pressure-lubricated springs.

6. Fully adjustable driving seat.

7. Sparkling performance with 10 H.P. engine developing 32 B.H.P.

 Fully compensated, self-energising brakes—the finest system used on any car of this size.

9. All-steel closed bodies with one-piece steel roof.

10. Safety-glass in windscreen and all windows.

11. Wide choice of body colours in brilliant Ford Baked Enamel finish for longer life and permanent lustre.

12. 40 miles per gallon operating economy.

13. Genuine leather upholstery standard in all models.

 Feather-light steering and exceptionally quiet, precision built transmission.

# ENGINE: 4 cylinders cast integrally with top half of crankcase. "L" head.

ENGINE: 4 cylinders cast integrally with top half of crankcase. "L" head. Bore, 2.5". Stroke, 3.64". Rating, 10 H.P., develops 32.4 b.h.p. 3 bearing crankshaft. Aluminium alloy pistons. 4 point engine suspension on rubber. LUBRICATION: Full pressure feed to crankshaft main bearings, camshaft bearings and big end bearings.

IGNITION: 6 volt battery and coil, automatic advance and retard. Distributor mounted on cylinder head, battery accessibly fitted under bonnet.

PETROL SUPPLY: 7 gallon tank at rear. Diaphragm type fuel pump operated from camshaft. Petrol gauge on instrument panel. Down-draught carburettor with easy starting feature. Oil bath air cleaner.

COOLING: Thermo-syphon system. Fan. Tube and fin type radiator. TRANSMISSION: Dry single plate clutch, spring cushioned. 3 forward speeds. Helical constant mesh gears. Synchromesh top and intermediate. REAR AXLE: Ratio, 5.55 to 1. 34 floating with radius rod and torque tube drive. Spiral bevel drive pinion and gear. Roller bearings throughout.

CHASSIS FRAME: Double drop type. 3 heavy cross members. Radius rods front and rear.

WHEELS AND TYRES: 5 detachable wheels. Rustless steel hub caps. Tyres, 5 16 x 5.00.

STEERING: Worm and nut type. Ratio, 10 to 1.

SUSPENSION: Transverse springs. Greaseless type spring shackles. 4 double-acting shock absorbers. All link joints rubber-bushed.

BRAKES: 4-wheel mechanical. Automatically compensating type. Hand brake on rear wheels only.

GENERAL DIMENSIONS: Overall length (including bumpers) 13 ft. Overall width 4' 9". Wheelbase 7' 10". Track 3' 9". Spring base 1027%".

INSTRUMENTS: Mounted in bakelite panel on dashboard. Full length parcels shelf beneath dashboard. Indirect lighting controlled by switch on dash. Large diameter speedometer. Centre zero ammeter. Electric petrol gauge. Combined ignition and light switch. Clock and two ash-trays. Starter and choke controls conveniently located in centre panel.

BODIES: All-Steel (closed models). Baked enamel finish. Safety glass windscreen and all windows. Foot-operated head lamp dipper. Adjustable front seats. Rear view mirror. Tool box with set of tools under bonnet. Windscreen operated by control on dashboard.

GENERAL EQUIPMENT: Dual windscreen wipers. Front and rear bumpers. Combined tail and stop light. Interior dome light, 2 sun visors with visor vanity mirror (closed models). 2 ash-trays. Vacuum tank fitted to dash ensures continuous windscreen-wiper action. Rear window blind operated from driver's seat (closed models). Leather upholstery.

The Ford Motor Company of Australia Pty. Ltd. whose policy is one of continuous improvement, reserves the right to change specifications and prices at any time without notice or incurring liability to purchasers.



# REAR-END DESIGN CLEVERLY CONCEALS SPACIOUS


LUGGAGE COMPARTMENT. Exceptionally roomy luggage accommodation (left) is an important feature of all closed models of "The Prefect." Accessible from outside the car, the lock-up lid, when lowered, is hung on broad straps thus providing an extra luggage carrying medium. Housed in an individual compartment below, the spare wheel is kept safe from dust, mud and weather.


COMPACT INSTRUMENT PANEL. Conveniently grouped on the instrument panel (below) all controls are within easy reach and sight. The handbrake lever, of the pull-out trigger type, is centred below the dash. The windscreen is sloping to deflect glare and is opened by a convenient central winding control. A clock and dual ashtrays fitted on the instrument panel are standard equipment. A parcels shelf runs full length beneath instrument panel.

# HANDY BUMPER JACK

The bumper jack (illustrated at right) has already proved itself an inestimable convenience to motorists. To raise the car, simply place the head of the jack under the bracket of the bumper bar and turn the handle. The bumper jack eliminates the trouble of reaching below the body of the car.







# Check List of Features Standard at List Price

- Unusual roominess. Prove it with a tape measure.

- Unusual roominess. Prove it with a tape measure.
   Large luggage compartment.
   "Centre-Poise" riding comfort and smoothness.
   4 Hydraulic double-acting shock absorbers.
   Interleaf pressure-lubricated springs.
   Fully adjustable driving seat.
   Sparkling performance with 10 H.P. engine developing 32 B.H.P.
   Fully compensated, self-energising brakes the finest system used on any car of this size.
- on any car of this size.

  All-steel closed bodies with one-piece steel roof.
- Safety-glass in windscreen and all winder
- 11. Wide choice of body colours in brilliant Ford Baked Enamel finish for longer life and permanent lustre.
- 40 miles per gallon operating economy.

  Genuine leather upholstery standard in all models.
- 13. Genuine leather upholstery standard in all modets.
  14. Feather-light steering and exceptionally quiet, precision built trans-

ENGINE: 4 cylinders cast integrally with top half of crankcase. "L" head. Bore, 2.5". Stroke, 3.64". Rating, 10 H.P., develops 32.4 b.h.p. 3 bearing crankshaft. Aluminium alloy pistons. 4 point engine suspension on rubber. LUBRICATION: Full pressure feed to crankshaft main bearings, camshaft bearings and big end bearings.

IGNITION: 6 volt battery and coil, automatic advance and retard. Distributor mounted on cylinder head, battery accessibly fitted under bonnet.

PETROL SUPPLY: 7 gallon tank at rear. Diaphragm type fuel pump operated from camshaft. Petrol gauge on instrument panel. Down-draught carburettor with easy starting feature. Oil bath air cleaner.

COOLING: Thermo-syphon system. Fan. Tube and fin type radiator. TRANSMISSION: Dry single plate clutch, spring cushioned. 3 forward speeds. Helical constant mesh gears. Synchromesh top and intermediate. REAR AXLE: Ratio, 5.55 to 1. ¾ floating with radius rod and torque tube drive. Spiral bevel drive pinion and gear. Roller bearings throughout. CHASSIS FRAME: Double drop type. 3 heavy cross members. Radius

WHEELS AND TYRES: 5 detachable wheels. Rustless steel hub caps.

STEERING: Worm and nut type. Ratio, 10 to 1.

# SUSPENSION: Transverse springs. Greaseless type spring shackles. 4 double-acting shock absorbers. All link joints rubber-bushed.

BRAKES: 4-wheel mechanical. Automatically compensating type. Hand brake on rear wheels only.

GENERAL DIMENSIONS: Overall length (including bumpers) 13 ft. Overall width 4' 9". Wheelbase 7' 10". Track 3' 9". Spring base 1027%". INSTRUMENTS: Mounted in bakelite panel on dashboard. Full length parcels shelf beneath dashboard. Indirect lighting controlled by switch on dash. Large diameter speedometer. Centre zero ammeter. Electric petrol gauge. Combined ignition and light switch. Clock and two ash-trays. Starter and choke controls conveniently located in centre panel.

BODIES: All-Steel (closed models). Baked enamel finish. Safety glass windscreen and all windows. Foot-operated head lamp dipper. Adjustable front seats. Rear view mirror. Tool box with set of tools under bonnet. Windscreen operated by control on dashboard.


GENERAL EQUIPMENT: Dual windscreen wipers. Front and rear bumpers. Combined tail and stop light. Interior dome light, 2 sun visors with visor vanity mirror (closed models). 2 ash-trays. Vacuum tank fitted to dash ensures continuous windscreen-wiper action. Rear window blind operated from driver's seat (closed models). Leather upholstery.

The Ford Motor Company of Australia Pty. Ltd. whose policy is one of continuous improvement, reserves the right to change specifications and prices at any time without notice or incurring liability to purchasers.


FORD MOTOR COMPANY OF AUSTRALIA PTY. LTD. (INCORPORATED IN VICTORIA) DM665.70ME







# FORD "PREFECT" the English "Ten" with an unrivalled reputation for all-round economy - AND BIG PETROL MILEAGE



Outstanding for a spaciousness and luxury unusual to cars of the lower horsepower classes, the Prefect features include ample room for four adults; generous luggage space; low floors without incon-venient footwells and wide doors for easy entrance.


The occupants of both front and rear seats sit between front and

This "Centre-poise" system of weight distribution, coupled with

Into Centre-poise system of weight distribution, coupled with full torque tube drive and radius rods, ensures riding smoothness without pitching or body roll and sway. Safety glass is standard in ventilating windscreen and all windows, whilst rustless steel moulding enhances the smooth flowing lines.

TOP VALUE FEATURES OF "THE PREFECT"

New Body Colours in long-life Baked Enamel Distinctive newly designed interiors Between the axles seating with centre poise comfort Four hydraulic double-acting shock-absorbers Fully compensated, self-energising brakes 40 miles per gallon economy



# The Coupe Saloon



# Extraordinary roominess is a notable feature of "The Prefect." The rear

seat (illustrated below) is amazingly wide and deep and has side armrests. Leg, head and elbow room is ample for the largest adult.

ROOMY REAR SEAT

Complete safety is fully provided by safety glass in windscreen and all windows, all steel closed bodies with onepiece steel roof. Steel sides and floor welded to a girder type frame form one complete steel unit. Reliable braking efficiency under all operating conditions is assured by the automatically compensating brake system.

# INTERIOR BEAUTY, REFINEMENT and SPACIOUSNESS

As depicted by the above illustration of the interior of the Fordor Saloon, seats are exceptionally wide and deep. Every possible provision is made to excel in spacious, luxurious comfort - closed models have rear seat armrests, a convenient pocket at the rear of the front seat, two sun visors, ashtrays conveniently located in rear door panels, rear window blind operated from driver's seat. The driving seat is fully adjustable for individual comfort. Visibility through windscreen and all windows is excellent. Standard equipment includes: twin windscreen wipers, clock, two ash trays fitted in the instrument panel, dual visors and vanity mirror on visor.

A choice of interior trim colours is available to harmonise or suitably contrast with