SENATOR SIGNATURE & GRANGE

1





SENJET

Senator Signature shown in Nitrate

B

WE BELIEVE THE CAR YOU DRIVE

<text>



The Senator Signature is a powerful statement piece in every sense, with a commanding 6.2 litre LS3 Generation 4 alloy V8 generating a newly-increased 325kW of power and 550Nm of torque. Fascia mounted Shockwave inspired exhaust outlets and 20" SV Performance Forged wheels in Dark Stainless set things in style, while linear controlled Premium suspension with Magnetic Ride Control (MRC) makes the Senator Signature ride just as smooth as it looks.

NATOR


BUT ALWAYS ROLLING IN LUXUR

Parts

MOSSY'S a performer who's been at the top of his game for over 30 years. As the lead guitarist for Cold Chisel, he knows a thing or two about living large, living fast and everything in between. If he's not out on the road touring as a successful solo artist, or with one of Australia's favourite rock bands, he's out on the road in an HSV.

WE BELIEVE IN TIME-HONOURED PERFORMERS,







SENATOR

Signature

5.



STREET VALUE

CUTSIDE

3775



25 YEARS OF LIVING LARGE AND LIVING

0

0

1

minie

When it comes to the Grange, think big, then think bigger. With its imposing 325kW 6.2 litre LS3 Generation 4 alloy V8 engine generating 550Nm of torque, Hi-Flow Intermediate with Bi-Modal mufflers, Luxury seats in Onyx leather trim, BOSE Premium Audio System and 20" SV Performance Forged wheels in Dark Stainless, it's as polished as it is powerful. Linear controlled Premium suspension with MRC ensures optimum handling and comfort, while Tri-Zone electronic climate control and a DVD player with dual LCD screens for rear passengers will help you get the show on the road in style.

Ø



KEY FEATURES

ENGINE

6.2 litre LS3 Generation 4 Alloy V8. 90 Degree OHV. Cross Flow cylinder heads. Twin knock control sensors. On board diagnostics. Electronic Returnless Fuel System. High energy distributorless ignition. Solid state direct fire ignition, coil near plug with integrated igniter.

Capacity (cc) 6162; Compression Ratio (:1) 10.7

POWER (DIN kW) 325kW* @ 6000rpm	TORQUE (DIN Nm) 550Nm* @ 4600rpm
EXHAUST SYSTEM Stainless steel, high perform with Bi-Modal mufflers.	ance dual outlets, Hi-Flow Inter
GEAR BATIOS	

0-speeu au	comatic with Acti	ve Select.	Carlo Carlo
1 4.03	2 2.36	3 1.53	4 1.15
5 0.85	6 0.67	Final Drive	3.27
Propriate Logan	CHARTER OF BREADER	and states in the second	CONSIGNATION OF THE OWNER OWNER OF THE OWNER OF THE OWNER OF THE OWNER

* Figure quoted using 98 RON (PULP).

RECOMMENDED PETROL OCTANE RATING

98 RON PULP. Note that using 95RON (PULP) or lower will not cause any problems, but will result in slightly less engine performance and economy.

SUSPENSION

- Front: MacPherson strut direct acting stabiliser bar. Progressive rate coil springs.
- **Rear:** Multi-Link Independent Rear Suspension (IRS). Progressive rate coil springs.

ELECTRONIC STABILITY CONTROL (ESC) Incorporating, Electronic Stability Control (ESC), Anti-Lock

Braking System (ABS), Electronic Brake force Distribution (EBD), Electronic Brake Assist (EBA), Traction Control System (TCS), Competition Mode ESC and Extended Cruise Control (ECC).

12

STEERING Variable ratio rac	k and pinion	TRACK (mm) Front: 1616	
TURNING CI	RCLE (kerb to kerb	, m)	11.4
EXTERIOR D Length 5203	IMENSIONS (mr Width (ex. mirrors) 1899		Wheelbase 3009
INTERIOR D Leg 1071 / 1096		n) Head 985 / 965	Hip 1439 / 1472
INTERIOR C	ARGO CAPACIT	Y (L)	535
TOWING			1600kg

SERVICE INTERVALS

mediate 12.0000

> The first inspection is due at 3,000km or 3 months (which ever occurs first). The first service is due at 15,000km or 9 months (which ever occurs first). There after at every 15,000km or 9 months since the last service (which ever occurs first).

Additional services are required under certain driving conditions, such as when towing (refer owners handbook).



EXTERIOR COLOURS



SV ENHANCED OPTIONS

SENATOR

Customise your dream machine with HSV's range of SV Enhanced options including 20" SV Performance Forged wheels in Gloss Black.

KEY FEATURES

ENGINE

6.2 litre LS3 Generation 4 Alloy V8. 90 Degree OHV. Cross Flow cylinder heads. Twin knock control sensors. On board diagnostics. Electronic Returnless Fuel System. High energy distributorless ignition. Solid state direct fire ignition, coil near plug with integrated igniter.

Capacity (cc) 6162; Compression Ratio (:1) 10.7

POWER (DIN kW) 325kW* @ 6000rpm

TORQUE (DIN Nm) 550Nm* @ 4600rpm

EXHAUST SYSTEM

Stainless steel, high performance dual outlets, Hi-Flow Intermediate with Bi-Modal mufflers.

GEAR RATIOS

6-speed manual / 6-speed automatic with Active Select. **1** 3.01 / 4.03 **2** 2.07 / 2.36 **3** 1.43 / 1.53 **4** 1.00 / 1.15 **5** 0.71 / 0.85 **6** 0.57 / 0.67 **Final Drive** 3.7 / 3.27

RECOMMENDED PETROL OCTANE RATING

98 RON PULP. Note that using 95RON (PULP) or lower will not cause any problems, but will result in slightly less engine performance and economy.

115.5

SUSPENSION

 Front:
 MacPherson strut direct acting stabiliser bar. Progressive rate coil springs.

 Rear:
 Multi-Link Independent Rear Suspension (IRS). Progressive rate coil springs.

EEECTIONIC JIADIEITI CONTINOETEJC	TRONIC STABILITY CONTRO	L (ESC)
-----------------------------------	-------------------------	---------

Incorporating, Electronic Stability Control (ESC), Anti-Lock Braking System (ABS), Electronic Brake force Distribution (EBD), Electronic Brake Assist (EBA), Traction Control System (TCS), Competition Mode ESC, Extended Cruise Control (ECC) and Launch Control (manual only).

STEERING Variable ratio ra	ack and pinion	TRACK (m Front: 1616	
TURNING C	IRCLE (kerb to ke	erb, m)	11.4
EXTERIOR Length 4968	DIMENSIONS (Width (ex. mirro 1899		Wheelbase 2915
INTERIOR I Leg 1071 / 1001	DIMENSIONS (1 Shoulder 1501 / 1450	nm) Head 985 / 965	Hip 1439 / 1472
INTERIOR	ARGO CAPAC	ITY (L)	496

SERVICE INTERVALS

The first inspection is due at 3,000km or 3 months (which ever occurs first). The first service is due at 15,000km or 9 months (which ever occurs first). There after at every 15,000km or 9 months since the last service (which ever occurs first).

Additional services are required under certain driving conditions, such as when towing (refer owners handbook).

* Figure quoted using 98 RON (PULP).

		and the second second	a milita a second a s	
HERON	KARMA	CHLOROPHYLL ^{#†}	NITRATE	PERFECT BLUE#†
		1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		
STING [#]	PHANTOM	SIZZLE	ALTO GREY	ALCHEMY
AND AN EXCLOSED AN EXCLOSED AND AN ANALYSIS		CONTRACTOR OF A DATE OF A DATE OF A DATE OF A DATE	The second s	

Sting, Chlorophyll and Perfect Blue not available on Grange. †Chlorophyll and Perfect Blue not available with optional Turismo Rosso leather trim on Senator Signature.

FULL SPECIFICATIONS

ENGINE & TRANSMISSION

325kW 6.2 litre LS3 Generation 4 alloy V8 engine*	
6-speed manual transmission	
6-speed automatic transmission with Active Select	
Hi-Flow Intermediate with Bi-Modal mufflers	
Limited Slip Differential with HSV specific ratio	
LPI – Liquid Propane Injection	C

BRAKES

Front – 365mm ventilated discs with 4-piston calipers (silver) • Rear – 350mm ventilated discs with 4-piston calipers (silver) •	
CONTROL & HANDLING Premium suspension with MRC	
Electronic Stability Control (ESC) incorporating ABS, EBD, EBA and TCS	

ŝ	ABS, EBD, EBA and TCS
	Competition Mode (ESC)
	Launch Control (manual transmission only)
	and the second sec

WHEELS

20" x 8.5" SV Performance Forged front wheel in Dark Stainless with 245/35 R20 95Y tyre
20" x 9.5" SV Performance Forged rear wheel in Dark Stainless with 275/30 R20 97Y tyre
Inflator repair kit
Temporary spare wheel 20" Black in colour O C
WARMAN AND REAL TO ADDRESS OF A TAXABLE REAL AND A

EXTERIOR

LATERIOR
Projector head lamps
Xenon head lamps
Front projector fog lamps
Front fog lamps
Daytime Running Lamps (DRLs)
Shockwave exhaust outlets
HSV unique sports rear LED tail lamps
LED tail lamps
HSV Luxury body design
HSV Luxury rear spoiler
HSV Grange Luxury body design
HSV Grange rear lip spoiler
Heated exterior mirrors with 'puddle' lamps and position memory
Metallic paint 0 0
The second second and second

DRIVER

Leather wrap HSV unique sports steering wheel with height and reach adjust

Multi function steering wheel featuring: Illuminated controls for sound system, trip computer, Bluetooth phone, Satellite	
Navigation, Enhanced Driver Interface (EDI)	1
Multi function driver display featuring: Trip computer	
information, sound system information	
Priority key. Stores settings for: Climate control, sound system,	
trip computer, speed alert, headlamp and interior lighting time	
delay options, driver's seat and exterior mirror positions	
Alloy faced pedals	(
Leather wrap gear selector	(
Cruise control with extended cruise function	(
Front park assist and Rear park assist with reverse camera	(

Power exterior mirrors..... Passenger side exterior mirror dips when reverse gear is selected to show low level hazards...... Rain sensing wipers Automatic headlamp mode. Switches on at twilight or low light. Head lamps auto off feature. (Variable delay)..... Trip computer with triple display including: Average speed, odometer /tripmeter / trip time, distance / time to go, average / instantaneous fuel consumption, digital speedometer, tracks two trips simultaneously (eg. Short day trip within long interstate HSV oracle instrument cluster with Tachometer....... HSV sports triple centre gauges (voltage, oil temperature and oil pressure) Sound system able to accommodate mobile phone kit. Satellite Navigation......

ENTERTAINMENT

0

Single CD player able to play MP3 tracks with Virtual changer – Hard Disc storage / CD ripping	
USB input, AUX input jack, Integrated iPod support Bluetooth (phone book display and touch screen dialing) with	
Enhanced Bluetooth audio streaming	
BOSE Premium Audio System and single-disc in-dash CD Player. MP3 Compatible	
Rear seat overhead DVD player	
DVD player with Dual LCD Screens for two rear passengers	0
Wireless headsets for rear passengers, two pairs	
Rear overhead console remote control of audio and DVD functions	D

SEATING

HSV Performance seats in leather trim (Onyx) with 8-way HSV Performance seats in Turismo Rosso leather trim with 8-way electric adjustment on driver's and front passenger seat .. O HSV Performance seats in Light Urban leather trim with 8-way electric adjustment on driver's and front passenger seat .. O HSV Grange Luxury seats in leather trim (Onyx) with 10-way electric adjustment on driver's and front passenger seat Adjustable driver and front passenger seat lumbar support Electric adjustable lumbar for front seats Seat belt reminder for passenger front seat

CABIN COMFORT

Dual zone electronic climate control: driver and front passenger Tri-zone electronic climate control: driver, front passenger and rear 6.5" multi-function touch screen display colour LCD screen. Displays stereo, heating, air conditioning information and EDI Power windows, driver and front passenger express up and down.... • • Electric tilt and slide sunroof 0 0 Front armrest with leather trim



Centre console storage compartment with twin cup holders
Auxiliary power socket in console
Fold down rear seat centre 'ski' hatch for long loads
Luggage net (adjustable) in rear cargo area
An end of the second

OCCUPANT SAFETY

Dual-stage airbags for driver and front passenger	(
Side impact airbags for driver and front passenger	(
Side curtain airbags	(
Front lap / sash seat belts with load limiters, pyrotechnic	
pre-tensioners and height adjust	
Rear seat child restraint anchor points (3)	•

SECURITY

Remote control priority key: operates central locking, operates interior lighting. Time delay on entry. Automatic illumination when engine turned off, operates exterior lamps, to show location of car at night, enables / disables alarm system, unlocks boot,	
disables remote boot release in glove box (when locking)	

ROAD SAFETY

Emergency mode after seat belt pre-tensioners are triggered. On-board computer turns engine and fuel pump off. Unlocks doors. Turns hazard lights and interior lamp on, if battery power is available.....

CAPPED PRICE SERVICING



Every new, eligible HSV now comes with Capped Price Servicing for each of the first four standard scheduled log book services, for the first three years or 60,000km, whichever comes first. So you'll have the comfort of knowing exactly what your standard service costs will be in advance.

For full Terms & Conditions of HSV's Capped Price Service program, please contact your local HSV dealer, or visit www.hsv.com.a

SV ENHANCED OPTIONS

20" SV Performance Forged wheel in Gloss Black 6-piston brakes



Standard 🔵 Optional O * Figure quoted using 98 RON (PULP).

Visit hsv.com.au for more details. Follow us on f

HOLDEN SPECIAL VEHICLES, 125 RAYHUR STREET, CLAYTON, VIC 3168 AUSTRALIA.

the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalogue as comprehensive and factual as possible. However, since the time of printing some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalogue may have been changed and/or is available at extra costs. Further HSV reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. Your HSV Dealer has details, and before ordering you should ask them to bring you up to date. No HSV Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking on relation to the quality, performance characteristics, descriptions or fitness for any purpose of HSV product which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by HSV in its published sales literature, and HSV does not accept any liability for such unauthorised action. HSV have authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of HSV's products. Every endeavour is made to ensure that such Dealers carry adequate stocks of service parts but neither HSV nade of the conditions offered for GM Holden Ltd and HSV products are subject to the conditions set out in all vehicle handbooks. Details are also available from GM Holden Ltd. and HSV on request. Copyright Premoso Pty. Ltd. (HSV) A.B.N. 84 006 802 053. Colours are for illustration purposes only Printed August, 2012. Part Number HSC686. ogue. Images shown are for illustration purposes only. We have tried to make this catalogue as comprehensive and factual as possible. He



