



<u>PULLING</u> <u>POWER</u>

This is the one. A truck that delivers an unbeaten 3.5 tonne towing capacity and an equally powerful 500Nm of torque* – absolute power and performance.

Tough as they come, it leaves nothing behind, letting you take more to the worksite and more on the weekend.

holden.co.nz/cars/colorado

Massive 500Nm of Torque*

When we say this is one powerful truck, we mean it. Think 500Nm* of torque and 147kW of power when teamed with the 6-speed auto. Figures that leave others in the dust.

It works as hard as you do – simple as that. Enough grunt to take on any challenge. And when the going gets really tough, the Colorado's got your back every time with features such as Trailer Sway Control, Hill Start Assist and Descent Control System.^

Unbeaten 3.5 Tonne Towing

That's seriously tough towing.
Unbeaten in its class. Just what
you need when hauling the most
extreme loads, from pulling a
bobcat to taking that hard-earned
dream boat down the coast.

Rigorously tested to stand up when it counts, the Colorado has got what it takes to get the job done. Whatever the conditions.



INNER STRENGTH

Inside, the Colorado takes care of you as much as it takes care of business.

What hits you is the level of technology and entertainment that lets you sit back and enjoy the drive.

holden.co.nz/mylink

Feature packed to keep you fully connected:

- MyLink infotainment system*^
- 7" colour touchscreen*
- Built-in app technology*^
- Bluetooth® audio streaming^
- iPod® and auxiliary connectivity
- Siri® Eyes Free*~
- Hands-free calling
- BringGo™ satellite navigation^+#
- Pandora® Internet Radio^+
- Stitcher™ SmartRadio^+
- Rear View Camera*

















^{*} Available on selected models only ^ Certain devices may not be compatible with your Colorado's MyLink system. See holden.co.nz/myholdenconnect for more details * BringGo™ app purchased separately ~ Requires compatible iOS device. See apple.com.nz for more details + Data plan rates apply



THE STRONG PERFORMER

ANCAP
Safety * * * * *

You, your mates, your family – that's the most critical cargo of all.

It's why the Colorado is engineered to help you avoid trouble and surround you with strength. To give you that level of safety and design you can count on when you need it most.

holden.co.nz/colorado/safety

Steel construction & Safety cell

Colorado is built tough from within. It's body and frame are constructed from high strength steel and incorporates full-length frame rails. A safety cell gives maximum protection in a frontal or side collision – and maximum peace of mind for you and your passengers.

Trailer Sway Control

Whether pulling a trailer or caravan, this cutting edge feature activates the brakes and reduces engine torque if it detects any towing instability; again, making your life safer behind the wheel.

5-Star ANCAP safety rating*

The Colorado Crew Cab range comes with a maximum 5-star safety rating from the Australasian New Car Assessment Program (ANCAP). As safe as it gets.

Rear View Camera & Rear Park Assist^

Take a load off your mind with features such as the Rear View Camera and Rear Park Assist. When you select reverse gear, the Rear View Camera gives you a clear picture of what's behind you, viewed on the large colour screen.

^ Rear View Camera and Rear Park Assist are available on selected models * Crew cab models only





Colorado DX 4x4 Single Cab in Nitrate with Genuine Holden accessory steel tray. Not available in New Zealand.



Colorado DX 4x4 Single Cab in Summit White with Genuine Holden accessory steel tray. Not available in New Zealand.



The Colorado DX doesn't knock off until you do. Built for work, it comes with a Duramax 2 Diesel engine, teamed with a 6-speed manual transmission. The DX makes light work of towing with 3.5 tonnes for any job.

Tough plus

Colorado DX proves that a workhorse doesn't have to compromise on features. Bluetooth® and iPod® connectivity are standard, as well as safety advances like Trailer Sway Control. Plus, there's air conditioning and electric windows to keep you cool and comfortable.

DX equipment and features:

- 2.8L Duramax 2 Diesel engine Electronic Stability Control
- 6-speed manual transmission
- Bluetooth® connectivity
- USB input with iPod® connectivity
- Engine sump guard
- Oil life monitoring
- High ride height
- 16" steel wheels
- Front airbags for driver and passenger
- Full length curtain airbags

- (ESC)
- Trailer Sway Control
- Hill Start Assist
- Front split bench seat
- Vinyl floor
- Air conditioning
- Power windows
- 4-speaker CD audio system with MP3 player connectivity
- 12V power outlet
- Flip keys (2)





Colorado LS 4x2 Crew Cab Pickup in Satin Steel Grey

Colorado DX 4x4 Single Cab in Black Sapphire

with Genuine Holden accessory steel tray.

Haul all the gear you need to work – or welcome friends and family when it's time for a getaway. When you need a one-tonner that's tough all over - but with loads of technology and style - this is your truck.


Too easy

Rugged on the job but ready for the weekend. Life is easy inside the Colorado LS, with plenty of stretch-out room and a level of technology you might not expect, headlined by MyLink infotainment.

LS delivers all DX standard features plus:

- Holden MyLink* infotainment system with smartphone app integration
- 7" colour touch screen
- Cruise Control
- Multifunction steering wheel controls
- Leather wrap steering wheel
- Rear Park Assist (Pickup models only)
- Front seat Side Impact Airbags

- Hill Start Assist
- Descent Control System
- Body coloured exterior
- mirrors with side turn signal
- Power adjustable exterior mirrors
- Front bucket seats
 - Vinyl floor (single & crew cab)
 - 6-way adjustable driver seat
 - 6 speakers
 - (space & crew cab)



^{*} Certain devices may not be compatible with the vehicle's MyLink system. See holden.co.nz/myholdenconnect for more details





Colorado LT 4x4 Crew Cab Pickup in Oceanic



Colorado LT 4x2 Crew Cab Pickup in Satin Steel Grey



Just like the Colorado, you give your all. So why wouldn't you want something with extra attitude. A can-do truck that shows your true strength of character. That's the Colorado LT.

Going beyond

This is far from a knockabout truck. Inside, the MyLink infotainment system and multi-function steering wheel, cruise control and 6-speaker sound system set the tone. Outside, the sporty 16" alloy wheels and front fog lamps show your Colorado LT is an uncompromising choice. One that goes way beyond just getting the job done.


LT delivers all DX standard features plus:

- Optional 6 speed automatic transmission with Active Select
- Holden MyLink* infotainment system with smartphone app integration
- 7" colour touch screen
- Cruise Control
- Multifunction steering wheel controls
- Leather wrap steering wheel
- 16" alloy wheels (5)
- Front fog lamps with chrome surround
- Rear Park Assist

- Front seat Side Impact
- Airbags

 Hill Start Assist
- Descent Control System
- Body coloured exterior
 mirrors with side turn signal
- Power adjustable exterior mirrors
- Front bucket seats
- Carpet floor
- 6-way adjustable driver seat
- 6 speakers

* Certain devices may not be compatible with the vehicle's MyLink system. See holden.co.nz/myholden.connect for more details



Seriously good

You might want to keep it all for yourself – but Colorado LTZ is perfect for mates and family too. And you've got that added satisfaction of knowing that this one includes 17" alloy wheels, electronic climate control, optional leather appointed seats (front heated) and soft tonneau as standard.

LTZ delivers all LT standard features plus:

- 17" alloy wheels (5)
- Comfort ride suspension
- Projector headlamps
- Chrome exterior mirrors with side turn signal
- Power adjustable and power folding exterior mirrors
- Chrome exterior and interior door handles
- Chrome rear bumper and tailgate handle
- Sunglasses holder
- LED tail lights
- Rear view camera
- Soft tonneau cover

- Alloy sports bar
- Side steps
- Electronic climate control
- Leather appointed seats
 (optional on 4x4 crew cab)
- 6-way electric adjustable drivers seat
- Front heated seats
 (matched with leather appointed seats option)
- Leather wrap gear knob (manual)
- Chrome gear selector (auto option)
- Luxury centre-console armrest



Colorado LTZ 4x4 Crew Cab in Satin Steel Grey



Colorado LTZ 4x4 Space Cab Pickup in Sizzle





Colorado Z71 in Orange Rock





Compromise nothing and take on everything. Z71 is the pinnacle of the range. The perfect balance of class-leading 3.5 tonne towing power and design excellence. Sportier and edgier in every way the Z71 stands up and stands out. This is the one to be seen in when getting the job done.

Sporty Performer

Riding high on 18" arsenal grey metallic alloy wheels this is the complete sports package. The body coloured sailplane sports bar, integrated nudge bar, streamline soft tonneau cover and unique Z71 badging create a 'jaw dropping' presence on the road. Superbly refined, yet still rugged at heart, it is also fully loaded with the good stuff. Relaxing in your leather appointed heated seat you'll quickly appreciate the sophistication. This includes the MyLink 7" colour touchscreen with built-in apps*, Siri® Eyes Free+, rear view camera and Rear Park Assist.

Z71 delivers all LTZ standard features plus:

- Leather appointed seats (front heated)
- 18" Arsenal Grey metallic alloy wheels (5)
- Sailplane sports bar
- Dark chrome masked headlamps
- Integrated nudge bar
- Black sport decals

- Black exterior mirrors with side turn signal
- Black mirror scalps
- Black door side mouldings
- Black door handles
- Black end gate handle
- Black rear step
 - Streamline soft tonneau cover
 - Roof rails
- * Certain devices may not be compatible with the vehicle's MyLink system. See holden.co.nz for more details
- + Requires compatible iOS device



Colorado Z71 in Black Sapphire







| FEATURES | Single Cab chassis | Crew Cab | | | Single Cab | Space Cab chassis | pickup | Crew Cab chassis | pickup | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------|-----|-------|------------|----------------------|--------|---------------------|--------|-----|-------|-------|
| IEAIGNES | 4x2 | 4x2 | 4x2 | 4x2 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | AvA |
| | | | | LTZ 4 | | | LTZ 4 | | | | LTZ 4 | 771 4 |
| | S | S | 5 | 5 | X | LS | 5 | LS | R | ㅂ | 5 | N |
| Engine and transmission | | | | | | | | | | | | |
| 2.8L 4-cylinder Duramax 2 Diesel | • | • | • | • | • | • | • | • | • | • | • | • |
| 6-speed manual transmission | • | • | • | • | • | • | • | • | • | • | • | • |
| 6-speed automatic transmission with active select | | | 0 | 0 | | 0 | 0 | | | 0 | 0 | 0 |
| Limited Slip Differential (LSD) | • | • | • | • | • | • | • | • | • | • | • | • |
| Engine sump guard | • | • | • | • | • | • | • | • | • | • | • | • |
| Safety and handling | | | | | | | | | | | | |
| Front airbags for driver and front passenger | • | • | • | • | • | • | • | • | • | • | • | • |
| Front seat Side Impact Airbags | • | • | • | • | | • | • | • | • | • | • | • |
| Full length side curtain airbags | • | • | • | • | • | • | • | • | • | • | • | • |
| Front disc brakes | • | • | • | • | • | • | • | • | • | • | • | • |
| High ride height | • | • | • | • | • | • | • | • | • | • | • | • |
| Independent double wishbone, coil spring front suspension | • | • | • | • | • | • | • | • | • | • | • | • |
| Leaf spring rear suspension | • | • | • | • | • | • | • | • | • | • | • | • |
| Electronic Stability Control (ESC) incorporating: - Anti-lock Braking System (ABS) - Electronic Brakeforce Distribution (EBD) - Traction Control System (TCS) - Hill Start Assist - Trailer Sway Control | • | • | • | • | • | • | • | • | • | • | • | • |
| Descent Control System | • | • | • | • | | • | • | • | • | • | • | • |
| Guard frame window protector | | • | • | | | | | | • | • | | |
| Power steering | • | • | • | • | • | • | • | • | • | • | • | • |
| Front seatbelt pretensioners with load limiters | • | • | • | • | • | • | • | • | • | • | • | • |
| Front seatbelt sash height adjust | • | • | • | • | • | • | • | • | • | • | • | • |
| Rear 3-point lap sash seatbelts | | • | • | • | | • | • | • | • | • | • | • |
| Front centre lap seatbelt | | | | | • | | | | | | | |
| Driver seatbelt warning lamp and tone | • | | | | • | • | • | | | | | |
| Driver and front passenger seatbelt warning lamp and tone | | • | • | • | | | | • | • | • | • | • |
| Rear seat child restraint anchor points (3) | | • | • | • | | | | • | • | • | • | • |
| ISOFIX child restraint anchor point | | • | • | • | | | | • | • | • | • | • |
| Security | | | | | | | | | | | | |
| Alarm | • | • | • | • | • | • | • | • | • | • | • | • |
| Remote keyless entry | • | • | • | • | • | • | • | • | • | • | • | • |
| Tailgate lock | | • | • | • | | | • | | • | • | • | • |
| Engine immobiliser | • | • | • | • | • | • | • | • | • | • | • | • |
| Flip keys (2) | • | • | • | • | • | • | • | • | • | • | • | • |
| Wheels | | | | | | | | | | | | |
| 16" × 6.5" steel wheels 245/70 R16 111S tyres (4) | • | • | | | • | • | | • | • | | | |
| 16" × 6.5" alloy wheels 245/70 R16 111S tyres (4) | | | • | | | | | | | • | | |
| 17" × 7" alloy wheel 255/65 R17 110S tyres (4) | | | | • | | | • | | | | • | |
| 18" × 7.5" Arsenal Grey alloy wheel 265/60 R18 110T tyre (5) | | | | | | | | | | | | • |
| 16" × 6.5" steel spare wheel 245/70 R16 111S tyre | • | • | | | • | • | | • | • | | | |
| 16" × 6.5" alloy spare wheel 245/70 R16 111S tyre | | | • | | | | | | | • | | |
| 17" × 7" alloy spare wheel 255/65 R17 110S tyre | | | | • | | | • | | | | | |
| Holden endorsed 16" All Terrain Tyre (dealer fit at extra cost) | 0 | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | | |
| Exterior | | | | | | | | | | | | |
| | | | | • | | | | | | | | _ |
| Automatic off headlights | • | | _ | | • | • | • | • | • | _ | | |
| Halogen headlights | • | • | • | | • | • | | • | • | • | | |
| Halogen projector headlights, manual levelling | | | | • | | | • | | | | • | • |
| Sports styled dark headlamps | | | | | | | | | | | | • |
| Front fog lamps with chrome surround | | | • | • | | | • | | | • | • | • |
| Tow hook – front (2) | • | • | • | • | • | • | • | • | • | • | • | • |
| Front mudflaps | • | | | | • | • | | | | | | |
| Front and rear mudflaps | | | | • | | | • | - | _ | | - | - |

| Standard Optional Maximum figures as per ECE regulations | Single Cab chassis | ap | | | Single Cab chassis | Space Cab chassis | | ap | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|-----|-------|-----------------------|----------------------|--------|---------------------|--------|-----|-------|------------------|
| † Requires compatible iOS device | gle (| Crew Cab pickup | | | gle (| ace (| pickup | Crew Cab chassis | pickup | | | |
| * BringGo Navigation app must be purchased separately ^Where compatible. See holden.co.nz/myholdenconnect for a list | Sin cha | S loid | | | Sin Cha | Spa | picl | S e e | pic | | | |
| of compatible devices | 4x2 | 4×2 | 4x2 | 4x2 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 |
| ~Vehicle must be stationary | | | | LTZ 4 | | | LTZ 4 | | | | LTZ 4 | Z71 ² |
| - | LS | LS | ᆸ | 5 | X | LS | 5 | LS | LS | ᆸ | 5 | N |
| Exterior continued | | | | | | | | | | | | |
| Body coloured exterior door handles | • | • | • | | | • | | • | • | • | | |
| Body coloured exterior door handles with chrome strip | | | | • | | | • | | | | • | |
| Black exterior mirrors | | | | | • | | | | | | | |
| Black exterior mirrors with side turn signal | | | | | | | | | | | | • |
| Body coloured exterior mirrors with side turn signal | • | • | • | | | • | | • | • | • | | |
| Chrome exterior mirrors with side turn signal | | | | • | | | • | | | | • | |
| Deflector integrated into front bumper | | | | | | | | | | | | • |
| Body coloured front bumper | • | • | • | • | • | • | • | • | • | • | • | • |
| Black rear bumper with step | | • | • | • | | | | | • | • | | • |
| Chrome rear bumper with step | | • | • | • | | | • | | • | • | • | |
| Body coloured tailgate handle | | _ | | | | | | | | _ | | |
| Chrome tailgate handle | | | | • | | | • | | | | • | • |
| Black tailgate handle | | | | | | | | | | | | • |
| LED tail lights | | | | • | | | • | | | | • | • |
| Soft tonneau cover | | | | • | | | | | | | | |
| Streamline soft tonneau | | | | | | | | | | | | • |
| Alloy sports bar | | | | • | | | • | | | | • | |
| Sailplane sports bar | | | | | | | | | | | _ | • |
| Side steps | | | | • | | | • | | | | | • |
| Decal Package: bonnet, sports bar and tail gate Roof rails | | | | | | | | | | | | • |
| | | | | | | | | | | | | - |
| Driver | | | | | | | | | | | | |
| Bluetooth® connectivity | • | • | • | • | • | • | • | • | • | • | • | • |
| MyLink infotainment system featuring: — 7" colour touch screen | • | • | • | • | | • | • | • | • | • | • | • |
| - Smartphone app integration | | | | | | | | | | | | |
| - Siri® Eyes Free mode ⁺ | | | | | | | | | | | | |
| - Satellite navigation compatibility [#] | | | | | | | | | | | | |
| Handsfree calling^ Watch movies off a USB~ | | | | | | | | | | | | |
| - Watch movies on a OSB Cruise control | | | _ | _ | | • | _ | | | | | |
| Driver's foot rest | • | • | • | • | • | • | • | • | • | • | • | • |
| Reverse Park Camera | | | | • | | | • | | | | | |
| Rear Park Assist | | • | • | • | | | • | | • | • | • | |
| Multifunction driver information display featuring: | | _ | | _ | | • | • | | | • | | |
| Average fuel consumption, Average speed, Battery voltage, Distance to empty, | | | | | | | | | | | | |
| Instantaneous fuel consumption, Digital speedometer, Odometer, | | | | | | | | | | | | |
| Oil life monitoring, Speed warning, Trip meter | | | | | | | | | | | | |
| Ice blue illuminated cluster | • | • | • | • | • | • | • | • | • | • | • | • |
| Power adjustable exterior mirrors | • | • | • | | | • | | • | • | • | | |
| Power adjustable and power folding exterior mirrors | | | | • | | | • | | | | • | • |
| Steering wheel height adjust | • | • | • | • | | • | • | • | • | • | • | • |
| Multifunction steering wheel controls featuring: | • | • | • | • | | • | • | • | • | • | • | • |
| - Bluetooth® | | | | | | | | | | | | |
| Cruise control Audio controls | | | | | | | | | | | | |
| Leather wrap steering wheel | • | • | • | • | | • | • | • | • | • | • | • |
| Leather wrap gear knob (manual) | | | | • | | | • | | | | • | • |
| Chrome gear selector (automatic) | | | | • | | | • | | | | • | • |
| Variable intermittent wipers | • | _ | _ | • | • | • | • | • | | _ | • | • |
| Rear window demister | | • | • | • | | • | • | • | • | • | • | • |
| | | | | | | | | | | | | |
| Entertainment Country | | | | | | | | | | | | |
| Speaker: Quantity | 4 | 6 | 6 | 6 | 4 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Steering wheel mounted audio controls | • | • | • | • | | • | • | • | • | • | • | • |
| USB input with iPod® connectivity | • | • | • | • | • | • | • | • | • | • | • | • |
| Auxiliary input Description of the description of | • | • | • | • | • | • | • | • | • | • | • | • |
| Roof mounted antenna | • | • | • | • | • | • | • | • | • | • | | • |
| | | | | | | | | | | | | |


| FEATURES | Single Cab chassis | Crew Cab pickup | | | Single Cab chassis | Space Cab chassis | pickup | Crew Cab chassis | pickup | | | |
|--------------------------------------------------------------|-----------------------|--------------------|-----|-----|-----------------------|-----------------------------|--------|---------------------|--------|-----|-----|-----|
| | 4x2 | 4x2 | 4x2 | 4x2 | 4×4 | 4x4 | 4x4 | 4×4 | 4×4 | 4×4 | 4×4 | 4×4 |
| | S | S | 5 | LTZ | ă | S | LTZ | S | S | 5 | LTZ | Z71 |
| Seating | | | | | | | | | | | | |
| Cloth seat trim | • | • | • | • | • | • | • | • | • | • | • | |
| Leather appointed seat trim | | | | | | | | | | | 0 | • |
| Front heated seats (paired with leather appointed seat trim) | | | | | | | | | | | 0 | • |
| Front split bench seat | | | | | • | | | | | | | |
| Front bucket seats | • | • | • | • | | • | • | • | • | • | • | • |
| 4-way adjustable driver seat | | | | | • | | | | | | | |
| 6-way adjustable drivers seat | • | • | • | | | • | | • | • | • | | |
| 6-way electric adjustable drivers seat | | | | • | | | • | | | | • | • |
| 4-way adjustable front passenger seat | • | | | | | • | • | | | | | |
| 6-way adjustable front passenger seat | | • | • | • | | | | • | • | • | • | • |
| Two rear folding jump seats | | | | | | • | • | | | | | |
| Head restraints – Driver and front passenger | • | • | • | • | • | • | • | • | • | • | • | • |
| Head restraints – Three rear passengers | | • | • | • | | | | • | • | • | • | • |
| Rear seat centre armrest | | • | • | • | | | | • | • | • | • | • |
| Cabin comfort | | | | | | | | | | | | |
| Air conditioning with pollen filter | • | • | • | • | • | • | • | • | • | • | • | • |
| Electronic climate control | | | | • | | | • | | | | • | • |
| Power windows, with express driver up and down | • | • | • | • | • | • | • | • | • | • | • | • |
| Dual front reading lamps | _ | • | • | • | | • | • | • | • | • | • | • |
| Centre dome lamp | • | • | • | • | • | • | • | • | • | • | • | • |
| Two 12 volt power outlets in centre dash (one in DX) | • | • | • | • | • | • | • | • | • | • | • | • |
| 12 volt power outlet in rear of centre console | | • | • | • | | | | • | • | • | • | • |
| Vanity mirror on front passenger sunvisor with cover | • | • | • | • | | • | • | • | • | • | • | • |
| Chrome interior door handles | | | | • | | | • | | | | • | • |
| Driver and front passenger pillar assist handle | • | • | • | • | • | • | • | • | • | • | • | • |
| Front passenger overhead assist handle | • | • | • | • | | • | • | • | • | • | • | • |
| Rear passenger overhead assist handles | | • | • | • | | | | • | • | • | • | • |
| Floor covering – vinyl | • | • | | | • | | | • | • | | | |
| Floor covering – carpet | | | • | • | | • | • | | | • | • | • |
| Luxury centre-console armrest | | | | • | | | • | | | | • | • |
| Storage and Cargo | | | | | | | | | | | | |
| Front dual cup holders in dash | • | • | • | • | • | • | • | • | • | • | • | • |
| Front dual cup holders in centre console | • | • | • | • | | • | • | • | • | • | • | • |
| Rear cup holder | | | | | | • | • | | | | | |
| Dual glovebox | • | • | • | • | • | • | • | • | • | • | • | • |
| Door pockets with integrated bottle storage | • | • | • | • | • | • | • | • | • | • | • | • |
| Upper dash storage compartment | | | | | • | | | | | | | |
| Upper dash storage compartment with lid | • | • | • | • | | • | • | • | • | • | • | • |
| Rear seats with 60/40 split fold base and under seat storage | | • | • | • | | | | • | • | • | • | • |
| Driver and front passenger seat back pocket | | | | • | | | • | | | | • | • |
| Coat hooks (2) | | • | • | • | | | | • | • | • | • | • |
| Sunglasses holder | | | | • | | | • | | | | • | • |
| | | | | | | | | | | | | |

Standard Optional

TECHNICAL SPECIFICATIONS

2.8L Duramax 2 Diesel

| | 2.0L Dalamax 2 Dicse | 1 | |
|------------------------------------|------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Engine | 2.8L double overhead car 4 valves per cylinder | m 4-cylinder common rail injection | Duramax 2 Diesel with |
| Capacity (cc) | 2776 | | |
| Compression ratio | 16:5:1 | | |
| Bore × stroke (mm) | 94 × 100 | | |
| Maximum power (ECE, kW)* | 147 @ 3600rpm | | |
| Maximum torque (ECE, Nm)* | 440 @ 2000rpm - manual | 500 @ 2000rpm – automatic | |
| Gear ratios | 6-speed manual | 6-speed automatic | |
| 1st | 4.02 | 4.06 | |
| 2nd | 2.21 | 2.37 | |
| 3rd | 1.46 | 1.55 | |
| 4th | 1.00 | 1.16 | |
| 5th | 0.76 | 0.85 | |
| | 0.59 | 0.67 | |
| Reverse | 3.63 | 3.20 | |
| Final drive ratio | 3.73 | 3.42 | |
| Transfer case ratio (4x4 only) | | | |
| Low range | 2.62 : 1 | | |
| High range | 1:1 | | |
| Fuel tank capacity (L) | 76 | | |
| Fuel | Diesel | | |
| Electronic Stability Control (ESC) | Traction Control System (| Braking System (ABS), Electronic E (TCS), Decent Control System (DC d Trailer Sway Control (TSC) | |
| Brakes | Front disc, rear drum brak | kes | |
| Front diameter (mm) | 300 | | |
| Rear diameter (mm) | 295 | | |
| Track: Front and rear (mm) | 1570 | | |
| Turning circle (kerb to kerb, m) | 12.7 | | |
| 4x4 system | Electronic select shift on 2-speed transfer case (4) | | |
| Suspension | Independent double wish Leaf spring rear suspensi | bone, coil spring front suspension on | |
| Steering | Rack and pinion | | |
| Service | (whichever occurs first) a | nd then every 15,000km or 12 mor es may be required under certain o | ervice is due at 15,000km or 12 months on this (whichever occurs first) since the last driving conditions such as when towing |
| Angles [^] | Approach angle (°) | Departure Angle (°) | Ramp breakover angle (°) |
| All models | 30 | 22# | 23# |
| | | | |







Approach angle Departure angle

Ramp breakover angle

^{*} Maximum figures as per ECE regulations ^ At kerb mass # Pickup variants only

BODY STYLES

| Single Cab | | 4x2 | 4x4 | |
|------------|---------|-------------|------------------|--|
| | Chassis | LS | DX | |
| Space Cab | | | | |
| | Chassis | - | LS | |
| | Pickup | - | LTZ | |
| Crew Cab | | | | |
| | Chassis | LS | LS | |
| | Pickup | LS, LT, LTZ | LS, LT, LTZ, Z71 | |

WEIGHTS

| | 4x2 | | | | 4x4 | | | | |
|--------------------------------|-----------|---------------------------------------------------------------------|----------------|------|---------------------------------|-------------------------|------|------|--|
| | 2.8L Du | amax 2 Die | esel | | 2.8L Du | ramax 2 Die | esel | | |
| Gross Vehicle Mass (GVM) (kg) | 3150 (LT | Z and Z71 | models: 295 | (0) | 3150 (LTZ and Z71 models: 2950) | | | | |
| Gross Combined Mass (GCM) (kg) | 6000 | | | | 6000 | | | | |
| Payload* | Please re | Please refer to the vehicle load calculator on the inside back page | | | | | | | |
| Wade Depth (mm) | 600 | | | 600 | | | | | |
| Tow ball load (kg)^ | 350 | | | 350 | | | | | |
| Towing Mass* (kg) | | | | | | | | | |
| Braked | 3500 | 3500 3500 | | | | | | | |
| Unbraked | 750 | | 750 | | | | | | |
| Curb Mass (kg) | Chassis | + | Pickup Chassis | | | Chassis ⁺ Pi | | | |
| Single Cab | Man | Auto | Man | Auto | Man | Auto | Man | Auto | |
| DX | _ | - | _ | - | 1773 | _ | - | - | |
| LS | 1680 | - | _ | - | - | _ | | | |
| Space Cab | | | | | | | | | |
| LS | _ | - | _ | - | 1877 | _ | _ | - | |
| LTZ | _ | - | - | - | - | _ | _ | 2075 | |
| Crew Cab | | | | | | | | | |
| LS | _ | - | 1984 | - | 1944 | _ | 2086 | - | |
| LT | _ | _ | 1976 | 1969 | - | _ | 2071 | 2064 | |
| LTZ | _ | _ | 2024 | 2017 | - | _ | 2126 | 2119 | |
| Z71 | _ | - | _ | - | - | _ | 2154 | 2147 | |
| Axle load limits | | | | | | | | | |
| Front | 1450 | | | | | | | | |
| Rear | 1850 (LT | 1850 (LTZ and Z71 models: 1650) | | | | | | | |

^{*} Please refer to inside back page of this brochure for vehicle loading calculator ^ Maximum load with braked trailer + Kerb Mass for chassis variants without optional tray

VEHICLE DIMENSIONS

| Single Cab exterior dimensions (mm) | Α | В | С | D | E | F | G | Н | I | |
|---------------------------------------------------------------------------------------------------------------------------------|------|------|-----|--------|------|-----|------|------|------|---|
| Chassis | 1882 | 1802 | 210 | 3096 | 5083 | _ | _ | _ | _ | |
| | | A | | D E | | | | | | |
| Space Cab exterior dimensions (mm) | Α | В | С | D | E | F | G | Н | 1 | |
| Chassis | 1882 | 1780 | 210 | 3096 | 5083 | - | - | - | - | |
| Pickup | 1882 | 1780 | 210 | 3096 | 5347 | 466 | 1795 | 1122 | 1534 | |
| | | A | | D E | | | | | G | : |
| Crew Cab exterior dimensions (mm) | Α | В | С | D | E | F | G | Н | 1 | |
| Chassis | 1882 | 1780 | 210 | 3096 | 5083 | - | - | - | | |
| Pickup | 1882 | 1780 | 210 | 3096 | 5347 | 466 | 1484 | 1122 | 1534 | |
| A body width B height C ground clearance D wheelbase E length F tray height G tray length H tray width btw. arches I tray width | | A | | D E | | | | | G | |

| Interior dimensions (mm) | Front Headroom | Rear Headroom | Front Legroom | Rear Legroom | Front Shoulder Room | Rear Shoulder Room |
|--------------------------|----------------|---------------|---------------|--------------|------------------------|-----------------------|
| Single Cab | 1014 | _ | 1049 | _ | 1462 | _ |
| Space Cab | 1005 | 950 | 1049 | 739 | 1458 | 1481 |
| Crew Cab | 1005 | 973 | 1049 | 914 | 1458 | 1450 |



COLOUR AND TRIM

EXTERIOR COLOURS







Sizzle



Black Sapphire



litrate



Satin Steel Grey



Oceanic



Blue Mountain



Orange Rock


COLOUR AND TRIM

EXTERIOR COLOURS AND TRIMS

| | EXTE | RIOR C | OLOU | R | | | | | INTERIOR TRIM |
|------------|--------------|--------|----------------|---------|------------------|---------|---------------|-------------|-----------------------------------------------|
| MODEL | Summit White | Sizzle | Black Sapphire | Nitrate | Satin Steel Grey | Oceanic | Blue Mountain | Orange Rock | |
| 4X2 | | | | | | | | | |
| LS/LT | • | • | • | • | • | • | • | | Dark Ash Grey Cloth |
| LTZ | • | • | • | • | • | • | • | • | Dark Ash Grey Cloth |
| 4X4 | | | | | | | | | |
| DX | • | • | • | • | • | • | • | | Very Dark Ash Grey Cloth |
| LS/LT | • | • | • | • | • | • | • | | Dark Ash Grey Cloth |
| LTZ | • | • | • | • | • | • | • | • | Dark Ash Grey Cloth |
| LTZ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Two Tone Meridian Leather (4x4 Crew Cab only) |
| Z71 | • | • | • | | • | | | • | Two Tone Meridian Leather |

SEAT TRIM









Certain colours may not be available from time to time. Variations between colours shown and actual paint colours/interior trim colours may occur due to the printing process. Actual vehicle colours may appear different under certain light conditions. Trim patterns are not to scale. Indicative only.

Customers are encouraged to contact their Holden Dealer for current colour availability.

CAPACITY CALCULATOR

HOW TO CALCULATE YOUR SAFE DRIVING LOAD

You should read the following carefully, as the concepts explained could significantly influence the Colorado model you choose.

Safe operation of a light commercial vehicle demands careful attention to two vital aspects of loading: balance and safe operating limits. A vehicle that is overloaded or carries unbalanced loads, will experience reduced life due to the excess demands placed on its frame, transmission, axles, hubs and tyres.

CAB CHASSIS RECOMMENDED BODY LENGTHS

When fitting a custom built body, Holden recommends maximum allowable lengths# that will support the application of the Holden tow bar and ensure the rear axle capacity is not exceeded. Excess overhang must also be avoided as it can affect vehicle balance and road holding, as well as departure angles.

When fitting a body or tray to a Colorado Cab chassis model, your Holden Sales Consultant can advise whether the fitment proposed is compliant with vehicle and transport regulations in your state.

Generally speaking, your Holden Colorado must be correctly specified for its intended application. Inappropriate modifications to the standard vehicle specification may result in overloading which can affect:

- vehicle performance and safety
- your New Vehicle Warranty to the extent that Holden considers it impacts upon the specifications and quality of your vehicle

Always discuss your intentions with your Holden Sales Consultant.

FRONT AND REAR AXLE LOADS

Front and rear axle load limits ensure your Colorado's axles have sufficient strength to carry the total weight of the vehicle's body and mechanicals – along with cargo, accessories, tow ball load and passengers – and still retain a considerable capacity safety margin to cope with weight transfer as the vehicle brakes, accelerates, rolls in corners and goes over bumps.

The maximum allowable front axle load is 1450kg.

The maximum allowable rear axle load is 1850kg (LTZ and Z71 models: 1650kg).

GROSS VEHICLE MASS (GVM)

Gross Vehicle Mass or 'GVM' is the maximum laden mass of the vehicle

It is based on design factors that include:

- strength of the vehicle frame
- suspensio
- tyre rating
- axle capacities

The maximum GVM for all Colorado models is 3150kg except LTZ and Z71 models which are rated at 2950kg (which can not be exceeded).

TOWING AND GROSS COMBINED MASS (GCM)

The GCM is a maximum total mass for vehicle, payload and braked trailer combined. The maximum towing capacity may require the vehicle load to be reduced to ensure the GCM limit for the vehicle is not exceeded.

 The maximum GCM for the 2.8L Duramax Turbo Diesel is 6000kg (which cannot be exceeded)

KERB MASS

Kerb Mass is the weight of the vehicle with standard equipment when it is unoccupied, unladen and has its fuel tank and all other fluid reservoirs filled to their nominated capacity.

Optional accessories and cargo carrying devices – for example, the tray body for Colorado Cab chassis models – are excluded from the Kerb Mass calculation.

Kerb Mass figures for the various Colorado models, engine and drive variants are provided in the technical specifications section of this brochure.

PAYLOAD

Payload is the total mass the finished vehicle is permitted to carry, and is calculated by subtracting the vehicle's Kerb Mass from the Gross Vehicle Mass. Payload includes the mass of the driver, any passengers, options or accessories, including the tray or customised body as well as the cargo.

Vehicle Loading Calculator – Not Towing

| Vehicle: | | |
|--------------------------------|--------------------------------------|----------|
| Gross Vehicle Mass (0 | kg | |
| less Kerb Mass: | (refer to weights table in brochure) | kg |
| less All Occupants | | kg |
| less Mass of any optional a | ccessories (if fitted to | vehicle) |
| Tow Bar Package: | | kg |
| Canopy: | | kg |
| Cargo Mat: | | kg |
| Fitted Body/Tray: | | kg |
| Other: | | kg |
| Other: | | kg |
| = Remaining Load C | apacity*: | kg |

| - Kemaining Load | з Сарасну . | кд | | |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------------------------------------------|------------------------------------------------|
| Vehicle Load Co | ılculator – Towing | | Example 1 Light Towing 1000kg Trailer | Example 2 Heavy Towing 3500kg Trailer |
| Vehicle: | | | 2.8L 4x4 LS Space Cab Chassis Auto | 2.8L 4x2 LTZ Crew Cab Pickup Auto |
| Gross Combined I | Mass (GCM): | kg | 6000 kg | 6000 kg |
| less Trailer Axle Load: | (Total Trailer mass less tow ball load) | kg | 900 kg | 3000 kg |
| = Total | (NOTE: This value must not exceed the GVM of 3150kg (2950kg for LTZ and Z71 models). If this value is greater you must use the applicable GVM to continue calculating the Colorado's remaining load capacity.) | kg | 3150 kg | 2950 kg |
| less: Kerb Mass: | (refer to weights table in brochure) | kg | 1870 kg | 2017 kg |
| less: Tow Ball Load: | (refer to towing section of owners handbook) | kg | 100 kg | 350 kg |
| less: All Occupants: | | kg | 160 kg | 160 kg |
| less: Mass of any option | al accessories (if fitte | d to vehicle) | | |
| Tow Bar Package: | | kg | 34 [^] kg | 30 [^] kg |
| Canopy: | | kg | | 58 kg |
| Fitted Body/Tray: | | kg | 135 kg | |
| Other: | | kg | | |
| Other: | | kg | | |
| = Remaining Load | d Capacity*: | kg | 851 kg | 335 kg |

^{*} This figure is the maximum load your vehicle is permitted to carry without exceeding its GVM/GCM rating. The load must be appropriately distributed and the maximum allowable front and rear axle load limits must not be exceeded. * Speak to your Holden Dealer for more information on recommended body lengths. Two different tow bar masses shown; one for pick up box and one for cab chassis models.



There's nothing more exciting than buying a new car. Holden provides a complete After Sales program to make sure you not only feel good about your new Holden now, but also in the years to come.

So if you are looking to add that personal touch with HoldenWise Genuine Parts & Accessories, you can rest assured that you are being looked after by Holden trained experts that operate in one of New Zealand's largest

With 54 Authorised Holden Service Centres including 32 Holden Dealerships strategically located New Zealand-wide, Holden strives for a standard of excellence with the aim of exceeding the expectations of Holden drivers.



NO SURPRISES, NO UNCERTAINTY, NO WORRIES. JUST WHAT YOU WOULD EXPECT FROM HOLDEN.



GENUINE SERVICE

Authorised Holden Service Centres give you complete confidence, knowing that only Holden Dealership Technicians have access to regular factory training and equipment.



ACCESSORIES & PARTS

Give your Holden a personal touch by choosing from our range of Genuine Holden Parts and Accessories, exclusively at Holden Dealers.



WARRANTY

Holden's New Vehicle Warranty* applies from the day your vehicle is first registered. Holden approved and Genuine Accessories and parts are also covered.



24 HOUR ROADSIDE ASSISTANCE

To ensure your Holden delivers you an uninterrupted driving experience, your vehicle comes with three years of Standard Roadside Assistance. Call 0800 HOLDEN (0800 465 336).



CUSTOMER CARE

Holden Customer Care is available to answer any questions.

Call 0800 HOLDEN (0800 465 336)

10am – 9pm Mon-Fri, 11am – 3pm Sat. holdencustomercare@gm.com



HOLDEN FINANCE

Offers vehicle finance and leasing with flexible terms, competitive interest rates and structured payment options.

Call 0800 55 30 30

TO FIND OUT MORE VISIT WWW.HOLDEN.CO.NZ/OWNERSHIP

* Our goods come with guarantees that cannot be excluded under the New Zealand Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

