# SPORTSCAT

SPORTSCAT



111

### >> AUSTRALIA'S MOST DYNAMIC SPORTS 4X4.

SPORTSCAT

Bold and undeniably dynamic, the SportsCat V and SportsCat SV are in a league of their own. One glance at their striking and sophisticated lines is enough to get your heart pumping. Get behind the wheel and you'll quickly discover you're in complete control of a 4x4 that takes driving dynamics to a whole new level. If you're looking for Australia's premium sports 4x4 range, you've found it.






### BEST ON GROUND STYLING.

A standout in the sports 4x4 field, the new SportsCat has it over the competition in more ways than one. Bold and aggressive HSV design cues and a wider track^ give the vehicle a stance and presence unlike any other. One look at the distinctive bonnet bulge and striking front fascia with integrated gloss black '3D' grille and outer inserts, splash tray, recovery hooks and LED fog lamps, and you know this is a sports 4x4 to be reckoned with. Adding to the vehicle's street cred are HSV 18" x 10", 6-spoke forged alloy wheels in matte black wrapped in Cooper Zeon LTZ Pro Sports All-Terrain tyres. In addition to their rugged off-road capability, these hybrid tyres were specially selected by HSV's chassis engineers for their exceptional on-road characteristics, especially on tarmac and dirt roads. Their size (285/60 R18) and rolling radius also deliver a 20mm increase in vehicle ride height.^



### >> ENGINEERED FOR DRIVERS WHO LIKE TO PLAY HARD.

Both SportsCat models come with everything you need to get the job done and then some. A 2.8L, DOHC Duramax Turbo Diesel delivers 147kW of power and 500Nm of torque when matched with the optional 6-speed automatic transmission with Active Select. Maximum towing capacity is a more than handy 3,500kg#. Both models also feature HSV Sports suspension. With the front spring rate stiffened to 110Newtons/mm, and the addition of front strut braces, this unique suspension delivers outstanding front-end support with less body roll and more accurate transient response. The suspension's MTV dampers have also been tuned to suit the revised spring rate resulting in a more performance-based handling characteristic. The front ride height of both vehicles has been lifted by 25mm^ which improves the approach angle of the vehicle, increases ground clearance to the body and reduces the overall rake for a more natural on-road stance. For the SportsCat SV, HSV chassis engineers also developed a special rear de-coupling anti-roll bar<sup>†</sup> that improves on-road performance at higher speeds by reducing rear roll and enhancing turn-in transient response. Select 'shift-on-the-fly' 4 Wheel Drive Low and the system automatically de-activates to optimise off-road performance. SupaShock suspension



is also available as a factory-fitted option, taking the vehicle's suspension capabilities to yet another level. Braking power on the SportsCat SV is equally impressive thanks to 4-piston forged AP Racing calipers<sup>†</sup> with 362mm x 32mm rotors and the same large 25.4mm diameter brake master cylinder featured on the SportsCat V. The Electronic Stability Control (ESC) system and Traction Control System (TCS) on both SportsCat models have also been modified to enable less aggressive interventions, particularly on corner exit. The result is a more dynamic driving experience.

### AGILITY AND ABILITY.

Put the SportsCat V through its paces and you'll quickly discover just how exhilarating a sports 4X4 can be. Whether you're powering down a straight or heading through a series of corners, this is a vehicle that kicks goals.

KSV



## >> SOPHISTICATED SPORTS ERGONOMICS.

Grasp the leather-wrapped, sportsprofile steering wheel, and the first thing you'll notice is the firm embrace of the heated, 6-way electric adjustable HSV Performance seat with Windsor suede inserts and red stitching highlights. Enhanced bolsters help ensure the perfect driving position with superior comfort and support. Rear seat passengers are treated to a similar level of comfort and style. The sophisticated sports look is continued throughout the cabin with special treatments given to the dash pad, door inserts, centre console cover, leather-wrapped steering wheel and floor mats. All essential controls are placed at your fingertips in this hi-tech 4x4. An 8" colour touchscreen, satellite navigation, electronic climate control, DAB+ digital radio, Apple CarPlay,® Android® Auto Phone Projection technology and a premium 7-speaker audio system all come standard. Both vehicles also come fully loaded with a raft of safety and convenience technologies including Forward Collision Alert, Lane Departure Warning, front and rear park assist, rain sensing wipers and a rear-view camera.

ile .





Adding form to function on both SportsCat models is a unique hard tonneau with alloy sports bar. This stylish cover features load rails for easy attachment of the genuine HSV load rack accessory, plus a quick-release mechanism for those times when you want to maximise storage height in the tub. Inspired by high-end wakeboarding boats, and available as an option on SportsCat SV, a unique sailplane complements the striking design of the vehicle. Featuring a distinctive applique and 'easy down' functionality, the tailgate also adds to the rugged and aggressive look of this dynamic sports 4x4.



#### >> SPECIFICATIONS

	SportsCat V SportsCat SV		SportsCat V SportsCat SV		SportsCat V SportsCat SV
ENGINE AND TRANSMISSION		LIGHTING		ENTERTAINMENT	
2.8L 4-cylinder Duramax 2 Diesel	• •	LED daytime running lamps	• •	Phone projection featuring Apple CarPlay® and	• •
5-speed manual transmission	• •	Automatic on/off headlights	• •	Android® Auto	• •
5-speed automatic transmission with Active Select	0 0	Halogen reflector headlights	• •	MyLink infotainment system with 8" colour touchscreen	• •
Shift on the fly 4WD	• •	Manual levelling headlights	• •	Digital Audio Broadcast (DAB+) multimedia	• •
imited Slip Differential (LSD)	• •	Chrome headlamp bezel	• •	Embedded satellite navigation	• •
Engine sump guard	• •	LED tail lights	• •	7-speaker audio	• •
SAFETY AND HANDLING		Front LED fog lamps	• •	Steering wheel mounted audio controls	• •
Forward Collision Alert (FCA)	• •	EXTERIOR		USB input with iPod® connectivity	• •
ane Departure Warning (LDW)	• •	HSV recovery hooks (2) - front	• •	Auxiliary input	• •
Front airbags for driver and front passenger	• •	Front and rear mudflaps	• •	Roof mounted antenna	• •
Front seat side impact airbags	• •	Bonnet bulge	• •	SEATING	
Full length side curtain airbags	• •	Black exterior door handles	• •	HSV Performance seats with Windsor suede inserts	• •
Driver knee airbag	• •	Black exterior mirrors	• •	Front heated seats	• •
Front disc brakes	• -	HSV designed front fascia with lower integrated splash tray	• •	Front bucket seats	• •
AP Racing forged 4-piston brake calipers (362mm discs) - front	•	Black rear bumper	• •	6-way electric adjustable driver's seat	• •
25.4mm brake master cylinder	• •	HSV '3D' upper grille finished in Gloss Black	• •	6-way adjustable front passenger seat	• •
Tyre pressure monitoring / indicator	• •	HSV '3D' wheel arch flares in Satin Black	• •	Head restraints - driver and front passenger	• •
ligh ride height	• •	Soft-open tail gate strut	• •	Head restraints - three rear passengers	• •
HSV Sports suspension (independent double wishbone, coil spring - front; leaf spring - rear)	• •	COLORADO tail gate applique	• •	Rear seat centre armrest	• •
		HSV hard tonneau with load rail provision	• •	CABIN COMFORT	
SupaShock suspension	0 0	HSV alloy sports bar	• •	Air conditioning with pollen filter	• •
Rear de-coupling anti-roll bar	0 •	HSV sailplane	- 0	Electronic climate control	• •
Electronic Stability Control (ESC) incorporating:		Tubular side steps	• •	Power windows, with express driver and passenger	• •
<ul> <li>Anti-lock Braking System (ABS)</li> <li>Electronic Brakeforce Distribution (EBD)</li> </ul>	•••	Roof rails	• •	up and down Power windows, with express rear passenger up and down	• •
Traction Control System (TCS)	• •	DRIVER		Remote windows, with expressively passenger up and down	• •
• Hill Descent Control (HDC)	• •	Remote start (auto only)	• •	Dual front reading lamps	• •
• Hill Start Assist (HSA)	• •	Bluetooth <sup>®</sup> connectivity	• •	Centre dome lamp	• •
Trailer Sway Control (TSC)	• •	Electronic cruise control	• •	Two 12 volt power outlets in centre dash	• •
Roll Over Mitigation (ROM)	• •	Driver's foot rest	• •	12 volt power outlet in rear of centre console	• •
Electric Power Steering (EPS)	• •	Rear-view camera	• •	Vanity mirror on front passenger sunvisor with cover	• •
Front seatbelt sash height adjust	• •	Rear Park Assist	• •	Chrome interior door handles	• •
Rear 3-point lap sash seatbelts	• •	Front Park Assist	• •	Aluminium door insert	• •
Automatic Locking Retractor (ALR) - rear seat	• •	Enhanced multi-function display: vehicle information		Driver and front passenger pillar assist handle	• •
Driver and front passenger seatbelt warning lamp and tone	• •	menu, trip information menu, fuel economy menu, warning/messages	• •	Front passenger overhead assist handle	• •
Rear seat seatbelt warning reminder	• •	Power adjustable exterior mirrors	• •	Rear passenger overhead assist handles with coat hooks	• •
Rear seat child restraint anchor points (3)	• •	Power folding exterior mirrors	• •	Floor covering – carpet	• •
SOFIX child restraint anchor point	• •	Electrochromatic (light sensitive) rear view mirror	• •	HSV Floor mats	• •
SECURITY		Steering wheel height adjust	• •	STORAGE AND CARGO	
larm	• •	Multifunction steering wheel controls featuring:		Tub liner	0 0
Remote keyless entry	• •	Bluetooth®, cruise control, audio controls	• •	Front dual cup holders in centre console	• •
Failgate lock	• •	Leather wrap sports profile steering wheel	• •	Door pockets with integrated bottle storage	• •
Engine immobiliser	• •	Premium gear selector (manual)	• •	Driver and front passenger seat cushion pocket	• •
lip keys (2)	• •	Chrome gear selector (automatic)	• •	Driver and front passenger seat back pocket	• •
WHEELS/TYRES		Variable intermittent wipers	• •	Rear seats with 60/40 split fold base and under seat storage	• •
18" x 10" 6-spoke forged alloy wheels (Matte Black)	• •	Rain sensing wipers	• •	Coat hooks (2)	• •
285/60 R18 Cooper Zeon LTZ Pro Sports All-Terrain tyres	• •	Rear window demister	• •	Roof console - sunglass holder & dual reading lamps	• •

Model

All models

#### >> TECHNICAL DATA

#### >> COLOURS

		overhead cam
Engine	injection Dura	common rail amax 2 Diesel s per cylinder
Capacity (cc)		76
Compression ratio	16	.5:1
Bore × stroke (mm)	94 ×	100
Maximum power (ECE, kW)*	147 @ 3	600rpm
Maximum torque (ECE, Nm)*	440 @ 2000rpm (manual)	500 @ 2000rpm (automatic)
Gearratios	6-speed manual	6-speed automatic
1st	4.02	4.06
2nd	2.21	2.37
Зrd	1.46	1.55
4th	1.00	1.16
5th	0.76	0.85
6th	0.59	0.67
Reverse	3.63	3.20
Final drive ratio	4.10	3.42
TRANSFER CASE RATIO	C	
Low range	2.6	2:1
High range		:1
Fuel tank capacity (L)		6
Fuel		esel
	Braking System Brakeforce Dis	ng: Anti-lock (ABS), Electronic tribution (EBD),
Electronic Stability Control (ESC)	Hill Descent (	ol System (TCS), Control (HDC),
. ,	Hill Start Assis	t (HSA), Trailer (TSC) and Roll
	Over Mitiga	ation (ROM)
BRAKES		
SportsCat V		25.4mm master rear drum
SportsCat SV (optional on SportsCat V)	Front discs with 4-p 25.4mm master cyli	

Front disc diameter (mm)362 (SportsCat V) SportsCat V)Rear drum diameter (mm)295Track (front and rear, mm)1636Turning circle (kerb to kerb, m)13.64x4 systemElectronic select shift on the fly 4x4, 2-speed transfer caseSuspensionIndependent double wishbone, coil spring front suspension; leaf spring rear suspensionSuspensionElectric Power Steering (EPS)SteeringElectric Power Steering (EPS)SteeringThe complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000km or 12 months (whichever occurs first) and then every 12,000km or 12 months (whichever occurs first) and then every 12,000km or 12 months (whichever occurs first) and then every 12,000km or 12 months (whichever occurs first) and then every 12,000km or 12 months (whichever occurs first) since the last service. Additional services may be required under certail driving conditions such as when towing (refer to Owner's Handbook)Angles^Approach angleDeparture angleAll models32°24°27°Gross Vehicle Mass (GVM) (kg)3150						
Track (front and rear, mm) 1636 Turning circle (kerb to kerb, m) 13.6 4x4 system Electronic select shift on the fly 4x4, 2-speed transfer case Independent double wishbone, coil spring front suspension; leaf spring rear suspension Rear de-coupling anti-roll bar (SportsCat SV) Steering Electric Power Steering (EPS) The complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000km or 12 months (whichever occurs first) since the last service. Additional services may be required under certing driving conditions such as when towing (refer to Owner's Handbook) Angles^ AApproach Departure angle All models 32° 24° 27° Gross Vehicle Mass (GVM) (kg) 3150 Gross Combined Mass (GCM) (kg) 6300 Wade Depth (mm) 600 Tow ball load (kg)† 350 TOWING MASS Braked (kg) 750 KERB MASS Manual Auto SportsCat SV (kg) 2257 2250 SportsCat SV (kg) 2281 2274 AXLE LOAD LIMITS Front (kg) 1450	Front disc diameter (mm)	30 362 (Sp	ortsCat SV, op	V) tional on		
Turning circle (kerb to kerb, m)13.64x4 systemElectronic select shift on the fly 4x4, 2-speed transfer caseSuspensionIndependent double wishbone, coil spring front suspension; leaf spring rear suspensionSteeringRear de-coupling anti-roll bar (SportsCat SV)SteeringElectric Power Steering (EPS)SteeringThe complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000kn or 12 months (whichever occurs first) since the last service. Additional services may be required under certail driving conditions such as when towing (refer to Owner's Handbook)Angles^Approach angleDeparture angleAll models32°24°27°Gross Vehicle Mass (GVM) (kg)6300 angleMade Depth (mm)600 angleTow ball load (kg)†350 250Tow ING MASSManualAutoSportsCat SV (kg)22572250SportsCat SV (kg)22812274AXLE LOAD LIMITS1450	Rear drum diameter (mm)	295				
4x4 systemElectronic select shift on the fly 4x4, 2-speed transfer caseSuspensionIndependent double wishbone, coil spring rear suspension; leaf spring rear suspension; reas suspensionSteeringRear de-coupling anti-roll bar (SportsCat SV)SteeringElectric Power Steering (EPS)SteeringThe complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000kn or 12 months (whichever occurs first) since the last service. Additional services may be required under certain driving conditions such as when towing (refer to Owner's Handbook)Angles^Approach angleDeparture angleAll models32°24°27°Gross Vehicle Mass (GCM) (kg)6300 angleTow ball load (kg)†3500 AutoTow ball load (kg)750 KERB MASSManualManualQuibriated (kg)22572250SportsCat SV (kg)22812274AXLE LOAD LIMITS1450	Track (front and rear, mm)		1636			
4xx + system2-speed transfer caseSuspensionIndependent double wishbone, coil spring front suspensionSuspensionRear de-coupling anti-roll bar (SportsCat SV)SteeringElectric Power Steering (EPS)SteeringThe complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000km or 12 months (whichever occurs first) since the last service. Additional services may be required under certain driving conditions such as when towing (refer to Owner's Handbook)Angles^Approach angleDeparture angleRamp reakover angleAll models32°24°27°Gross Vehicle Mass (GCM) (kg)6300Unerakover angleToTOWING MASS3500Unbraked (kg)750Braked (kg)3500Unbraked (kg)750KERB MASSManualAutoSportsCat V (kg)22812274AXLE LOAD LIMITS1450274	Turning circle (kerb to kerb, m)		13.6			
Suspensioncoil spring front suspension; leaf spring rear suspensionRear de-coupling anti-roll bar (SportsCat SV)SteeringElectric Power Steering (EPS)The complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000kn or 12 months (whichever occurs first) since the last service. Additional services may be required under certain driving conditions such as when towing (refer to Owner's Handbook)Angles^Approach angleDeparture angleRamp breakover angleAll models32°24°27°Gross Vehicle Mass (GCM) (kg)6300Wade Depth (mm)600Tow ball load (kg)!350TOWING MASSManualAutoBraked (kg)22572250SportsCat V (kg)22812274AXLE LOAD LIMITS1450	4x4 system					
(SportsCat SV)SteeringElectric Power Steering (EPS)The complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000kn or 12 months (whichever occurs first) since the last service. Additional services may be required under certain driving conditions such as when towing (refer to Owner's Handbook)Angles^Approach angleDeparture angleRamp breakover angleAll models32°24°27°Gross Vehicle Mass (GCM) (kg)3150Gross Combined Mass (GCM) (kg)6300TOW ING MASS3500Braked (kg)3500Unbraked (kg)750KERB MASSManualAutoSportsCat V (kg)22812274AXLE LOAD LIMITS1450-	Suspension	coil sprin	g front susper	ision; leaf		
The complimentary inspection is due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000kn or 12 months (whichever occurs first) since the last service. Additional services may be required under certail driving conditions such as when towing (refer to Owner's Handbook)Angles^Approach angleDeparture angleRamp breakover angleAll models32°24°27°Gross Vehicle Mass (GVM) (kg)630000Wade Depth (mm)6006000Tow INIG MASS350000Braked (kg)7507500KERB MASSManualAuto22572250SportsCat V (kg)22812274274AXLE LOAD LIMITS145014500		Rear de	-coupling anti (SportsCat SV	-roll bar )		
due at 1 month of owning your new vehicle. The first service is due at 12,000km or 12 months (whichever occurs first) and then every 12,000kn or 12 months (whichever occurs first) since the last service. Additional services may be required under certain 	Steering	Electric	Power Steerin	ng (EPS)		
Angles^ApproachDeparture anglebreakover angleAll models32°24°27°Gross Vehicle Mass (GVM) (kg)31503150Gross Combined Mass (GCM) (kg)63006300Wade Depth (mm)600700Tow ball load (kg)†350700TOWING MASS750700Braked (kg)750750KERB MASSManualAutoSportsCat V (kg)22572250SportsCat SV (kg)22812274AXLE LOAD LIMITS1450	Service	due at 1 m vehicle. T 12,000km occurs first) or 12 montl since the services may driving c	at 1 month of owning your new icle. The first service is due at OOkm or 12 months (whichever first) and then every 12,000km months (whichever occurs first) ce the last service. Additional es may be required under certair ving conditions such as when			
Gross Vehicle Mass (GVM) (kg)         3150           Gross Combined Mass (GCM) (kg)         6300           Wade Depth (mm)         600           Tow ball load (kg)†         350           TOWING MASS         3500           Unbraked (kg)         750           KERB MASS         Manual         Auto           SportsCat V (kg)         2257         2250           SportsCat SV (kg)         2281         2274           AXLE LOAD LIMITS         Front (kg)         1450	Angles^			breakover		
Gross Combined Mass (GCM) (kg)         6300           Wade Depth (mm)         600           Tow ball load (kg)†         350           TOWING MASS         Braked (kg)           Braked (kg)         750           VInbraked (kg)         750           KERB MASS         Manual         Auto           SportsCat V (kg)         2257         2250           SportsCat SV (kg)         2281         2274           AXLE LOAD LIMITS         Front (kg)         1450	All models	32°	24°	27°		
Wade Depth (mm)         600           Tow ball load (kg)†         350           TOWING MASS         3500           Braked (kg)         3500           Unbraked (kg)         750           KERB MASS         Manual         Auto           SportsCat V (kg)         2257         2250           SportsCat SV (kg)         2281         2274           AXLE LOAD LIMITS         Front (kg)         1450	Gross Vehicle Mass (GVM) (kg)		3150			
Tow ball load (kg)†         350           TOWING MASS         3500           Braked (kg)         3500           Unbraked (kg)         750           KERB MASS         Manual         Auto           SportsCat V (kg)         2257         2250           SportsCat SV (kg)         2281         2274           AXLE LOAD LIMITS         Front (kg)         1450	Gross Combined Mass (GCM) (kg)		6300			
TOWING MASS Braked (kg) 3500 Unbraked (kg) 750 KERB MASS Manual Auto SportsCat V (kg) 2257 2250 SportsCat SV (kg) 2281 2274 AXLE LOAD LIMITS Front (kg) 1450	Wade Depth (mm)		600			
Braked (kg) 3500 Unbraked (kg) 750 KERB MASS Manual Auto SportsCat V (kg) 2257 2250 SportsCat SV (kg) 2281 2274 AXLE LOAD LIMITS Front (kg) 1450	Tow ball load (kg) <sup>†</sup>		350			
Unbraked (kg)750KERB MASSManualAutoSportsCat V (kg)22572250SportsCat SV (kg)22812274AXLE LOAD LIMITSFront (kg)1450	TOWING MASS					
Unbraked (kg)750KERB MASSManualAutoSportsCat V (kg)22572250SportsCat SV (kg)22812274AXLE LOAD LIMITSFront (kg)1450	Braked (kg)		3500			
KERB MASSManualAutoSportsCat V (kg)22572250SportsCat SV (kg)22812274AXLE LOAD LIMITS27502281Front (kg)14502450		750				
SportsCat SV (kg)     2281     2274       AXLE LOAD LIMITS       Front (kg)     1450	KERB MASS	Ma	Auto			
AXLE LOAD LIMITS Front (kg) 1450	SportsCat V (kg)	22	2250			
Front (kg) 1450	SportsCat SV (kg)	22	81	2274		
	AXLE LOAD LIMITS					
Rear (kg) 1850	Front (kg)		1450			
	Rear (kg)		1850			

EXTERIOR DIMENSIONS (MM)									
Model	Body Width	Height	Ground Clearance	Wheelbase	Length	Tray Height	Tray Length	Tray Width btw. Arches	Tray Width
All models	1933	1826	251	3095	5345	466	1484	1122	1534

#### INTERIOR DIMENSIONS (MM)

Front Headroom	Rear Headroom	Front Legroom	Rear Legroom	Front Shoulder Room	Rear Shoulder Room			
1005	973	1045	856	1488	1472			

\*Maximum figures as per ECE regulations. ^At kerb mass. †Maximum load with braked trailer.





Dark Shadow#



Mineral Black<sup>#</sup>

Crush#



Absolute Red

#### >> PERSONALISATION

	SportsCat V	SportsCat SV
Load rack	0	0
Eye-bolt	0	0
Tubliner	0	0
Loadmaster	0	0

\*Prestige paint available at additional cost.



#### ン VISIT HSV.COM.AU FOR MORE DETAILS. FOLLOW US ON 🛛 🚺 💆 🛅 🖸

A word about this catalogue. Images shown are for illustration purposes only. We have tried to make this catalogue as comprehensive and factual as possible however, since the time of printing, some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalogue may have been changed and/or is available at extra cost. Further, HSV reserves the right to make changes at any time, without notice, in prices, colours, materials, equipment and models. Your HSV Dealer has details and, before ordering, you should ask them to bring you up to date. No HSV Dealer, or other person, is authorised, or permitted, to give, or make any statement, assertion or undertaking in relation to the quality, performance characteristics, descriptions or fitness for any purpose, of HSV product which is at variance with any written statement, assertion or undertaking on any of these subjects given, or made, by HSV in its published sales literature, and HSV does not accept any liability for such unauthorised action. HSV has authorised Dealers in many parts of Australia for the sale of service parts and the provision of service to owners of HSV's products. Every endeavour is made to ensure that such Dealers carry adequate stocks of service parts but HSV makes no promise other than that contained in the New Vehicle Warranty given by HSV, that such parts or service facilities will be available at any specific location, or at any particular time. Express warranties offered for HSV products are subject to the conditions set out in all vehicle handbooks. Details are also available from HSV on request. Copyright Premoso Pty. Ltd. (HSV) A.B.N. 84 006 802 053. Colours are for illustration purposes only. Printed July 2019.

Walkinshaw Park 71 Whiteside Road Clayton South Victoria 3169

