

1989 FORD LTD CROWN VICTORIA

TAXI PACKAGE



**Full-Size Ford Taxi Vehicles...
Fully Equipped for Taxicab Fleet Driver
and Passenger Comfort**

1989 FORD LTD CROWN VICTORIA DSO TAXI PACKAGE



1989 DSO Taxi Package is available on the 1989 LTD Crown Victoria S 4-Door Sedan. This automobile supplies full-size vehicle service and convenience, including outstanding passenger room and a convenient carpeted deepwell trunk. Major 1989 LTD Crown Victoria S 4-Door Sedan standard equipment and taxi package components follow:

MAJOR S SERIES STANDARD FEATURES

- 5.0-liter (302-CID) SEFI V-8 engine
- Air conditioning, manual
- Ashtrays, front and rear
- Autolamp system
- Body-on-frame construction
- Brakes, power
- Bumper rub strips, front and rear
- Cigarette lighter, front
- Coolant recovery system
- Gas cap tether
- Glass, tinted (complete)
- Halogen headlamps, quad rectangular
- Horn, dual-note
- Lights—Includes:
 - Ashtray, front
 - Dome switches, front and rear courtesy
 - Glove box
 - Luggage compartment
- Map pocket, front doors
- Mirrors, dual remote-control, manual
- Moldings, drip, functional
- Parking brake release, automatic with T-handle
- Radio, electronic AM with dual front speakers
- Steering, power
- Transmission, automatic overdrive (AOD)
- Windshield wipers, interval

TAXI PACKAGE CONTENT*1

- Alert light, door ajar
- Alternator, 65-amp
- Axle ratio, rear—3.08:1
- Battery, heavy-duty 72-amp maintenance-free with heat shield
- Brakes, heavy-duty power semi-metallic front disc/finned rear drum with organic linings

- Coat hook, delete right-hand
- Cooling package, police-level, with viscous fan
- Courtesy light switches, front and rear doors
- Decklid release, remote-control
- Frame, heavy-duty
- Handles, rear door grip (mounted diagonally in place of door pull handles)
- Hole in roof for wiring (if requested)
- Hub caps replace standard wheel covers
- Instrument cluster—0-85 MPH with trip odometer and warning lights
- Low gear lockout
- Map light, dual beam
- Oil cooler, power steering (forward-mounted)
- Roof wiring (five, 16-gauge)
- Rubber floor covering, heavy-duty black (front and rear—in place of carpeting)
- Seat, heavy-duty front flight bench (non-reclining) with vinyl trim
- Single key lock system—keyed differently
- Straps, rear assist (both sides)
- Switch and indicator light for roof-mounted equipment
- Taxi ID label
- Taxi suspension: heavy-duty high-rate front and rear springs, extra-control 1 $\frac{3}{8}$ -inch shock absorbers, heavy-duty front stabilizer bar (rear not included) and unique upper and lower control arm bushings
- Tires, P225/70R15 BSW steel-belted radial with conventional spare tire
- Transmission oil cooler, auxiliary
- Wheels, heavy-duty 15x6.5-inch
- Wiring for customer installation of roof turn signals

*Meets New York specifications.

¹Not available with clock, RPO tires or illuminated entry system.

OPTIONS

In addition to the LTD Crown Victoria S standard equipment and taxi package components, an extensive list of Regular Production Options, Limited Production Options and Dealer Special Order items is available to meet the specialized needs of taxi fleet operators. Items of particular interest to taxicab companies include:

REGULAR PRODUCTION OPTIONS—RPO

	Option Code
• Axle, Traction-Lok	45A
• Axle, 3.27 ratio, non-lock/Traction Lok	*
• Door locks, power	
• Light Group	943
• Steering wheel, tilt	52Q
• Window defroster, rear (required in New York state)	57Q
• Windows, power side	64R
• Windshield, Insta-Clear®	924

LIMITED PRODUCTION OPTIONS—LPO

• Alternator, 100-amp	633
• Wheel covers, deluxe	651

DEALER SPECIAL ORDERS—DSO

	Option Code
• Battery, 84 amp, maintenance free	PBK
• Decklid release, relocated, left hand or right hand of steering column	*
• Engine oil cooler	PEA
• Gauges—oil pressure, water temperature and voltmeter (right-hand instrument panel applique) ..	*
• Halogen spotlamps (left-hand pillar-mounted) 6" clear halogen	PLH
• Hoses, silicone, heater and radiator	*
• Radio noise interference suppression, extended ..	PR8
• Radio wiring conduit	PRA
• Single key lock system—keyed alike	*
• Speedo cable (2-piece)	*

*Contact Dealer For Option Code



DIMENSIONS AND CAPACITIES

General (Inches)	
Wheelbase	114.3
Overall Length	211.0
Overall Height	55.6
Overall Width	77.5
Ground Clearance (min.)	5.2
Tread—Front	62.2
—Rear	62.0
Front Seat Room (Inches)	
Head Room	37.9
Shoulder Room	61.6
Hip Room	61.0
Leg Room—Maximum	43.5
Rear Seat Room (Inches)	
Head Room	37.2
Shoulder Room	61.6
Hip Room	56.9
Leg Room—Minimum	39.3
Curb Weight (lbs.)	3779
Luggage Compartment	
Luggage Capacity (cu. ft.)	21.4
Liftover Height	22.6
EPA Volume Index (cu. ft.)	133.3
Fuel Tank Capacity (gals.)	18.0

POWER TEAM DATA

ENGINE	DISPLACE- MENT (CU. IN.)	HORSE- POWER	TORQUE (FT. LBS.)	EPA FUEL ECONOMY	
				City	Hwy.
5.0L SEFI V-8	302	160@ 3400 rpm	280@ 2200 rpm	17	24



Taxi operation places strong demands on an automobile, making vehicle quality especially important. For 8 consecutive years, Ford quality has led all other American car companies, based on an average of owner-reported problems in a series of surveys of 1981-'88 models designed and built in North America.

Contact Your Ford Fleet Representative for More Information—
Including Scheduled Maintenance and the Optional Fleet Extended Service Plan.



Ford Division
General Fleet Office

Illustrations and information presented herein were correct when approved for printing. Ford Division reserves the right to change specifications and features without notice and without incurring obligation. Availability of models and equipment described in this publication depends upon final EPA (Environmental Protection Agency) certifications. Options listed may be available only as part of an option package.