



In clutch situations, it's best to keep your options open.

To shift or not to shift...that is the question you can answer differently each time you drive the Mazda Protegé. That's if you choose the new *Sport*AT transmission option. Keep it in Drive, it's a smooth, electronically controlled 4-speed automatic transmission. On those days you feel like choosing your own gears, thank you, notch the lever over to *Sport* mode. Then sequentially shift up or down through the gears, similar to the system in many of today's race cars. If you're a manual fan, don't worry – a slick-shifting 5-speed stick is still standard equipment. Whichever transmission you choose, the essential Mazda Protegé character remains the same – sporty and pure fun to drive.




Mazda Protegé on the track.

We designed the Mazda Protegé for sporty, everyday driving on real roads. But its sports car heritage becomes evident on the track as well, where it has proven quite successful. A Mazda Protegé won the Showroom Stock C class in the 2001 Valvoline® Runoffs (the SCCA national championships), and a second Mazda Protegé finished fifth. On the pro side, the car is very competitive in the SCCA Speed World Challenge Touring Car Championship series – you can catch all the action on the Speed Channel.

A 2.0L 16-valve DOHC engine is standard in both the Mazda Protegé LX and ES.

Put your foot down, and you'll feel instant response, snappy acceleration and power that pulls all the way to the redline. So you can make the best use of that power, there's a fully independent suspension featuring Mazda's exclusive Twin Trapezoidal Links at the rear. These provide a subtle "steering" effect that helps the Mazda Protegé track surely through turns.







2003 MAZDA PROTEGÉ ACCESSORIES



Pictured below from left to right: moonroof wind deflector, cargo net and fog lights.



- Front mask Moonroof wind deflector
- Rear spoiler Wheel locks (Set of 4)
- Engine block heater Electrochromatic mirror w/ compass • Electrochromatic mirror w/ compass & temperature • Fog lights • MiniDisc player • Touch-up Paint
- · Hood deflector







For further information please refer to the Mazda Accessories Brochure. Mazda notes that all Genuine Mazda Accessories, if installed by your Mazda Dealer prior to or at an initial vehicle retail delivery, carry the same new-vehicle warranty as the Mazda Protegé.

COLOUR COMBINATIONS

EXTERIOR	INTERIOR SE/LX ES			
Black Mica	Grey	Sport Black		
Emerald Mica	Beige	Sport Black		
Sunlight Silver Metallic	Grey	Sport Black		
ight Sandalwood Metallic	Beige	Sport Black		
aser Blue	Grey	Sport Black		
Sand Mica	Beige	Sport Black		
Garnet Red Mica	Grey	Sport Black		
Pure White	Grey	Sport Black		





Light Sandalwood Metallic Sport Black Cloth







Sunlight Silver Metallic





Elegant Grey Cloth





Garnet Red Mica





Pure White



Casual Grey Cloth

2003 PROTEGÉ SPECIFICATIONS

ENGINE	SE		LX/ES			
Туре	1.6L Inlin	e 4-cylinder	2.0L Inlin	e 4-cylinder		
Valve gear	DOHC 16	-valve	DOHC 16	-valve		
Displacement	1,597 cc		1,991 cc			
Bore and stroke	78mm x 8	33.6mm	83mm x	92mm		
Compression ratio	9.0:1		9.1:1			
Horsepower SAE net	103 @ 5,	500 rpm	130 @ 6,	.000 rpm		
Torque, SAE net lb. ft.	106 @ 4,	000 rpm	135 @ 4,	.000 rpm		
Fuel system	Electronic Fuel Electronic Fuel Injection (EFI)					
Recommended fuel	Regular (unleaded) Regular (unleaded)					
DRIVETRAIN						
Туре	Transverse front engine/front-wheel drive					
Clutch type	Single dry plate with diaphragm spring					
Transmission	5-speed manual with overdrive					
	Optional: 4-speed electronically controlled automatic with overdrive and lock-up torque converter (SE & LX models) Optional <i>Sport</i> mode AT (ES)					
	SE		LX/ES			
	5MT	4AT	5MT	4AT/Sport AT		
Gear ratios: 1st	3.416	2.816	3.307	2.816		
2nd	1.842	1.497	1.842	1.497		
3rd	1.290	1.000	1.310	1.000		
4th	0.972	0.725	0.970	0.725		
5th	0.775	_	0.755	_		

3.214 2.648

3.904

Type	12 Volt
Battery	Maintenance free 60 amp/hr.
Alternator	70 amp/hr (1.6L), 80 amp/hr. (2.0L)
Starter	0.85kW (1.6L MT), 1.0kW (1.6L AT & 2.0L)
Ignition system	Breakerless electronic
CHASSIS	
Frame	Unit body (Monocoque) with side door impact protection beams and Triple "H" construction
Front suspension	Independent, strut type, coil springs, stabilizer ba
Rear suspension	Independent, strut type with Twin Trapezoidal Links (TTL), coil springs and stabilizer bar
Shock-absorbers	Telescopic, double acting
Steering	Rack-and-pinion with engine-speed-sensitive variable power-assist
Steering ratio	15.0 : 1
Steering wheel turns	s 2.7 (lock-to-lock)
Min. turning circle	10.4m (curb-to-curb)
Brakes	Power-assisted ventilated front disc/rear drum brakes (SE & LX) Power-assisted ventilated front and rear disc brakes (ES) Anti-lock Brake System (ABS) w/ Electronic Brake Force Distribution (EBFD) (ES)
Wheels	14" styled steel wheels w/ full wheel covers (SE) 15" styled steel wheels w/ full wheel covers (LX) 15" alloy wheels (LX GT Pkg) 16" alloy wheels (ES)
Tires	185/65R14 all-season steel-belted radials (SE) 195/55R15 all-season steel-belted radials (LX) 195/50R16 all-season steel-belted radials (ES)

Curb weight		1,131	1kg (1.6L ľ	VIT), 1,19	4kg (2.0L MT)
CAPACITIES			5 (,		,
Seating 5 p	ersons		Wash	er fluid ta	ank	5.1L
Fuel tank 50L	(SE), 55L (LX	& ES)	Crank	case 3.4	L (SE)	, 3.7L (LX & ES)
Coolant 6.0	L (SE); 7.5L	(LX &	ES)			
EXTERNAL D						
Wheelbase	2,610		Track	(fr/rr)		1,470/1,470
Overall length	4,450		Overa	ll width		1,705
Overall height	1,410		Grour	id clearai	nce	140
INTERNAL D	IMENSIO	VS (n	nm)			
Headroom (fr/rr)	998/9	949			
Legroom (fr/rr)		1,073	3/900			
Shoulder Room	(fr/rr)	1,370)/1,356			
Passenger volur	ne	2,622	2.1L			
Trunk room cap	acity	365.3	BL .			
Total interior vo	lume	2,987	7.4L			
TRANSPORT	CANADA	FUE	LECONO	MY RA	TING	SS
	1	1.6L	L 2.0L			0L
	5MT		4AT	5M	T	4AT/Sport AT
City	8.5L/100kn					9.9L/100km
Highway	6.7L/100kn			7.3L/10)0km	7.4L/100km
ESTIMATED	PERFORM	ANC	E DATA			
			SI			LX/ES
Acceleration (0	- 100km/h;	sec)	MT: 11.4/	AT: 13.3	MT:	10.4/AT: 11.9
Top speed (km/			MT: 178/	AT: 165	MT:	195/AT: 176
Acceleration (1)	4 mile; sec)		MT: 18.2/	AT: 19.1	MT:	17.4/AT: 18.2
Acceleration (1)						
Weight distribu	tion (% fr/rr)		60	:40	
	rag (Cd))			:40 32	

2003 PROTEGÉ FEATURES

3.850

Final drive

ENGINEERING FEATURES	SE	LX	ES
1.6L DOHC 16-valve 4-cylinder engine	S	-	-
2.0L DOHC 16-valve 4-cylinder engine	-	S	S
Transmission 5 MT	S	S	S
Transmission 4 AT	0	0	-
Sport mode AT	-	-	0
4-wheel disc brakes	-	-	S
Anti-lock Brake System (ABS) w/ Electronic Brake Force Distribution (EBFD)	-	0	S
Rack-and-pinion steering with variable power-assist	S	S	S
Front and rear stabilizer bar	S	S	S
Side door impact protection beams	S	S	S
Front washer fluid tank (5.1L)	S	S	S
EXTERIOR FEATURES			
14" styled steel wheels with full wheel covers; 185/65R14 all-season steel-belted radial tires	S	-	_
15" styled steel wheels with full wheel covers; 195/55R15 all-season steel-belted radial tires	-	S	
15" alloy wheels; 195/55R15 all-season steel-belted radial tires	-	LX GT	-
16" redesigned alloy wheels; 195/50R16 all-season steel-belted radial tires	-	-	S
Front mud guards – black	Α	Α	S
Body-colour rear spoiler	Α	A/LX GT	A/ES GT
Dual manual remote-control folding door mirrors w/ integrated rain gutters – black	S	S	_
Dual power-operated folding door mirrors w/ integrated rain gutters – body-colour	_	CP/LX GT	S
Fixed intermittent windshield wipers	S	S	S
Single exhaust outlet w/ garnish	_	_	S
2-light head light w/ black inner vessel	S	S	S
Fog lights	_	LX GT	S
INTERIOR FEATURES: COMFORT AND CONVENIENCE			
AM/FM/CD player w/ 4 speakers and clock	S	S	-
AM/FM/CD player w/ clock, 4 speakers and 2 tweeters	-	_	S
Air conditioning	0	O/CP	O/ES GT
Cruise control	_	CP/LX GT	S
Tilt steering	S	S	S
Remote fuel door and hood release	S	S	S

3.166

INTERIOR FEATURES: COMFORT AND CONVENIENCE (cont'd)	SE	LX	ES
Internal trunk release	S	S	S
L/R front door central locking	-	S	S
Power door locks w/ 2-action unlock feature (driver side)	_	S	S
Keyless entry (2 key fobs)	_	S	S
Power windows w/ driver's one-touch down feature	-	CP/LX GT	S
Power window switch illumination	-	CP/LX GT	S
Power glass moonroof w/ dual front seat map lamps	-	LX GT	ES GT
Map lamps (non-moonroof models)	S	S	S
INTERIOR FEATURES: SAFETY AND SECURITY			
Driver and front passenger depowered air bags (SRS)	S	S	S
Adjustable front safety belt anchors	S	S	S
Integrated child seat anchor brackets	S	S	S
3-point rear safety belts	S	S	S
Driver and front passenger safety belt pretensioners and load limiters	S	S	S
Child-proof door locks	S	S	S
INTERIOR FEATURES: SEATING AND TRIM			
Upgraded cloth seats	-	S	-
Sport type cloth seats	-	-	S
Centre console box w/ lid	S	S	S
60/40 split fold-down rear seatback w/ lock function	S	S	S
Leather-wrapped 3-spoke steering wheel	-	-	S
Leather-wrapped shift knob	-	-	S
Floor mats	S	S	S
INTERIOR FEATURES: INSTRUMENT PANEL			
Ignition key illumination	S	S	S
Silver meter set	-	-	S
Tachometer	S	S	S
Warning lights for low washer fluid and low fuel level	S	S	S
S = Standard O = Optional A = Accessory	D. I.	– = Not a	available

Convenience Package: Includes air conditioning, power windows, body-colour outer power mirrors, cruise control.

ES GT = ES GT Package

LX GT Package: Includes power windows, body-colour outer power mirrors, cruise control, fog lights, moonroof, 15" alloy wheels, body-coloured rear spoiler.

ES GT Package: Includes moonroof, body-colour rear spoiler, air conditioning.

LX GT = LX GT Package

MAZDA WARRANTY

The basic warranty on the Mazda Protegé covers all parts found to be factory defective for 3 years or 80,000 km whichever comes first. Additional warranties cover powertrain components for a period of 5 years or 100,000 km whichever comes first, body sheet metal perforation for 5 years and unlimited mileage and specific emission control components for up to 8 years or 128,000 km. Exclusions from coverage are limited to maintenance items or adjustments (repairs not requiring parts replacement) on vehicles over 12 months old and repairs due to normal wear and tear. Ask your Mazda Dealer for additional information.

ROADSIDE ASSISTANCE PROGRAM As part of our commitment to your total satisfaction, 2003 Mazda Protegé owners are automatically enrolled in our Roadside Assistance Program. Roadside Assistance protects your Mazda Protegé for the duration of the 3-year basic limited warranty. Should you require assistance during this period, our service will help to get your vehicle back on the road and minimize any inconvenience. For complete details on this program, see your Mazda Dealer.



For peace of mind motoring, we've created the Mazda Added Protection Plan (MAP). MAP complements your Mazda Limited Warranty for up to 7 years or 160,000 km, and protects you from unexpected repair expenses and the rising cost of repairs. All MAP plans include Personal Budget and Repair Inflation Protection. In addition, all MAP plans include Premium Roadside Assistance, which extends the roadside assistance coverage offered during the new vehicle limited warranty period throughout the MAP term. The Premium Roadside Assistance offers Towing, Battery Boost, Out-of-Fuel Coverage, Tire Service, Lockout Service, Emergency Travel Expense Reimbursement and Travel Planning. Should you ever decide to sell your Mazda vehicle, MAP is transferable to future owners and will enhance the resale value of your vehicle. The Mazda Added Protection Plan is fully backed and administered by Mazda Canada Inc. For more information, please contact your Mazda Dealer.

CP = Convenience Package

Product changes and options availability: Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options and accessories shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations. E. & O. E.