





\*Mazda RXS

Maxpa www.mazda.ca









# ITS ADVANCED ROTARY ENGINE PUTS A WHOLE NEW SPIN ON PERFORMANCE.

Underneath Mazda RX-8's handsome aluminum hood is the smooth-revving, high-output 238-hp RENESIS rotary engine. No cylinders. No pistons. Just a remarkable 9,000-rpm redline. For sure-footed handling, the RX-8 boasts a fully-independent suspension system with double-wishbones up front and a multi-link design in the rear. And to ensure precise control, its rack-and-pinion steering system utilizes a speed-sensitive electric boost. Linear, fade-resistant stops are also a given with Mazda's technology – thanks to the RX-8's massive, 4-wheel ventilated disc brakes and Electronic Brake Force Distribution (EBFD). Phenomenal braking power. All great reasons to join the revolution.

ROTARY-DRIVEN INNOVATION: The RX-8's advanced RENESIS rotary engine is the culmination of more than 40 years of extensive research, development, racing and refinement conducted by Mazda engineers. Since 1961, Mazda has designed and built more than 80 different rotary engines in 2, 3, and even 4-rotor configurations. In 1991, a rotary-powered Mazda won the legendary 24 Hours of Le Mans, beating out the favoured entries from Mercedes Benz and Jaguar. Mazda has now sold more than 1.8 million rotary-powered vehicles worldwide, including three distinct generations of the legendary, rotary-powered Mazda RX-7.

\*The Sport mode AT (4-speed automatic transmission) engine delivers 197-hp with a 7,500-rpm redline.



The Mazda RX-8's RENESIS rotary engine is lighter and 30% more compact than conventional piston engines of comparable power. This allows the engine to be placed behind the front axle and in a lower position, providing several key advantages: An exceptional power-to-weight ratio for enhanced



acceleration. A low centre of gravity for superb handling. Plus more cabin space to comfortably enjoy the inspiring performance that rotary power makes possible. Note: Superb handling is achieved by attaining a low polar moment. See following page for details.









An important contributor to the Mazda RX-8's excellent handling is its "low polar moment of yaw inertia." Translation: "Yaw inertia" can be described as the resistance of a vehicle to being turned from its natural straight line path. Thanks to its "low polar moment," the RX-8 is very responsive to a change in direction

and provides more agile handling than cars with a "high polar moment." The RX-8's rotary engine helps make this possible by allowing more mass to be positioned close to the car's centre point — its yaw axis. Core powertrain components, and the fuel tank, are located between the axes of the wheels for better dynamics. A car with its mass more widely distributed is less responsive to any desired change in direction.





# ALL EXCHANGES BETWEEN MAN AND MACHINE SHOULD BE THIS INTUITIVE.

A quick glance around the Mazda RX-8's cockpit telegraphs its driver-centric design. Electroluminescent gauges ignite before your eyes – changing from blue to amber. A thick, leather-wrapped steering wheel puts the controls of the sound system as well as the paddle-style shifters for the available *Sport* mode automatic transmission, quite literally, at your fingertips. The drilled-aluminum foot pedals (6MT) reflect its competitive heritage. Sight unseen, dual-stage driver and front passenger side air bags\* provide peace of mind, along with curtain and front side air bags\* As the 9-speaker Bose® stereo blasts out an appropriate tune, you truly appreciate the patented noise compensation technology that allows only pure sound to your ears. With all unwanted noise removed, you are focused as you consult the available DVD navigation system. The tach skyrockets to its 9,000-rpm redline. And suddenly, there's not a stretch of road that's remotely your equal.

\*Always wear your safety belts and secure children in the rear seat. Consult owner's manual.





The RENESIS rotary engine's compact size enabled Mazda engineers to design a sports car chassis and rigid cabin structure that can accommodate four full-size adult passengers —

Front mid-engi



#### ACCESSORIES









Moonroof wind deflector

Cargo net

Front mask

Pictured above from left to right: mud guards (rear), front mask, moonroof wind deflector.

- Front air dam
- Side deflector
- Rear spoiler
- 18" aluminum alloy wheel (polished)
- Mud guards, front

- Mud guards, rear
- Scuff plates, aluminum All-weather floor mats
- Aluminum fuel-filler door (chrome)
  - Wheel locks

For further information please refer to the Mazda Accessories Brochure. Mazda notes that all Genuine Mazda Accessories, if installed by your Mazda Dealer prior to or at an initial vehicle retail delivery, carry the same new-vehicle warranty as the Mazda RX-8.

Cargo tray

#### EXTERIOR COLOURS







VELOCITY RED METALLIC







### INTERIOR COLOURS



BLACK LEATHER



BLACK/RED LEATHER



BLACK/TAUPE LEATHER

BLACK CLOTH

#### COLOUR COMBINATIONS

EXTERIOR	INTERIOR				
	CLOTH	LEATHER			
Winning Blue Metallic	Black	Black			
Brilliant Black	Black	Black/Taupe			
Velocity Red Metallic	Black	Black/Red			
Titanium Grey Metallic	Black	Black/Taupe			
Sunlight Silver Metallic	Black	Black			
Lightning Yellow	Black	Black			

MAZDA WARRANTY The basic warranty on the Mazda RX-8 covers all parts found to be factory defective for 3 years or 80,000 km whichever comes first. Additional warranties cover powertrain components for a period of 5 years or 100,000 km whichever comes first, body sheet metal perforation for 5 years and unlimited mileage and specific emission control components for up to 8 years or 128,000 km. Exclusions from coverage are limited to maintenance items or adjustments (repairs not requiring parts replacement) on vehicles over 12 months old and repairs due to normal wear and tear. Ask your Mazda Dealer for additional information.

ROADSIDE ASSISTANCE PROGRAM As part of our commitment to your total satisfaction, 2004 Mazda RX-8 owners are automatically enrolled in our Roadside Assistance Program. Roadside Assistance protects your Mazda RX-8 for the duration of the 3-year basic limited warranty. Should you require assistance during this period, our service will help to get your vehicle back on the road and minimize any inconvenience. For complete details on this program, see your Mazda Dealer.



For peace of mind motoring, we've created the Mazda Added Protection Plan (MAP). MAP complements your Mazda Limited Warranty for up to 7 years or 160,000 km, and protects you from unexpected repair expenses and the rising cost of repairs. All MAP plans include Personal Budget and Repair Inflation Protection. In addition, all MAP plans include Premium Roadside Assistance, which extends the roadside assistance coverage offered during the new vehicle limited warranty period throughout the MAP term. The Premium Roadside Assistance offers Towing, Battery Boost, Out-of-Fuel Coverage, Tire Service, Lockout Service, Emergency Travel Expense Reimbursement and Travel Planning. Should you ever decide to sell your Mazda vehicle, MAP is transferable to future owners and will enhance the resale value of your vehicle. The Mazda Added Protection Plan is fully backed and administered by Mazda Canada Inc. For more information, please contact your Mazda Dealer.

Product changes and options availability: Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options and accessories shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations. E. & O. E.

## 2004 MAZDA RX-8 SPECIFICATIONS

GINE		4-speed Sport mode AT	6-speed MT	DRIVETRA	IN (cont'd)
e 1.3L rotary engine 1		1.3L rotary engine	3rd		
placement		654 cc x 2	654 cc x 2	4th	
npression rati	io	10.0:1	10.0:1	5th	
sepower SAE	net hp	197 @ 7,200 rpm	238 @ 8,500 rpm	6th	
que, SAE net	lb.ft.	164 @ 5,000 rpm	159 @ 5,500 rpm	Reverse	
l system		Electro magnetic	Electro magnetic	Final drive	
ommended fuel		Premium (unleaded)	Premium (unleaded)	SUSPENSI	0 N
IVETRAIN				Frame	Unit body (Mond
е	Front rota	ıry engine/rear-wheel driv	Suspension	Sport-tuned susp	
tch type	Single dry	/ plate, (diaphragm spring		double-wishbone,	
nsmission 4-speed <i>Sport</i> mode automatic transmission with					front strut tower
	paḋdle sh	nifters; 6-speed manual with short-throw shifter		CHASSIS	

Gear ratios:	4AT	6MT
lst	2.785	3.760
2nd	1.545	2.269

4th		0.694	1.187
5th		-	1.000
6th		-	0.843
Reverse		2.272	3.564
Final drive		4.444	4.444
SUSPENSIO	N		
Frame	Unit bo	dy (Monocoque), Power Pla	nt Frame (PPF)
	double-	ined suspension with indepe wishbone, rear multi-link, ga: rut tower bar, front and rea	s-filled shock absorbe
CHASSIS			
Steering		Direct drive electronically o	issisted steering
Steering ratio		16.43:1	
Steering wheel turns		2.99 (lock-to-lock)	

Min. turning circle 10.6m (curb-to-curb)

1.000

1.645

	CHASSIS (cont	'd)			Не
		wer-assisted 4-wheel			
		ti-lock Brake System		Brake	Le
-		rce Distribution (EBFD			
		namic Stability Contro			ш:
	Wheels 18	3" aluminum alloy wh	eels		- 1111
	Tire 22	!5/45R18			Sł Hi Co
	Curb weight 4A	T: 1,394 kg; 6MT: 1,	384 kg		H
	ELECTRICAL S	YSTEM			_
-	Battery 75	D26L	Cold cranking capacity	490 A	Ci
-	Alternator 12	!-volt — 100 amp	Ignition system	Pointless	Hi
	CAPACITIES				Ci Hi E S
	Seating	4 Persons	Washer fluid to	ınk 3.5L	Co
-	Engine oil capacity	/ 4AT: 6.0L; 6MT 6.7	7L Fuel tank	60L	W
-	Coolant capacity	8.7L			
-		MENSIONS (mm)			
	Wheelbase	2,700	Overall width	1,770	
	Track (fr/rr)	1,500/1,505	Overall height	1,340	
	Overall length	4,424	Ground clearance	120 (laden)	
	INTERNAL DIA	MENSIONS (mm)			

Headroom (fr/rr)	960/935 (w/o m	oonroof)
	922/927 (w/ mo	onroof)
Legroom (fr/rr)	1,084/820	
Shoulder room (fr/rr)	1,393/1,395	
Hip room (fr/rr)	1,359/1,414	
Cargo volume	290L	
TRANSPORT CANA	DA FUEL ECON	OMY RATINGS
	4-speed Sport mod	e AT 6-speed MT
City	12.9L/100 km	12.8L/100 km
Highway	8.8L/100 km	9.2L/100 km
ESTIMATED PERF	ORMANCE DATA	
Coefficient of drag (C	d)	0.31
Weight distribution %	(fr/rr)	48/52

### 2004 MAZDA RX-8 FEATURES

ENGINEERING FEATURES	GS	GT	INTERIOR FEATURES: COMFORT AND CONVENIENCE (cont'd)	GS	GT	INTERIOR FEATURES: SEAT AND TRIM (cont'd)	GS
1.3L Rotary engine	S	S	Air conditioning	S	S	Synthetic leather door panel trim — front and rear	_
Variable dynamic effect intake system	S	S	Micro-filter	S	S	Leather-wrapped 3-spoke steering wheel	S
6-speed manual overdrive transmission with short-throw shifter			Rear seat heater ducts	S	S	Adjustable steering wheel	S
or 4-speed <i>Sport</i> mode automatic transmission with paddle shifters	S	S	Rear window defroster	S	S	Leather-wrapped shift knob	S
Limited-slip rear differential	6MT only	S	Power door locks w/ 2-stage unlocking	S	S	Front door handles — bright finish	S
Dynamic Stability Control (DSC) w/ Traction Control System (TCS)	_	S	Slam locks	S	S	Rear door handles — black finish	S
Direct drive electronically assisted steering	S	S	Remote keyless entry system with welcome mode and			Scuff plates with aluminum inserts	S
Power-assisted 4-wheel ventilated disc brakes	S	S	panic alarm (includes two transmitters)	S	<u> </u>	INTERIOR FEATURES: SAFETY AND SECURITY	
Anti-lock Brake System (ABS)			Driver/front passenger illuminated power door lock switch	S	<u>S</u>	Side-impact door beams — front	S
w/ Electronic Brake Force Distribution (EBFD)	S	<u> </u>	Central locking feature on driver's door	S	<u>S</u>	Door catch pins	S
Front engine/rear-wheel drive	S	S	Remote fuel door and trunk lid releases	S	<u>S</u>	Advanced dual front air bag Supplemental Restraint System (SRS)	S
Front independent double-wishbone suspension	S	S	Power windows with driver-side one-touch down feature and power dela	y S	<u> </u>	Dual front side-impact air bag Supplemental Restraint System (SRS)	S
Rear independent multi-link suspension	S	S	Driver/front passenger illuminated power window switch	S	<u> </u>	Dual front and rear side air curtains	S
Sport-tuned suspension	S	S	Power-operated glass moonroof	_	0	Front safety belt pretensioners with force limiters	S
Front and rear stabilizer bars	S	S	Ignition key illumination	S	<u>S</u>	3-point safety belts for all seating positions (2 front, 2 rear)	S
Power Plant Frame (PPF)	S	S	Front door courtesy lamps	S	<u>S</u>	ISOFIX child safety-seat anchors	S
Strut tower bar	S	S	Illuminated entry	S	<u>S</u>	Anti-theft alarm system	_
Engine immobilizer theft-deterrent system	S	S	Cargo area light	S	<u>S</u>	Internal trunk release	S
EXTERIOR FEATURES			Driver/passenger illuminated vanity mirrors	S	<u>S</u>	INTERIOR FEATURES: INSTRUMENT PANEL	
18" aluminum alloy wheels; 225/45R18 performance radial tires	S	S	Day/night rearview mirror — manual	S		Outside ambient temperature indicator	S
Body-colour bumpers and door handles	S	S	Auto-dimming rearview mirror with HomeLink®	-	<u>S</u>	12-volt power outlet (1)	S
Indoor high mount stop lamp	S	S	Navigational system	_	0	Cigarette lighter and illuminated ash tray	S
Dual body-colour power remote-control heated door mirrors	S	S	Illuminated locking glove compartment	S	<u>S</u>	Blue LED concealed meter lighting with red night-time gauge illumination	S
Headlights — halogen	S	-	Delayed fade-out on interior lights	S	<u>S</u>	Black gauges with chrome bezels and white lettering	S
Headlights — Xenon	-	S	Cup holders (2 front, 2 rear)	S	<u>S</u>	Tachometer, engine coolant temperature gauge and fuel gauge	S
Automatic headlight leveling	-	S	Map lamps	S	<u>S</u>	Twin trip odometers	S
Headlight cleaners	S	S	Aluminum foot pedals and left foot rest	6MT only	6MT only	Warning lights for low fuel level, washer fluid, door ajar, check engine,	
Fog lights	S	S	INTERIOR FEATURES: SEAT AND TRIM			oil pressure, volts, parking brake, high beam, air bags & safety belts	S
Windshield with sunshade	S	S	Reclining front bucket seats	S		INTERIOR FEATURES: STORAGE	
Variable intermittent windshield wipers	S	S	Driver's manual seat lifter	S		Front door storage pockets	S
Glass imprinted antenna	S	S	8-way power adjustable driver's seat with lumbar support	-	S	Front passenger seatback pocket	S
Dual outlet exhaust system (chrome garnish)	S	S	Heated front seats	-	S	Coin box	S
INTERIOR FEATURES: COMFORT AND CONVENIENCE			Integrated head restraints for front seats	S	S	Overhead console w/ sunglass storage	S
Bose® premium audio sound system w/ AM/FM 6-disc in-dash			Floor mats	S	S	Centre console with lockable storage and power outlet (1)	S
CD changer and clock w/ built-in audio display (includes 9 speakers)	S	S	High grade cloth upholstery	S	_	Rear console	S
Cruise control	S	S	Cloth door panel trim — front and rear	S	_	Lockable, illuminated glove compartment	S
Steering wheel-mounted audio and cruise controls	S	S	Leather-trimmed upholstery	-	S	S = Standa	rd
						3 = 31unuu	u

® Bose is a registered trademark of Bose Corporation. ® HomeLink is a registered trademark of Johnson Controls, Inc.

S = Standard O = Optional