


RSX



270US





Race-bred ingenuity fused with luxury design principles. This is the marriage of minds that makes Acura RSX so uniquely exhilarating to drive. A fiery, passionate encounter that is realized the moment you ignite the engine.

In the arrow-straight seams you can see it. In the tight, precise movements you can feel it. In every possible way in which your senses can experience exhilaration, the RSX delivers. Even the smallest detail has received our attention in order to improve your drive.

In developing the RSX, we tapped into everything we know about precision, engine performance and dynamic handling. So, when you're whipping along a deserted road full of switchbacks and find yourself in driving nirvana, you can rest assured and confidently challenge your limits.







Acura has engineered one of the most spirited luxury sports coupes on the market. An achievement that you will experience every time you slip behind the wheel of the RSX, thanks to the meticulous efforts of Acura's engineering and design team.

Only i-VTEC enhances horsepower and torque, at every point in the rpm band, without sacrificing efficiency. Only Acura has it.



VARIABLE VALVE TIMING AND LIFT ELECTRONIC CONTROL (i-VTEC®)


The dual camshaft profiles of the i-VTEC® system create greater low-end torque for quick response at lower speeds and increased horsepower at the top of the rpm band. Adding Variable Timing Control (VTC™) on the intake cam yields further refinement − putting the "i" in i-VTEC. The RSX engine has a two-rocker design on the intake side, while the Type S engine uses a three-rocker array for both intake and exhaust, appreciably increasing its power.

2.0-LITRE, 16-VALVE DOHC ENGINES

The RSX and Type S engines both share major components like the all-aluminum block and head, as well as DOHC 16-valve design. To enhance durability, both engines also employ a forged-steel crankshaft with micro-polished journals and main-bearing caps that are cast directly into the block. To add further stiffening at the bottom end, the Type S engine also features a rigid, cast-aluminum oil pan. Both engines pass the 2005 Tier-2 emission requirements.

HORSEPOWER AND TORQUE

The RSX powerplant produces 155 hp and 139 lbs-ft of torque. The Type S engine produces 201 hp and 140 lbs-ft of torque. The torque curve on both is broad and flat, for excellent throttle response at all points of the rpm band.







4-WHEEL DISC BRAKES

With stopping power to match its go, the RSX has 262 mm internally ventilated rotors at the front and solid 260 mm rotors at the rear. The Type S has 300 mm ventilated front rotors. The system doesn't just decelerate well, it offers excellent feel, too. The brake pedal features a short stroke, and has been fine-tuned to provide linear response and ample feedback.

ANTI-LOCK BRAKING SYSTEM (ABS)

Wheel sensors detect impending wheel lock-up during hard braking. The system then modulates, or pulses, brake pressure at many times per second to maintain wheel rotation. With the wheel allowed to rotate, the driver can maintain steering control, allowing the vehicle to brake hard and help steer clear of a potential hazard or an obstacle. This feature is especially useful when applying maximum braking effort on a wet or slippery surface.

VARIABLE POWER RACK-AND-PINION STEERING

Steering feel in the RSX is exceptional – a joy and an asset to the spirited Acura driver. This system provides low steering effort for parking and low-speed manoeuvring. At higher speeds, power assist is reduced to give the driver precise steering feedback under cornering conditions and superb on-centre feel when cruising on a straight road.







ADVANCED ERGONOMICS MEET EXCEPTIONAL VERSATILITY

The interface between the car and the driver is as crucial as the one between the vehicle and the pavement. The RSX is literally designed around the needs of the driver. The low cowl provides excellent visibility. All vital controls are prominent to the eye and easy to reach and operate. In addition, other driver expectations – like versatile cargo space – are also addressed. The 50/50 split fold-down rear seatbacks lie flat to provide a deep, wide cargo floor.*

ACURA/BOSE® SOUND SYSTEM (TYPE S)

Tailored specifically to the acoustic landscape of the RSX by Bose engineers, the Type S system features an AM/FM head unit, a 6-disc in-dash CD changer and a cassette player. The six speakers have been carefully placed to provide balanced stereo sound and rich acoustic imaging for all of the seating positions. In addition, a Richbass® subwoofer has been located in the spare-tire well to provide solid low-end sound throughout the passenger cabin.

5-SPEED SEQUENTIAL SPORTSHIFT™ AUTOMATIC TRANSMISSION

This available 5-speed automatic fuses art and science. Leave it in drive and allow the transmission to have all the fun, or toss the shifter into the left gate and play. With every move of the shifter, you control the transmission. Move it back and you can downshift on a winding mountain road. Or move it forward and upshift after you merge. This advanced powertrain interface will bring you one step closer to the RSX's racing brethren.

^{*}Acura reminds you to secure items in the cargo area.









Innovating the drive also demands an eye toward safety. RSX features a powerful braking system and superb outward visibility, in addition to its precise handling, to help you avoid incident.

In the event of the unexpected, Acura engineering has you covered – including seat belt pretensioners, dual-stage airbags and a unibody safety cell.



SEAT BELT PRETENSIONERS

Three-point seat belts are installed at all seating positions. In front, they're designed to work in conjunction with the airbags to help prevent injury. As an added measure, a seat belt pretensioner will tighten the front belts in immediate response to sufficient force.

FRONT AND SIDE AIRBAGS

Every RSX is equipped with dual-stage, dual-threshold front airbags. The system uses sensor data to deploy at one of two rates, dependent on the severity of the impact and seat belt usage. As an added layer of protection in a side impact, the RSX is also equipped with a front side airbag system. Sensors in the front passenger's seat prevent the side airbag from deploying if a child or small-statured adult is in the airbag's deployment path. This level of care has earned the RSX an enviable reputation as one of the most technologically advanced vehicles with regard to occupant protection and resistance to impact intrusion.

UNIBODY SAFETY CELL

The RSX uses a multi-tiered approach to collision safety. The front and rear crumple zones are designed to deform in a controlled manner, helping to absorb and dissipate impact forces and reduce cabin intrusion. The cabin area is designed to retain its structural integrity in a collision by means of reinforcements in the doors, a floor crossmember and other stiffeners in the cowl and pillars. The force-management system is designed to help the occupants decelerate in a controlled manner – secured by seat belts supplemented by the airbag system – to help reduce injury.



SPECIFICATIONS

POWERTRAIN

Drivetrain	Front-wheel drive
Engine Type	2.0 litre, 16-valve, DOHC
Horsepower	155 hp @ 6500 rpm (SAE net Rev 8/04) ⁽⁾ (<i>Prem & Prem L</i>)
Torque	139 lbs-ft @ 4000 rpm [◊] (Prem & Prem L)
Redline	6800 rpm (Prem & Prem L)
Bore & Stroke	86 mm x 86 mm
Displacement	1998 cc
Compression Ratio	9.8:1 (<i>Prem & Prem L</i>)
Fuel System	Programmed Fuel Injection (PGM-FI) with dual-stage intake manifold (Prem & Prem L)
Valvetrain	4 valves per cylinder, chain-driven, dual overhead camshafts with i-VTEC®
Engine Block	Aluminum-alloy with cast iron cylinder liners
Emission Control	Surpasses the stringent 2005 Tier-2 emission requirements
Ignition System	Electronic direct
Transmission	5-speed manual (Prem & Prem L) 5-speed automatic Sequential SportShift™, Grade Logic Control and lockup torque converter (Optional, Prem & Prem L)

 $^{{\}it O} \textit{Horsepower and torque calculations reflect new SAE J1349 procedures, revised August 2004.}$

SUSPENSION/CHASSIS

Front Suspension		Toe Control-Link independent Macpherson Strut with coil springs	
Rear Suspension		Reactive-Link double-wishbone with coil springs	
Shock Absorbers		Gas-pressurized with progressive valve technology	
Steering Type		Torque-sensitive, variable power-assist rack-and-pinion	
Stabilizer Bars	Front Rear	25.4 mm diameter (Prem & Prem L) 19 mm diameter (Prem & Prem L)	
Steering Wheel To Lock-to-Lock	ırns,	2.59	
Turning Radius, Curb-to-Curb (at	Body)	6.0 m	
Wheels		Aluminum-alloy, 16" x 6.5" JJ (Prem & Prem L)	
Tires		All-Season P205/55 R16 89V (Prem & Prem L)	
Braking System		Power-assisted front ventilated disc, 4-wheel Anti-Lock Braking System (ABS)	
Front Discs		Ventilated, 262 mm diameter (Prem & Prem L)	
Rear Discs		260 mm diameter	

CAPACITIES

Engine Oil	4.2 litres refill capacity (Prem & Prem L) 4.7 litres refill capacity (Type S)
Cooling System	Manual transmission: 6.4 litres Automatic transmission: 6.7 litres
Washer Tank	4.5 litres
Fuel Tank	50 litres
Passenger Volume	2243 litres
Cargo Volume	504 litres

Prem = Premium Prem L = Premium Leather

FUEL ECONOMY

Manual Transmission (L/100 km)	City/Highway: 8.6/6.4 (Prem & Prem L)* City/Highway: 10.4/7.0 (Type S)*
Automatic Transmission (L/100 km)	City/Highway: 9.3/6.4 (Prem & Prem L)*
Recommended Fuel	Regular unleaded (<i>Prem & Prem L</i>) Premium unleaded, 91 octane† (<i>Type S</i>)

^{*2005} Data shown. Use mileage for comparison purposes only. Your mileage may vary. See your Retailer for the 2006 Transport Canada data. 'Gasoline with an octane number lower than 91 may be used, with reduced performance.

SAFETY FEATURES

Anti-Lock Braking System (ABS)

Driver and front passenger dual-stage, dual-threshold front airbags (SRS) Driver and front passenger side airbags (SRS), with front passenger

Occupant Position Detection System (OPDS)

3-point outboard seat belts, with Automatic Locking Retractor (ALR)

and Emergency Locking Retractor (ELR), front and rear

Front seat belt dual pretensioners

Remote keyless entry system with integrated panic feature

Security and ECU immobilizer systems LATCH Child Safety Seat Anchor System

Collapsible steering column



The RSX Type S includes the following performance enhancements:

Horsepower 201 hp @ 7800 rpm (SAE net Rev 8/04)

140 lbs-ft @ 7000 rpm[◊] Torque

8300 rpm Redline Compression Ratio 11.0:1

Fuel System Programmed Fuel Injection (PGM-FI)

with sport-tuned intake manifold

Transmission 6-speed manual close-ratio

Titanium-style shift knob

Sport seats with perforated leather-trim

Sport type chrome exhaust tip Rear spoiler, body colour

Performance Tuned Suspension Components

Stabilizer Bars Front 26.5 mm diameter 21 mm diameter Rear

Front Strut Tower Bar

Wheels Aluminum-alloy, 17" x 7.0" JJ All-Season P215/45 R17 87V Tires Front Discs Ventilated, 300 mm diameter

 ${\it O} Horse power and torque\ calculations\ reflect\ new\ SAE\ J1349\ procedures,\ revised\ August\ 2004.$

EXTERIOR FEATURES		PREMIUM	PREMIUM LEATHER	TYPE S
Wheels	Aluminum alloy	•	•	•
Front chin spoiler	Black Body colour	•	•	
Side sills	Body colour			
	-			_
Door handles and folding mirrors	Body colour	•	•	•
Rear spoiler	Body colour			•
Front splash guards	Black	•	•	•
Chrome exhaust tip		•	•	Sport Type
Radio antenna integrated in rear glass	S	•	•	•
Rear window defroster with timer		•	•	•
Rear window wiper/washer		•	•	•
SEATING AND TRIM		PREMIUM	PREMIUM LEATHER	TYPE S
Sport fabric interior		•		
Perforated leather-trimmed interior			•	•
Leather-wrapped 3-spoke steering wh	neel	•	•	•
Deeply bolstered front sport seats wi	th integrated headrests	•	•	•
Tilt/height adjustable driver's seat		•	•	•
Adjustable driver's seat lumbar suppo	ort	•	•	•
Heated front seats			•	•
Centre console with storage		•	•	•
50/50 split fold-down rear seatback			•	
Rear cargo area cover		•	•	•
Carpeted floor mats			•	
·				
COMFORT AND CONVEN	NIENCE	PREMIUM	PREMIUM LEATHER	TYPE S
Automatic Climate Control System w Micron Air Filtration System	rith			
Acura Sound System with AM/FM ste	reo,			
in-dash CD player and 6 speakers Acura/Bose® Sound System with AM,	/EM storoo/cassotto	•	•	
in-dash 6 CD changer, Richbass® sub	,			
Cruise control		•	•	•
Power-operated moonroof with tilt for privacy glass and sliding shade	eature,			
Power windows with driver's one-tou	ch up/down feature	•	•	•
Power door locks		•	•	•
Power-operated heated door mirrors			•	
Adjustable steering column		•	•	•
Front door storage compartments				
Maintenance interval reminder		•	•	•
Front dual beverage holder/rear beve	rage holder			
Overhead map lights			•	
Driver and front passenger vanity mir	ror with cover			
Digital quartz clock	TOT WITH COVE	•		
	mittent feature			
Windshield wipers with variable inter	millent realure	•	•	•
Remote fuel-filler-door release		•	•	•

EXTERIOR DIMENSIONS

Wheelbase	2570 mm
Track, front	1487 mm
Track, rear	1486 mm
Length	4379 mm
Width	1724 mm
Height	1394 mm
Ground clearance	146 mm 137 mm (<i>Type S</i>)
Curb weight	MT:1230/AT:1264 kg (<i>Prem</i>) MT:1244/AT:1278 kg (<i>Prem L</i>) MT:1292 kg (<i>Type S</i>)
Weight distribution	MT: 61/39 F/R % AT: 62/38 F/R % (Prem & Prem L)

MT = Manual transmission AT = Automatic transmission





INTERIOR DIMENSIONS (mm)

Front/rear	Headroom	960/866
	Legroom	1094/742
	Hiproom	1297/1174
	Shoulder room	1337/1303

ACCESSORIES

Personalize your Acura RSX with Genuine Accessories. Ask your Retailer for additional information.

16" / 17" Alloy wheels	
Front / rear / side skirts	
Rear wing spoiler	
Rear high wing spoiler	
CD changer - 6 disc	
CD changer magazine - 6 disc	
Aluminum shift knob	
Full nose mask	
Hood edge deflector	
Moonroof visor	
Rear splash guards	

•= Standard Prem = Premium Prem L = Premium Leather



The Acura Experience. At Acura, we believe owning a luxury vehicle goes well beyond the engineering and amenities. That's why we are equally committed to making your ownership experience a luxurious one. So, every new Acura comes with: 24-hour Roadside Assistance for the first four years of ownership, which includes our Dispatch Emergency Roadside Service, Emergency Lockout Service, Traffic Accident Services and more • First two scheduled maintenance procedures • Complimentary tank of gas at time of delivery. See your Acura retailer for details.



WARRANTY

Your new Acura vehicle comes with the following warranties: • Major Component -5-year/100,000-km limited warranty • Vehicle - 4-year/80,000-km distributors limited warranty • Rust Perforation – 5-year unlimited-distance warranty • Surface Corrosion - 3-year unlimited-distance warranty • Accessories – 4-year/80,000-km limited warranty (when installed by an authorized Acura retailer at time of new vehicle delivery). Regular maintenance items and parts are subject to normal wear and replacement, and are not covered by warranty. Certain other items are excluded, and certain conditions apply. See your Acura retailer for complete details.

ACURA PLUS

As a new Acura owner, you can help to prolong your worry-free ownership experience by purchasing additional coverage. Just choose from our flexible selection of Mechanical Coverage that extends up to 7 years or 160,000 km, whichever comes first. You can also extend your Roadside Assistance.


Ask your Acura retailer for full details.

LEASING AND FINANCING

We offer an array of options to make owning an Acura easy. Ask your Acura retailer for complete details on: Acura Leadership Leasing*, Acura Future Value Financing* and Conventional Financing*.

^{*}A genuine service of Honda Canada Finance Inc. Conditions, restrictions and pre-payment requirements might apply O.A.C. "Acura Future Value Financing" does not apply in the province of Quebec.

COLOUR AND TRIM













Magnesium Metallic

Premium White Pearl

Blaze Orange





Black Fabric

Black Leather

RSX Exterior Alabaster Silver Nighthawk Black Pearl Vivid Blue Pearl Premium White Pearl Blaze Orange Magnesium Metallic NH-675M NH-700M B-520P NH-624P YR-552M Interior PREMIUM Black Fabric Black Fabric Black Fabric Black Fabric N/A N/A PREMIUM LEATHER N/A Black Leather Black Leather Black Leather Black Leather N/A TYPE S N/A Black Leather Black Leather Black Leather Black Leather Black Leather

Specifications, features, illustrations and equipment shown in this catalogue are based upon the latest available information at the time of publication. *Remember your seat belts. It's a simple fact of life. Although descriptions are believed to be correct, accuracy cannot be guaranteed. Honda Canada Inc. reserves the right to make changes at any time, without notice or obligation, in colours, specifications, accessories, materials and models. Some vehicles are shown with optional equipment. Some vehicles shown are U.S. models, Canadian specifications may vary. Bose® and Richbass® are registered trademarks of Bose Corporation. Acura, a division of Honda Canada Inc., 715 Milner Avenue, Toronto, Ontario, Canada M1B ZK8. 1-888-9-ACURA-9. www.acura.ca. Acura, a RSX, i-VTEC and VTEC are registered trademarks of Honda Motor Co. Ltd. Sequential SportShift and Variable Timing Control (VTC) are trademarks of Honda Motor Co. Ltd.

