





JEEP® COMPASS | 2007







Black




Light Khaki Metallic




Bright Silver Metallic




Inferno Red Crystal Pearl




Stone White



Steel Blue Metallic




Jeep® Green Metallic




Marine Blue Pearl

COMPASS SPORT/NORTH




Cloth  
Pastel Slate Grey | Standard




Cloth with YES Essentials™  
Pastel Slate Grey | Optional




Cloth  
Pastel Pebble Beige | Standard



Cloth with YES™ Essentials  
Pastel Pebble Beige | Optional




COMPASS LIMITED



Leather-faced/Vinyl Dark  
Slate Grey/Pastel Slate Grey  
Standard



Leather-faced/Vinyl Dark  
Pebble Beige/Pastel Pebble  
Beige | Standard



COMPASS SPORT



17x6.5-inch Cast Aluminum  
Painted Sparkle Silver  
Standard on  
Compass Sport/North

COMPASS LIMITED



18x7-inch Cast Aluminum  
Standard on Compass Limited



18x7-inch Cast Aluminum  
Chrome-Clad  
Optional on Compass Limited

**POWERTRAIN**

<b>Engine</b>	2.0L DOHC 16V dual VVT I-4 <sup>(1)</sup> /2.4L DOHC 16V dual VVT I-4
<b>Displacement</b> [cu. in./cc]	122/1998 144/2360
<b>Power</b> [SAE net – kW [hp] @ rpm]	117 [158] @ 6400 / 128 [172] @ 6000
<b>Torque</b> [SAE net N-m [lb-ft] @ rpm]	191 [141] @ 5000 / 223 [165] @ 4400
<b>Fuel System</b>	Sequential multiport, electronic fuel injection
<b>Fuel Recommendation</b>	Unleaded regular, 87 octane (R+M)/2
<b>Transmission/Transaxle</b>	
5-speed manual with overdrive, ratio range (:1) 3.77 - 0.81 (1st - 5th)	
overall top gear ratio: 3.34 (2.4L: engine only)	Std.
Continuously variable (CVT2) with 30-mm high-strength multilayer steel drive belt, ratio range (:1), 2.35 - 0.39; overall top gear ratio: 2.41 (2.0L and 2.4L engines)	Opt.
<b>Construction</b>	
High-pressure die-cast aluminum block with dry iron liners, cast aluminum cylinder head, forged crankshaft, dual counter-rotating balance shafts	
<b>Electronic Throttle Control</b>	Std.
<b>Intake Design</b>	
Tuned intake manifold with Electronic Active Charge Motion Control valves, 4 valves per cylinder, electronically controlled, dual Variable Valve Timing	
<b>Exhaust System</b>	
Oversized displacement muffler for reduced back pressure and noise, long-life design	
<b>Drive Systems</b>	
Front-wheel drive (4x2) transaxle with constant velocity joints and equal-length half shafts	Std.
Freedom-Drive I <sup>TM</sup> active; full-time four-wheel drive (4x4) with selectable LOCK	Opt.

**ELECTRICAL SYSTEM**

<b>Alternator</b>	120A
<b>Battery</b>	525 CCA, maintenance free

**BODY/SUSPENSION/CHASSIS**

<b>Body Design</b>	
Unitized steel construction with a structural safety cage utilizing advanced hot-stamped, tailor-rolled, dual-phase steel technologies and advanced joint design for added strength, reduced weight and improved NVH	
<b>Touring-Tuned Suspension</b>	
Front: Independent with MacPherson struts, coil springs over gas-charged shocks and stabilizer bar	
Rear: Independent multilink with coil springs, gas-charged shocks and link-type stabilizer bar	
<b>Steering</b>	Power assisted, rack and pinion
<b>Overall Ratio</b>	16.4:1
<b>Turning Diameter</b> (curb-to-curb) (ft), Compass Sport and North/Compass Limited	10.8 (35.6)/11.3 (37.2)
<b>Turns</b> (lock-to-lock)	2.9
<b>Brake System</b>	
4-wheel disc hydraulic, power assisted, 11.5" vented front/10.3" solid rear	Std.
<b>Electronic Stability Program (ESP<sup>TM</sup>)<sup>(2)</sup></b>	
Four-channel, four-wheel anti-lock with active wheel speed, vehicle speed, steering wheel angle, yaw rate and lateral acceleration sensors; vehicle stability management with two-stage activation switch, all speed traction control, Brake Assist, Electronic Roll Mitigation and Electronic Brake Distribution	Std.
<b>Parking Brake Type</b>	Drum-in-hat

<sup>(1)</sup>Late availability. <sup>(2)</sup>No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the instrument cluster flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt. Freedom-Drive I, Sentry Key, Uconnect, Rear Seat Video, Navus, ParkSense and the Jeep grille are trademarks of DaimlerChrysler Corporation. ESP is a trademark of DaimlerChrysler AG. Mopar is a registered trademark of DaimlerChrysler Corporation. SIRIUS is a trademark of SIRIUS Satellite Radio Inc. Boston Acoustics is a registered trademark of Boston Acoustics, Inc. HomeLink is a registered trademark of Johnson Controls, Inc. YES Essentials is a trademark of Milliken & Company. UltraFloor is a trademark of Lear Corporation. iPod® and the iPod design are registered trademarks of Apple Computer, Inc. Auto/Stick is a trademark of Mr. Gasket, Inc. Bluetooth and the Bluetooth logos are trademarks owned by Bluetooth SIG, Inc., U.S.A., and are used by DaimlerChrysler under licence. Cummins is a registered trademark of Cummins Engine Company, Inc.

**In Gear**

For those who choose to navigate the city streets or the less travelled paths of the backwoods. Jeep Goods will provide you with rugged high-quality merchandise fit for the Jeep way of life! Jeepgoods.ca

**CAPACITIES/WEIGHTS/TOWING (4WD) (pounds unless otherwise specified)**

<b>Fuel Tank</b>	51 litre (11.2 imp. gal.)
<b>Base Curb Weight (2.4L)</b>	
5-speed manual (2WD/4WD) – kg (lb)	1393 (3071)/1462 (3223)
CVT2 (2WD/4WD) – kg (lb)	1430 (3153)/1499 (3305)
<b>Payload Capacity</b> (includes occupants and cargo) – kg (lb)	420 (925)
<b>Maximum Gross Vehicle Weight Rating</b> – kg (lb)	2576 (4575)
<b>Maximum Loaded Trailer Weight</b> (requires Trailer Tow Prep Group) – kg (lb)	907 (2000)
<b>Tongue Load Limit</b> (requires Trailer Tow Prep Group) – kg (lb)	113 (225)


NOTE: For specific towing details, discuss your plans with your Jeep® retailer who will help you select the right equipment to meet your specifications.

**INTERIOR DIMENSIONS (millimetres [inches] unless otherwise specified)**

<b>Seating Capacity</b>	5
<b>Headroom</b> front/front with sunroof/rear	1031 (40.6)/1000 (39.4)/1013 (39.9)
<b>Legroom</b> front/rear	1031 (40.6)/998 (39.3)
<b>Shoulder Room</b> front/rear	1372 (54.0)/1295 (51.0)
<b>Hip Room</b> front/rear	1387 (54.6)/1372 (54.0)
<b>Cargo Volume</b> L [cu. ft] – rear seat up	643 (22.7)
– rear seat folded	1518 (53.6)
– rear seat folded and front passenger seat folded	1750 (61.8)
<b>Cargo Liftover Height</b>	774 (30.5)

**EXTERIOR DIMENSIONS (millimetres [inches] unless otherwise specified)**

<b>Wheelbase</b>	2635 (103.7)
<b>Overall Length</b>	4405 (173.4)
<b>Overhang</b> front/rear	877 (34.5)/893 (35.2)
<b>Overall Width at body</b>	1761 (71.3)
<b>Track</b> front/rear	1520 (59.8)
<b>Overall Height</b> (with roof rails)	1631 (64.2)
<b>Running Ground Clearance</b> (at curb weight)	206 (8.1)



NOTE: Compass Sport and North specifications shown above.

ABOUT THIS CATALOGUE: Since the time of printing, some of this information may have been updated. Ask your retailer for details before ordering.

Specifications, descriptions and illustrations contained in this catalogue are based on information believed to correct at the time this publication was approved for printing. However, accuracy cannot be guaranteed. DaimlerChrysler reserves the right to discontinue models or options at any time or change specifications and materials, equipment or design without notice and without incurring obligation.

Some of the equipment may not be exactly as shown in this catalogue. Some of the equipment described or illustrated in this catalogue may not be standard, and may be available only at extra cost, as factory installed or retailer installed; items described as "available" may be standard on some models and optional, or not available, on others. Equipment referred to as "available" or "optional" may be at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire or verification of specifications and equipment availability described herein, see your Chrysler, Jeep®, Dodge retailer.

Colour availability may vary by model. Due to printing limitations, the colours shown here and throughout the catalogue may vary slightly from the actual hue. See your retailer to view accurate colour chips.

Jeep is a registered trademark of DaimlerChrysler Canada Corporation, used under licence by DaimlerChrysler Canada Inc. ©2006 DaimlerChrysler Canada Inc. All rights reserved.

2007 Chrysler, Jeep® and Dodge vehicles are backed by a 5-year or 100,000-kilometre\* fully transferable Powertrain Warranty with \$0 deductible, plus 24-hour roadside assistance.\* Basic Warranty coverage is for 3 years or 60,000 kilometres.\* Rust-through coverage on all body sheet metal is for 3 years. The Cummins® Turbo Diesel engine is protected by a separate Limited Warranty, covering the engine for 5 years or 160,000 kilometres.\*

\*Whichever comes first. \*Some conditions may apply. The 5/100 Warranty does not apply to vehicles sold for certain commercial uses or to SRT including Viper models. See your retailer for details.



	COMPASS SPORT	COMPASS NORTH	COMPASS LIMITED
	D	E	F
<b>ENGINE AND TRANSAXLE</b>			
– 2.0L DOHC 16-valve dual VVT 4-cylinder with continuously variable automatic transaxle (CVT2). Front-wheel drive only (late availability)	0	0	
– 2.4L DOHC 16V dual VVT 4-cylinder with 5-speed manual	25D	25E	25F
– 2.4L DOHC 16V dual VVT 4-cylinder with Continuously Variable Automatic Transaxle (CVT2) (includes Auto/Stick™ on Limited)	26D	26E	26F
<b>CAPABILITY</b>			
<b>Brakes</b> – 4-wheel anti-lock disc	•	•	•
<b>Four-Wheel Drive</b> – Freedom-Drive I™ active full-time four-wheel drive with selectable LOCK feature (not available with 2.0L engine)	0	0	0
<b>Front-Wheel Drive</b> (4x2)	•	•	•
<b>Speed Control</b>		0	•
<b>Steering</b> – Power rack and pinion	•	•	•
<b>Suspension</b> – Four-wheel independent, front MacPherson strut, rear Multilink	•	•	•
– Touring-tuned	•	•	•
<b>EXTERIOR</b>			
<b>Accents</b> – Body colour grille	•	•	•
– Body colour liftgate appliqué		•	•
– Bright front and rear bumper and bodyside inserts			•
– Deep tint sunscreen glass		•	•
<b>Fog Lamps</b> – Two halogen, located in front bumper	•	•	•
<b>Mirrors</b> – Manual, foldaway	•		
– Power foldaway		•	•
<b>Tires</b> – P215/60R17 Firestone Affinity, black sidewall, all-season touring	•	•	
– P215/55R18 Firestone Firehawk, black sidewall, all-season performance			•
– P215/65R17 Goodyear Wrangler SR-A, outline white letter, all-terrain (N/A 2.0L engine)	0	0	
– Spare, full-size (compact comes standard)	0	0	0
<b>Windows</b> – Manual	•		
– Power with driver's one-touch down		•	•
<b>INTERIOR</b>			
<b>Air Conditioning</b> – Manual temperature control	0	•	•
<b>Assist handles</b> – Front and rear		•	•
<b>Cargo Area</b> – UltraFloor™ panel, removable and washable	•	•	•
<b>Power Outlet</b> – 115-volt, in centre console		•	•
<b>Power Sunroof</b> – With express open/close, sunshade and tilt features		0	0
<b>Seats</b> – Cloth	•	•	
– Cloth, with premium YES Essentials™ stain resistant, odour resistant, anti-static seat fabric <sup>(1)</sup>	0	0	
– Leather-faced with manual driver lumbar adjust			•

	COMPASS SPORT	COMPASS NORTH	COMPASS LIMITED
	D	E	F
<b>Seats (continued)</b> – Driver's seat height adjuster		•	•
– Low-back reclining front buckets with 60/40 flat-folding rear seatbacks	•	•	•
– Rear reclining seatbacks and front passenger fold-flat seatback		•	•
– Heated front seats		0	•
<b>Smoker's Group</b>	0	0	0
<b>SAFETY AND SECURITY</b>			
<b>Air Bags</b> <sup>(2)</sup> – Advanced multistage front air bags	•	•	•
– Side-curtain <sup>(2)</sup>	•	•	•
– Front seat mounted side (late availability)	0	0	0
<b>Electronic Stability Program (ESP™)</b> <sup>(3)</sup> – Includes Electronic Roll Mitigation, Brake Assist and traction control	•	•	•
<b>Remote Keyless/Illuminated Entry</b>		•	•
<b>Sentry Key™ Anti-Theft Engine Immobilizer</b> – Theft deterrent system with two encoded keys	•	•	•
<b>Tire Pressure Monitoring System</b> – Instrument panel warning indicates which tire is too low or high (included in Driver Convenience Group)		P	P
<b>SOUND SYSTEMS/ENTERTAINMENT</b>			
<b>Radios</b> – AM/FM/CD player with changer controls, and audio input jack for MP3 play capability	•	•	•
– AM/FM/6-disc CD changer with MP3 format capability	0	0	0
– AM/FM/Navigation/6-disc CD changer with GPS display and MP3 format capability (late availability)			0
– SIRIUS™ Satellite Radio factory-installed, includes one year subscription from SIRIUS (late availability)	0	0	0
<b>Speakers</b> – 4 speakers	•	•	•
– 9-speaker Premium Sound Group with six Boston Acoustics® speakers, a subwoofer with a 458-watt amplifier and two swing-down liftgate speakers (includes leather wrapped steering wheel with audio controls on North)	0	0 <sup>(4)</sup>	0
<b>UConnect™ Hands-Free Communication System</b> <sup>(5)</sup> – (Requires Driver Convenience Group)			0
<b>PACKAGES</b>			
<b>Driver Convenience Group</b> – Includes auto-dimming interior rear-view mirror, compass and temperature display, Electronic Vehicle Information Centre, HomeLink® and tire pressure monitoring display		0	0
<b>Security and Cargo Convenience Group</b> – Includes security alarm and soft tonneau cover		0	0
<b>Trailer Tow Prep Group</b> – Includes engine oil cooler and trailer tow wiring harness (late availability)		0	0

• – Included P – Available within package noted 0 – Optional

<sup>(1)</sup>Not compatible with aftermarket fabric protecting coatings. <sup>(2)</sup>Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt properly positioned, dependent on the child's age and weight. <sup>(3)</sup>No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the instrument cluster flashes, the driver needs to use less throttle and adapt speed and driving behaviour to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt. <sup>(4)</sup>Requires speed control. <sup>(5)</sup>Must use Bluetooth™ compatible mobile phone.