



The new Kia Spectra and Spectra 5 open doors to endless possibilities. You can make a great impression with the stylish exterior and comfortable, versatile interior. The smooth, lively 2.0 L 138-horsepower engine makes driving a pleasure. For the ultimate road trip just plug in your portable MP3 player and listen to your music through the stereo system. And you won't have to worry about a thing with Kia's 5-year/100,000 kilometre comprehensive Total Care Ownership Coverage. All you have to do is get in and drive.

"Top 10 Coolest Cars Under US\$18,000."

- Kelly Blue Book





Either the sporty 5-speed manual transmission or agile 4-speed automatic transmission with overdrive will ignite this lively 2.0 L, 4-cylinder, DOHC, Continuously Variable Valve Timing (CVVT), 138-horsepower engine. Feel less of the bumpy road ahead with independent front MacPherson struts and rear dual link with struts suspension. Everything you need to hit the road with confidence.



Slide into the 6-way adjustable driver's seat with lumbar support and height adjustable headrest. Adjust the tilt steering wheel just the way you like. You have options with the available power windows with driver's side one touch express down, power door locks and remote trunk and fuel door release. The dome lamp and panel dimmer makes everything easy on the eyes. Then sit back and enjoy your favourite tunes when you plug your portable MP3 player directly into the 4-speaker AM/FM/CD/MP3 stereo system. It just feels right.



The Spectra and Spectra5 are equipped with safety features that protect you and your passengers. You are shielded by dual advanced front airbags and kept secure in your seat with 3-point height adjustable seatbelts with pretensioners and force limiters. The available 4-wheel Anti-Lock Braking System (ABS) gives you improved control during sudden stops. All is clear in bad weather with the rear window defroster and the rear window wiper with washer on the Spectra5. Children are kept safely fastened in their seats with the child safety seat anchors. And you'll have no worries with the anti-theft engine immobilizer and 24-hour roadside assistance.

INTERIOR COMFORT



Open the door to good times using the available remote keyless entry with alarm and panic function. Your passengers will feel comfortable in the ergonomic back seats with height adjustable headrests and centre armrest. Keep smaller items accessible and organized in the centre console with storage box and overhead console with sunglass holder and map lamp. The cargo lamp keeps the area well lit while you load oversized items through the 60:40 split-folding rear seats. The 5th door on the Spectra5 makes it even easier to load and unload goods. Combine the tinted windows with available air conditioning for the ultimate

VERSATILITY IS STANDARD PUTING SUBSTANCE INTO EVERY RIDE.

2007 KIA SPECTRA & SPECTRA5

ILAIUKLS		SPECTR	A	SPE	CTRA5
:: EXTERIOR	LX	LX CONV.	LX PREMIUM	LX	LX CONV.
15" steel wheels with full wheel covers	S	S	-	S	S
15" alloy wheels	-	-	S	-	-
Tinted windows	S	S	S	S	S
Body-colour rear garnish	-	-	-	S	S
Body-colour rear garnish					
with chrome accent	S	S	S	-	-
Body-colour bumpers	S	S	S	S	S
Body-colour door handles	S	S	S	S	S
Dual body-colour side mirrors	S	S	S	S	S
Dual power heated side mirrors	-	S	S	-	S
Body-side mouldings	S	S	S	S	S
Front and rear mud guards	S	S	S	S	S
Roof-mounted micro antenna	-	-	-	S	S
Rod antenna	S	S	S	-	-
:: CONVENIENCE AND COMP	ORI	•			
Air conditioning	-	S	S	-	S
Power door locks	-	S	S	-	S
Power windows with driver's					
side one-touch express-down	-	S	S	-	S
Remote keyless entry with burglar		0	0		C
alarm and panic function	- S	S S	S S	- S	S S
4 audio speakers					
AM/FM/CD/MP3/WMA stereo	S	S	S	S	S
Portable MP3 player inputs (USB & AUX)	S	S	S	S	S
Cargo area lamp	S	S	S	S	S
Day/night rearview mirror	S	S	S	S	S
Dome lamp with delay out	S	S	S	S	S
Driver's side foot rest	 S	S	S	S	S
Dual 12V power outlets			-	0	
(front fascia and centre armrest)	S	S	S	S	S
Dual front covered vanity mirrors	S	S	S	S	S
Front and rear floor mats	S	S	S	S	S
In-dash digital clock	S	S	S	S	S
Overhead console with					
sunglass holder and map lamp	S	S	S	S	S
Panel dimmer switch	S	S	S	S	S
Front and rear passenger	0	0	0	0	0
assist grips	S	S	S	S	S
Remote fuel door release	S	S	S	S	S
Tachometer	S	S	S	S	S
Tilt steering column	S	S	S	S	S
Cargo net hooks	-	-	-	S	S

		SPECTRA	L	SPEC	CTRA5
SEATING AND TRIM	LX	LX CONV.	LX PREMIUM	LX	LX CONV.
60:40 split folding rear seats	S	S	S	S	S
6-way adjustable driver's seat					
with lumbar support	S	S	S	S	S
Front and rear height					
adjustable headrests	S	S	S	S	S
Centre console with	0	0	0	0	0
storage box armrest	S	S	S	S	S
Front cup holders	S	S	S	S	S
Front door pockets	S	S	S	S	S
Remote trunk release	S	S	S	-	-
Full cloth seat trim	S	S	S	S	S
Dual advanced front airbags	S	S	S	S	S
:: RESTRAINT AND SAFETY	SYSTI	EMS			
4-wheel Anti-Lock					
Braking System (ABS)	-	-	S	-	
4-wheel disc brakes	-	-	S	-	-
Anti-theft engine					
ignition immobilizer	S	S	S	S	S
Auto-off headlights	S	S	S	S	S
Front seatbelt pretentioners					
with force limiters	S	S	S	S	S
Height adjustable front seatbelts	S	S	S	S	S
Low washer fluid warning lamp	S	S	S	S	S
Lower Anchors & Tethers					
for Children (LATCH)	S	S	S	S	S
3-point seatbelts in	0	0	0	0	0
all seating positions	S	S	S	S	S
Rear child safety door locks	S	S	S	S	S
Rear window defroster	S	S	S	S	S
Variable intermittent		-		_	•
windshield wipers	S	S	S	S	S
Emergency trunk release handle	S	c	c		
		S	S		
Rear window wiper with washer	-	-	-	S	S

S = Standard - = Not Available Conv. = Convenience

TOTAL CARE OWNERSHIP COVERAGE

- 5-YEAR/100,000 KM WORRY-FREE COMPREHENSIVE WARRANTY
 5-YEAR/100,000 KM POWERTRAIN WARRANTY
 5-YEAR/100,000 KM EXTRA CARE ROADSIDE ASSISTANCE

SPECIFICATIONS

:: ENGINE	SPECTRA AND SPECTRA5	
Туре	2.0 L, In-line 4-cylinder, iron block, a	luminum head
Valve gear	DOHC, 4 valves/cylinder, Continuous	
Displacement	1975 cc	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Compression ratio	10.1:1	
Horsepower (SAE net)	138 hp @ 6,000 rpm	
Torque (SAE net)	136 lbft. @ 4,500 rpm	
Fuel tank capacity	53 L (14 gal.)	
Transmission	5-speed manual 4-speed automatic, electronically	controlled
:: DIMENSIONS	SPECTRA	SPECTRA5
Wheelbase	2,610 mm (102.8 in)	2,610 mm (102.8 in)
Length	4,500 mm (177.2 in.)	4,350 mm (171.3 in.)
Width	1,735 mm (68.3 in.)	1,735 mm (68.3 in.)
Height	1,470 mm (57.9 in.)	1,470 mm (57.9 in.)
Track (front/rear)	1,495/1,485 mm (58.9/58.5 in.)	1,495/1,485 mm (58.9/58.5 in.)
Ground clearance	160 mm (6.3 in.)	160 mm (6.3 in.)
Head room (front/rear)	1,017/970 mm (40.0/38.2 in.)	1,017/985 mm (40.0/38.8 in.)
Shoulder room (front/rear)	1,400/1,370 mm (55.1/53.9 in.)	1,400/1,370 mm (55.1/53.9 in.)
Leg room (front/rear)	1,087/898 mm (42.8/35.4 in.)	1,087/898 mm (42.8/35.4 in.)
Hip room (front/rear)	1,330/1,370 mm (52.4/53.9 in.)	1,330/1,370 mm (52.4/53.9 in.)
Passenger volume	2,748 L (97 cu. ft.)	2,779 L (98.1 cu. ff.)
Cargo volume	345 L (12.2 cu. ft.)	518 L (18.3 cu. ft.)
Cargo volume (rear seat down)	-	1,494 L (52.8 cu. ft.)
CURB WEIGHTS	SPECTRA	SPECTRA5
5-speed manual	1,225 - 1,324 kg (2,701 - 2,919 lb.)	1,285 - 1,338 kg (2,833 - 2,950 lb.)
	1,225 - 1,324 kg (2,701 - 2,919 lb.) 1,255 - 1,348 kg (2,767 - 2,972 lb.)	1,285 - 1,338 kg (2,833 - 2,950 lb.) 1,309 - 1,362 kg (2,886 - 3,003 lb.)
4-speed automatic	1,255 - 1,348 kg (2,767 - 2,972 lb.)	1,309 - 1,362 kg (2,886 - 3,003 lb.)
4-speed automatic BODY AND CHASSIS	1,255 - 1,348 kg (2,767 - 2,972 lb.) SPECTRA	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5
4-speed automatic BODY AND CHASSIS Layout	1,255 - 1,348 kg (2,767 - 2,972 lb.) SPECTRA Front engine, front-wheel drive	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive
4-speed automatic BODY AND CHASSIS	1,255 - 1,348 kg (2,767 - 2,972 lb.) SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts,	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5
4-speed automatic BODY AND CHASSIS Layout Body type	1,255 - 1,348 kg (2,767 - 2,972 lb.) SPECTRA Front engine, front-wheel drive Steel unibody	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension	1,255 - 1,348 kg (2,767 - 2,972 lb.) SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts,	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type	1,255 - 1,348 kg (2,767 - 2,972 lb.) SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type	1,255 - 1,348 kg (2,767 - 2,972 lb.) SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS Front	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel 275 mm (10.8 in.) vented discs	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum – 275 mm (10.8 in.) vented discs
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS Front	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel 275 mm (10.8 in.) vented discs 256 mm (10.1 in.) drums LX Premium:	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum – 275 mm (10.8 in.) vented discs
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS Front Rear	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel 275 mm (10.8 in.) vented discs 256 mm (10.1 in.) drums LX Premium: 258 mm (10.2 in.) solid discs	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum - 275 mm (10.8 in.) vented discs
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS Front Rear TIRES	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel 275 mm (10.8 in.) vented discs 256 mm (10.1 in.) drums LX Premium: 258 mm (10.2 in.) solid discs	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum - 275 mm (10.8 in.) vented discs
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS Front Rear FUEL ECONOMY (CITY/HIGHWAY L/100KM)	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel 275 mm (10.8 in.) vented discs 256 mm (10.1 in.) drums LX Premium: 258 mm (10.2 in.) solid discs SPECTRA AND SPECTRA 5 P195/60 R15	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum - 275 mm (10.8 in.) vented discs
4-speed automatic BODY AND CHASSIS Layout Body type Front suspension Rear suspension Steering type BRAKES Type ABS Front Rear TIRES Size FUEL ECONOMY	SPECTRA Front engine, front-wheel drive Steel unibody Independent, MacPherson struts, coil springs, stabilizer bar Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA Hydraulic, power-assisted vacuum LX Premium: 4-sensor, 4-channel 275 mm (10.8 in.) vented discs 256 mm (10.1 in.) drums LX Premium: 258 mm (10.2 in.) solid discs SPECTRA AND SPECTRA5 P195/60 R15	1,309 - 1,362 kg (2,886 - 3,003 lb.) SPECTRA5 Front engine, front-wheel drive Steel unibody Sport Independent, MacPherson struts coil springs, stabilizer bar Sport Independent, dual link with struts, coil springs, stabilizer bar Rack-and-pinion, power-assisted SPECTRA5 Hydraulic, power-assistedvacuum - 275 mm (10.8 in.) vented discs

COLOURS

:: INTERIOR





Tan Cloth Grey Cloth

Interior fabric and exterior paint combinations are indicated by: **T** = Tan cloth, **G** = Grey cloth M = Metallic paint

EXTERIOR




Radiant Red SPECTRA: T (M)



Deep Ocean Blue SPECTRA: G (M)



Black Orchid SPECTRA: G (M) SPECTRA5: G (M)



Ice Blue SPECTRA: G (M) SPECTRA5: G (M)



SPECTRA5: G (M) Sport Blue



Volcano Blast SPECTRA5: G (M)

Actual vehicle colours may vary from printed brochure.

THE POWER TO SURPRISE

QUALITY AND VALUE ARE THE CORNERSTONES OF KIA'S SUCCESS



Canadian Headquarters

Kia is the fastest growing automaker in the world, with more than 1.2 million vehicles sold globally each year. After more than half a century of producing quality vehicles, Kia has distributors and dealers in over 180 countries. Kia vehicles are becoming a growing presence on Canadian roads — there are over 150,000 proud Kia owners and more than 150 dealers across Canada. North American research and design takes place at the company's state-of-the-art, 90,000 sq. ft. Design and Technical Centre in California where relentless innovation continues to fuel Kia's "Power to Surprise."

Hybrid and electric vehicles, light-weight cars and aluminum space frames are among the many innovations our engineers are aggressively researching to create lightweight, recyclable and environmentally friendly cars.

In our ongoing effort to build great cars, while respecting the planet, Kia's fuel cell vehicle development program will soon allow our customers to significantly lower their fuel costs while at the same time play a leading role in environmental protection.

Numerous advanced performance features show Kia's commitment to providing you with a safe yet exhilarating driving experience. The available Electronic Stability Program (ESP), for example, delivers enhanced

directional stability for greater vehicle control.



THE FASTEST GROWING AUTOMAKER IN THE WORLD





Kia's Total Care Ownership coverage includes:

- 5-year/100,000 km Worry-free comprehensive warranty covering virtually the entire vehicle.*
- 5-year/100,000 km Powertrain warranty covering the engine, transmission, axles, differentials and driveshafts.*
- 5-year/100,000 km Roadside assistance covers you in case of mechanical breakdown anywhere in North America.
- ullet 5-year/unlimited km Anti-perforation warranty on body sheet metal defects in material/workmanship.*

Kia completes the "peace-of-mind" coverage with a national dealer network. So wherever you need us - from Whitehorse to Windsor and from Victoria to St. John's - we'll be there.

For more information visit kia.ca or call 1-877-542-2886

*Some restrictions apply. For more information on our 5-5-5 Total Care Ownership Coverage, call us at 1-877-542-2886. All information contained herein was accurate and correct at the time of printing. Kia Canada Inc. reserves the right to make changes at any time without notice, and without any obligations as to colours, materials, specifications, features, accessories, packages, models and any applicable programs. Some vehicles shown may include optional equipment or may not be exactly as shown. Kia Canada Inc., by the publication and dissemination of this material, does not create any warranties, either expressed or implied, to any Kia products. See your Kia dealer or website for further details. iPod is a trademark of Apple Computer, Inc., registered in the US and other countries. © 2006 Kia Canada Inc. Reproduction of the contents of this material without the expressed written approval of Kia Canada Inc. is prohibited.



