



ALWAYS THE SOUL OF A SPORTS CAR.











The responsive 4.0 L SOHC V6 in the B4000 4x4 Cab Plus cranks out a generous 207-hp and 238 lb. ft. of torque. Which means plenty



A dash-mounted control knob on both B4000 4x4 models makes it easy to shift on the fly into or out of 4x4 mode (up to 72 km/h) as the terrain requires.



Two foldaway rear jump seats are standard on all Cab Plus models. Fold them up or down to gain more room for extra gear







SHIPPING, AND PLENTY OF HANDLING.

For 4x4 versatility and tons of towing talent, look to the Mazda B4000 4x4 SE Cab Plus. You'll enjoy a gutsy 4.0 L, 207-hp V6 that generates 238 lb. ft. of torque with either the 5-speed manual transmission or available 5-speed electronically controlled automatic. You'll have the ability to shift on the fly into 4x4 mode (up to 72 km/h). And a maximum towing capacity of 5,600 lbs. (2,540 kg) when equipped with the available automatic transmission. Also on board are skid plates, air conditioning, a trailer wiring plug and handsome 16" alloy wheels mounted with beefy P255/70R16 all-terrain tires. So what are you waiting for? Get behind the wheel of a Mazda B4000 4x4 SE and handle anything that comes your way.





DRIVE TO LIVE. LIVE TO DRIVE.

To us, working hard and playing hard are two sides of the same coin. Which is why the Mazda B3000 Dual Sport Cab Plus is designed to fit any task. It serves up a spirited, 3.0 L V6 with 148-hp and 180 lb. ft. of torque. Then adds aggressive P235/75R15 all-terrain tires, gleaming 15" alloy wheels, fog lights, plus a limited slip axle. Or consider the economical Mazda B2300. It boasts a responsive, yet fuel-efficient, 2.3 Lengine with 143-hp and 154 lb. ft. of torque. As well as standard features like an Anti-lock Brake System (ABS) with Electronic Brake Force Distribution (EBFD). So no matter what side of the coin you land on, count on heads-up performance from Mazda.



2008 MAZDA B-SERIES TRUCK ACCESSORIES

ACCESSORIES









Pictured above from left to right: Foldable storage box, auto-dimming mirror with compass and temperature, fog lights.

- All-weather floor mats Charcoal black (set of two)
- Auto-dimming mirror with compass
- Bed extender
- Bedliner
- Bed rails
- First Aid Kit • Front mask
- Hood deflector Smoke
- Roadside Assistance Kit
- Soft tonneau cover
- Black vinvl
- Touch-up paint pen Trailer hitch — Class III • Wheel locks — Chrome (set of 4)

Spare tire lock

• Tailgate lock

For further information, please refer to the Mazda B-Series Truck Accessories Brochure. Mazda notes that all Genuine Mazda Accessories, if installed by your Mazda Dealer prior to or at an initial vehicle retail delivery, carry the same new-vehicle basic warranty as the Mazda B-Series Truck.

2008 MAZDA B-SERIES TRUCK AXLE RATIO AND LOAD RATING

ENGINE/TRANSMISSION	AXLE TYPE	AXLE RATIO	MAXIMUM TRAILER WEIGHT† Regular Cab Cab Plus		MAXI GC	MUM Wr*		
			kg	lbs	kg	lbs	kg	lbs
B2300/MT (4x2)	Regular	3.73	717	1,580	-	-	2,177	4,800
B2300/AT (4x2)	Regular	4.10	1,025	2,260	-	-	2,495	5,500
Dual Sport 3.0 L MT (4x2)	LS	4.10	-	-	1,125	2,480	2,722	6,000
Dual Sport 3.0 L AT (4x2)	LS	4.10	-	-	1,052	2,320	2,722	6,000
Dual Sport 4.0 L AT (4x2)	LS	3.55	-	-	2,613	5,760	4,309	9,500
B4000/MT (4x4)	LS	4.10	-	-	1,406	3,100	3,175	7,000
B4000/AT (4x4)	LS	4.10	-	_	2,540	5,600	4,309	9,500

For specific information on recommended or required equipment, see your Mazda Dealer.

ENGINE/TRANSMISSION		PAYLOAD Ratings*		MAXIMUM GROSS AXLE WEIGHT RATING (GAWR) Front Rear				GROSS VEHICLE WEIGHT RATING (GVWR)		
	kg	lbs	kg	lbs	kg	lbs	kg	lbs		
B2300/MT (4x2)	572	1,260	1,043	2,300	1,157	2,550	1,987	4,380		
B2300/AT (4x2)	572	1,260	1,043	2,300	1,157	2,550	1,987	4,380		
Dual Sport 3.0 L MT (4x2)	572	1,260	1,229	2,710	1,179	2,600	2,177	4,800		
Dual Sport 3.0 L AT (4x2)	572	1,260	1,229	2,710	1,179	2,600	2,177	4,800		
Dual Sport 4.0 L AT (4x2)	572	1,260	1,229	2,710	1,179	2,600	2,177	4,800		
B4000/MT (4x4)	572	1,260	1,293	2,850	1,179	2,600	2,341	5,160		
B4000/AT (4x4)	572	1,260	1,293	2,850	1,179	2,600	2,341	5,160		

[▲] Payload is the maximum allowable weight of people, cargo and body equipment and is reduced by the weight of optional equipment.

^{*} The Gross Combined Weight Rating (GCWR) is the maximum allowable combined weight of vehicle, trailer, passengers and cargo. † Trailer weights shown are maximums and must be reduced by the weight of any passengers, cargo, hitch, or optional equipment in the towing vehicle. The following equipment may also be required: load-carrying hitch for trailers over 907 kg (2,000 lbs). Towing a trailer will have an effect on the vehicle's handling, braking and durability, performance and driving economy.



EXTERIOR COLOURS







MYSTIC BLACK

BRIGHT RED

CLASSIC WHITE

VISTA BLUE METALLIC





PUEBLO GOLD METALLIC

DARK TITANIUM METALLIC


COLOUR COMBINATIONS

EXTERIOR	INTERIOR	
B2300 SX (4x2) / B4000 SE (4x4)		
Mystic Black	Medium Dark Flint	
Bright Red	Medium Dark Flint	
Classic White	Medium Dark Flint	
Vista Blue Metallic	Medium Dark Flint	
Pueblo Gold Metallic	Medium Dark Flint	
Dark Titanium Metallic (SE 4x4 only)	Medium Dark Flint	

INTERIOR
Medium Dark Flint

MAZDA B-SERIES TRUCK WHEELS







(Dual Sport)



16" 3-spoke alloy wheels (SE 4x4)

INTERIOR COLOUR



MEDIUM DARK FLINT

MAZDA WARRANTY The basic warranty on the Mazda B-Series Truck covers all parts found to be factory defective for 3 years or 60,000 km, whichever comes first. Additional warranties cover powertrain components for a period of 5 years or 100,000 km, whichever comes first, body sheet metal perforation for 5 years and unlimited mileage and specific emission control components for up to 8 years or 128,000 km. Exclusions from coverage are limited to maintenance items or adjustments (repairs not requiring parts replacement) on vehicles over 12 months old and repairs due to normal wear and tear. Ask your Mazda Dealer for additional information.

ROADSIDE ASSISTANCE PROGRAM As part of our commitment to your total satisfaction, 2008 Mazda B-Series Truck owners are automatically enrolled in our Roadside Assistance Program. Roadside Assistance protects your Mazda B-Series Truck for the duration of the 3-year basic limited warranty. Should you require assistance during this period, our service will help to get your vehicle back on the road and minimize any inconvenience. For complete details on this program, see your Mazda Dealer.

MAZDA MOBILITY ASSISTANCE PROGRAM Mazda Canada believes that vehicle access is vital for everyone. Under this program, physicallychallenged customers who purchase or lease a new, unused Mazda vehicle may be eligible to receive assistance from Mazda Canada Inc. to aid with the cost of acquiring and installing adaptive driving aids on their vehicle. For complete details on this program, see your Mazda Dealer.

MAZDA TEST-DRIVE EXPERIENCE Exhilaration begins with the Mazda Test-Drive Experience — a uniquely designed road trip engineered to take you miles beyond the ordinary test-drive. Down local streets, on-ramps, highways and off-ramps. Through straightaways, S-curves and corners. It's all about putting a Mazda to the test under real-world conditions. It's about discovering the superb acceleration, braking, steering, handling and ride quality that every Mazda offers. And rediscovering that fun, connected-to-the-road feeling we call "zoom-zoom".

READY TO ROLL Our pre-delivery commitment means every new Mazda is checked out, gassed up and fitted with floor mats.



For peace-of-mind motoring, we've created the Mazda Added Protection Plan (M.A.P.). M.A.P. complements your Mazda Limited Warranty for up to 7 years or 160,000 km, and protects you from unexpected repair expenses and the rising cost of repairs. All M.A.P. plans include Personal Budget and Repair Inflation Protection. In addition, all M.A.P. plans include Premium Roadside Assistance, which extends the roadside assistance coverage offered during the new-vehicle limited-warranty period throughout the M.A.P. term. The Premium Roadside Assistance offers Towing, Winching, Battery Boost, Out-of-Fuel Coverage, Tire Service, Lockout Service, Emergency Travel Expense Reimbursement and Travel Planning and Dealer Locator. Should you ever decide to sell your Mazda vehicle, M.A.P. is transferable to future owners and will enhance the resale value of your vehicle. The Mazda Added Protection Plan is fully backed and administered by Mazda Canada Inc. For more information, please contact your Mazda Dealer.

MAZDA: Ask your dealer about Mazda's competitive program for recent university and college graduates.

Product changes and options availability: Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options and accessories shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations. E. & O. E.

2008 MAZDA B-SERIES TRUCK SPECIFICATIONS

ENGINE	B2300	B3000	B4000			
Туре	2.3 L DOHC 4-cylinder	3.0 L OHV V6	4.0 L SOHC V6			
Displacement	2,261 cc	2,957 cc	4,025 cc			
Compression ratio	9.7:1	9.14:1	9.0:1			
Horsepower SAE net	143 @ 5,250 rpm	148 @ 4,900 rpm	207 @ 5,250 rpm			
Torque SAE net lb. ft.	154 @ 3,750 rpm	180 @ 3,950 rpm	238 @ 3,000 rpm			
Fuel system	Sequential Electronic multi-port Fuel Injection (EFI)	Sequential Electronic multi-port Fuel Injection (EFI)	Sequential Electronic multi-port Fuel Injection (EFI)			
Recommended fuel	Regular	Regular	Regular			
DRIVETRAIN						
Туре	Front engine/rear-wheel d	lrive (standard 4x4 drivetrai	in on B4000 4x4 Cab Plus)			
Transmission		5-speed electronic automatic d on 4x2 B4000 Dual Sport)				
CHASSIS						
Frame	Body on frame					
Front suspension (Regular Cab)	Independent double-wishb coil springs and stabilizer	one front suspension with go bar	as-filled shock absorbers,			
Rear suspension (Regular Cab)	olid axle with leaf springs and gas-charged shock absorbers					
Front suspension (Cab Plus)	Raised independent double-wishbone front suspension with gas-filled shock absorbers, torsion bars and stabilizer bar					
Rear suspension (Cab Plus)	Raised solid axle with leaf springs and gas-charged shock absorbers					
Steering	Power-assisted rack-and-p	Power-assisted rack-and-pinion				
Minimum turning circle	Regular Cab: 11.5 m Cab Plus: 13.1 m					
Brakes	B2300: 261 mm ventilated	l front discs; 229 mm rear d	rums			
	B3000 and B4000: 287 m	m ventilated front discs; 254	l mm rear drums			
	Anti-lock Brake System (ABS) with Electronic Brake Force Distribution (EBFD)					
Curb weight (kg)		4x2	4x4			
	Regular Cab	1,361	_			
	Cab Plus — Dual Sport	1,581	_			
	Cab Plus		1,656			

EXTERNAL DI	MENSIONS (mm)	Regular Cab	Cab Plus
Wheelbase		2,832	3,197
Track (fr/rr)		1,488/1,455	1,488/1,455
Overall length		4,762	5,154
Overall width		1,763	1,786
Overall height		1,632	1,699
Ground clearance		154	185
INTERNAL DI	MENSIONS (mm)	Regular Cab	Cab Plus
Headroom (fr/rr)		996/-	996/904
Legroom (fr/rr)		1,077/-	1,072/1,024
Shoulder room (fr/rr)		1,384/-	1,367/389
Bed, inside length		1,824	1,824
Bed, inside width (ma	ximum)	1,320	1,320
Bed, inside width (mir	imum)	1,026	1,026
Bed, inside depth		419	419
FUEL ECONOM	Y RATINGS* (L/100 k	m)	
	Model		
	Transmission	- 1	Hwy.
4x2	B2300 MT	9.9	7.5
	B2300 AT	11.1	8.5
	B3000 MT	13.1	9.4
	B3000 AT	14.1	10.0
	B4000 AT	13.9	10.2
4x4	B4000 MT	14.2	10.6
	B4000 AT	15.7	11.6
FUEL TANK CA	APACITIES (L)		
Regular Cab	62.4	Cab Plus	73.8

2008 MAZDA B-SERIES TRUCK FEATURES

	4)	4X4		
	REGULAR CAB		CAB PLUS 4.0 L SE	
ENGINEERING FEATURES	2.3 L SX	3.0 L DS 4.0 L DS		
B2300 2.3 L DOHC 4-cylinder engine	S	-	-	-
B3000 3.0 L OHV V6 engine	_	S	-	-
B4000 4.0 L SOHC V6 engine	_	-	S	S
5-speed manual transmission	S	S	-	S
5-speed electronic automatic transmission with overdrive	0	0	S	0
Anti-lock Brake System (ABS) with Electronic Brake				
Force Distribution (EBFD)	S	S	S	S
Electric shift transfer case with live axle system	_	-	-	S
Rotary dial 'Shift-on-the-fly' control	_	-	-	S
Skid plates; fuel tank, transfer case and front suspension	_	-	-	S
Limited-slip axle	_	S	S	S
Engine block heater with battery warmer	S	S	S	S
Battery saver	S	S	S	S
WHEELS AND TIRES			,	
15" 7-spoke silver steel wheels	S	_	-	-
15" tear-drop alloy wheels	_	S	S	_
16" 3-spoke alloy wheels	_	-	_	S
225/70R15 BSW tires	S	_	_	_
235/75R15 OWL tires	_	S	S	_
255/70R16 OWL tires	_	-	_	S
Mini-spare tire	S	_	_	_
Full-size spare tire (limited service)	_	S	S	S
EXTERIOR FEATURES				
Black radiator grille, front and rear bumpers	S	_	_	
Black door handles	S	_	_	S
Body-coloured door handles, front grille surround,				
front and rear bumpers	_	S	S	_
Chrome grille, front and rear bumpers	_	_	_	S
Wheel lip mouldings with integrated mud flaps	_	S	S	S
Dual black manual exterior foldaway mirrors	S	S	_	S
Dual black power sailmount exterior foldaway mirrors	_	PP	S	SE
Flush mounted halogen headlights	S	S	S	S
Centre high-mount rear brake light	S	S	S	S
Sliding rear window	S	S	S	S
Privacy glass	S	S	S	S
Intermittent wipers	S	S	S	S
Fog lights	_	S	S	S
Front tow hooks (2)	_	_	_	S
Cargo box tie-down hooks (4); trailer tow wire harness — 4 pin	S	S	S	S
Class III hitch receiver	_	S	S	<u> </u>
Removable tailgate	5	S	S	5

	4X2			
	REGULAR CAB		PLUS	CAB PLUS
AUDIO	2.3 L SX		4.0 L DS	4.0 L SE
AM/FM CD player with MP3 functionality and 4 speakers	S	S	S	S
Auxiliary audio input	S	S	S	S
Sirius Satellite Radio		PP	S	SE
COMFORT AND CONVENIENCE	•			
Air conditioning	0	0	S	S
Leather-wrapped steering wheel	_	-	-	SE
Steering-wheel-mounted cruise controls		PP	S	SE
Filt-adjustable steering wheel	_	PP	S	SE
Power door locks; power windows	-	PP	S	SE
Remote keyless entry system (includes two transmitters)	-	PP	S	SE
Warning chimes: headlights-on, safety-belt and ignition key	S	S	S	S
Heater/defroster with 4-speed blower	S	S	S	S
Cloth sunvisor	S	S	S	S
SEAT AND TRIM				
60/40-split cloth bench seat with armrest and storage	S	S	S	S
Sport bucket seats	-	-	-	SE
Side-facing cloth rear jump seats	_	S	S	S
Floor consolette with 2 cup holders	S	S	S	S
Rear cup holders	_	S	S	S
Door map pockets	_	S	S	S
Upgraded cloth upholstery with piping	S	S	S	S
Carbon fibre finish on centre panel	S	S	S	S
Standard A-pillar grab handles	S	S	S	S
INSTRUMENT PANEL				
Tachometer	S	S	S	S
Gauges for fuel level and engine coolant temperature	S	S	S	S
Silver meter rings with black face	S	_	_	_
Silver meter rings with silver face		S	S	S
12-volt auxiliary power outlet	S	S	S	5
SAFETY AND SECURITY				
Dual front air bags	S	S	S	S
Engine immobilizer theft-deterrent system		S	S	<u> </u>
Collapsible steering column	S	S	S	<u> </u>
Front safety belts with shoulder belt height adjustment	<u> </u>	S	S	S
From Surery bens with shoulder ben neight dujustment	<u> </u>	5	5	<u> </u>
ווים ווים אינוויו ווויוטוווען אינוויוויוויוויוויוויוויוויוויוויוויוויוו	J	ر ا	J	J

Power Package: Power door locks, dual black power sailmount foldaway mirrors, power windows, remote keyless entry system with two transmitters, steering-wheel-mounted cruise controls, tilt-adjustable steering wheel and Sirius Satellite Radio. SE Plus Package: Power door locks, dual black power sailmount foldaway mirrors, power windows, remote keyless entry system with two transmitters, sport bucket seats, leather-wrapped steering wheel, steering-wheel-mounted cruise controls, tilt-adjustable steering wheel and Sirius Satellite Radio.