The GLE.





Mercedes-Benz The best or nothing.



Introducing the 2016 GLE.

Delivering world-class comfort, agility and versatility for wherever you may venture, the new 2016 GLE is designed to effortlessly help drivers avoid trouble on the road. Thanks to an extensive range of groundbreaking technologies including Intelligent Drive and DYNAMIC SELECT – features only the successor to the M-Class offer – the GLE adapts itself to prevailing driving conditions.

DYNAMIC SELECT also allows tailored drive settings. So whether you prefer a sporty feel for a drive through the country, comfortable feel of day to day cruising, or unparalleled confidence while traversing slippery

or off-road surfaces, the GLE ensures each journey becomes a novel experience. Plus, the comprehensive Intelligent Drive suite of safety and convenience systems includes standard Crosswind Assist and COLLISION PREVENTION ASSIST PLUS.

Generation after generation, our vehicles have set benchmarks in passive and active safety, and the new 2016 GLE is no exception. For the driver who aspires to master control, feel powerful and exude elegance, the new 2016 GLE is sure to make the best of every ground.







Technical specifications.

	GLE 350d 4MATIC	GLE 400 4MATIC	GLE 550 4MATIC	Mercedes-AMG GLE 63 S 4MATIC
Engine Type	3.0L Turbodiesel V6	24V DOHC V6 Biturbo	32V DOHC V8 Biturbo	32V DOHC V8 Biturbo
Total Displacement	2,987 cc ³	2,996 cc ³	4,663 cc ³	5,461 cc ³
Net Power	249 @ 3,400 rpm	329 @ 5,250-6,000 rpm	429 @ 5,250 rpm	577@5,500 rpm
Net Torque	457 lb-ft @ 1,600 rpm	354 lb-ft @ 1,600 - 4,000 rpm	516 lb-ft @ 1,800 - 4,000 rpm	560 lb-ft @ 1,750 - 5,250 rpm
Acceleration* (0-100 km/h)	7.1	6.1	5.3	4.2
Top Speed	210	210	210	250
Tires: Front Rear	255/50 R19 255/50 R19	255/50 R19 255/50 R19	265/45 R20 265/45 R20	295/35 R21 295/35 R21
Fuel Tank Capacity	93 (12L Reserve)	93 (12L Reserve)	93 (12L Reserve)	93 (14L Reserve)
Fuel Requirements	Diesel	Premium Unleaded	Premium Unleaded	Premium Unleaded
Dimensions:** Wheelbase Overall length Overall height Overall width	2,915 mm 4,819 mm 1,796 mm 2,141 mm	2,915 mm 4,819 mm 1,796 mm 2,141 mm	2,915 mm 4,819 mm 1,758 mm 2,141 mm	2,915 mm 4,852 mm 1,760 mm 2,141 mm
Curb Weight	2,175 kg	2,130 kg	2,235 kg	2,345 kg

*Stated rate of acceleration is based upon manufacturer's track results and may vary depending upon model,

environmental and road surface conditions, driving style, elevation and vehicle load.

**With standard equipment.

© 2015 Mercedes-Benz Canada Inc.

All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. Mercedes-Benz Canada reserves the right to make changes at any time, without notice, in colours, materials, equipment, specifications and models. Any inaccuracies in colours shown are due to reproduction variations of the printing process. Some vehicles may be shown with non-Canadian equipment. Some vehicles may be shown without side marker lights. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available on all models. For current information regarding the range of models, standard features, optional equipment and/or colours available in Canada and their pricing, contact your nearest authorized Mercedes-Benz dealer or visit mercedes-benz.ca.

Mercedes-Benz Canada Inc. 98 Vanderhoof Avenue, Toronto, Ontario M4G 4C9 1-800-387-0100 mercedes-benz.ca