# **G**11 2011









43

53

# Das Auto

Do you speak Volkswagen? Spoken by millions of drivers the world-over, Volkswagen is synonymous with superbly German-engineered vehicles that continually up the ante when it comes to high performance, exceptional quality, thinking blue (that's Volkswagen for green) and a whole lot of woo-hoos when you hit the highway. It goes without saying that this year's line-up of 2011 Volkswagen models – from nimble compacts to powerful SUVs – is no exception to the rule.

Here are a few more adjectives from the Volkswagen vocabulary: aerodynamic, intuitive, nimble, fuel-conscious, eco-friendly. Sounds innovative? Well it is. Wrap it all up with a sleek and curvy exterior and you'll quickly understand that when you're in a Volkswagen, you're not just driving any car – you're driving Das Auto.







# Amazing just isn't good enough.

2009 World Car of the Year. And now 2010 Canadian Car of the Year. The trophies are swell, but the refinement doesn't stop there. It's not in our nature. In fact, it propels our engineers and designers even further – because the real podium is the driver's seat and how we bring design, engineering and technology together to give you the most responsive drive possible.

For instance, the Golf interior, thanks to the latest in noise and vibration reduction technologies, is the quietest Golf cabin ever. And every single detail, no matter how minute – from the seat stitching to the brilliant white lighting instrument cluster to power reclining seats to the very convenient pass-through – has been carefully crafted to conform to the high standards you come to expect from a Volkswagen. Other available features such as sport leather seats and touch-screen navigation system get you to where you're going in good style and in good time.

With so many models from the 3- and 5-door hatchbacks to the Wagon – both available in TDI Diesel – and the adrenaline-charged GTI, the only difficulty you'll have is in choosing which model is right for you.





Technology and Performance

# You're truly in the driver's seat.

There's nothing random about the 2011 Golf's instrument layout. At your command, you'll find a clever array of friendly technologies and refinements that are totally intuitive and within easy reach.


From the standard 8-speaker sound system with MP3 readable CD player to the very practical available touch-screen navigation system (you'll wonder how you ever lived without one) and available Premium 8 sound system, you can rest assured that running out of tunes or getting lost is now a thing of the past.

And for those who like to stay in touch 24/7, there's available Bluetooth<sup>®</sup> connectivity with voice activation, SIRIUS<sup>®</sup> Satellite Radio with over 130 channels available, Media Device Interface with iPod<sup>®</sup> connectivity, and available Dynaudio<sup>®</sup> Sound System. One thing is for sure – once inside a 2011 Golf, you're truly in the driver's seat.









Technology and Performance

# Power and control at your fingertips. And toes.

From busy city streets to quick country getaways, you'll have power when you need it - and then some. Both the 2011 Golf and Golf Wagon are equipped with a highly responsive 2.5L, 170-horsepower engine with 5-speed manual transmission designed to deliver from the split second you turn the ignition and shift into gear.

The Golf and Golf Wagon also come in available TDI Clean Diesel - Volkswagen's latest in blue technology for those who want to remain environmentally conscious yet refuse to compromise on power and performance.

For those who like things automatic, there's the available 6-speed automatic transmission with Tiptronic® or a 6-speed Direct Shift Gearbox (DSG) with available paddle shifting, which makes for a smoother, more fuel-efficient ride. And for those who aspire to the jet set, the 2011 Golf GTI features the fast and furious 2.0 TSI 200-horsepower turbocharged engine. Whatever drives you, there's nothing idle about the 2011 Golf.

# 

# Think Blue with the Golf Family

Making small changes in our everyday lives to help protect the environment is the foundation of Think Blue. Everyone can help in his or her own way to become a more efficient and eco-friendly driver. It may come as a surprise, but fuel consumption can be drastically reduced just by changing a few driving habits. But that doesn't mean you have to sacrifice pleasure or comfort. With the help of our innovative technologies and low-emission products, you can become a more environmentally-friendly, fuel-friendly, and wallet-friendly driver. And that's good for everyone.

# **BlueMotion Technologies**

BlueMotion<sup>™</sup> Technologies isn't just a single technology, it's a range of innovations designed to help the environment and to help you get more out of your driving experience. We're deeply committed to improving every aspect of our vehicles. From improved transmissions and better aerodynamics to weight-reduction technologies that lead to drastically reduced fuel consumption and CO<sub>2</sub> emissions. Here are a few innovative technologies that make the Golf more efficient:

**DSG** – A definite shift for the better. DSG stands for Direct Shift Gearbox. In essence, it gives you the convenience of an automatic with the performance and efficiency of a manual. Here's how it works. DSG is managed by dual electronically controlled clutches, so not only do you shift faster, you also get enhanced acceleration and reduced fuel consumption. In fact, thanks to DSG, each shift takes less than 4/100ths of a second. And if you're the manual type, a quick flip of the Tiptronic<sup>®</sup> function lets you shift into something a little sportier.



Think Blue

(V)

00

100.0

Think Blue

**TSI** – TSI brings together the power of FSI® direct fuel injection with the extra oomph of a turbocharger. The end result? An ultra-efficient engine that provides maximum torque from 1,700 to 5,000 rpm, gives you outstanding performance through a wide range of speeds, power when you really need it, ultra-low fuel consumption and, ultimately, lower CO<sub>2</sub> emissions.

**TDI** – Clean Diesel is the new way of driving diesel. "Clean Diesel" encompasses two things: engine technology that reduces emissions to extremely low levels, and the ultra-low sulphur diesel fuel now available at pumps across the country that enables the technology. As for "TDI," it stands for Turbocharged Direct Injection. But how does all this work? In a nutshell, the turbocharger supplies the engine with pressurized fresh air for maximum efficiency during cylinder charging. After compression, clean diesel fuel is injected straight into the cylinders at very high pressure. This results in outstanding fuel economy, low emissions and a whole lot of torque. And with engine noise and vibration drastically reduced with more effective engine encapsulation, the old telltale sound of a diesel engine has been reduced to a mere whisper. Now that's something worth shouting about.





# Safety standards come standard.

Every Volkswagen comes standard with many features that work in harmony to both help you avoid an accident and help protect you if an accident is unavoidable. And we are constantly updating it, because when it comes to safety, there is no finish line.

**6 standard airbags\*** – Every 2011 Golf comes standard with front and side thorax airbags for front seat passengers, as well as Side Curtain Protection<sup>®</sup> airbags which can deploy in severe side impacts to help reduce head injuries for front and rear seat occupants.

**Electronic Stability Control (ESC)** – ESC helps the driver maintain their intended course by generating corrective forces. ESC is most effective when the driver is taking evasive action during sudden manoeuvres, like when avoiding an accident. This feature is standard on all Volkswagen models.

**Crash-optimized front end** – Designed to sacrifice the front of the vehicle in the event of a serious crash. The engine bay and structure of the car crumple in a predetermined way to help keep the integrity of the cabin intact and its occupants safe.

**Anti-Slip Regulation (ASR)** – Reduces wheel spin under acceleration, by reducing the torque output of the engine.

**Electronic Brake-pressure Distribution (EBD)** – Integrated into the anti-lock brake system, this technology automatically reduces the amount of brake force to the rear wheels to reduce the chance of wheel lock-up.

**Anti-intrusion side door beams** – High-strength steel reinforcements in each door which are designed to absorb impact energy to provide additional protection in side impacts.

\*Airbags are supplemental restraints only and will not deploy under all accident scenarios. Always use safety belts and seat children only in the rear seat, using restraint systems appropriate for their size and age.





3.

# More Volkswagen for your Volkswagen.

How do you make a car as unique as the new Golf even more unique? Personalize it to fit your unique lifestyle. What's more, accessorize your 2011 Golf before it leaves the dealer's lot and you can include your accessories in your financing package. Plus, when you buy accessories at time of purchase, you receive an extra 3-year limited warranty coverage on these accessories covering parts and labour. Now that's what we call added value.

**Racks** – Easy-secure-and-release Barracuda bike holders. Or easy-to-install ski/snowboard racks holding up to 2 snowboards of 4 pairs of skis.

**Monster Mats** – Über-tough floor mats that help keep your carpets from getting dirty.

**Splash guards** – It's messy under there. Rainwater, gravel, sand and salt – whatever your wheels splash up, splash guards will help protect your underbody. Just think of them as underbodyguards.

**Bluetooth**<sup>®</sup> **connectivity** – Keep your hands on the wheel and stay connected with this handy feature.

**Trunk liner** – Keep your trunk squeaky clean. Custom or semi-custom for your ride, VW trunk liners are the ideal fit when it comes to protecting your interior from messy cargo and unlucky spills.

**6-speed shift knob** – For those with a need for speed. Shift into higher gear with the 6-speed shift knob.

**Aluminum metal pedal covers** – Customized acceleration. These racy pedal covers take your ride to a sporty new level.

This is just a short selection of the many Volkswagen Original Accessories available for your 2011 Golf. For more ways to give your Golf that personal touch, talk to your Volkswagen dealer or visit **vw.ca** to view a wider selection.








# Meet the Golf Family.

Since its introduction in 1974, the Volkswagen Golf has been driven billions of kilometres by millions of people around the world. That's millions of journeys through the city. Billions of hours exploring country roads. And countless trips to the podium. Not content to just be the 2009 World Car of the Year, the Golf GTI has also added 2010 Canadian Car of the Year to its impressive trophy case.

The 2011 Golf is more than the sum total of 36 years of Germanengineered perfection. It's the quietest Golf ever. The most technologically advanced. And with more models and more engines to choose from than ever before, we're pretty sure that once you get into your new Golf – you'll really get into it.

Models



Ø

# Fasten your Sicherheitsgurt\*.

**Exterior** – The 2011 Golf's head-turning exterior is about so much more than the details. It's about how all the details come together in a symphony of elegant yet functional design. And it's available in sporty 3-door and handy 5-door models. Here are a few of our favourite features. A slick low-profile front grille and tailgate, available 17" alloy wheels, high-performance sport suspension and rhino hinges made of forged steel for a stronger, more durable car. And there's more (of course). Because the new generation of Volkswagen uses laser welding between body panels rather than spot welding, cabin noise has been reduced to a whisper. Combine this with a high-tech front windshield that reduces wind and engine noise, 10% thicker side windows and optimized exterior mirror aerodynamics – and you get one quiet ride. In fact, there are 120 lightweight components working hard to keep noise where it belongs – outside of the car.

\*Sicherheitsgurt (Si-cher-heits-gurt) noun – safety belt.

**2011 Golf** > Exterior





**2011 Golf** > Interior / Engine Interior – Just one look at the brilliant white light instrument cluster and you know that this vehicle has been built around you. Available powerrecline seats for both driver and passenger, a very convenient pass-through, a standard sound system with 80 watts total power – simply put, it's all about comfort, convenience and high fidelity. And on top of available heated seats, there's also a host of availables to enhance your Golf experience. For instance, an in-dash touch-screen navigation system, a Premium 8 sound system featuring 8-speaker in-dash 6-disc MP3 format readable CD changer and 6.5-inch touch screen, and Media Device Interface (MDI) with iPod® connectivity. Plus, available Bluetooth® mobile phone connectivity with voice activation and SIRIUS® Satellite Radio. And, when you turn it down – a nice quiet cabin that will be music to your ears.

**Engine** – The 2011 Golf comes with three engines to choose from. Now there's something you don't find every day. Or drive. From the moment you turn the ignition and shift into gear, you'll quickly feel the get-up-and-go of the 2.5L, 170-horsepower engine and 5-speed manual transmission. With 177 lb-ft of torque and legendary Autobahn-inspired handling, this standard engine feels so much more than standard. And if you're someone who prefers to shift into something more comfortable, the available 6-speed automatic transmission with Tiptronic<sup>®</sup> is no less of a thrill. Then there's the 2.0 TSI 200-horsepower engine that comes with the GTI. It'll help make sure the word "late" is eliminated from your vocabulary. And we don't stop there. For those who want power and added fuel efficiency all in one – fly TDI. The 2011 Golf TDI Clean Diesel – more than 1,190 km per tank\*, low emissions and a mighty 236 lb-ft of torque – the most in its class\*\*. All this from a 2.0 TDI 140-horsepower 6-speed manual engine or available 6-speed DSG automatic with Tiptronic<sup>®</sup>.

\*Based on estimated fuel consumption rating of 4.6L/100 km (highway) for the 2011 Golf TDI Clean Diesel equipped with manual transmission and a 55L fuel tank capacity. City rating is 6.7L/100 km. Your consumption may vary.

\*\*2011 Golf TDI Clean Diesel has the highest torque rating in the compact car class (based on a review of 2010 and 2011 models available at the time of printing).

| Exterior Colours |                        | TL | CL | SL | HL |
|------------------|------------------------|----|----|----|----|
|                  | Candy White            | 0  | 0  | 0  | 0  |
|                  | Amaryllis Red Metallic | 0  | 0  | 0  | 0  |
|                  | Reflex Silver Metallic | 0  | 0  | 0  | 0  |
|                  | Shark Blue Metallic    | 0  | 0  | 0  | 0  |
|                  | United Grey Metallic   | 0  | 0  | 0  | 0  |
|                  | Blue Graphite Pearl    | 0  | 0  | 0  | 0  |
| (m-a)            | Deep Black Pearl       | 0  | 0  | 0  | 0  |

#### Trimlines

#### Choose your Golf.

**Trendline** > A well-equipped start, our standard model is anything but standard.

**Sportline** > When sophistication meets the gym. Add muscle and style that would make a race car driver jealous.

**Comfortline** > High style meets high comfort. Add sophisticated details and comfortable touches to make your drive more enjoyable.

**Highline** > A luxurious option with lots of added technology and comfort features.

Get into the Golf. Visit your friendly Volkswagen dealer for a test drive, today.



Scout/Merlin Cloth,

Titan Black

TL/CL



Roof Carriers





#### Wheels



15" Steel Wheel TI



16" Cleveland Alloy Wheel CL/HL



Alloy Wheel SL















Feature Highlights > Specs

Engines 2.5L 170HP, 5-speed Manual

#### Trendline includes:

pass-through lumbar support and easy entry Auxiliary input Climatic<sup>™</sup> climate control Cruise control Diversity antenna Electronic Stability Control (ESC) Front and rear reading lights Front centre armrest with storage 8 speakers Remote central locking system

#### **Optional Equipment**

Cold Weather Package

5-Door: Rear side airbags

#### Accessories













18" Topas Alloy Wheel

Roof Box

Ski and Snowboard Carrier

Trunk Liner

Bluetooth® Hands-Free Facility

#### Golf > Spec

#### Golf 3-Door and 5-Door Trendline

2.5L 170HP, 6-speed Automatic with Tiptronic®

15" steel wheels with full wheel cover and all-season tires 60/40 split-folding rear seats with centre armrest and

**3-Door:** 8-way manually adjustable front seats with

**5-Door:** 8-way partial power (power recline) adjustable front seats with lumbar support

Driver and front passenger front and side airbags and front and rear Side Curtain Protection® Power heatable and adjustable exterior mirrors RCD 310 radio with single in-dash CD player and

Heatable front seats and washer nozzles

#### Golf 5-Door Comfortline

#### Engines

2.5L 170HP, 5-speed Manual 2.5L 170HP, 6-speed Automatic with Tiptronic® 2.0 TDI 140HP, 6-speed Manual 2.0 TDI 140HP, 6-speed DSG Automatic with Tiptronic<sup>®</sup>

#### **Comfortline includes Trendline plus:**

16" alloy wheels 'Cleveland' with anti-theft locks and all-season tires Engine block heater and front fog lights (available with TDI models) Front and rear floor mats Heatable front seats and washer nozzles Leather-wrapped steering wheel, shift knob and handbrake lever

#### **Optional Equipment**

#### Multimedia Package

Premium 8 radio – touch screen with 6-disc CD changer MDI – Media Device Interface with iPod® connectivity Bluetooth<sup>®</sup> mobile phone connectivity with voice activation Multifunction steering wheel plus trip computer and indicator Digital compass SIRIUS<sup>®</sup> Satellite Radio integrated

Rear side airbags

Power sunroof

#### Golf 3-Door Sportline

#### Engines

2.5L 170HP, 5-speed Manual 2.5L 170HP, 6-speed Automatic with Tiptronic®

#### Sportline includes Trendline plus:

17" alloy wheels 'Porto' with anti-theft locks and all-season tires Front and rear floor mats Front fog lights Heatable front seats and washer nozzles Leather-wrapped steering wheel, shift knob and handbrake lever Power sunroof Premium 8 radio – touch screen with 6-disc CD changer and 8 speakers SIRIUS<sup>®</sup> Satellite Radio integrated Sport seats with easy entry Sport suspension **Optional Equipment** 

Connectivity Package Bluetooth® mobile phone connectivity with voice activation MDI – Media Device Interface with iPod® connectivity

#### Golf 5-Door Highline

#### Engines

2.5L 170HP, 5-speed Manual 2.5L 170HP, 6-speed Automatic with Tiptronic® 2.0 TDI 140HP, 6-speed Manual 2.0 TDI 140HP, 6-speed DSG Automatic with Tiptronic®

#### Highline includes Comfortline plus:

Bluetooth® mobile phone connectivity with voice activation Digital compass Front fog lights Leather seating surfaces Leather-wrapped multifunction steering wheel Matte Chrome interior trim MDI – Media Device Interface with iPod® connectivity Multifunction trip computer and indicator Power sunroof Premium 8 radio – touch screen with 6-disc CD changer and 8 speakers Rear side airbags SIRIUS<sup>®</sup> Satellite Radio integrated Sport seats

#### **Optional Equipment**

RNS 315 Navigation System

| Legend > S = Standard, | at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. – = Not available.                          | 3- | Door |    | 5-Door | r  | Legend $> S = S$ |
|------------------------|--|----|------|----|--------|----|------------------|
| Exterior               |  | TL | SL   | TL | CL     | HL | Interior         |
| Antenna                | Diversity antenna  | S  | S    | S  | S      | S  | Floor Mats       |
| Bumpers                | Body-colour bumpers  | S  | S    | S  | S      | S  | Hatch/Cargo Ar   |
|                        | Dual steel exhaust pipes   | S  | S    | S  | S      | S  |                  |
| Glass                  | Tinted glass, green  | S  | S    | S  | S      | S  |                  |
| Grille                 | Black front grille   | S  | S    | S  | S      | -  |                  |
|                        | Black front grille with chrome applications (standard on Comfortline TDI)  | -  | -    | -  | S      | S  |                  |
| Hatch/Cargo Area       | Rear glass window with defrost   | S  | S    | S  | S      | S  |                  |
| Lights, Front/Rear     | Dual-reflector halogen headlights with clear, lightweight, chip-resistant polycarbonate lenses   | S  | S    | S  | S      | S  | Instrument Clus  |
|                        | Daytime Running Lights (DRL). Upon start-up of vehicle, headlights engage with reduced power. Instrument panel lighting, parking lights and tail lights remain   |    |      |    |        |    |                  |
|                        | off. To engage all lights with full power, the light switch must be turned to the on position  | S  | S    | S  | S      | S  | Keys             |
|                        | Halogen projector lens fog lights with cornering light function integrated into front bumper (also available on Comfortline TDI)                                 | -  | S    | -  | -      | S  | Lighter/Outlets  |
|                        | Side turn signal lights integrated into side exterior mirrors  | S  | S    | S  | S      | S  | Lighting         |
| Mirrors                | Driver and passenger side power exterior mirrors, heatable   | S  | S    | S  | S      | S  |                  |
| Rear Spoiler           | Aerodynamic rear spoiler integrated into hatch   | S  | S    | S  | S      | S  |                  |
| Roof                   | Power glass sunroof with tilt, slide, tinted glass, manual sunshade, pinch protection and driver's door power-operated convenience closing feature               | -  | S    | -  | 0      | S  | Locks            |
| <b>Fires</b>           | 195/65 R15 H, all-season tires   | S  | -    | S  | -      | -  |                  |
|                        | 205/55 R16 H, all-season tires   | -  | -    | -  | S      | S  |                  |
|                        | 225/45 R17 H, all-season tires   | -  | S    | -  | -      | -  |                  |
|                        | 195/65 R15 H, steel spare wheel  | S  | S    | S  | S      | S  |                  |
| Wheels                 | 6.5J X 15" steel wheels, with full wheel cover   | S  | -    | S  | -      | -  |                  |
|                        | 6.5J X 16" alloy wheels plus anti-theft locks  | -  | -    | -  | S      | S  |                  |
|                        | 7J X 17" alloy wheels plus anti-theft locks  | -  | S    | -  | -      | -  | Mirrors, Interio |
| Wipers/Washer          | Aero windshield wipers   | S  | S    | S  | S      | S  |                  |
|                        | Windshield wipers with variable intermittent wipe feature  | S  | S    | S  | S      | S  |                  |
|                        | Heated windshield washer nozzles, front  | Р  | S    | Р  | S      | S  | Ornamentatio     |
|                        | Rear wiper with intermittent wipe feature  | S  | S    | S  | S      | S  |                  |
| Interior               |  | TL | SL   | TL | CL     | HL | Radio/Audio/N    |
| Air Conditioning       | Climatic <sup>™</sup> manual climate control   | S  | S    | S  | S      | S  |                  |
| Marm/Anti-Theft        | Anti-theft vehicle alarm system for doors, hood, trunk lid, radio and starter, with warning LED in driver's door top sill and with audible and visual activation | S  | S    | S  | S      | S  |                  |
|                        | Immobilizer IV theft-deterrent system  | S  | S    | S  | S      | S  |                  |
| Armrests               | Front centre armrest adjustable/folding with storage compartment   | S  | S    | S  | S      | S  |                  |
|                        | Rear centre armrest adjustable/folding   | S  | S    | S  | S      | S  |                  |
| Assist Handles         | Silicone damped-return assist handles, two front and two rear  | S  | S    | S  | S      | S  |                  |
| Compass                | Digital compass  | -  | -    | -  | Р      | S  | Remote Relea     |
| Cruise Control         | Cruise control with active display   | S  | S    | S  | S      | S  | Restraint/Safe   |
| Supholders             | Dual front cupholders integrated into centre console   | S  | S    | S  | S      | S  |                  |
|                        | Dual front bottle holders integrated into front door pockets   | S  | S    | S  | S      | S  |                  |
|                        | Dual rear cupholders   | S  | S    | S  | S      | S  |                  |
| Defroster              | Electric rear window defroster   | S  | S    | S  | S      | S  |                  |
| Doors/Side Panels      |  |    |      |    |        |    |                  |

|              |   |     | Golf   | >  | Spe    | CS |
|--------------|---|-----|--------|----|--------|----|
| andard, at n | o additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. – = Not available.                         | 3-D | 3-Door |    | 5-Door |    |
|              |   | TL  | SL     | TL | CL     | HL |
|              | Front and rear floor mats   | -   | S      | -  | S      | S  |
| 1            | Fully carpeted/lined luggage compartment  | S   | S      | S  | S      | S  |
|              | Rear parcel shelf   | S   | S      | S  | S      | S  |
|              | Removable passenger side storage divider  | S   | S      | S  | S      | S  |
|              | Four tie-down hooks in cargo area   | S   | S      | S  | S      | S  |
|              | Grip on inside of hatch to assist in closing  | S   | S      | S  | S      | S  |
|              | Loading edge protection, plastic  | S   | S      | S  | S      | S  |
|              | Speedometer, tachometer, odometer, trip odometer, coolant temperature gauge, fuel gauge, gear indicator (if equipped with optional automatic transmission), |     |        |    |        |    |
|              | brake wear indicator, exterior temperature, warning lights, digital clock   | S   | S      | S  | S      | S  |
|              | Folding keys (2) with radio-frequency remote transmitter for central locking  | S   | S      | S  | S      | S  |
|              | Two 12V auxiliary power outlets   | S   | S      | S  | S      | S  |
|              | Interior ambient lighting   | S   | S      | S  | S      | S  |
|              | Illuminated glove box   | S   | S      | S  | S      | S  |
|              | Luggage compartment light   | S   | S      | S  | S      | S  |
|              | Central power-locking system with closing feature for sunroof (when equipped), opening and closing feature for power windows and                            |     |        |    |        |    |
|              | selective unlocking at driver door  | S   | S      | S  | S      | S  |
|              | Automatic locking feature (doors lock automatically when vehicle reaches 13 km/h)   | S   | S      | S  | S      | S  |
|              | Radio-frequency remote locking system with lock, unlock, rear hatch release and panic button on transmitter   | S   | S      | S  | S      | S  |
|              | Front door-mounted lock/unlock switches for central locking system  | S   | S      | -  | -      | -  |
|              | Front and rear door-mounted lock/unlock switches for central locking system   | -   | -      | S  | S      | S  |
|              | Child safety locks on rear doors  | -   | -      | S  | S      | S  |
|              | Driver and front passenger visor vanity mirrors, illuminated with cover   | S   | S      | S  | S      | S  |
|              | Interior rearview mirror  | S   | S      | S  | S      | S  |
|              | Mirror control pad with joystick control  | S   | S      | S  | S      | S  |
|              | Chrome applications to instrument cluster   | S   | S      | S  | S      | S  |
|              | Chrome applications to interior door handles  | S   | S      | S  | S      | S  |
| igation      | RCD 310 AM/FM radio sound system with single CD player (MP3 readable) and 8 speakers  | S   | -      | S  | S      | -  |
|              | Premium 8 AM/FM radio sound system – 6.5-inch touch screen with in-dash 6-disc CD changer (MP3 readable), SD card input, SIRIUS® Satellite                  |     |        |    |        |    |
|              | Radio integrated and 8 speakers   | -   | S      | -  | Р      | S  |
|              | RNS 315 Navigation System – AM/FM single CD (MP3 readable) satellite navigation system (SD card based), 5-inch touch screen with SD card input,             |     |        |    |        |    |
|              | 4GB flash drive, auxiliary input and SIRIUS® Satellite Radio integrated and 8 speakers  | -   | -      | -  | -      | 0  |
|              | Auxiliary input jack  | S   | S      | S  | S      | S  |
|              | MDI – Media Device Interface with iPod® connectivity  | -   | Р      | -  | Р      | S  |
|              | SIRIUS® Satellite Radio with limited complimentary subscription (3 months)  | -   | S      | -  | Р      | S  |
|              | Remote release for hatch, located on driver's side door   | S   | S      | S  | S      | S  |
| ystems       | Driver and front passenger airbag supplemental restraint system   | S   | S      | S  | S      | S  |
|              | Driver and front passenger side airbag supplemental restraint system  | S   | S      | S  | S      | S  |
|              | Side Curtain Protection® head airbags, front and rear   | S   | S      | S  | S      | S  |
|              | Rear passenger side thorax airbag supplemental restraint system   | -   | -      | 0  | 0      | S  |
|              | Rear-impact optimized head restraints – front driver and passenger  | S   | S      | S  | S      | S  |
|              | 3-point safety belts, all five seating positions. Height adjustable for driver and front passenger  | S   | S      | S  | S      | S  |
|              | Front seat safety belt pre-tensioners with load limiters  | S   | S      | S  | S      | S  |

# Golf > Specs

| Legend > S = Standard | lard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. – = Not available.                 |    | Door |    | 5-Door |    |
|-----------------------|---|----|------|----|--------|----|
| Interior              |   | TL | SL   | TL | CL     | HL |
|                       | Rear outboard seating safety belt pre-tensioners with load limiters   | -  | -    | O1 | O1     | S  |
|                       | LATCH (Lower Anchors and Top-tether for Children) – child seat lower attachment points and top tether rear outboard seating positions                         | S  | S    | S  | S      | S  |
| Seating, Front        | 8-way manually adjustable height and reach front seats, manual recline with adjustable lumbar support and lockable head restraints                            | S  | -    | -  | -      | -  |
|                       | 8-way manually adjustable height and reach front sport seats, manual recline with adjustable lumbar support and lockable head restraints                      | -  | S    | -  | -      | -  |
|                       | 8-way partial power (power recline) adjustable height and reach front seats, with adjustable lumbar support and lockable head restraints                      | -  | -    | S  | S      | -  |
|                       | 8-way partial power (power recline) adjustable height and reach front sport seats, with adjustable lumbar support and lockable head restraints                | -  | -    | -  | -      | S  |
|                       | Easy-entry system for easy access to rear seats   | S  | S    | -  | -      | -  |
|                       | Heatable front seats  | Р  | S    | Р  | S      | S  |
| Seating, Rear         | 60/40 split-folding rear seat with centre armrest and pass-through  | S  | S    | S  | S      | S  |
|                       | Rear seat head restraints, height adjustable, all seating positions   | S  | S    | S  | S      | S  |
| Special Features      | Side turn signal control stalk with lane-change feature (one touch, signals three times)  | S  | S    | S  | S      | S  |
|                       | Intelligent crash response system. Once a certain severity of crash is detected, all doors are automatically unlocked, the battery terminal is automatically  |    |      |    |        |    |
|                       | disconnected from the alternator cable, fuel supply is automatically shut off, warning hazards are automatically switched on, and high consumption electrical |    |      |    |        |    |
|                       | components are automatically shut off   | S  | S    | S  | S      | S  |
| Steering Wheel        | 3-spoke steering wheel  | S  | -    | S  | -      | -  |
|                       | 3-spoke leather-wrapped steering wheel  | -  | S    | -  | S      | -  |
|                       | 3-spoke leather-wrapped multifunction steering wheel  | -  | -    | -  | Р      | S  |
|                       | Electromechanical speed-sensitive power steering  | S  | S    | S  | S      | S  |
|                       | Height-adjustable and telescoping steering column   | S  | S    | S  | S      | S  |
|                       | Theft-deterrent steering column   | S  | S    | S  | S      | S  |
| Storage, Interior     | Front and rear door storage pockets   | S  | S    | S  | S      | S  |
|                       | Glove box, lockable   | S  | S    | S  | S      | S  |
|                       | Front storage compartment located in centre console   | S  | S    | S  | S      | S  |
|                       | Front seatback magazine storage pockets   | S  | S    | S  | S      | S  |
| Telephone             | Bluetooth® mobile phone connectivity with voice activation  | -  | Р    | -  | Р      | S  |
| Trim (Details)        | Leather-wrapped shift knob  | -  | S    | -  | S      | S  |
|                       | Leather-wrapped handbrake grip  | -  | S    | -  | S      | S  |
|                       | Cloth seating surfaces  | S  | S    | S  | S      | -  |
|                       | Leather seating surfaces  | -  | -    | -  | -      | S  |
|                       | Titanium trim – dashboard and door inserts  | S  | S    | S  | S      | -  |
|                       | Matte Chrome trim – dashboard and door inserts  | -  | -    | -  | -      | S  |
| Upholstery            | Scout/Merlin Cloth (comfort seats)  | S  | -    | S  | S      | -  |
|                       | Me 2 Cloth (sport seats)  | -  | S    | -  | -      | -  |
|                       | Vienna Leather (sport seats)  | -  | -    | -  | -      | S  |
| Windows               | Power windows with pinch protection   | S  | S    | S  | S      | S  |
|                       | Power windows automatic up/down (one touch, all windows)  | S  | S    | S  | S      | S  |

Legend > S = Star Technical

Body Panels Brakes

Emissions Engine

Side Protection Steering Suspension

Traction Control

Transmission

|   |     | Golf | >  | Spe    | CS |
|---|-----|------|----|--------|----|
| indard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. – = Not available. | 3-D | oor  | !  | 5-Door |    |
|   | TL  | SL   | TL | CL     | HL |
| Crash-optimized front end   | S   | S    | S  | S      | S  |
| Anti-lock Braking System (ABS)  | S   | S    | S  | S      | S  |
| Power-assisted front vented disc brakes, rear solid disc brakes   | S   | S    | S  | S      | S  |
| Electronic Brake-pressure Distribution (EBD)  | S   | S    | S  | S      | S  |
| Hydraulic Brake Assistant (HBA)   | S   | S    | S  | S      | S  |
| Hill Hold Assist  | S   | S    | S  | S      | S  |
| Tier II, BIN5   | S   | S    | S  | S      | S  |
| 2.5L 170 horsepower, 177 lbs-ft torque, 5 cylinder, in-line, dual overhead cam, 4 valves per cylinder   | S   | S    | S  | S      | S  |
| 2.0 TDI 140 horsepower, 4 cylinder, turbocharged, in-line, common rail, 4 valves per cylinder   | -   | -    | -  | S      | S  |
| Engine block heater (standard of TDI)   | -   | -    | -  | S      | S  |
| Anti-intrusion side door beams  | S   | S    | S  | S      | S  |
| Electromechanical power-assisted rack and pinion steering   | S   | S    | S  | S      | S  |
| Independent front McPherson struts with stabilizer bar  | S   | S    | S  | S      | S  |
| Rear fully independent four-link suspension with coil springs, telescopic shock absorbers and stabilizer bar                                    | S   | S    | S  | S      | S  |
| Sport suspension  | -   | S    | -  | -      | -  |
| Anti-Slip Regulation (ASR)  | S   | S    | S  | S      | S  |
| Engine Braking Assist (EBA)   | S   | S    | S  | S      | S  |
| Electronic Differential Lock (EDL)  | S   | S    | S  | S      | S  |
| Electronic Stability Control (ESC)  | S   | S    | S  | S      | S  |
| 5-speed manual transmission   | S   | S    | S  | S      | S  |
| 6-speed manual transmission (available with TDI)  | -   | -    | -  | S      | S  |
| 6-speed automatic transmission with Tiptronic® and Sport mode   | 0   | 0    | 0  | 0      | 0  |
| 6-speed automatic Direct Shift Gearbox with Tiptronic® and Sport mode (available with TDI)  | -   | -    | -  | 0      | 0  |
|   |     |      |    |        |    |

<sup>1</sup>In combination with the rear passenger side thorax airbag supplemental restraint system option.

# Golf > Specs

#### 3-Door, 5-Door 2.5L Technical Specifications

| ENGINE                              |                       |                       |                      |                     |
|-------------------------------------|-----------------------|-----------------------|----------------------|---------------------|
| Туре                                | 2.5L, 5 cy            | inder, in-line, 20 vo | lve                  |                     |
| Bore                                | 3.25 in               | 82.5 mm               |                      |                     |
| Stroke                              | 3.65 in               | 92.8 mm               |                      |                     |
| Displacement                        | 151.0 in <sup>3</sup> | 2,480 cm <sup>3</sup> |                      |                     |
| Compression Ratio                   | 10.0:1                |                       |                      |                     |
| Horsepower (SAE) @ rpm              | 170 @ 5,7             | 00 (125 kW @ 5,70     | 0)                   |                     |
| Maximum Torque, lb-ft @ rpm         | 177 @ 4,2             | 50 (240 Nm @ 4,2      | 50)                  |                     |
| Fuel Requirement                    | Regular u             | nleaded               |                      |                     |
| ENGINE DESIGN                       |                       |                       |                      |                     |
| Fuel/Air Supply                     | Sequentia             | l multi-point fuel in | jection (Motronic)   |                     |
| Emissions                           | Tier II, BIN          |                       |                      |                     |
| ELECTRICAL SYSTEM                   |                       |                       |                      |                     |
| Ignition                            | Digital ele           | ectronic with two kn  | ock sensors          |                     |
| DRIVETRAIN                          | -                     |                       |                      |                     |
| Drivetrain                          | Front-whe             | el drive              |                      |                     |
| CAPACITIES                          |                       |                       |                      |                     |
| Fuel Tank                           | 55.0 L                |                       |                      |                     |
| STEERING                            |                       |                       |                      |                     |
| Turning Circle (curb to curb)       | 35.8 ft               | 10.9 m                |                      |                     |
| INTERIOR VOLUME – SAE (3-Door)      |                       |                       |                      |                     |
| Seating Capacity                    | Five                  |                       |                      |                     |
| Passenger Volume                    | 93.5 ft³              | 2.65 m <sup>3</sup>   |                      |                     |
| Cargo Volume                        | 14.8 ft <sup>3</sup>  | 0.42 m <sup>3</sup>   |                      |                     |
| Cargo Volume with rear seats folded | 46.3 ft <sup>3</sup>  | 1.31 m <sup>3</sup>   |                      |                     |
|                                     | Front                 |                       | Rear                 |                     |
| Volume                              | 51.1 ft³              | 1.45 m <sup>3</sup>   | 42.4 ft <sup>3</sup> | 1.20 m <sup>3</sup> |
| Head Room                           | 39.3 in               | 998 mm                | 38.5 in              | 979 mm              |
| Shoulder Room                       | 54.5 in               | 1,385 mm              | 53.6 in              | 1,362 mm            |
| Leg Room                            | 41.2 in               | 1,046 mm              | 35.5 in              | 901 mm              |
| INTERIOR VOLUME – SAE (5-Door)      |                       |                       |                      |                     |
| EPA Class                           | Compact               |                       |                      |                     |
| Seating Capacity                    | Five                  |                       |                      |                     |
| Passenger Volume                    | 92.9 ft³              | 2.63 m <sup>3</sup>   |                      |                     |
| Cargo Volume                        | 14.6 ft <sup>3</sup>  | 0.41 m <sup>3</sup>   |                      |                     |
| Cargo Volume with rear seats folded | 45.9 ft <sup>3</sup>  | 1.30 m <sup>3</sup>   |                      |                     |
| -                                   | Front                 |                       | Rear                 |                     |
| Volume                              | 51.2 ft <sup>3</sup>  | 1.45 m <sup>3</sup>   | 41.7 ft <sup>3</sup> | 1.18 m³             |
| Head Room                           | 39.3 in               | 998 mm                | 38.5 in              | 979 mm              |
| Shoulder Room                       | 54.7 in               | 1,389 mm              | 52.8 in              | 1,340 mm            |
| Leg Room                            | 41.2 in               | 1,046 mm              | 35.5 in              | 901 mm              |
| BODY, CHASSIS AND SUSPENSION        |                       |                       |                      |                     |
| Front Suspension                    | Independ              | ent McPherson stru    | s, coil springs, tel | escopic shock       |
|                                     |                       | , integrated stabiliz |                      |                     |

| Rear Suspension  | Multilink rear suspension, coil springs, telescopic |                            |                             |  |  |  |
|--|---|----------------------------|-----------------------------|--|--|--|
|  | gas-pressu  | rized shock absorbers, st  | abilizer bar                |  |  |  |
| Service Brakes   | Front: Powe   | er-assisted front vented d | isc brakes (288 mm x 25 mm) |  |  |  |
| Rear: Power-assisted rear solid disc brakes (260 mm x 12 mm) |   |                            |                             |  |  |  |
| Anti-lock Braking System                                     | Standard, d   | all four wheels, 3-channe  | l with Electronic           |  |  |  |
|  | Stability Control (ESC)                             |                            |                             |  |  |  |
| DIMENSIONS (3-Door)  |   |                            |                             |  |  |  |
| Wheelbase  | 101.5 in  | 2,578 mm                   |                             |  |  |  |
| Front Track  | 60.7 in   | 1,541 mm                   |                             |  |  |  |
| Rear Track   | 59.6 in   | 1,514 mm                   |                             |  |  |  |
| Length   | 165.4 in  | 4,201 mm                   |                             |  |  |  |
| Width  | 70.0 in   | 1,779 mm                   |                             |  |  |  |
| Height   | 58.3 in   | 1,480 mm                   |                             |  |  |  |
| Ground Clearance   | 5.4 in  | 138 mm                     |                             |  |  |  |
| DIMENSIONS (5-Door)  |   |                            |                             |  |  |  |
| Wheelbase  | 101.5 in  | 2,578 mm                   |                             |  |  |  |
| Front Track  | 60.7 in   | 1,541 mm                   |                             |  |  |  |
| Rear Track   | 59.6 in   | 1,514 mm                   |                             |  |  |  |
| Length   | 165.4 in  | 4,201 mm                   |                             |  |  |  |
| Width  | 70.3 in   | 1,786 mm                   |                             |  |  |  |
| Height   | 58.3 in   | 1,480 mm                   |                             |  |  |  |
| Ground Clearance   | 5.4 in  | 138 mm                     |                             |  |  |  |
| WEIGHTS  | Manual  |                            | Automatic                   |  |  |  |
| Curb Weight  | 1,376 kg  |                            | 1,401 kg                    |  |  |  |
| Payload  | 578 kg  |                            | 573 kg                      |  |  |  |
| FUEL CONSUMPTION <sup>1</sup>                                | Manual  |                            | Automatic                   |  |  |  |
| City L/100 km  | 9.9   |                            | 9.1                         |  |  |  |
| Highway L/100 km   | 6.2   |                            | 6.5                         |  |  |  |
|  |   |                            |                             |  |  |  |

<sup>1</sup>Natural Resources Canada estimates only. Your fuel consumption may vary.

#### 5-Door 2.0 TDI Technical Specifications

| ENGINE             |
|--------------------|
| Туре               |
|                    |
| Bore               |
| Stroke             |
| Displacement       |
| Compression Rati   |
| Horsepower (SAE    |
| Maximum Torque     |
| Fuel Requirement   |
| ENGINE DESIGN      |
| Fuel/Air Supply    |
| Emissions          |
| ELECTRICAL SYS     |
| Ignition           |
| DRIVETRAIN         |
| Drivetrain         |
| CAPACITIES         |
| Fuel Tank          |
| STEERING           |
| Turning Circle (cu |
| INTERIOR VOLU      |
| Seating Capacity   |
| Passenger Volum    |
| Cargo Volume       |
| Cargo Volume wi    |
|                    |

Volume Head Room Shoulder Room Leg Room BODY, CHASSIS Front Suspension

Rear Suspension

Service Brakes

Anti-lock Braking S

|                      | 2.0 TDI 4             | l cylinder, in-line, Tu | bocharged Direc      | t Injection     |
|----------------------|-----------------------|-------------------------|----------------------|-----------------|
|                      | common                |                         | ged bilet            |                 |
|                      | 3.19 in               | 81.0 mm                 |                      |                 |
|                      | 3.74 in               | 95.5 mm                 |                      |                 |
|                      | 120.1 in <sup>3</sup> | 1,968 cm <sup>3</sup>   |                      |                 |
| •                    | 16.5:1                | 1,700 Cm                |                      |                 |
|                      |                       |                         | 201                  |                 |
| ) @ rpm              |                       | 000 (103 kW @ 4,0)      |                      |                 |
| , lb-ft @ rpm        | -                     | 750–2,500 (320 Nm       | @ 1,750=2,500)       |                 |
|                      | Ulfra-low             | sulphur diesel          |                      |                 |
|                      | FL                    |                         |                      |                 |
|                      |                       | cally controlled direc  | t injection (EDC),   | furbocharger    |
|                      | Tier II, BII          | N5                      |                      |                 |
| TEM                  | <b>D</b> 1 (1 ) 1     |                         |                      |                 |
|                      | Digital el            | ectronic with two kno   | ock sensors          |                 |
|                      |                       |                         |                      |                 |
|                      | Front-whe             | eel drive               |                      |                 |
|                      |                       |                         |                      |                 |
|                      | 55.0 L                |                         |                      |                 |
|                      |                       |                         |                      |                 |
| rb to curb)          | 35.8 ft               | 10.9 m                  |                      |                 |
| ME – SAE             |                       |                         |                      |                 |
|                      | Five                  |                         |                      |                 |
| e                    | 92.9 ft <sup>3</sup>  | 2.63 m <sup>3</sup>     |                      |                 |
|                      | 14.6 ft <sup>3</sup>  | 0.41 m <sup>3</sup>     |                      |                 |
| th rear seats folded | 45.9 ft <sup>3</sup>  | 1.30 m <sup>3</sup>     |                      |                 |
|                      | Front                 |                         | Rear                 |                 |
|                      | 51.2 ft <sup>3</sup>  | 1.45 m <sup>3</sup>     | 41.7 ft <sup>3</sup> | 1.18 m³         |
|                      | 39.3 in               | 998 mm                  | 38.5 in              | 979 mm          |
|                      | 54.7 in               | 1,389 mm                | 52.8 in              | 1,340 mm        |
|                      | 41.2 in               | 1,046 mm                | 35.5 in              | 901 mm          |
| AND SUSPENSION       |                       |                         |                      |                 |
|                      | Independ              | ent McPherson strut     | s, coil springs, tel | escopic shock   |
|                      | absorber              | s, integrated stabiliz  | er bar               |                 |
|                      | Multilink             | rear suspension, coil   | springs, telescop    | ic              |
|                      | gas-press             | urized shock absorb     | ers, stabilizer baı  |                 |
|                      | Front: Pov            | wer-assisted front ve   | nted disc brakes (   | 288 mm x 25 mm) |
|                      | Rear: Pow             | ver-assisted rear soli  | d disc brakes (260   | 0 mm x 12 mm)   |
| System               | Standard              | , all four wheels, 3-c  | hannel with Electi   | ronic           |
|                      |                       | Control (ESC)           |                      |                 |
|                      | /                     | · ·                     |                      |                 |

| DIMENSIONS                    |          |          |               |
|-------------------------------|----------|----------|---------------|
| Wheelbase                     | 101.5 in | 2,578 mm |               |
| Front Track                   | 60.7 in  | 1,541 mm |               |
| Rear Track                    | 59.6 in  | 1,514 mm |               |
| Length                        | 165.4 in | 4,201 mm |               |
| Width                         | 70.3 in  | 1,786 mm |               |
| Height                        | 58.3 in  | 1,480 mm |               |
| Ground Clearance              | 5.4 in   | 138 mm   |               |
| WEIGHTS                       | Manual   |          | DSG Automatic |
| Curb Weight                   | 1,388 kg |          | 1,409 kg      |
| Payload                       | 574 kg   |          | 573 kg        |
| FUEL CONSUMPTION <sup>1</sup> | Manual   |          | DSG Automatic |
| City L/100 km                 | 6.7      |          | 6.7           |
| Highway L/100 km              | 4.6      |          | 4.6           |
|                               |          |          |               |

<sup>1</sup>Natural Resources Canada estimates only. Your fuel consumption may vary.



# Once again, we've conquered space.

**Exterior** – If the 2011 Golf Wagon looks spacious, that's because it is. And if it looks more like a carefully sculpted driving machine, that's probably because it is too. But it's so much more than just a hatchback with extra room. Featuring the same slick low-profile front grille as the Golf hatchback, and the same distinctive lines, it's the sleekest wagon silhouette on the market. And with a plethora (yes, we said plethora) of standard and available features such as roof rails and a panoramic sunroof, the Golf Wagon takes the concept of the station wagon to a whole new level.

**2011 Golf Wagon** > Exterior





**2011 Golf Wagon** > Interior / Engine

Interior – Our engineers made sure that the 2011 Golf Wagon is full of sophisticated details and totally intuitive to operate. It offers a whopping 1.89 cubic metres of space with the rear seats folded. And a very generous 0.93 cubic metres when the seats are up. Prepare yourself for lots of standard driver, passenger and cargo friendly features like 60/40 split-folding rear bench, pass-through and available driver seat power recline. All to the tune of the Premium 8 sound system complete with 6-disc/MP3/SIRIUS® Satellite Radio. Add in available leather seating, Bluetooth® connectivity and touch-screen navigation system and you're more than ready to roll in stylish comfort.

**Engine** – Because you can fit a whole lot of family and friends (and a few furry ones in between), we made sure that the engine packs a whole lot of power to carry all that precious cargo. Rest assured, the 2011 Golf Wagon has the same road-embracing performance and power as its hatchback version – choose from a 2.5L, 170-horsepower gasoline engine or get even more fuel efficiency with a 2.0L, 140-horsepower TDI Clean Diesel engine. Just like the 2011 Golf TDI, you get more than 1,190 km per tank<sup>\*</sup>, low emissions and a whole lot of torque – 236 lb-ft. You get 2 powerful choices – from a 2.0 TDI 140-horsepower 6-speed manual engine or available 6-speed DSG automatic with Tiptronic<sup>®</sup>.

\*Based on estimated fuel consumption rating of 4.6L/100 km (highway) for the 2011 Golf Wagon TDI Clean Diesel equipped with manual transmission and a 55L fuel tank capacity. City rating is 6.7L/100 km. Your consumption may vary.

### **Golf Wagon** > Specs



#### rimlines

#### Choose your Wagon.

**Trendline** > A well-equipped start, our standard model is anything but standard.

**Comfortline** > High style meets high comfort. Add sophisticated details and comfortable touches to make your drive more enjoyable.

**Highline** > A luxurious option with a host of enviable technology and comfort features.

#### Get into a Golf Wagon. Visit your friendly Volkswagen dealer for a test drive, today.

#### Interiors



Scout/Merlin Cloth, Titan Black TL/CL



Vienna Leather, Titan Black HL

#### Wheels



16" Steel Wheel ΤI



16" Atlanta Allov Wheel CL/HL



# Feature Highlights > Specs

#### Golf Wagon Trendline

#### Engines 2.5L 170HP, 5-speed Manual

#### Trendline includes:

Auxiliary input Black roof rails Cargo area cover Cargo tie-down hooks Climatic<sup>™</sup> single-zone climate control Cruise control Diversity antenna Side Curtain Protection® Electronic Stability Control (ESC) Exterior temperature display Front and rear reading lights Front centre armrest with storage Remote central locking system

#### **Optional Equipment**

Cold Weather Package

Rear side airbags

#### Accessories









Barracuda Bike Holder









Aluminum Pedal Covers

Roof Carriers

Roof Box

Trunk Liner

Bluetooth® Hands-Free Facility Monster Mats

16" Sima Winter Wheel

18" Vision Alloy Wheel

34

#### **Golf Wagon** > Specs

2.5L 170HP, 6-speed Automatic with Tiptronic®

16" steel wheels with full wheel cover and all-season tires 60/40 split-folding rear seats with centre armrest and pass-through 8-way manually adjustable front seats with lumbar support

Driver and front passenger front and side airbags and front and rear

Power heatable and adjustable exterior mirrors

RCD 310 radio with single in-dash CD player and 8 speakers

Heatable front seats and washer nozzles

#### Golf Wagon Comfortline

#### Engines

2.5L 170HP, 5-speed Manual 2.5L 170HP, 6-speed Automatic with Tiptronic® 2.0 TDI 140HP, 6-speed Manual 2.0 TDI 140HP, 6-speed DSG Automatic with Tiptronic®

#### Comfortline includes Trendline plus:

16" alloy wheels 'Atlanta' with anti-theft locks and all-season tires Chrome exterior window surrounds Engine block heater and front fog lights (available with TDI models) Front and rear floor mats Front grille with chrome applications Heatable front seats and washer nozzles Leather-wrapped steering wheel, shift knob and handbrake lever

#### **Optional Equipment**

#### Multimedia Package

Premium 8 radio – touch screen with 6-disc CD changer MDI – Media Device Interface with iPod® connectivity Bluetooth<sup>®</sup> mobile phone connectivity with voice activation Multifunction steering wheel plus trip computer and indicator Digital compass SIRIUS<sup>®</sup> Satellite Radio integrated

Panoramic power sunroof

Rear side airbags

#### Golf Wagon Highline

#### Engines

2.0 TDI 140HP, 6-speed Manual 2.0 TDI 140HP, 6-speed DSG Automatic with Tiptronic®

#### Highline includes Comfortline plus:

Bluetooth<sup>®</sup> mobile phone connectivity with voice activation Digital compass Driver seat with power recline Leather seating surfaces Leather-wrapped multifunction steering wheel MDI – Media Device Interface with iPod® connectivity Multifunction trip computer and indicator Panoramic power sunroof Premium 8 radio – touch screen with 6-disc CD changer and 10 speakers Rear side airbags SIRIUS® Satellite Radio integrated

#### **Optional Equipment**

RNS 315 Navigation System

#### Golf Wagon > Specs

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

| Exterior            |  | TL | CL | HL |
|---------------------|--|----|----|----|
| Antenna             | Diversity antenna  | S  | S  | S  |
| Bumpers             | Body-colour bumpers with matching front and rear valance   | S  | S  | S  |
|                     | Dual steel exhaust pipes   | S  | S  | S  |
| Doors               | Body-colour door handles   | S  | S  | S  |
|                     | Side door sills in plastic   | S  | S  | S  |
| Glass               | Tinted glass, green  | S  | S  | S  |
| Grille              | Black front grille   | S  | -  | -  |
|                     | Black front grille with chrome applications  | -  | S  | S  |
| Lights, Front/Rear  | Dual-reflector halogen headlamps with clear, lightweight, chip-resistant polycarbonate lenses  | S  | S  | S  |
|                     | Daytime Running Lights (DRL). Upon start-up of vehicle, headlights engage with reduced power. Instrument panel lighting, parking lights and tail lights                      |    |    |    |
|                     | remain off. To engage all lights with full power, the light switch must be turned to the on position   | S  | S  | S  |
|                     | Halogen projector lens fog lights integrated into front bumper (available with TDI)  | -  | S  | S  |
|                     | Side turn signal lights integrated into side exterior mirrors  | S  | S  | S  |
| Mirrors             | Driver and passenger side power exterior mirrors, heatable   | S  | S  | S  |
| Rear Spoiler        | Aerodynamic rear spoiler integrated into tailgate  | S  | S  | S  |
| Roof                | Power glass panoramic sunroof with tilt, slide, tinted glass, power sunshade, pinch protection and driver's door power-lock-operated convenience closing and opening feature | -  | 0  | S  |
|                     | Roof rails, black  | S  | S  | S  |
| Tailgate/Cargo Area | Rear glass window with defrost   | S  | S  | S  |
| Tires               | 205/55 R16 H, all-season tires   | S  | S  | S  |
|                     | 195/65 R 15 H, steel spare wheel   | S  | S  | S  |
| Wheels              | 6.5J X 16" steel wheels, with full wheel cover   | S  | -  | -  |
|                     | 6.5J X 16" alloy wheels plus anti-theft locks  | -  | S  | S  |
| Windows             | Black window surrounds   | S  | -  | -  |
|                     | Chrome window surrounds  | -  | S  | S  |
| Wipers/Washer       | Aero windshield wipers   | S  | S  | S  |
|                     | Windshield wipers with variable intermittent wipe feature  | S  | S  | S  |
|                     | Heated windshield washer nozzles, front  | Р  | S  | S  |
|                     | Rear wiper with intermittent wipe feature  | S  | S  | S  |
| Interior            |  | TL | CL | HL |
| Air Conditioning    | Climatic <sup>™</sup> manual climate control   | S  | S  | S  |
| Alarm/Anti-Theft    | Anti-theft vehicle alarm system for doors, hood, trunk lid, radio and starter, with warning LED in driver's door top sill and with audible and visual activation             | S  | S  | S  |
|                     | Immobilizer IV theft-deterrent system  | S  | S  | S  |
| Armrests            | Front centre armrest adjustable/folding with storage compartment   | S  | S  | S  |
| Assist Handles      | Silicone damped-return assist handles, two front and two rear  | S  | S  | S  |
| Compass             | Digital compass  | -  | P  | S  |
| Cruise Control      | Cruise control with active display   | S  | S  | S  |
| Cupholders          | Dual front cupholders integrated into centre console   | S  | S  | S  |
|                     | Dual front cupholders integrated into front door pockets   | S  | S  | S  |
|                     | Dual rear cupholders integrated into rear centre armrest   | s  | S  | s  |
| Defroster           | Electric rear window defroster   | S  | S  | S  |
| Doors/Side Panels   | Molded door trim in cloth  | S  | S  | 5  |

Interior Floor Mats Instrument Cluster Keys Lighter/Outlets Lighting Locks Mirrors, Interior Ornamentation Radio/Audio/Navigation Remote Releases Restraint/Safety Systems

## Golf Wagon > Specs

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

|   |  | TL             | CL | HL |
|---|--|----------------|----|----|
|   | Molded door trim in leatherette  | -              | -  | S  |
|   | Integrated armrests in front door panels   | S              | S  | S  |
|   | Integrated armrests in rear door panels  | S              | S  | S  |
|   | Front and rear floor mats  | -              | S  | S  |
|   | Speedometer, tachometer, odometer, trip odometer, coolant temperature gauge, fuel gauge, gear indicator (if equipped with optional automatic transmission),                      |                |    |    |
|   | brake wear indicator, exterior temperature, warning lights, digital clock  | S              | S  | S  |
|   | Multifunction trip computer: Featuring trip time, trip length, average trip speed, average trip fuel consumption, current fuel consumption, distance to empty, compass,          |                |    |    |
|   | radio station display, personalizing functions   | -              | Р  | S  |
|   | Folding keys (2) with radio-frequency remote transmitter for central locking   | S              | S  | S  |
|   | Valet key  | S              | S  | S  |
|   | Two 12V auxiliary power outlets  | S              | S  | S  |
|   | Dual front and rear reading lights with time delay   | S              | S  | S  |
|   | Interior ambient lighting  | S              | S  | S  |
|   | Illuminated glove box  | S              | S  | S  |
|   | Luggage compartment light  | S              | S  | S  |
|   | Central power-locking system with key-operated closing feature for panoramic sunroof (when equipped), opening and closing feature for power windows and selective                |                |    |    |
|   | unlocking at driver door   | S              | S  | S  |
|   | Automatic locking feature (doors lock automatically when vehicle reaches 13 km/h)  | S              | S  | S  |
|   | Radio-frequency remote locking system with lock, unlock, rear hatch release and panic button on transmitter  | S              | S  | S  |
|   | Front and rear door-mounted lock/unlock switches for central locking system  | S              | S  | S  |
|   | Child safety locks on rear doors   | S              | S  | S  |
|   | Driver and front passenger visor vanity mirrors, illuminated with cover  | S              | S  | S  |
|   | Interior rearview mirror   | S              | S  | S  |
|   | Mirror control pad with joystick control   | S              | S  | S  |
|   | Chrome applications to instrument cluster  | S              | S  | S  |
|   | Chrome applications to interior door handles   | S              | S  | S  |
| n | RCD 310 AM/FM radio sound system with single CD player (MP3 readable) and 8 speakers   | S              | S  | -  |
|   | Premium 8 AM/FM radio sound system – 6.5-inch touch screen with in-dash 6-disc CD changer (MP3 readable), SD card input, SIRIUS® Satellite Radio integrated and 10 speakers      | -              | Р  | S  |
|   | RNS 315 Navigation System – AM/FM single CD (MP3 readable) satellite navigation system (SD card based), 5-inch touch screen with SD card input, 4GB flash drive, auxiliary input |                |    |    |
|   | and SIRIUS® Satellite Radio integrated and 10 speakers   | -              | -  | 0  |
|   | Auxiliary input jack   | S              | S  | S  |
|   | MDI – Media Device Interface with iPod® connectivity   | _              | Р  | S  |
|   | SIRIUS® Satellite Radio with limited complimentary subscription (3 months)   | -              | Р  | S  |
|   | Remote release for tailgate, located on driver's side door   | S              | S  | S  |
| S | Driver and front passenger airbag supplemental restraint system  | S              | S  | S  |
|   | Driver and front passenger side airbag supplemental restraint system   | S              | S  | S  |
|   | Side Curtain Protection® head airbags, front and rear  | S              | S  | S  |
|   | Rear passenger side thorax airbag supplemental restraint system  | O <sup>1</sup> | O1 | S  |
|   | Rear-impact optimized head restraints – front driver and passenger   | S              | S  | S  |
|   | 3-point safety belts, all five seating positions. Height adjustable for driver and front passenger   | S              | S  | S  |
|   | Emergency locking retractors for all seating positions   | S              | S  | S  |
|   | Front seat safety belt pre-tensioners with load limiters   | S              | S  | S  |

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

| Interior        |   | TL CL HL                        |
|-----------------|---|---------------------------------|
|                 | Rear outboard seating safety belt pre-tensioners with load limiters   | O <sup>1</sup> O <sup>1</sup> S |
|                 | Interlock feature – centre rear safety belt cannot be extended unless seatback is in fully locked position  | S S S                           |
|                 | LATCH (Lower Anchors and Top-tether for Children) – child seat lower attachment points and top tether rear outboard seating positions   | S S S                           |
|                 | Child seat tether anchorage points with markings in rear seating positions  | S S S                           |
|                 | Buckle switch (sensor that deploys airbag depending on safety belt use)   | S S S                           |
| eating, Front   | 8-way manually adjustable height and reach front seats, manual recline with adjustable lumbar support and lockable head restraints  | S S –                           |
|                 | 8-way manually adjustable height and reach front seats, power recline (driver seat) with adjustable lumbar support and lockable head restraints                                   | S                               |
|                 | Heatable front seats  | P S S                           |
| eating, Rear    | 60/40 split-folding rear seat with centre armrest and pass-through  | S S S                           |
|                 | Rear seat head restraints, height adjustable, all seating positions   | S S S                           |
| pecial Features | Side turn signal control stalk with lane-change feature (one touch, signals three times)  | S S S                           |
|                 | Intelligent crash response system. Once a certain severity of crash is detected, all doors are automatically unlocked, the battery terminal is automatically disconnected from    |                                 |
|                 | the alternator cable, fuel supply is automatically shut off, warning hazards are automatically switched on, and high consumption electrical components are automatically shut off | S S S                           |
| eering Wheel    | 3-spoke steering wheel  | S – –                           |
|                 | 3-spoke leather-wrapped steering wheel  | – S –                           |
|                 | 3-spoke leather-wrapped multifunction steering wheel  | – P S                           |
|                 | Electromechanical speed-sensitive power steering  | S S S                           |
|                 | Steering wheel deformable/collapsible upon impact   | S S S                           |
|                 | Height-adjustable and telescoping steering column   | S S S                           |
|                 | Theft-deterrent steering column   | s s s                           |
| orage, Interior | Front and rear door storage pockets   | S S S                           |
|                 | Storage bin located under left side of steering column  | S S S                           |
|                 | Glove box, lockable   | S S S                           |
|                 | Front storage compartment located in centre console   | S S S                           |
|                 | Storage compartment inside front centre armrest   | S S S                           |
|                 | Front seatback magazine storage pockets   | S S S                           |
|                 | Rear centre armrest, foldable with storage compartment  | S S S                           |
| lephone         | Bluetooth® mobile phone connectivity with voice activation  | – P S                           |
| im (Details)    | Molded shift knob   | S – –                           |
|                 | Leather-wrapped shift knob  | – S S                           |
|                 | Molded handbrake grip   | S – –                           |
|                 | Leather-wrapped handbrake grip  | – S S                           |
|                 | Cloth seating surfaces  | S S –                           |
|                 | Leather seating surfaces  | S                               |
|                 | Black pyramid trim – dashboard and door inserts   | S S S                           |
| unk/Cargo Area  | Fully carpeted/lined luggage compartment  | S S S                           |
|                 | Cargo area cover  | S S S                           |
|                 | Cargo area tie-down hooks   | S S S                           |
|                 | Dual floor storage compartments   | S S S                           |
|                 | Grip on inside of trunk lid to assist closing   | S S S                           |
|                 | Loading edge protection, plastic  | S S S                           |
| pholstery       | Scout/Merlin Cloth (comfort seats)  | S S –                           |
|                 |   |                                 |

Ventilation System

Windows

Technical

Body Panels Brakes

Emissions Engine

Side Protection

Steering Suspension

Traction Control

Transmission

38 |

# Golf Wagon > Specs

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

| ,   |    |    |    |
|---|----|----|----|
|   | TL | CL | HL |
| Vienna Leather (comfort seats)  | -  | -  | S  |
| Air vents in instrument panel   | S  | S  | S  |
| Rear passenger ventilation for heat and A/C in centre console   | S  | S  | S  |
| Power windows with pinch protection. Window lockout feature available on driver side door                       | S  | S  | S  |
| Power windows automatic up/down (one touch, all windows)  | S  | S  | S  |
|   | TL | CL | HL |
| Crash-optimized front end   | S  | S  | S  |
| ABS (Anti-lock Braking System)  | S  | S  | S  |
| Power-assisted front vented disc brakes, rear solid disc brakes   | S  | S  | S  |
| Electronic Brake-pressure Distribution (EBD)  | S  | S  | S  |
| Hydraulic Brake Assistant (HBA)   | S  | S  | S  |
| Hill Hold Assist  | S  | S  | S  |
| Tier II, BIN5   | S  | S  | S  |
| 2.5L 170 horsepower, 177 lb-ft torque, 5 cylinder, in-line, dual overhead cam, 4 valves per cylinder            | S  | S  | -  |
| 2.0 TDI 140 horsepower, 236 lb-ft torque, 4 cylinder, turbocharged, in-line, common rail, 4 valves per cylinder | -  | S  | S  |
| Engine block heater (available on TDI)  | -  | S  | S  |
| Anti-intrusion side door beams  | S  | S  | S  |
| Electromechanical power-assisted rack and pinion steering   | S  | S  | S  |
| Independent front McPherson struts with stabilizer bar  | S  | S  | S  |
| Rear fully independent four-link suspension with coil springs, telescopic shock absorbers and stabilizer bar    | S  | S  | S  |
| Anti-Slip Regulation (ASR)  | S  | S  | S  |
| Engine Braking Assist (EBA)   | S  | S  | S  |
| Electronic Differential Lock (EDL)  | S  | S  | S  |
| Electronic Stability Control (ESC)  | S  | S  | S  |
| 5-speed manual transmission   | S  | S  | -  |
| 6-speed manual transmission (available with TDI)  | -  | S  | S  |
| 6-speed automatic transmission with Tiptronic® and Sport mode   | 0  | 0  | -  |
| 6-speed automatic Direct Shift Gearbox with Tiptronic® and Sport mode (available with TDI)                      | -  | 0  | 0  |
| Cable shift mechanism – manual transmission only  | S  | S  | S  |
| Clutch starter interlock for manual transmission. Vehicle will not start if clutch is not depressed             | S  | S  | S  |
| Hydraulic clutch for manual transmission  | S  | S  | S  |

<sup>1</sup>In combination with the rear passenger side thorax airbag supplemental restraint system option.

# Golf Wagon > Specs

#### 2.5L Technical Specifications

| T   |   |  |  |   |
|---|---|--|--|---|
| Туре  | 2.5L, 5 cyl   | inder, in-line   |  |   |
| Bore  | 3.25 in   | 82.5 mm  |  |   |
| Stroke  | 3.65 in   | 92.8 mm  |  |   |
| Displacement  | 151.0 in <sup>3</sup>   | 2,480 cm <sup>3</sup>  |  |   |
| Compression Ratio   | 9.5:1   |  |  |   |
| Horsepower (SAE) @ rpm  | 170 @ 5,7   | 00 (125 kW @ 5,7   | 00)  |   |
| Maximum Torque, lb-ft @ rpm   | 177 @ 4,2   | 50 (240 Nm @ 4,  | 250)   |   |
| Fuel Requirement  | Regular u   | nleaded  |  |   |
| ENGINE DESIGN   |   |  |  |   |
| Fuel/Air Supply   | Sequentia   | l multi-point fuel i   | njection (Motron   | ic)   |
| Emissions   | Tier II, BIN  | 15   |  |   |
| ELECTRICAL SYSTEM   |   |  |  |   |
| Ignition  | Digital ele   | ectronic with two k  | nock sensors   |   |
| DRIVETRAIN  |   |  |  |   |
| Drivetrain  | Front-whe   | el drive   |  |   |
| CAPACITIES  |   |  |  |   |
| Fuel Tank   | 55.0 L  |  |  |   |
| STEERING  |   |  |  |   |
| Turning Circle (curb to curb)   | 35.8 ft   | 10.9 m   |  |   |
| INTERIOR VOLUME – SAE   |   |  |  |   |
| Seating Capacity  | Five  |  |  |   |
| Passenger Volume  | 91.7 ft <sup>3</sup>  | 2.60 m <sup>3</sup>  |  |   |
| Cargo Volume  | 32.8 ft <sup>3</sup>  | 0.93 m <sup>3</sup>  |  |   |
| Cargo Volume with rear seats  |   |  |  |   |
| folded (floor to ceiling)   | 67 ft³  | 1.89 m³  |  |   |
|   |   |  |  |   |
|   | Front   |  | Rear   |   |
| Volume  | Front<br>50.1 ft <sup>3</sup>   | 1.42 m³  | Rear<br>41.6 ft <sup>3</sup>   | 1.18 m <sup>3</sup>   |
| Volume<br>Head Room   |   | 1.42 m³<br>976 mm  |  | 1.18 m³<br>969 mm   |
|   | 50.1 ft³  |  | 41.6 ft³   |   |
| Head Room   | 50.1 ft³<br>38.4 in   | 976 mm   | 41.6 ft³<br>38.1 in  | 969 mm  |
| Head Room<br>Shoulder Room  | 50.1 ft³<br>38.4 in<br>54.8 in  | 976 mm<br>1,391 mm   | 41.6 ft³<br>38.1 in<br>53.1 in   | 969 mm<br>1,348 mm  |
| Head Room<br>Shoulder Room<br>Leg Room  | 50.1 ft³<br>38.4 in<br>54.8 in<br>41.1 in   | 976 mm<br>1,391 mm   | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in  | 969 mm<br>1,348 mm<br>901 mm  |
| Head Room<br>Shoulder Room<br>Leg Room<br>BODY, CHASSIS AND SUSPENSION  | 50.1 ft <sup>3</sup><br>38.4 in<br>54.8 in<br>41.1 in   | 976 mm<br>1,391 mm<br>1,045 mm   | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in<br>uts, coil springs, t  | 969 mm<br>1,348 mm<br>901 mm  |
| Head Room<br>Shoulder Room<br>Leg Room<br>BODY, CHASSIS AND SUSPENSION  | 50.1 ft <sup>3</sup><br>38.4 in<br>54.8 in<br>41.1 in<br>Independe  | 976 mm<br>1,391 mm<br>1,045 mm<br>ent McPherson stru   | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in<br>uts, coil springs, t<br>izer bar  | 969 mm<br>1,348 mm<br>901 mm<br>telescopic shock                                  |
| Head Room<br>Shoulder Room<br>Leg Room<br>BODY, CHASSIS AND SUSPENSION<br>Front Suspension                    | 50.1 ft <sup>3</sup><br>38.4 in<br>54.8 in<br>41.1 in<br>Independe<br>absorbers<br>Multilink r  | 976 mm<br>1,391 mm<br>1,045 mm<br>ent McPherson stri<br>;, integrated stabil   | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in<br>uts, coil springs, telesc<br>il springs, telesc   | 969 mm<br>1,348 mm<br>901 mm<br>telescopic shock                                  |
| Head Room<br>Shoulder Room<br>Leg Room<br>BODY, CHASSIS AND SUSPENSION<br>Front Suspension                    | 50.1 ft <sup>3</sup><br>38.4 in<br>54.8 in<br>41.1 in<br>Independe<br>absorbers<br>Multilink r<br>gas-press   | 976 mm<br>1,391 mm<br>1,045 mm<br>ent McPherson stri<br>i, integrated stabil<br>rear suspension, co  | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in<br>uts, coil springs, t<br>izer bar<br>bil springs, telesc<br>rbers, stabilizer b                        | 969 mm<br>1,348 mm<br>901 mm<br>telescopic shock<br>copic<br>bar                  |
| Head Room<br>Shoulder Room<br>Leg Room<br>BODY, CHASSIS AND SUSPENSION<br>Front Suspension<br>Rear Suspension | 50.1 ft <sup>3</sup><br>38.4 in<br>54.8 in<br>41.1 in<br>Independe<br>absorbers<br>Multilink r<br>gas-press   | 976 mm<br>1,391 mm<br>1,045 mm<br>ent McPherson strr<br>i, integrated stabil<br>rear suspension, cc<br>urized shock abso<br>er-assisted, dual-ci         | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in<br>uts, coil springs, t<br>izer bar<br>bil springs, telesc<br>rbers, stabilizer b                        | 969 mm<br>1,348 mm<br>901 mm<br>telescopic shock<br>copic<br>bar                  |
| Head Room<br>Shoulder Room<br>Leg Room<br>BODY, CHASSIS AND SUSPENSION<br>Front Suspension<br>Rear Suspension | 50.1 ft <sup>3</sup><br>38.4 in<br>54.8 in<br>41.1 in<br>Independe<br>absorbers<br>Multilink r<br>gas-press<br>Front: Powe<br>(288 mm x             | 976 mm<br>1,391 mm<br>1,045 mm<br>ent McPherson strr<br>i, integrated stabil<br>rear suspension, cc<br>urized shock abso<br>er-assisted, dual-ci         | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in<br>uts, coil springs, f<br>izer bar<br>pil springs, telesc<br>rbers, stabilizer f<br>rcuit, front vented | 969 mm<br>1,348 mm<br>901 mm<br>telescopic shock<br>copic<br>bar<br>d disc brakes |
| Head Room<br>Shoulder Room<br>Leg Room<br>BODY, CHASSIS AND SUSPENSION<br>Front Suspension<br>Rear Suspension | 50.1 ft <sup>3</sup><br>38.4 in<br>54.8 in<br>41.1 in<br>Independe<br>absorbers<br>Multilink r<br>gas-press<br>Front: Pow<br>(288 mm x<br>Rear: Pow | 976 mm<br>1,391 mm<br>1,045 mm<br>ent McPherson strr<br>, integrated stabil<br>ear suspension, cc<br>urized shock abso<br>er-assisted, dual-ci<br>25 mm) | 41.6 ft <sup>3</sup><br>38.1 in<br>53.1 in<br>35.5 in<br>uts, coil springs, t<br>izer bar<br>pil springs, telesc<br>rbers, stabilizer l<br>rcuit, front ventec | 969 mm<br>1,348 mm<br>901 mm<br>telescopic shock<br>copic<br>bar<br>d disc brakes |

| DIMENSIONS                    |          |          |           |
|-------------------------------|----------|----------|-----------|
| Wheelbase                     | 101.5 in | 2,578 mm |           |
| Front Track                   | 60.7 in  | 1,541 mm |           |
| Rear Track                    | 59.6 in  | 1,514 mm |           |
| Length                        | 179.4 in | 4,556 mm |           |
| Width                         | 70.1 in  | 1,781 mm |           |
| Height                        | 59.2 in  | 1,504 mm |           |
| Ground Clearance              | 5.4 in   | 138 mm   |           |
| WEIGHTS                       | Manual   |          | Automatic |
| Curb Weight                   | 1,464 kg |          | 1,490 kg  |
| Payload                       | 498 kg   |          | 502 kg    |
| FUEL CONSUMPTION <sup>1</sup> | Manual   |          | Automatic |
| City L/100 km                 | 9.9      |          | 9.1       |
| Highway L/100 km              | 6.2      |          | 6.5       |

<sup>1</sup>Natural Resources Canada estimates only. Your fuel consumption may vary.



Rear Suspension

Service Brakes

Anti-lock Braking S

# Golf Wagon > Specs

#### 2.0 TDI Technical Specifications

|                     | 2.0 TDI, 4 c          | ylinder, in-line, Turbochd    | arged Direct         | Injection,          |
|---------------------|-----------------------|-------------------------------|----------------------|---------------------|
|                     | common ra             |                               |                      |                     |
|                     | 3.19 in               | 81.0 mm                       |                      |                     |
|                     | 3.74 in               | 95.5 mm                       |                      |                     |
|                     | 120.1 in <sup>3</sup> | 1,968 cm <sup>3</sup>         |                      |                     |
| o                   | 16.5:1                |                               |                      |                     |
| :) @ rpm            |                       | 00 (103 kW @ 4,000)           |                      |                     |
| , lb-ft @ rpm       | • •                   | 0–2,500 (320 Nm @ 1,7         | 50-2,500)            |                     |
|                     | -                     | ulphur diesel                 | , ,                  |                     |
| l                   |                       |                               |                      |                     |
|                     | Electronica           | lly controlled direct injec   | tion (EDC). t        | urbocharaer         |
|                     | Tier II, BIN          |                               |                      |                     |
| TEM                 | .,                    |                               |                      |                     |
|                     | Digital elec          | tronic with two knock ser     | isors                |                     |
|                     | 5                     |                               |                      |                     |
|                     | Front-whee            | l drive                       |                      |                     |
|                     |                       |                               |                      |                     |
|                     | 55.0 L                |                               |                      |                     |
|                     | -                     |                               |                      |                     |
| rb to curb)         | 35.8 ft               | 10.9 m                        |                      |                     |
| ME – SAE            |                       |                               |                      |                     |
|                     | Five                  |                               |                      |                     |
| e                   | 91.7 ft <sup>3</sup>  | 2.60 m <sup>3</sup>           |                      |                     |
|                     | 32.8 ft <sup>3</sup>  | 0.93 m <sup>3</sup>           |                      |                     |
| th rear seat folded |                       |                               |                      |                     |
|                     | 67 ft³                | 1.89 m <sup>3</sup>           |                      |                     |
|                     | Front                 |                               | Rear                 |                     |
|                     | 50.1 ft <sup>3</sup>  | 1.42 m <sup>3</sup>           | 41.6 ft <sup>3</sup> | 1.18 m <sup>3</sup> |
|                     | 38.4 in               | 976 mm                        | 38.1 in              | 969 mm              |
|                     | 54.8 in               | 1,391 mm                      | 53.1 in              | 1,348 mm            |
|                     | 41.1 in               | 1,045 mm                      | 35.5 in              | 901 mm              |
| AND SUSPENSION      |                       | • •                           |                      | -                   |
|                     | Independe             | nt McPherson struts, coil     | springs, teles       | scopic shock        |
|                     |                       | integrated stabilizer bar     |                      |                     |
|                     |                       | ar suspension, coil spring    |                      | c                   |
|                     |                       | rized shock absorbers, st     |                      |                     |
|                     |                       | r-assisted, dual-circuit, fro |                      | c brakes            |
|                     | (288 mm x 2           |                               |                      |                     |
|                     |                       | r-assisted rear solid disc    | brakes (260          | mm x 12 mm)         |
| System              |                       | all four wheels, 3-channe     |                      | ,                   |
| ,                   |                       | Stability Control (ESC)       |                      |                     |
|                     |                       | ,                             |                      |                     |

| DIMENSIONS                    |          |          |               |
|-------------------------------|----------|----------|---------------|
| Wheelbase                     | 101.5 in | 2,578 mm |               |
| Front Track                   | 60.7 in  | 1,541 mm |               |
| Rear Track                    | 59.6 in  | 1,514 mm |               |
| Length                        | 179.4 in | 4,556 mm |               |
| Width                         | 70.1 in  | 1,781 mm |               |
| Height                        | 59.2 in  | 1,504 mm |               |
| Ground Clearance              | 5.4 in   | 138 mm   |               |
| WEIGHTS                       | Manual   |          | DSG Automatic |
| Curb Weight                   | 1,484 kg |          | 1,511 kg      |
| Payload                       | 451 kg   |          | 444 kg        |
| FUEL CONSUMPTION <sup>1</sup> | Manual   |          | DSG Automatic |
| City L/100 km                 | 6.7      |          | 6.7           |
| Highway L/100 km              | 4.6      |          | 4.6           |

<sup>1</sup>Natural Resources Canada estimates only. Your fuel consumption may vary.



# Ladies and Gentlemen, Start Your GTIs.

**Exterior** – The ultimate performance package, the 2011 Golf GTI turns the most ordinary of roads into something special. Just ask the Automobile Journalists Association of Canada – they named it 2010 Canadian Car of the Year. Featuring a slick low-profile front grille and tailgate, redesigned wheels, headlights and tail lights, and a daringly low sports suspension, everything about the Golf GTI means business. Bi-Xenon headlamps with Adaptive Front-light System (AFS) and available 18" alloy wheels complete the package to ensure there's never a dull moment – night or day. Whether you pick up the 3-door or 5-door model, the Golf GTI is sure to turn heads.

**2011 Golf GTI** > Exterior







# Welcome to the machine.

Interior – It's not just what's under the hood that counts. Under the roof matters just as much. That's why we equipped the ultra-modern cabin with things like Climatronic® control (dual-zone automatic climate control), multifunction leather-wrapped steering wheel, finished sport seats, Bluetooth® mobile phone connectivity with voice activation, available satellite navigation and a Dynaudio® Sound System that puts you firmly in the captain's seat. Countdown to ignition...

**Engine** – Take off with the legendary 2.0 TSI 200-horsepower turbocharged engine and a 6-speed manual transmission or available 6-speed DSG transmission with paddle shifting. DSG stands for Direct Shift Gearbox, which enables you to shift so smoothly and quickly (4/100ths of a second) that you'll wonder how you ever managed without it. You may also wonder just how our engineers invented the Electronic Transverse Differential Lock (XDS for short) – a race-inspired innovation that maximizes traction, reduces understeer and improves overall response in corners.

**2011 Golf GTI** > Interior / Engine

2.

200 -

220 -

44 | 45

## Golf GTI > Specs



#### Options

Choose your GTI.

3-door and 5-door available.

Get into a Golf GTI. Visit your friendly Volkswagen dealer for a test drive, today.

# Interiors

Jacky Cloth, Sport Seats



Vienna Leather Titan Black Top Sport Seats

#### Wheels



17" Denver Alloy Wheel

18" Detroit Alloy Wheel Optional

Accessories







Barracuda Bike Holder





















Engines

**3-Door includes:** 

Auxiliary input Cruise control Diversity antenna Electronic Stability Control (ESC) Front fog lights Heatable front seats and washer nozzles SIRIUS<sup>®</sup> Satellite Radio integrated Sport suspension

#### **Optional Equipment**

Luxury Leather Package: Leather seating surfaces Power sunroof

Technology Package:

Power sunroof

18" alloy wheels 'Detroit' with all-season tires

Roof Box

Hands-Free Facility

16" Sima Winter Wheel

46

Monster Mats

Cargo Organizer

MDI

18" Onyx Winter Wheel

#### **Golf GTI** > Specs

#### Feature Highlights > Specs

#### Golf 3-Door GTI

2.0 TSI 200HP, 6-speed Manual 2.0 TSI 200HP, 6-speed DSG Automatic with Tiptronic®

17" alloy wheels 'Denver' with anti-theft locks and all-season tires 60/40 split-folding rear seats with centre armrest and pass-through 8-way manually adjustable sport seats with lumbar support and easy entry

Bi-Xenon headlights with Adaptive Front-light System (AFS) Bluetooth® mobile phone connectivity with voice activation Climatronic<sup>®</sup> dual-zone electronic climate control

Driver and front passenger front and side airbags and front and rear Side Curtain Protection®

Multifunction GTI sport steering wheel with available DSG paddle shifters Multifunction trip computer and indicator Premium 8 radio – touch screen with 6-disc CD changer and 8 speakers

Top sport front seats with power lumbar support

RNS 510 Navigation – touch screen with 30GB hard drive MDI – Media Device Interface with iPod® connectivity Dynaudio<sup>®</sup> – 300-watt digital sound package

#### Golf 5-Door GTI

#### Engines

2.0 TSI 200HP, 6-speed Manual 2.0 TSI 200HP, 6-speed DSG Automatic with Tiptronic®

#### 5-Door includes:

17" alloy wheels 'Denver' with anti-theft locks and all-season tires 60/40 split-folding rear seats with centre armrest and pass-through 8-way manually adjustable sport seats with lumbar support and power recline Auxiliary input Bi-Xenon headlights with Adaptive Front-light System (AFS) Bluetooth<sup>®</sup> mobile phone connectivity with voice activation Climatronic<sup>®</sup> dual-zone electronic climate control Cruise control Diversity antenna Driver and front passenger front and side airbags and front and rear Side Curtain Protection® Electronic Stability Control (ESC) Front fog lights Heatable front seats and washer nozzles Multifunction GTI sport steering wheel with available DSG paddle shifters Multifunction trip computer and indicator Premium 8 radio – touch screen with 6-disc CD changer and 8 speakers SIRIUS<sup>®</sup> Satellite Radio integrated Sport suspension

#### **Optional Equipment**

Luxury Leather Package: Leather seating surfaces Power sunroof Top sport front seats with manual lumbar support

Technology Package: RNS 510 Navigation – touch screen with 30GB hard drive MDI – Media Device Interface with iPod® connectivity Dynaudio<sup>®</sup> – 300-watt digital sound package

Power sunroof

18" alloy wheels 'Detroit' with all-season tires

Rear side air bags

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

| Exterior           |  | 3-D | 5-D   |
|--------------------|--|-----|-------|
| Antenna            | Diversity antenna  | S   | S     |
| Bumpers            | Dual steel exhaust pipes   | S   | S     |
| Doors              | Body-colour door handles   | S   | S     |
| Glass              | Tinted glass, green  | S   | S     |
| Grille             | Black front grille in honeycomb mesh with red stripping  | S   | S     |
| Hatch/Cargo Area   | Rear glass window with defrost   | S   | S     |
| Lights, Front/Rear | Bi-Xenon high-intensity gas-discharge headlights with auto-levelling, clear, lightweight, chip-resistant polycarbonate lenses  | S   | S     |
|                    | Adaptive Front-light System (AFS). Headlight-range adjustment, automatic-dynamic with curve light and turn signal light  | S   | S     |
|                    | Daytime Running Lights (DRL). Upon start-up of vehicle, headlights engage with reduced power. Instrument panel lighting, parking lights and tail lights remain off. To engage all lights |     |       |
|                    | with full power, the light switch must be turned to the on position  | S   | S     |
|                    | Halogen projector lens fog lights  | S   | S     |
|                    | Side turn signal lights integrated into side exterior mirrors  | S   | S     |
| Mirrors            | Body-colour mirror housings  | S   | S     |
|                    | Driver and passenger side power exterior mirrors, heatable   | S   | S     |
| Moldings/Panels    | Textured black side skirts   | S   | S     |
| Rear Spoiler       | Aerodynamic rear spoiler integrated into hatch   | S   | S     |
| Roof               | Power glass sunroof with tilt, slide, tinted glass, manual sunshade, pinch protection and driver's door power-operated convenience closing feature                                       | O/P | O / P |
| Tires              | 225/45 R17 H, all-season tires   | S   | S     |
|                    | 225/40 R18 H, all-season tires   | 0   | 0     |
|                    | 205/55 R16 H, steel spare wheel  | S   | S     |
| Wheels             | 7J X 17" alloy wheels plus anti-theft locks  | S   | S     |
|                    | 7.5J X 18" alloy wheels plus anti-theft locks  | 0   | 0     |
| Wipers/Washer      | Windshield wipers with variable intermittent wipe feature  | S   | S     |
|                    | Heated windshield washer nozzles, front  | S   | S     |
|                    | Rear wiper with intermittent wipe feature  | S   | S     |
| Interior           |  | 3-D | 5-D   |
| Air Conditioning   | Climatronic® dual-zone electronic climate control. Driver and passenger side controls for automatic climate control system   | S   | S     |
| Alarm/Anti-Theft   | Anti-theft vehicle alarm system for doors, hood, trunk lid, radio and starter, with warning LED in driver's door top sill and with audible and visual activation                         | S   | S     |
|                    | Immobilizer IV theft-deterrent system  | S   | S     |
| Armrests           | Front centre armrest adjustable/folding with storage compartment   | S   | S     |
|                    | Rear centre armrest adjustable/folding   | S   | S     |
| Assist Handles     | Silicone damped-return assist handles, two front and two rear  | S   | S     |
| Compass            | Digital compass  | S   | S     |
| Cruise Control     | Cruise control with active display   | S   | S     |
| Cupholders         | Dual front cupholders integrated into centre console   | S   | S     |
|                    | Dual front bottle holders integrated into front door pockets   | S   | S     |
|                    | Rear cupholders  | S   | S     |
| Defroster          | Electric rear window defroster   | S   | S     |
| Doors/Side Panels  | Molded door trim in cloth  | S   | S     |
|                    | Molded door trim in leatherette  | Р   | Р     |
|                    |  |     |       |

Interior

Hatch/Cargo Area Instrument Cluster

Keys Lighter/Outlets Lighting

Locks

Mirrors, Interior

Ornamentation

Radio/Audio/Navigatio

Remote Releases Restraint/Safety System

48 |

#### Golf GTI > Specs

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

|  | <u> </u> |  |
|--|----------|--|
| Fully carpeted/lined luggage compartment   | 5        |  |
| Speedometer, tachometer, trip odometer, coolant temperature gauge, fuel gauge, gear indicator (if equipped with optional automatic transmission), brake wear indicator,    |          |  |
| exterior temperature, warning lights, digital clock  | S        |  |
| Multifunction trip computer: Featuring trip time, trip length, average trip speed, average trip fuel consumption, current fuel consumption, distance to empty, compass,    |          |  |
| radio station display, personalizing functions   | S        |  |
| Folding keys (2) with radio-frequency remote transmitter for central locking   | S        |  |
| Two 12V auxiliary power outlets  | S        |  |
| Interior ambient lighting  | S        |  |
| Footwell lighting, front   | S        |  |
| Illuminated glove box  | S        |  |
| Luggage compartment light  | S        |  |
| Central power-locking system with closing feature for sunroof (when equipped), opening and closing feature for power windows and selective unlocking at driver door        | S        |  |
| Automatic locking feature (doors lock automatically when vehicle reaches 13 km/h)  | S        |  |
| Radio-frequency remote locking system with lock, unlock, rear hatch release and panic button on transmitter  | S        |  |
| Front door-mounted lock/unlock switches for central locking system   | S        |  |
| Front and rear door-mounted lock/unlock switches for central locking system  | -        |  |
| Child safety locks on rear doors   | -        |  |
| Dual driver and front passenger visor vanity mirrors, illuminated with cover   | S        |  |
| Interior rearview mirror   | S        |  |
| Mirror control pad with joystick control   | S        |  |
| Brushed aluminum sport pedals and dead pedal   | S        |  |
| Brushed aluminum accents   | S        |  |
| Chrome applications to instrument cluster  | S        |  |
| Chrome applications to interior door handles   | S        |  |
| Premium 8 AM/FM radio sound system – 6.5-inch touch screen with in-dash 6-disc CD changer (MP3 readable), SD card input, SIRIUS® Satellite Radio integrated and 8 speakers | S        |  |
| RNS 510 Navigation System – AM/FM single CD (MP3 readable) satellite navigation system (DVD based), 6.5-inch touch screen with SD card input, 30GB hard drive (10GB        |          |  |
| map data, 20GB music data), SIRIUS <sup>®</sup> Satellite Radio integrated and 8 speakers  | Р        |  |
| Dynaudio <sup>®</sup> 300-watt digital sound upgrade with 8 speakers   | P        |  |
| Auxiliary input jack   | s        |  |
| MDI – Media Device Interface with iPod® connectivity   | P        |  |
| SIRIUS® Satellite Radio with limited complimentary subscription (3 months)   | S        |  |
| Remote release for rear hatch, located on driver's side door   | S        |  |
| Driver and front passenger airbag supplemental restraint system  | 5<br>C   |  |
| Driver and front passenger side airbag supplemental restraint system   | S        |  |
| Side Curtain Protection® head airbags, front and rear  | c        |  |
| Rear passenger side thorax airbag supplemental restraint system  | 3        |  |
|  | S        |  |
| Rear-impact optimized head restraints – front driver and passenger   | S        |  |
| 3-point safety belts, all five seating positions. Height adjustable for driver and front passenger   | 5        |  |
| Emergency locking retractors for all seating positions   | S        |  |
| Front seat safety belt pre-tensioners with load limiters   | S        |  |
| Rear outboard seating safety belt pre-tensioners with load limiters  | -        |  |

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

| In  | iterior         |   | 3-D | 5-D |
|-----|-----------------|---|-----|-----|
|     |                 | LATCH (Lower Anchors and Top-tether for Children) – child seat lower attachment points and top tether rear outboard seating positions   | S   | S   |
|     |                 | Child seat tether anchorage points with markings in rear seating positions  | S   | S   |
|     |                 | Buckle switch (sensor that deploys airbag depending on safety belt use)   | S   | S   |
| Se  | eating, Front   | 8-way manually adjustable height and reach sport front seats with adjustable lumbar support and lockable head restraints  | S   | -   |
|     |                 | 8-way manually adjustable height and reach top sport front seats, with power adjustable lumbar support and lockable head restraints   | Р   | -   |
|     |                 | 8-way partial power (power recline) adjustable height and reach sport front seats, with adjustable lumbar support and lockable head restraints                                    | -   | S   |
|     |                 | 8-way partial power (power recline) adjustable height and reach top sport front seats, with adjustable lumbar support and lockable head restraints                                | -   | Р   |
|     |                 | Easy entry system for easy access to rear seats   | S   | -   |
|     |                 | Heatable front seats  | S   | S   |
| Se  | eating, Rear    | 60/40 split-folding rear seat with centre armrest and pass-through  | S   | S   |
|     |                 | Rear seat head restraints, height adjustable, all seating positions   | S   | S   |
| Sp  | oecial Features | Intelligent crash response system. Once a certain severity of crash is detected, all doors are automatically unlocked, the battery terminal is automatically disconnected from    |     |     |
|     |                 | the alternator cable, fuel supply is automatically shut off, warning hazards are automatically switched on, and high consumption electrical components are automatically shut off | S   | S   |
| Ste | eering Wheel    | 3-spoke sport leather-wrapped GTI multifunction steering wheel (available with DSG paddle shifters)   | S   | S   |
|     |                 | Electromechanical speed-sensitive power steering  | S   | S   |
|     |                 | Height-adjustable and telescoping steering column   | S   | S   |
|     |                 | Theft-deterrent steering column   | S   | S   |
| Sto | orage, Interior | Front and rear door storage pockets   | S   | S   |
|     |                 | Glove box, lockable   | S   | S   |
|     |                 | Front storage compartment located in centre console   | S   | S   |
|     |                 | Front seatback magazine storage pockets   | S   | S   |
| Te  | lephone         | Bluetooth® mobile phone connectivity with voice activation  | S   | S   |
| Tri | im (Details)    | Leather-wrapped shift knob (GTI)  | S   | S   |
|     |                 | Leather-wrapped handbrake grip  | S   | S   |
|     |                 | Cloth seating surfaces  | S   | S   |
|     |                 | Leather seating surfaces  | Р   | Р   |
|     |                 | Black stripe trim – dashboard and door inserts  | S   | S   |
| Up  | pholstery       | Jacky Cloth (sport seats)   | S   | S   |
|     |                 | Vienna Leather (top sport seats)  | Р   | Р   |
| W   | 'indows         | Power windows with pinch protection. Window lockout feature available on driver side door   | S   | S   |
|     |                 | Power windows automatic up/down (one touch, all windows)  | S   | S   |
| Te  | echnical        |   | 3-D | 5-D |
| Во  | ody Panels      | Crash-optimized front end   | S   | S   |
| Bre | akes            | Anti-lock Braking System (ABS)  | S   | S   |
|     |                 | Power-assisted front vented disc brakes, rear solid disc brakes   | S   | S   |
|     |                 |   |     |     |

Technical Suspension Traction Control Transmission

S S

S S

S S

S S

S S

S S S S

Side Protection

Emissions

Steering

Engine

Electronic Brake-pressure Distribution (EBD)

Electromechanical power-assisted rack and pinion steering

2.0 TSI 200 horsepower, 207 lb-ft torque, 4 cylinder, turbocharged, in-line, 4 valves per cylinder

Hydraulic Brake Assistant (HBA)

Anti-intrusion side door beams

Hill Hold Assist

Tier II, BIN5

#### **Golf GTI** > Specs

Legend > S = Standard, at no additional charge. O = Option, at additional charge. P = Part of option package, at additional package charge. - = Not available.

|  | 3 | 3-D | 5-D |
|--|---|-----|-----|
| Independent front McPherson struts with stabilizer bar   |   | S   | S   |
| Rear fully independent four-link suspension with coil springs, telescopic shock absorbers and stabilizer bar |   | s   | S   |
| Sport suspension   |   | S   | S   |
| Anti-Slip Regulation (ASR)   |   | S   | S   |
| Engine Braking Assist (EBA)  |   | S   | S   |
| Electronic Transverse Differential Lock (XDS)  |   | S   | S   |
| Electronic Stability Control (ESC)   |   | S   | S   |
| 6-speed manual transmission  |   | S   | S   |
| 6-speed automatic Direct Shift Gearbox with Tiptronic® and Sport mode  |   | 0   | 0   |
| Cable shift mechanism – manual transmission only   |   | S   | S   |
| Clutch starter interlock for manual transmission. Vehicle will not start if clutch is not depressed          |   | S   | S   |
| Hydraulic clutch for manual transmission   |   | S   | S   |

<sup>1</sup>In combination with the rear passenger side thorax airbag supplemental restraint system option.

# Golf GTI > Specs

#### 2.0 TSI Technical Specifications

| Type         2.0 TSI, 4 cylinder, in-line, turbacharged with intercooler<br>and direct injection           Bore         3.25 in<br>3.25 in<br>82.5 mm         82.5 mm           Stroke         3.66 in<br>92.8 mm         >>>>>>>>>>>>>>>>>>>>>>>>>>>>  | ENGINE                              |                       |                           |                      |                     |
|---|-------------------------------------|-----------------------|---------------------------|----------------------|---------------------|
| Bore         3.25 in         82.5 mm         Stroke         3.65 in         92.8 mm           Displacement         1211 na <sup>3</sup> 1.984 cm <sup>3</sup> Stroke           Compression Ratio         9.61         -         Stroke  | Туре                                | 2.0 TSI, 4            | cylinder, in-line, turboc | harged with i        | ntercooler          |
| Stroke         3.65 in         92.8 mm           Displacement         121.1 in <sup>3</sup> 1,984 cm <sup>3</sup> Compression Ratio         9.61           Horsepower (SAE) @ prpm         200 @ 5100-6000 (147 kW @ 5100-6000)           Maximum Tarque, 16-ff @ prpm         207 @ 1700-5000 (280 km @ 1700-5000)           Fuel Requirement         Premium fuel recommended for maximum performance           ENGINE DESIGN            Fuel/Air Supply         Sequential multi-point high-pressure fuel direct injection, variable intoke cam timing           Ensistens         Tier II, BINS           ELECTRICAL SYSTEM         Jigital electronic with knack sensor           Drivetrain         Front-wheel drive           CAPACITIES         S5.0 1           STEERINO         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         35.8 ft         10.9 m           Steering Capacity         Five         For           Passenger Volume         14.8 ft <sup>2</sup> 0.42 m <sup>3</sup> Cargo Volume with rear seats folded         46.3 ft <sup>3</sup> 1.31 m <sup>3</sup> Volume         51.1 ft <sup>3</sup> 1.45 m <sup>3</sup> 3.6 in         1.362 mm           Gargo Volume with rear sea  |                                     | and direc             | t injection               |                      |                     |
| Displacement         121.1 in <sup>3</sup> 1,984 cm <sup>3</sup>  | Bore                                | 3.25 in               | 82.5 mm                   |                      |                     |
| Compression Ratio         9.6:1           Horsepower (SAE) @ rpm         200 @ 5100 - 6000 (147 kW @ 5100 - 6000)           Maximum Torque, Ib-ft @ rpm         207 @ 1700 - 5000 (280Nm @ 1700 - 5000)           Fuel Requirement         Premium fuel recommended for maximum performance           ENGINE DESIGN   | Stroke                              | 3.65 in               | 92.8 mm                   |                      |                     |
| Horsepower (SAE) @ rpm         200 @ 5100-6000 (147 kW @ 5100-6000)           Maximum Torque, lb-ft @ rpm         207 @ 1700-5000 (280 Nm @ 1700-5000)           Fuel Requirement         Premium fuel recommended for maximum performance           ENGINE DESIGN  | Displacement                        | 121.1 in <sup>3</sup> | 1,984 cm <sup>3</sup>     |                      |                     |
| Maximum Torque, Ib-ft @ rpm         207 @ 1700-5000 (280Nm @ 1700-5000)           Fuel Requirement         Premium fuel recommended for maximum performance           ENCINE DESIGN         Premium fuel recommended for maximum performance           ENCINE DESIGN         Sequential multi-point high-pressure fuel direct injection, variable intake cam timing           Emissions         Tier II, BINS           ELECTRICAL SYSTEM         Image: Sequential multi-point high-pressure fuel direct injection, variable intake cam timing           Drivetrain         Digital electronic with knock sensor         Image: Sequential multi-point high-pressure fuel direct injection, variable intake cam timing           Drivetrain         Front-wheel drive         Image: Sequential multi-point high-pressure fuel direct injection, variable intake cam timing           SteERING         Image: Sequential multi-point high-pressure fuel direct injection, variable intake cam timing         Image: Sequential multi-point high-pressure fuel direct injection, variable intake cam timing           SteERING         Image: Sequential multi-point high-pressure fuel direct injection, variable intake cam timing         Image: Sequential multi-point high-pressure fuel direct injection, variable intake cam timing           SteERING         Steering Capacity         Front         Secuence fuel direct injection           SteERING         Steering Capacity         Five         Secuence fuel direct injection           Cargo Volume with rear seats folded   | Compression Ratio                   | 9.6:1                 |                           |                      |                     |
| Fuel Requirement         Premium fuel recommended for maximum performance           ENGINE DESIGN           Fuel/Air Supply         Sequential multi-point high-pressure fuel direct injection,<br>variable intake cam timing           Emissions         Tiel II, BINS           ELECTRICAL SYSTEM           Ignition         Digital electronic with knock sensor           DRIVETRAIN         CAPACITIES           Fuel Tank         55.0 L         Sterring           SterRING         SterRING           Turning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         Sterring         Sterring           Seating Capacity         Five         Font           Passenger Volume         93.5 ft <sup>3</sup> 2.65 m <sup>3</sup> Store           Cargo Volume with rear seats folded         46.3 ft <sup>3</sup> 1.31 m <sup>3</sup> Store           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1.385 mm         53.6 in         1.362 mm           Leg Room         41.2 in         1.046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         Five         Five         Five         Five         Five  | Horsepower (SAE) @ rpm              | 200 @ 51              | 00–6000 (147 kW @ 5       | 100–6000)            |                     |
| ENGINE DESIGN         Fuel/Air Supply       Sequential multi-point high-pressure fuel direct injection, variable intake cam timing         Emissions       Tier II, BIN5         EINCRICAL SYSTEM         Ignition       Digital electronic with knock sensor         DRIVETRAIN         DRIVETRAIN         CAPACITIES         Fuel Tank       55.0 L         STEERING         Turning Circle (curb to curb)       35.8 ft       10.9 m         INTERIOR VOLUME - SAE (3-Door)         Seating Capacity       Five         Passenger Volume       93.5 ft <sup>3</sup> 2.65 m <sup>3</sup> Cargo Volume       93.5 ft <sup>3</sup> 0.42 m <sup>3</sup> Cargo Volume       93.5 ft <sup>3</sup> 0.42 m <sup>3</sup> Cargo Volume       93.5 ft <sup>3</sup> 0.42 m <sup>3</sup> Cargo Volume       93.5 ft <sup>3</sup> 1.35 m       97 mm         Volume       93.5 ft <sup>3</sup> 1.45 m <sup>3</sup>   | Maximum Torque, lb-ft @ rpm         | 207 @ 17              | 00–5000 (280Nm @ 1        | 700–5000)            |                     |
| Sequential multi-point high-pressure fuel direct injection,<br>variable intoke cam timing           Emissions         Ter II, BINS           ELECTRICAL SYSTEM           Ignition         Digital electronic with knock sensor         Jer Vertice Vertic   | Fuel Requirement                    | Premium               | uel recommended for n     | naximum perf         | ormance             |
| variable intake cam timingEmissionsTier II, BINSELECTRICAL SYSTEMIgnitionDigital electronic with knock sensorDRIVETRAINDrivetrainFront-wheel driveCAPACITIESFuel Tank55.0 LSTEERINGTurning Circle (curb to curb)35.8 ft10.9 mINTERIOR VOLUME – SAE (3-Door)Seating CapacityFivePassenger Volume93.5 ft³2.65 m³Cargo Volume with rear seats folded46.3 ft³1.20 m³Soulder Room1.21 m³2.55 m³Cargo Volume with rear seats folded46.3 ft³1.21 m³Volume53.6 in1.385 mm38.5 in979 mmShoulder Room52.8 in1.30 m³2.52 m³INTERIOR VOLUME – SAE (5-Door)EPA ClassCompactFiveFivePASSenger Volume52.8 in3.63 m³2.55 m³Soulder Room53.6 m3.65 m³2.55 m³Cargo Volume51.6 m³2.55 m³2.55 m³<   | ENGINE DESIGN                       |                       |                           |                      |                     |
| Emissions         Tier II, BIN5           ELECTRICAL SYSTEM           Ignition         Digital electronic with knock sensor           DRIVETRAIN           Drivetrain         Front-wheel drive           CAPACITIES           Fvel Tank         55.0 L           STEERING           Turning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         Steff         2.65 m³           Seating Capacity         Five         Seating Capacity           Passenger Volume         93.5 ft³         2.65 m³           Cargo Volume with rear seats folded         46.3 ft³         1.31 m³           Volume         51.1 ft³         1.45 m³         42.4 ft³         1.20 m³           Yolume Nith rear seats folded         46.3 ft³         1.31 m³         979 mm           Shoulder Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,365 mm         53.6 in         1,362 mm           Leg Room         S2.5 ft³         2.63 m³         U         U           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         S2.5 ft³         1.20 ft³ <td>Fuel/Air Supply</td> <td>Sequentic</td> <td>ıl multi-point high-press</td> <td>ure fuel direc</td> <td>t injection,</td>   | Fuel/Air Supply                     | Sequentic             | ıl multi-point high-press | ure fuel direc       | t injection,        |
| <   |                                     | variable i            | ntake cam timing          |                      |                     |
| Ignition         Digital electronic with knock sensor           DRIVETRAIN           Drivetrain         Front-wheel drive           CAPACITIES           Fuel Tank         55.0 L           STEERING         S5.0 L           STEERING         S5.0 L           Iurning Circle (curb to curb)         35.8 ft         10.9 m           NTERIOR VOLUME - SAE (3-Door)         Seating Capacity         Five           Passenger Volume         93.5 ft³         2.65 m³         Cargo Volume           Cargo Volume with rear seats folded         46.3 ft³         1.31 m³         Cargo Volume         1.20 m³           Volume         51.1 ft³         1.45 m³         42.4 ft³         1.20 m³           Mead Room         93 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         EPA Class         Compact         St.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         Five         St.5 in         901 mm           EPA Class         Compact         St.5 in         901 mm           Gargo Volume with rear seats folded         45.9 ft³         0.41 m³         St.5 in <th< td=""><td>Emissions</td><td>Tier II, BIN</td><td>۸5</td><td></td><td></td></th<>   | Emissions                           | Tier II, BIN          | ۸5                        |                      |                     |
| DRIVETRAIN           Drivetrain         Front-wheel drive           CAPACITIES           Fuel Tank         55.0 L           STEERING         10.9 m           Urrning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         55.0 L           Seating Capacity         Five           Passenger Volume         93.5 ft <sup>3</sup> 2.65 m <sup>3</sup> Cargo Volume         1.8 ft <sup>3</sup> 0.42 m <sup>3</sup> Cargo Volume with rear seats folded         46.3 ft <sup>3</sup> 1.31 m <sup>3</sup> Front         Rear           Volume         51.1 ft <sup>3</sup> 1.45 m <sup>3</sup> 42.4 ft <sup>3</sup> 1.20 m <sup>3</sup> Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         Five         Five         Five           Passenger Volume         2.9 ft <sup>3</sup> 2.63 m <sup>3</sup> Cargo Volume           Gargo Volume         12.0 ft <sup>3</sup> 0.41 m <sup>3</sup> Cargo Volume           Oute         Five<   | ELECTRICAL SYSTEM                   |                       |                           |                      |                     |
| Drivetrain         Front-wheel drive           CAPACITIES           Fuel Tank         55.0 L           STEERING           Turning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         Satistical and the state of th  | Ignition                            | Digital ele           | ectronic with knock sens  | or                   |                     |
| CAPACITIES           Fuel Tank         55.0 L           STEERING           Turning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)           Seating Capacity         Five           Passenger Volume         93.5 ft <sup>3</sup> 2.65 m <sup>3</sup> Cargo Volume         14.8 ft <sup>3</sup> 0.42 m <sup>3</sup> Cargo Volume with rear seats folded         46.3 ft <sup>3</sup> 1.31 m <sup>3</sup> Front         Rear           Volume         51.1 ft <sup>3</sup> 1.45 m <sup>3</sup> 42.4 ft <sup>3</sup> 1.20 m <sup>3</sup> Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         54.5 in         1,385 mm         53.6 in         1,362 mm           INTERIOR VOLUME - SAE (5-Door)         Five         Volume         Volume         Volume         1.3 de mm           Gargo Volume with rear seats folded         45.9 ft <sup>3</sup> 1.30 m <sup>3</sup> Volume         Volume         Yolume         Yolume         Yolume         Yolume         Yolume  | DRIVETRAIN                          |                       |                           |                      |                     |
| Fuel Tank         55.0 L           STEERING           Turning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)           Seating Capacity         Five           Passenger Volume         93.5 ft <sup>3</sup> 2.65 m <sup>3</sup> Cargo Volume         14.8 ft <sup>3</sup> 0.42 m <sup>3</sup> Cargo Volume with rear seats folded         46.3 ft <sup>3</sup> 1.31 m <sup>3</sup> Volume         14.8 ft <sup>3</sup> 0.42 m <sup>3</sup> Yolume with rear seats folded         46.3 ft <sup>3</sup> 1.31 m <sup>3</sup> Head Room         99.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         EPA Class         Compact         Image: Same seating Capacity           Five         Five         Sca m <sup>3</sup> Image: Same seating Capacity         Image: Same seating Capacity         Five         Image: Same seating Capacity         Image: Same seating Capacit  | Drivetrain                          | Front-whe             | el drive                  |                      |                     |
| STEERING           Turning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         Internet of the second | CAPACITIES                          |                       |                           |                      |                     |
| Turning Circle (curb to curb)         35.8 ft         10.9 m           INTERIOR VOLUME - SAE (3-Door)         Five  | Fuel Tank                           | 55.0 L                |                           |                      |                     |
| INTERIOR VOLUME - SAE (3-Door)           Seating Capacity         Five           Passenger Volume         93.5 ft³         2.65 m³           Cargo Volume         14.8 ft³         0.42 m³           Cargo Volume with rear seats folded         46.3 ft³         1.31 m³           Front         Rear           Volume         51.1 ft³         1.45 m³         42.4 ft³         1.20 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         Five         Station         Station           PA Class         Compact         Station         Station         Station           Gargo Volume         14.6 ft³         0.41 m³         Station         Station           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³         Station           Passenger Volume         92.9 ft³         2.63 m³         Station         Station           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³         Station         Station   | STEERING                            |                       |                           |                      |                     |
| Seating Capacity         Five           Passenger Volume         93.5 ft³         2.65 m³           Cargo Volume         14.8 ft³         0.42 m³           Cargo Volume with rear seats folded         46.3 ft³         1.31 m³           Rear           Volume         51.1 ft³         1.45 m³         42.4 ft³         1.20 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)           EPA Class         Compact         -         -           Seating Capacity         Five         -         -           Passenger Volume         92.9 ft³         2.63 m³         -         -           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³         -         -           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³         -         -           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³         -         -           Volume         51.2 ft³         1.45 m  | Turning Circle (curb to curb)       | 35.8 ft               | 10.9 m                    |                      |                     |
| Passenger Volume         93.5 ft³         2.65 m³   | INTERIOR VOLUME – SAE (3-Door)      |                       |                           |                      |                     |
| Cargo Volume         14.8 ft³         0.42 m³           Cargo Volume with rear seats folded         46.3 ft³         1.31 m³           Front         Rear           Volume         51.1 ft³         1.45 m³         42.4 ft³         1.20 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         Five         Five         Five           PASsenger Volume         92.9 ft³         2.63 m³         Five         Five           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³         Five         Five           Passenger Volume         92.9 ft³         2.63 m³         Five         Five         Five           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³         Five         Five           Volume         51.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Mead Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1.389 mm  | Seating Capacity                    | Five                  |                           |                      |                     |
| Cargo Volume with rear seats folded         46.3 ft 3<br>Front         1.31 m 3           Volume         Front         Rear           Volume         51.1 ft 3         1.45 m 3         42.4 ft 3         1.20 m 3           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         Compact         Verture         Verture         Verture           PA Class         Compact         Verture         Verture         Verture         Verture         Verture         Verture         Verture           Passenger Volume         92.9 ft 3         2.63 m 3         Verture   | Passenger Volume                    | 93.5 ft <sup>3</sup>  | 2.65 m <sup>3</sup>       |                      |                     |
| Front         Rear           Volume         51.1 ft³         1.45 m³         42.4 ft³         1.20 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         INTERIOR VOLUME - SAE (5-Door)         INTERIOR VOLUME - SAE (5-Door)           EPA Class         Compact         Internet in the second s  | Cargo Volume                        | 14.8 ft <sup>3</sup>  | 0.42 m <sup>3</sup>       |                      |                     |
| Volume         51.1 ft³         1.45 m³         42.4 ft³         1.20 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)         Volume         S5.5 in         901 mm           EPA Class         Compact         Volume         Volume         Seating Capacity         Five         Volume         Volume         S6.6 in         1.385 mm           Gargo Volume         92.9 ft³         2.63 m³         Volume         S1.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm  | Cargo Volume with rear seats folded | 46.3 ft <sup>3</sup>  | 1.31 m <sup>3</sup>       |                      |                     |
| Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME – SAE (5-Door)           EPA Class         Compact         Internet of the second s  |                                     | Front                 |                           | Rear                 |                     |
| Shoulder Room         54.5 in         1,385 mm         53.6 in         1,362 mm           Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME – SAE (5-Door)           EPA Class         Compact         Internet of the second secon  | Volume                              | 51.1 ft <sup>3</sup>  | 1.45 m <sup>3</sup>       | 42.4 ft <sup>3</sup> | 1.20 m <sup>3</sup> |
| Leg Room         41.2 in         1,046 mm         35.5 in         901 mm           INTERIOR VOLUME - SAE (5-Door)           EPA Class         Compact         - <td< td=""><td>Head Room</td><td>39.3 in</td><td>998 mm</td><td>38.5 in</td><td>979 mm</td></td<>   | Head Room                           | 39.3 in               | 998 mm                    | 38.5 in              | 979 mm              |
| INTERIOR VOLUME - SAE (5-Door)INTERIOR VOLUME - SAE (5-Door)EPA ClassCompactSeating CapacityFivePassenger Volume92.9 ft³2.63 m³Cargo Volume14.6 ft³0.41 m³Cargo Volume with rear seats folded45.9 ft³1.30 m³FrontRearVolume51.2 ft³1.45 m³41.7 ft³1.18 m³Head Room39.3 in998 mm38.5 in979 mmShoulder Room54.7 in1.389 mm52.8 in1.340 mm   | Shoulder Room                       | 54.5 in               | 1,385 mm                  | 53.6 in              | 1,362 mm            |
| EPA Class         Compact           Seating Capacity         Five           Passenger Volume         92.9 ft³         2.63 m³           Cargo Volume         14.6 ft³         0.41 m³           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³           Volume         51.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm   | Leg Room                            | 41.2 in               | 1,046 mm                  | 35.5 in              | 901 mm              |
| Seating Capacity         Five           Passenger Volume         92.9 ft³         2.63 m³           Cargo Volume         14.6 ft³         0.41 m³           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³ <b>Front Rear</b> Volume         51.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm   | INTERIOR VOLUME – SAE (5-Door)      |                       |                           |                      |                     |
| Passenger Volume         92.9 ft³         2.63 m³           Cargo Volume         14.6 ft³         0.41 m³           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³           Rear           Volume         51.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm   | EPA Class                           | Compact               |                           |                      |                     |
| Cargo Volume         14.6 ft³         0.41 m³           Cargo Volume with rear seats folded         45.9 ft³         1.30 m³           Front         Rear           Volume         51.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm  | Seating Capacity                    | Five                  |                           |                      |                     |
| Cargo Volume with rear seats folded         45.9 ft³         1.30 m³           Front         Rear           Volume         51.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm  | Passenger Volume                    | 92.9 ft <sup>3</sup>  | 2.63 m <sup>3</sup>       |                      |                     |
| Front         Rear           Volume         51.2 ft³         1.45 m³         41.7 ft³         1.18 m³           Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm   | Cargo Volume                        | 14.6 ft <sup>3</sup>  | 0.41 m <sup>3</sup>       |                      |                     |
| Volume         51.2 ft <sup>3</sup> 1.45 m <sup>3</sup> 41.7 ft <sup>3</sup> 1.18 m <sup>3</sup> Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm  | Cargo Volume with rear seats folded | 45.9 ft <sup>3</sup>  | 1.30 m <sup>3</sup>       |                      |                     |
| Head Room         39.3 in         998 mm         38.5 in         979 mm           Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm   |                                     | Front                 |                           | Rear                 |                     |
| Shoulder Room         54.7 in         1,389 mm         52.8 in         1,340 mm   | Volume                              | 51.2 ft <sup>3</sup>  | 1.45 m <sup>3</sup>       | 41.7 ft <sup>3</sup> | 1.18 m <sup>3</sup> |
|   | Head Room                           | 39.3 in               | 998 mm                    | 38.5 in              | 979 mm              |
| Leg Room 41.2 in 1,046 mm 35.5 in 901 mm  | Shoulder Room                       | 54.7 in               | 1,389 mm                  | 52.8 in              | 1,340 mm            |
|   | Leg Room                            | 41.2 in               | 1,046 mm                  | 35.5 in              | 901 mm              |

| Front Suspension              | McPherso   | on strut with lower wishbones, aluminium subframe,    |
|-------------------------------|------------|---|
|                               |            | nti-roll bar, track-stabilizing steering roll radius  |
| Rear Suspension               |            | rear suspension with separate spring/shock absorber   |
|                               |            | nent, subframe, tubular anti-roll bar                 |
| Service Brakes                | Front: Pov | ver-assisted front vented disc brakes (312 mm x 25 mm |
|                               | Rear: Pow  | ver-assisted rear solid disc brakes (286 mm x 12 mm)  |
| Anti-lock Braking System      | Standard   | , all four wheels, 3-channel with                     |
|                               | Electronic | : Stability Control (ESC)                             |
| Parking Brake                 | Mechanic   | cal, effective on rear wheels                         |
| Drag Coefficient              | .32        |   |
| DIMENSIONS (3-Door)           |            |   |
| Wheelbase                     | 101.5 in   | 2,578 mm  |
| Front Track                   | 60.4 in    | 1,533 mm  |
| Rear Track                    | 59.6 in    | 1,514 mm  |
| Length                        | 165.9 in   | 4,213 mm  |
| Width                         | 70.0 in    | 1,779 mm  |
| Height                        | 57.8 in    | 1,469 mm  |
| Ground Clearance              | 5.0 in     | 128 mm  |
| DIMENSIONS (5-Door)           |            |   |
| Wheelbase                     | 101.5 in   | 2,578 mm  |
| Front Track                   | 60.4 in    | 1,533 mm  |
| Rear Track                    | 59.6 in    | 1,514 mm  |
| Length                        | 165.9 in   | 4,213 mm  |
| Width                         | 70.3 in    | 1,786 mm  |
| Height                        | 57.8 in    | 1,469 mm  |
| Ground Clearance              | 5.0 in     | 128 mm  |
| WEIGHTS                       | Manual     | DSG Automatic   |
| Curb Weight                   | 1,389 kg   | 1,410 kg  |
| Payload                       | 558 kg     | 557 kg  |
| FUEL CONSUMPTION <sup>1</sup> | Manual     | DSG Automatic   |
| City L/100 km                 | 10.0       | 8.7   |
| Highway L/100 km              | 6.7        | 6.3   |

<sup>1</sup>Natural Resources Canada estimates only. Your fuel consumption may vary.





Show them how much you love VW. Official merchandise from keychains to sportbags, clothes and more – everything you need to say, I love Das Auto. Visit vwcollection.ca.

# Follow the VW community.

From the Autobahn to the information highway, catch the buzz on all that's Volkswagen. You can watch videos, get the latest news, find out about all the upcoming VW events, join clubs and forums and a whole lot more. Join the thousands of friends of Das Auto on **vwcommunity.ca**.

Extra Extra






If it's not a Volkswagen Original part, well, then it's not an authentic Volkswagen part. When it comes to repairs and maintenance, make sure you leave your Volkswagen in the tender, loving hands of Volkswagen Parts & Service. They are factory trained and know your vehicle inside out. Visit **vw.ca** or your nearest dealer for details.



It's a real plus being a Volkswagen owner. The Volkswagen Plus Owner Privilege Program entitles you to a whole lot of freebies including exclusive invitations to all kinds of events and many more exclusive privileges. What's more, you get your own passwordprotected website that keeps you informed about everything related to your vehicle – tips, service reminders, warranty and roadside assistance information and finance/leasing information. Activate your membership today, it's free. Visit **volkswagenplus.ca**.

Extra Extra



# Warranty and Roadside Assistance

- 4-year/80,000 km (whichever occurs first) new vehicle limited warranty
- 5-year/100,000 km (whichever occurs first) powertrain limited warranty
- 12-year/unlimited distance limited warranty against corrosion perforation
- 4-year/80,000 km (whichever occurs first) 24-hour roadside assistance

# Graduate to a Volkswagen



Because everyone deserves to start out in the right direction. If you've graduated in the past two years, choose to buy a new 2011 or 2010 Volkswagen, and a maximum \$750 rebate\* will be applied to your transaction amount. Now that's a nice feather in your graduation cap. Visit **vw.ca** or you nearest dealer for details.

\*Certain conditions apply.

# **Volkswagen Finance**

Once you figure out what car to get, Volkswagen Finance will help you get into it. For some people, the hardest thing to decide on when buying a new car isn't colour. Or figuring out which options they just can't live without. It's financing. That's why the folks at Volkswagen Finance are there to help. Go to **vw.ca** for more information. The choice is yours.

# Volkswagen Finance 🛞



#### vw.ca

© 2010 Volkswagen Canada. Printed in Canada. Volkswagen Canada believes the information and specifications in this brochure to be correct at the time of printing. Items, specifications, availability, standard features, options, fabrics, and colours are subject to change without notice. Volkswagen Canada is not responsible for errors in typography or photography. Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask your dealer about availability of options and verify that the vehicle you requested includes the equipment you ordered. Tires are supplied and warranted by their manufacturer. The vehicle is sold equipped with four all-season tires. However, please remember that the use of winter tires may be mandatory in your province or territory. Make sure your vehicle has the proper tires at all times. Fuel consumption figures are estimates based on Natural Resources Canada's approved criteria and testing methods. Refer to the EnerGuide 2011 for Natural Resources Canada's estimated fuel consumption figures. Actual fuel consumption may vary based on driving conditions, driver habits and vehicle's additional equipment. Airbags are supplemental restraints only and will not deploy under all accident scenarios. Always use safety belts and seat children only in the rear seats, using restraint systems appropriate for their size and age. "Volkswagen", the Volkswagen logo, "Climatronic", "DSG", "GTI", "Golf", "Highline", "Sportline", "TDI", "TDI Clean Diesel" and "TSI" are registered trademarks of Volkswagen AG. "BlueMotion", "Climatic" and "Das Auto & Design" are trademarks of Volkswagen AG. "Comfortline", "Side Curtain Protection" and "Trendline" are registered trademarks of Volkswagen Group Canada Inc. "Monster Mats" is a trademark of Volkswagen Group Canada Inc. The Bluetooth word mark and logos are registered trademarks of Bluetooth SIG, Inc. "Dynaudio" is a registered trademark of Dynaudio Holding A/S. "FSI" is a registered trademark of Audi AG. "SIRIUS", "SIRIUS Satellite Radio" and the dog logo are registered trademarks of Sirius XM Radio Inc. and are used under license. "Tiptronic" is a registered trademark of Dr. Ing. h.c. F. Porsche AG. "iPod" is a registered trademark of Apple Inc. For further information regarding any Volkswagen model, please call 1-800 DRIVE VW or just look us up at vw.ca. Before we sign off, drive responsibly and obey the rules of the road.

