#### INCENTIVES AND SUPPORT FOR YOUR BUSINESS NEEDS. THE DEALER NETWORK FOR YOUR BUSINESS.

BUSINESS LINK The fast lane for small business

Your BusinessLink dealer is committed to providing you, the small business owner, with the vehicle support you need for your business, from servicing all makes and models of your existing vehicle(s) to selling you that right vehicle

needed to perform the work that you do. Your BusinessLink dealer provides available "next-bay-up" service because we know downtime costs you money. Your Business Link dealer has sales professionals trained to properly "job-rate" the right vehicle for your work application along with providing commercial finance options. New vehicle sales to qualified small business owners also receive a free alternate transportation contract in the event your vehicle is in for service.

Membership in the BusinessLink program is complimentary. Membership helps us to identify you as a small business owner so we can provide you with both the service you deserve, and update you with offers that can help reduce the cost of doing business. For your free registration, see your BusinessLink dealer today.

#### **ONTHE INCENTIVES FOR SMALL BUSINESSES.**

Running a business presents plenty of challenges. Like cutting costs, not corners. Like saving time and money and eliminating hassles. The ON THE JOB[26] commercial incentive program provides assistance in customizing and servicing your business vehicles.

#### Our most popular ON THE JOB[26] incentives are:

- COMMERCIAL EQUIPMENT/UPGRADES. \$1,000/\$500 Allowances for Upfits, \$1,000 Box-Off Allowance, \$500 RamBox<sup>®</sup> Cargo Management System Allowance.
- COMMERCIAL GRAPHICS ALLOWANCES. \$250/\$500/\$1,000 Commercial Graphics Allowances.
- BOSCH® TOOL OFFER. Select I of 4 All-New Bosch Power Tool Packages.
- 2-YEAR LUBE/OIL/FILTER. For all Chrysler, Dodge, Jeep and Ram vehicles (includes gas and diesel engines).

See your dealer for specific program rules and details or call us toll-free at 877-0NTHEJOB (877-668-4356).

#### BusinessLink has you covered.

- Next-Bay-Up Service (all makes and models)
- A Dedicated Business Link Staff
- Commercial Vehicles in Stock
- Free Loaners\* for Selected Vehicles
- Extended Service Hours
- Convenient Shuttle Services

For more information, log on to chryslercommercialvehicles.com or call us toll-free at 877-2THELINK (877-284-3546).

\*Some restrictions apply. See dealer for details.



CHRYSLER A commercial line of credit from Chrysler Capital is ideal for qualified business customers looking for a flexible, easy way to manage growing vehicle needs. Chrysler Capital streamlines the process-and with

prequalification, you're ready to buy a vehicle when you need it. Ask your BusinessLink dealer for details.









# MOST DIVERSE POWERTRAIN SELECTION IN RAM BRAND HISTORY. A PORTFOLIO DESIGNED FOR LOW COSTS OF OWNERSHIP. THIS WORKFORCE IS READY TO HANDLE IT ALL.

Commercial-grade capability. Outstanding durability over miles and years. And the all-new Ram ProMaster® City Tradesman® Cargo Van and Passenger Wagon models. For 2015, the Ram Commercial portfolio is the biggest, toughest and strongest in our history.

In every respect, these workhorses measure up and stand out. Quality, capability and fuel-efficient performance are at the top of the game. Occupant comfort and connectivity rank among the best.

Today, industrial and heavy-use recreational needs are ably and eagerly met using the formidable strengths of Ram Commercial. Count on standard and available advantages like the groundbreaking 3.0L EcoDiesel V6, the 6.4L HEMI® V8 and the best-in-class<sup>[1]\*</sup> diesel torque from the Cummins® Turbo Diesel on Ram 3500 pickups, the TorqueFlite® 8-speed and AISIN® Heavy-Duty transmissions, phenomenal PTO capability and ingenious suspension technology. For workers that scoff at hard labor, the muscular and toned Ram team is ready to work.

\*A note about this brochure: all disclaimers and disclosures can be found on the last page.

## RAM QUALITY: EXCEPTIONAL WARRANTIES.

The business of a Ram truck is to carry everything from steel to ironclad reliability. We deliver like no other.

All Ram powertrains cover you with a 5-Year/100,000-Mile
Powertrain Limited
Warranty<sup>[2]</sup> All vehicles
further back your business
with a comprehensive
3-Year/36,000-Mile
Bumper-to-Bumper
Warranty<sup>[3]</sup>

5,,,/100,000,,,,,

INTRODUCTION	2
RAM: AN OVERVIEW	4-7
POWERTRAINS	8-11
RAM LIGHT DUTY 1500 PICKUPS	
WHEELS	12-13
BUYER'S GUIDE	14-19
TRAILER WEIGHTS AND PAYLOADS	20-21
RAM HEAVY DUTY 2500/3500 PICKUPS	
WHEELS	22-23
BUYER'S GUIDE	24-31
TRAILER WEIGHTS AND PAYLOADS	32-33
RAM 3500/4500/5500 CHASSIS CABS	
WHEELS	34-35
BUYER'S GUIDE	36-41
TRAILER WEIGHTS AND PAYLOADS	42-43
RAM C/V TRADESMAN®	
BUYER'S GUIDE	44-45
CAPACITIES AND WHEELS	45
RAM PROMASTER® VANS/CUTAWAYS/CHASSIS CABS	
WHEELS	46
BUYER'S GUIDE	47-48
TRAILER WEIGHTS, PAYLOADS AND CAPACITIES	49
RAM PROMASTER CITY™	
WHEELS/BUYER'S GUIDE	50-52
PAYLOAD AND TOWING CAPACITIES	53
RAM COMMERCIAL PORTFOLIO	
CONFIGURATIONS	54-55
EXTERIOR PAINT COLORS	56-57
INTERIOR SEAT FABRICS	58
SUPPORT FOR YOUR BUSINESS	
UPFITS/BODY BUILDERS/RESOURCES	59
BUSINESS <i>LINK</i> /ON THE JOB/CHRYSLER CAPITAL	60

VERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC C/V TRADESMAN PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES

### LIGHT DUTY

From deep-country farms to sprawling ranches to the grittiest urban industrial sites—and everywhere in between—one light-duty truck steps up where others step back: 2015 Ram 1500. The many assets of the Ram light-duty pickups include the groundbreaking available EcoDiesel V6 engine, the class-exclusive<sup>[4]</sup> available Active-Level<sup>TM</sup> Four-Corner Air Suspension System, the class-exclusive<sup>[4]</sup> available RamBox® Cargo Management System, a standard Electronic Stability Control (ESC)<sup>[5]</sup> System on all models, state-of-the-art technology for connectivity, comfortable and durable interiors that offer superb storage—and much more.



#### **SELECT RAM 1500 HIGHLIGHTS**

- THE 3.0L ECODIESEL V6. Once again, Ram 1500 technology sets the stage for performance. The available EcoDiesel V6 for Ram 1500 offers 420 lb-ft of torque backed with the best fuel economy of any full-size pickup!<sup>6</sup>
- THE TORQUEFLITE® 8-SPEED AUTOMATIC TRANSMISSION. Ram 1500 makes it happen in ways the others don't. The TorqueFlite 8-speed automatic features a class-exclusive<sup>[4]</sup> dashboard-mounted Rotary Shifter and an invaluable Thermal Management System.
- 4x4 CAPABILITY WITH V6-POWERED EFFICIENCY. Combine the Pentastar® V6 or the EcoDiesel V6 with the TorqueFlite 8-speed automatic for efficient power backed with tough available 4x4 strength.
- THE CLASS-EXCLUSIVE<sup>[4]</sup> ACTIVE-LEVEL FOUR-CORNER AIR SUSPENSION SYSTEM can replace the resilient and comfortable coil spring suspension. This available suspension provides five operating levels with automatic load-leveling and easier entry and exit.
- AN INTERIOR FEATURING BRILLIANT ELECTRICAL ARCHITECTURE also offers an available full-color multiview display that communicates dozens of vehicle information graphics.
- A DASHBOARD-MOUNTED SWITCH BANK puts functionality at your fingertips, controlling the standard  $ESC^{[5]}$  System, the Tow/Haul Mode and the available Active-Level Four-Corner Air Suspension System (if equipped), with additional room to handle optional content.

### **HEAVY DUTY**

Heavy-duty jobs demand heavy-duty support. The many innovations on Ram 2500/3500 Heavy Duty models demonstrate that these pickups deliver what counts: uncompromising can-do capability backed with exclusive engineering that separates these workhorses from the rest. Count on best-in-class<sup>[1]</sup> gas horsepower and torque from the available 6.4L HEMI® V8; best-in-class<sup>[1]</sup> towing\* for gas and diesel engines; available best-in-class<sup>[1]</sup> diesel torque for Ram 3500 and a class-exclusive<sup>[1]</sup> available Auto-Level Rear Air Suspension System that complements the outstanding towing and payload capability. Few pickups out there can meet the standards set by Ram 2500/3500 Heavy Duty.

#### SELECT RAM 2500/3500 HEAVY DUTY HIGHLIGHTS

- EXCEPTIONAL CAPABILITY FROM BEST-IN-CLASS<sup>(1)</sup> MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs). Robust strength for the job is part of the package with Ram Heavy Duty. The max GCWRs provided by the 2015 Ram Heavy Duty models powered by the available 6.7-liter Cummins® Turbo Diesel are the highest in the class<sup>(1)</sup> with up to 25,300 lb\* for Ram 2500 and up to 37,900 lb\* for Ram 3500.
- BEST-IN-CLASS TOWING\* FOR GAS AND DIESEL ENGINES. For confident pulling and hauling, Ram Heavy Duty pickups lead all others in the class. A Ram 3500 powered by the available 6.4L HEMI V8 delivers towing capability up to 16,520 lb\*; equip it with the available 6.7L Cummins High Output, and max towing jumps up to 30,000 lb.\*
- IMPRESSIVE MAXIMUM GROSS VEHICLE WEIGHT RATINGS (GVWRs). Ram 2500 and 3500 pickups ramp up capability: up to 10,000 lb\* for Ram 2500 and up to 14,000 lb\* for Ram 3500 models.
- The available Cummins Turbo Diesel comes in THREE SEPARATE POWER RATINGS, maxing out at 385 HP and a best-in-class<sup>[1]</sup> 865 LB-FT OF AVAILABLE TORQUE when paired with the AISIN® Heavy-Duty 6-speed automatic on Ram 3500. All Cummins engines feature a CLASS-EXCLUSIVE<sup>[I]</sup> "SMART" DIESEL EXHAUST BRAKE.
- A TOP-TIER AVAILABLE GAS ENGINE FOR RAM HEAVY DUTY. The 6.4L HEMI V8 churns out best-in-class<sup>[1]</sup> gas horsepower and torque: 410 hp/429 lb-ft.

\*When properly equipped.

### **CHASSIS CABS**

The 2015 Ram Chassis Cabs provide exceptional upfit versatility, outstanding PTO access and output (including best-in-class<sup>[7]</sup> PTO output on 4500/5500), backed with superb technology and comfort. Standard engine for all models is the formidable 6.4L HEMI® V8, delivering up to a maximum of 410 hp\* (3500 SRW) and 366 hp (4500/5500) backed with 429 lb-ft of torque. Left- or right-side PTO availability gives these workhorses added distinction for the job site. Further advantages include a max GVWR up to 12,000 lb† on Ram 3500 SRW, an available heavy-duty front suspension for 4500/5500, best-in-class<sup>[7][8]</sup> dual fuel tank capacity—and the nimble and configurable Ram ProMaster® Cutaway/Chassis Cab models.

### **VANS AND WAGONS**

Exceptionally dynamic and functional, the 2015 Ram C/V Tradesman® boasts a stunning list of industry-leading features, including best-in-class<sup>[11]</sup> payload, towing\* and cargo capacity—up to 155.5 cubic feet. From there, the portfolio of commercial-grade vehicles continues to improve, with the recent expansion of the Ram Brand Family. Last year, we brought on board the versatile Ram ProMaster® Cargo Vans offering multiple wheelbases, floor lengths, roofs—and uncountable possibilities. For 2015, we ramp up capability even further, with the right-sized and all-new Ram ProMaster City<sup>TM</sup> Tradesman Cargo Van and Passenger Wagon models.



#### SELECT RAM AND PROMASTER CHASSIS CAB HIGHLIGHTS

- Ram 4500/5500 Chassis Cab models deliver capability you can count on. BEST-IN-CLASS<sup>[5][0]]</sup>
   MAXIMUM GROSS COMBINED WEIGHT RATINGS (GCWRs) give you ample latitude for upfits.
- BEST-IN-CLASS  $^{[6]}$  AVAILABLE 6.7L DIESEL ENGINE FRONT GROSS AXLE WEIGHT RATINGS (GAWRs) for Ram 4500/5500 Chassis Cabs make these workers ideal for heavy-duty front-mounted attachments.
- When equipped with the available Cummins® High Output Turbo Diesel, Ram 4500/5500 Chassis Cab models deliver BEST-IN-CLASS® DIESEL TORQUE. The Cummins advantage includes available B20 capability and a state-of-the-art Diesel Exhaust Fluid (DEF) System.
- Standard on every 2015 Chassis Cab, the ELECTRONIC STABILITY CONTROL (ESC)<sup>[6]</sup> SYSTEM is an invaluable advantage for exceptional maneuvering, road manners and trailering control.
- BEST-IN-CLASS<sup>[7][6]</sup> AVAILABLE MAX DUAL ALTERNATOR OUTPUT. Put a total of 440 amps at your service, from a Ram Chassis Cab equipped with the Cummins Turbo Diesel.
- For 2015, THE RAM PROMASTER CHASSIS CAB MODELS give the Ram portfolio phenomenal versatility, with two cab-to-axle lengths, two wheelbases, three frame lengths and an impressive Gross Vehicle Weight Rating.

#### SELECT C/V TRADESMAN. PROMASTER AND PROMASTER CITY HIGHLIGHTS

- Ram C/V Tradesman leads the competition with BEST-IN-CLASS<sup>(II)</sup> FEATURES where they count the
  most; among them: horsepower; torque; payload; towing;\* and cargo area length and width.
- IMPRESSIVE FUEL EFFICIENCY: the standard Pentastar® V6 in Ram C/V Tradesman delivers.
- $\bullet$  BEST-IN-CLASS<sup>[2]</sup> HIGHWAY DRIVING RANGE: Ram C/V Tradesman gives you up to 520 miles<sup>†</sup> on one tank.
- THE RAM PROMASTER VANS come to work with class-exclusive<sup>[13]</sup> FRONT-WHEEL DRIVE, plus four lengths, three wheelbases and two roof heights to accommodate virtually any upfit need.
- TWO EXCEPTIONAL POWERTRAINS. Ram ProMaster Vans provide an available 3.0-liter EcoDiesel I4 mated to the class-exclusive<sup>[13]</sup> 6-speed Dual Active Drive transmission. The Pentastar V6 mated to the 6-speed automatic churns out best-in-class<sup>[13]</sup> standard V6 horsepower backed with 260 lb-ft of torque.
- ALL-NEW 2015 RAM PROMASTER CITY: efficient 2.4L MultiAir®2 in-line 4-cylinder with a class-exclusive<sup>[14]</sup> 9-speed automatic. Best-in-class<sup>[14]</sup> payload (Cargo Van models), cargo capacity, cargo width between wheel wells, horsepower and torque\*—backed with unsurpassed towing<sup>[14]</sup> (Cargo Van models) up to 2,000 lb.\*



#### **ALL-NEW RAM PROMASTER® CITY**

#### THE 2.4L MULTIAIR®2 14: 178 HP / 174 LB-FT

Large, powerful and lightweight, the four-cylinder 2.4L MultiAir2 features a host of new components and enhancements for combustion control, maximum fuel efficiency and reduced exhaust emissions. With its 10:1 compression ratio, individual piston oil squirters, preciousmetal spark plugs and refined oil life monitoring system providing recommended oil change data, the 2.4L MultiAir2 ably steps up to the commercial demands of Ram ProMaster City<sup>TM</sup> models.



#### **RAM 1500**

#### THE 3.6L PENTASTAR® V6: 305 HP / 269 LB-FT

Standard in Ram 1500, delivering an impressive 25 mpg highway\* with the standout and innovative TorqueFlite® 8-speed automatic transmission. Count on built-in V6 efficiencies, V8-equivalent performance and tough available 4x4 capability to do the job—and do it right.

#### RAM PROMASTER VAN/CHASSIS CAB/CUTAWAY

#### THE 3.6L PENTASTAR V6: 280 HP / 260 LB-FT

The impressive and award-winning Pentastar V6 is the standard engine for the 2015 Ram ProMaster Vans. Light and efficient, with outstanding horsepower and torque, Electronic Throttle Control and a serious compression ratio of 10.2:1.



#### RAM C/V TRADESMAN®

#### THE 3.6L FLEX FUEL PENTASTAR V6: 283 HP / 260 LB-FT

Here, it's vigorous and capable, while adding Flex Fuel calibration for more fuel choices.



#### **RAM 1500**

#### THE 5.7L HEMI® V8 WITH MDS/FUEL SAVER TECHNOLOGY:

395 HP / 410 LB-FT

The resilient HEMI V8 for Ram 1500: smart performance, using every drop of fuel. Dual spark plug technology and Variable Valve Timing (VVT)

contribute to outstanding engine efficiency and torque levels. The Multi-Displacement System (MDS)/Fuel Saver Technology transforms this tough V8 into a fuel-efficient 4-cylinder under many conditions. Standard on select models; available for all 2015 Ram 1500 pickups.



#### RAM 2500/3500 AND 3500 CHASSIS CAB

THE 5.7L HEMI® V8 WITH VVT: 383 HP / 400 LB-FT



This version of the 5.7L HEMI V8 utilizes Variable Valve Timing (VVT), technology that optimizes engine breathing. Output is measurably better: VVT

increases torque, giving these tough Ram models notable gas-powered towing strength. Standard on Ram 2500/3500 SRW pickups and available for Ram 3500 SRW Chassis Cabs.



#### RAM 2500/3500

#### THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 410 HP / 429 LB-FT



Count it all, and count on performance: VVT, MDS/Fuel Saver Technology, Individual Cylinder Fuel Control and interactive Deceleration Fuel

Shut-Off (iDFSO). The assets that come with the available engine for Ram Heavy Duty pickups accomplish nothing less than bottom-line superiority, delivering best-in-class<sup>[1]</sup> gas horsepower and torque.



#### RAM 3500/4500/5500 CHASSIS CAB

#### THE 6.4L HEMI V8 WITH MDS/FUEL SAVER TECHNOLOGY: 370 HP (4I0 HP\*) / 429 LB-FT (3500); 366 HP / 429 LB-FT (4500/5500)



The standard engine for all Ram Chassis Cab models provides outstanding gas-powered V8 performance—using 87-octane unleaded gas.

Mate the 6.4L HEMI V8 with the available AISIN® transmission, and you've got stellar available PTO capability that efficiently uses only four of its cylinders (static). Configurations: 3500 models mate the 6.4L HEMI V8 with the 66RFE 6-speed automatic, with the AISIN AS66RC available for increased payload and towing capability; Ram 4500/5500 models mate it solely to the AISIN.

#### MDS/FUEL SAVER TECHNOLOGY

The Multi-Displacement System is exactly what business needs. The 5.7L HEMI V8 on Ram 1500 and the 6.4L HEMI V8 on Heavy Duty and 3500 Chassis Cab with the 66RFE automatic are tough 8-cylinders for the job—and transform seamlessly into an efficient 4-cylinder for the cruise. The 6.4L HEMI V8 with the AISIN transmission on 3500/4500/5500 Chassis Cabs also has MDS capability when in stationary PTO mode. Sometimes less is truly better.



#### A TRANSMISSION FOR EVERY NEED: THE GAS-DRIVEN PORTFOLIO.

THE 948TE 9-SPEED AUTOMATIC. This application reflects ideal engineering to propel the all-new Ram ProMaster City models. The wide 9.79 ratio spread and 4.70:1 first-gear launch ratio ensure quick takeoffs, while the 7th-9th gear transitions help enhance fuel efficiency. Standard: 2015 Ram ProMaster City Tradesman Cargo Van and Passenger Wagon.

THE 8HP45 TORQUEFLITE 8-SPEED AUTOMATIC. Compact, durable, efficient: the 8HP45 transmission delivers exceptional stats, with adaptive shifting, fill-for-life fluid, a sophisticated Thermal Management System and dashboard-mounted Rotary Shifter. All contribute to fuel efficiency. Standard: Ram 1500 with the 3.6L Pentastar V6.

THE 8HP70 TORQUEFLITE 8-SPEED AUTOMATIC. This larger, more robust version of the 8HP45 8-speed offers all of the features described above—but enlarges the application to the 5.7L HEMI V8. Ît's a very real contribution to the impressive Ram 1500 fuel efficiency. This transmission also features the dashboardmounted Rotary Shifter. Available: Ram 1500 with the 5.7L HEMI V8.

THE 65RFE 6-SPEED AUTOMATIC. This commercial-grade component reflects made-for-industry engineering, with a super-low sixth-gear ratio of 0.67:1 that functions as an additional overdrive to help reduce engine speeds and mitigate engine wear. Ancillary benefits address reducing long-term ownership costs. Standard powertrain partner on Ram 1500 with the available 5.7L HEMI V8.

THE 66RFE 6-SPEED AUTOMATIC. Electronic Range Select (ERS) facilitates heavy towing and payload assignments, with an added sixth gear that contributes a crisp and efficient 0.63:1 gear ratio; the muscular reverse gear ratio of 4.44:1 is ideal when moving larger trailers. Standard with the HEMI V8-powered Ram 2500 and 3500 pickups and Ram 3500 Chassis Cab.

THE 62TE 6-SPEED AUTOMATIC. Mated to the 3.6L Pentastar® V6 and refined for commercial demands, this long-proven component ensures effortless and economical shifting. Engine speeds change less with each shift, contributing to fuel efficiency. Standard on Ram C/V Tradesman® and Ram ProMaster.®

THE AISIN AS66RC HEAVY-DUTY 6-SPEED AUTOMATIC. Developed with our colleagues at AISIN, it was specifically sized, packaged and calibrated to accommodate the output and relating axle ratios of its partner—the 6.4-liter HEMI V8 engine for Ram 3500 Chassis Cab (as available transmission) and 4500/5500 Chassis Cab models (as standard transmission). On Ram Chassis Cabs, the AS66RC provides prodigious available PTO capability: dual-sided configurability (available, 4x2 models), with the left side capable of handling hydraulic or higher-output functions; 60 hp and 250 lb-ft of torque; and efficient operation by operating PTO (static) using only four of the eight cylinders.

OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC C/V TRADESMAN PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES





#### RAM 2500/3500

#### 6.7L CUMMINS® TURBO DIESEL: 350 HP / 660 LB-FT

The Cummins Turbo Diesel for Ram Heavy Duty pickups comes in three separate calibrations. All feature the class-exclusive<sup>[1]</sup> "smart" diesel exhaust brake for improved braking and control, especially on downhill grades. This version of the Cummins Turbo Diesel churns out stunning torque backed with exceptional horsepower, in a powertrain configuration solely mated to the class-exclusive<sup>[1]</sup> 6-speed manual transmission. Available for Ram 2500/3500 pickups.

#### RAM 2500/3500

#### 6.7L CUMMINS TURBO DIESEL: 370 HP / 800 LB-FT

This calibration translates into radically high torque output, giving Ram Heavy Duty models extra clout for the job. Like all Cummins engines, it features the "smart" diesel exhaust brake and offers superb cold-start capability—unaided in temperatures as low as  $-20^{\rm o}$  F. The 370 / 800 calibration is partnered with the dependable and trusted 68RFE 6-speed automatic transmission. Available for Ram 2500/3500 pickups.

#### RAM 3500 ONLY

#### 6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 385 HP / 865 LB-FT

The available High Output calibration is mated only to the AISIN® 6-speed automatic and gives Ram 3500 pickup models best-in-class [1] available torque to master the toughest towing and hauling assignments. All Cummins Turbo Diesels meet stringent Federal emissions standards with an ingenious Diesel Exhaust Fluid (DEF) System. Available only on Ram 3500 pickups.



#### **RAM 1500**

THE 3.0L ECODIESEL V6: 240 HP / 420 LB-FT

Available for Ram 1500 is one more in a series of groundbreaking powerplants: the 3.0-liter EcoDiesel V6 engine, providing superior performance and breakthrough technology. Look for a standard oil cooler to help achieve time-saving best-in-class<sup>[4]</sup> 10,000-mile oil change intervals, backed by the best-in-class<sup>[15]</sup> combination of V6 fuel economy and torque.



#### RAM PROMASTER® VAN/CHASSIS CAB/CUTAWAY

3.0L ECODIESEL 14: 174 HP / 295 LB-FT

Long proven and now in its sixth generation, the available 3.0L EcoDiesel I4 with its Variable Geometry Turbocharger and intercooler is an in-line 4-cylinder calibrated for B5-compatibility. It's mated solely to the innovative

Variable Geometry Turbocharger and intercooler is an in-line 4-cylinder calibrated for B5-compatibility. It's mated solely to the innovative 6-speed Dual Active Drive transmission. Offering clean-burning diesel technology that provides superb performance and impressive fuel efficiency, it is an option only on Ram ProMaster models.





#### RAM 3500/4500/5500 CHASSIS CAB

#### 6.7L CUMMINS® TURBO DIESEL: 320 HP / 650 LB-FT

Two Cummins Turbo Diesel calibrations serve Ram Chassis Cabs with outstanding power. In the 320 hp / 650 lb-ft iteration, the Cummins is mated to the class-exclusive[7][8] G56 6-speed manual transmission. Assets are extensive and include the "smart" diesel exhaust brake, a state-of-the-art and fully compliant DEF System, with unaided cold-start capability down to  $-20^{\rm o}$  F. Available for all Ram Chassis Cabs.

#### RAM 3500/4500/5500 CHASSIS CAB

6.7L CUMMINS HIGH OUTPUT TURBO DIESEL: 325 HP / 750 LB-FT Significant advantages come with the available Cummins High Output Turbo Diesel—starting with best-in-class<sup>[8]</sup> available torque of 750 lb-ft for 4500/5500 models; max towing\* is also best-in-class<sup>[9][10]</sup> The 325 hp / 750 lb-ft Cummins is partnered solely to the transmission designed to fluently handle this degree of output over the long term: the AISIN® AS69RC 6-speed automatic with its Chassis Cab-friendly PTO capability. Available for all Ram Chassis Cabs.

#### A TRANSMISSION FOR EVERY NEED: THE DIESEL-DRIVEN FAMILY.

THE G56 6-SPEED MANUAL. This class-exclusive [11][7][8] component features outstanding engineering; after all, it has to handle the incredible output of the Cummins Turbo Diesel engine on a daily basis. The G56 features an ultra-low first-gear ratio to facilitate heavy hauling/payload/towing\* requirements; it's also designed for convenient Power Take-Off (PTO) access, simplifying upfits on Ram Chassis Cab models. Available on Cummins equipped Ram pickup and Chassis Cab models.

**THE 68RFE 6-SPEED AUTOMATIC.** Electronic Range Select (ERS) translates into phenomenal towing control.\* Designed to fluently handle the 800 lb-ft of torque generated by the Cummins, the 68RFE features a beyond-tough torque converter to capably manage that output. Available with the 6.7L Cummins on Ram 2500/3500 pickups.

THE ZF 8HP70 8-SPEED AUTOMATIC: RAM I500. Opting for the available 3.0L EcoDiesel V6 in Ram 1500 also gives you a unique standard powertrain partner: the innovative and pioneering TorqueFlite® 8-speed automatic transmission, providing an outstanding combination of power and fuel efficiency.

THE AISIN AS69RC 6-SPEED AUTOMATIC: RAM HEAVY DUTY PICKUP. Extensive assets of the world-class AISIN work with the Cummins High Output, with up to 865 lb-ft of torque helping vault Ram 3500 pickup to the top of the class. AISIN AS69RC business-specific advantages include a Shift Control System with efficient shifting algorithm; an industrial-grade case; wide overall gear ratios; a geartrain with three efficient clutches and two brakes: here, braking response rivals a manual. Available only on Ram 3500 pickups with the available 6.7L Cummins High Output Turbo Diesel (385 hp / max 865 lb-ft of torque).

THE AISIN AS69RC 6-SPEED AUTOMATIC: CHASSIS CAB. The Ram Chassis Cab design is all about enhancing PTO capability, and this engineering enables premium levels of on-the-job versatility. The AISIN 6-speed automatic, featuring all of the assets described above, but paired with the 325 hp / 750 lb-ft Cummins, takes Ram Chassis Cab left- or right-side PTO capability, ease-of-installation and access to benchmark levels. PTO advantages include impressive numbers (60 horsepower and 250 lb-ft of torque, both static and mobile), along with split-shaft capability for multiple PTO use. Left-side capability (4x2 models only) can handle hydraulic and high-output applications; there's even packaging space for aftermarket units.

**THE 6-SPEED DUAL ACTIVE DRIVE.** Exclusive to Ram ProMaster® models, this component is all about business, allowing driver-operated (manual) shifting of gears when needed or desired—but with no clutch pedal at all. In automated mode, it delivers all the conveniences of an automatic. Manual or automated control is entirely up to the operator. Mated to the available 3.0L EcoDiesel I4 on Ram ProMaster models only.

\*When properly equipped.

#### **RAM 1500**



17-inch Argent Steel Wheel Standard on Tradesman® (WFP)



17-inch Painted Aluminum Wheel Standard on SLT, Outdoorsman® and HFE Optional on Tradesman (WFE)



17-inch Chrome-Clad Aluminum Wheel Optional on Big Horn / Lone Star\* and Laramie® (WFJ)



20-inch Painted Aluminum Wheel Standard on Express Optional on Outdoorsman (WHE)



20-inch Chrome-Clad Aluminum Wheel Optional on Express (WR2)



20-inch Chrome-Clad Aluminum Wheel Standard on Big Horn / Lone Star\* (WRK)



20-inch Black Painted Aluminum Wheel Optional on Outdoorsman® and Express (WHN)



20-inch Polished Aluminum Wheel with Painted Pockets Standard on Sport (WRF)





20-inch Chrome-Clad Aluminum Wheel Standard on Laramie (WRG)




20-inch Aluminum Multi-Insert Wheel with Polished Face and Gold-Clad Inserts Standard on Two-Tone Laramie Longhorn® (WRH)



20-inch Aluminum Wheel with Polished Face and Silver-Clad Inserts Standard on Laramie Longhorn with available Monotone Paint (WRJ)



20-inch Satin Carbon Painted Aluminum Wheel with Chrome Inserts Standard on Laramie Limited (WRM)





20-inch Polished Aluminum Wheel Optional on Monotone Laramie Longhorn® and Laramie Limited (WRT)



22-inch Polished Forged Aluminum Wheel
Standard on Regular Cab R/T
Optional on Crew Cab Sport (WPZ)

14 OVERVIEW POWERTRAINS 1500 2500	38	UU		3500	UU		1500	UU		5500 60	C/V TRADESMAN	PRUMASTER	PRUMASTER CITY	CUNFIGURATIONS	PAINI			FABH	1103		KESUU	HUES	
2015 RAM 1500 PICKUP BUYER'S GUIDE CPOS PACKAGE	TRADESMAN®	E E	REG/QUAD/CREW  HFE	SLT SREGOLIAD/CREW	REG/QUAD/CREW	22	PORT REG/QUAD/CREW	= LARAMIE® QUAD/CREW	LARA	REW   CREW	CPOS PACK	·			TRADESMAN® REG/QUAD/CREW	C EXPRESS REG/QUAD/CREW	- HFE	SE EG		→ QUAD/CREW SPORT	REG/QUAD/CREW  LARAMIE®	9 7 2	LARAMIE LIMITED   CREW
ENGINE/TRANSMISSION	0.	20 0	20 00		00.70	LOOT		0011				FEATURES (continu							0	_			
3.6L Pentastar® Flex Fuel 24V VVT V6 / 8HP45 8-speed automatic 3.0L EcoDiesel V6 / 8HP70 8-speed automatic	2		2C 22F		22 Z/Y 28 Z/Y		=	22H	28K	20M		surround, chrome bi			_	-		=	8	_	_	- S	<u> </u>
5.7L HEMI® V8 with VVT and MDS/Fuel Saver Technology / 65RFE 6-speed automa		5B 2	5C —	_	-			2011		ZOIVI		surround, chrome wa									_ S		-
5.7L HEMI V8 with VVT and MDS/Fuel Saver Technology / 8HP70 8-speed automat		6B 2			26 Z/Y	26T		26H	26K	26M		— Automatic			S	S	S	S	S	S :	S S		S
MECHANICAL FEATURES												gh-Beam Headlamp (								_ 🔲	P P	_	S
ACTIVE GRILLE SHUTTERS — Included with 8-speed automatic transmission		S	S S	S	S	S	S	S	S	S		m bifunctional haloge	n projector with LED	turn/running lights	<u> </u>	<u> </u>	S				_ S	S	S
ALTERNATOR — 160-amp — 180-amp (included with HEMI V8)			S —	S	S	S	S	S	<u> </u>	<u> </u>		ens halogen ifunctional halogen p	rojector with LFD turn	/running lights	5		3	S	S	S -			
— 220-amp (requires Stop/Start System)			_ S	ļ -			_	r	3	3		ed with Black Express		running rights		P		-		-	S   -		
— 230-amp (included with EcoDiesel V6)		P _	- 1	P	Р	Р	_	Р	Р	Р		- Manual, Black, 6 x 9			S	S	S	_	_			-	
AXLE — 3.21 ratio (not available with EcoDiesel V6 or Crew Cab 6'4" box mod		S	SS	S	S	S	S	S	S	S		heated, folding, Blaci roup on Regular Cab		I with Power and Remote	P/S	P/S	_	S	S	-  -	- 1	-	-
<ul> <li>3.55 ratio (included with 6-speed transmission; included with EcoDiesel standard with Crew Cab 6'4" box model)</li> </ul>	Vb; P	/S	P —	0/P	0	0	0	0	0	0				cluded with Trailer Tow	D	Р				_			
— 3.92 ratio (included with 4x2 R/T and 4x4 Outdoorsman)		0	0 —	P	0	0/S	0/S	0	0	0		Regular Cab only)			ľ	ľ							
— Antispin rear differential (included with R/T 4x2 and Outdoorsman 4x4)			0 0		_	0/S	0/S	0	0	0				-folding, Black, 6 x 9-inch; Il turn signal (included		_			P	S -			
BATTERY — 730-amp		S :	S _	S	S	S	S	S	S	S P		xury Group)	nps and supplements	ii turii sigilar (iiiciuucu						٠			
— 800-amp (included with EcoDiesel V6)  ENGINE BLOCK HEATER			0 0		0	0	0	P 0	0	0		heated, power-folding								_ !	s –		
ENGINE COOLING — Heavy-duty (included with EcoDiesel V6 and HEMI V8)			S —	P		P	S	S	S	S				upplemental turn signal nch; includes exterior		-		-		-			-
— Maximum-duty (optional with EcoDiesel V6)		) -	-	0		0	=	0	0	0				luded with Trailer Tow	Р	Р		Р	Р	P	Р —	- 1	_
FUEL TANK — 26-gallon (included with EcoDiesel V6) — 32-gallon (included with 8' box model; not available with EcoDiesel V6 or	con		SS	S		Р	S	S	Р	P	Group;	not available on Regu	lar Cab Tradesman o	r Express models)									
Regular Cab short-box models; optional on 6'4" and 5'7" box models)	0	/P	0   —	P	0	S	0	0	S	S		nultifunction, heated, ich; includes position								-	_ s	S	S
SHOCK ABSORBERS — Front, heavy-duty		S :	S S	S	S	S	S	S	S	S		nental turn signal	memory, exterior cour	tesy famps and							_   3	3	,
— Rear, heavy-duty		S	SS	S	S	S	S	S	S	S	— Power t	railer-tow multifunct		ming, manual-folding,									
— Rear, extra heavy-duty (included with Outdoorsman 4x4 only)  STABILIZER BAR — Front	-	<u> </u>	 S		<u> </u>	P	<u> </u>	S	S	<u> </u>				terior courtesy lamps and		-	-	-	-	-	–   P	Р	P
— Rear (not available on Regular Cab 4x2 8' box models; included with 3.61												nental turn signal (in D <b>ARDS</b> — Accent-col		w Group)		-						- S	
on Regular Cab 4x2 6'4" box; included with Regular Cab R/T 4x2 6'4" box	()		SS	S	S	S	S/P	S	S	S		— Front suspension,		th Protection Group)	Р				Р	S -	_ P		
STEERING — Electronic rack and pinion		S	SS	S	S	S	S	S	S	S		r case, 4x4 only (incli			Р			-	Р	S -	P	Р	
STOP/START SYSTEM — HFE models only SUSPENSION — Front, upper and lower A-arms, coil springs, twin tube shock	2	S :	- S S S		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	0		- RamBox® Cargo Mai ted bins which are we				١					ш.		
— Rear, five-link, coil springs, twin tube shocks			SS			S	S	S		0	rails with fo	ur adjustable cleats a	nd a dual-purpose be	ed divider/extender	0	0	-	0	0	0	0 0	0	0
— Active-Level™ Four-Corner Air Suspension System: includes front upper												4" box models only; n	ot available with 8' bo	ox)	0	S	0	S	S	S -	-		-
and lower A-arms, air springs, twin tube shocks, rear five-link, air spring twin tube shocks, air compressor, dual closed-loop system storage tanks	S,		0 _	0	0		0	0	0	s		— Incandescent .ED turn signals/stop	lamns/running lights	· included with	S		3	3	2				
(Quad Cab® and Crew Cab only; not available for Crew Cab 4x2 models				ľ	0		U	"	0	٦	Black E	xpress Group)				Р		_		-	S	-	
with 6'4" box)				Ι.,			0.70					m (LED turn signals/s		ghts)	_	_	_	_	_		_ S	S	S
TRAILER HITCH — Class IV hitch receiver (included with Trailer Tow Group) TRANSFER CASE — Electronic part-time (4x4 models only)		S 0	/P   — S   —	P	S	S	0/P	S —	S	<u>S</u>		265/70R17 BSW AII-Se OR17 OWL AII-Season		ch aluminum	S	-	S	S	_	-	-		
— Electronic on-demand (4x4 models only)				_	S	_	S	S	S	S		-clad wheel)	(IIICIdaca With 17-III	on aluminum	_	-	_	-	Р	- 15	– P		-
WINCH — Tire carrier		S	S S	S	S	S	S	S	S	S		70R17E OWL On-/Off-			0	_				S -	-	- 🖃	Ę.
EXTERIOR FEATURES												OR20 BSW AII-Season OR20 OWL AII-Season		and WUE	_	S		-	S	_	_ S		S
AIR DAM — Flexible 0-mm (Outdoorsman only)			-	1-	_	S	_	_	_	_		onzo owi Ali-seasoli i wheels)	(IIICIUUEU WILII WILZ &	IIIU WIIL	_	P	_	-	0	P :	S 0	0	0
<ul> <li>Flexible 18-mm (included with Active-Level Four-Corner Air Suspension System; not available on Outdoorsman)</li> </ul>		P	P   —	P	Р	-	Р	Р	Р	S		5R22 BSW All-Season	(included with 22-in	ch wheels)		_			_	- 1	Р —	-	
— Flexible 38-mm (not available with Active-Level Four-Corner Air Suspensi	ion .	S	s s	S	S		S	S	S		— Spare, 1		available with ar with	acut Dam Pay Custom)	S	S	S	S	S		S S		S
System; not available on Outdoorsman)	24.		9 0	ļ,		Ш				_		— Included with Pro		nout RamBox System)	0 P	0	S 	0		0 (	0 0 - 0/1		0
BED RAILS — Chrome, tubular, for 5'7" and 6'4" box models (not available w RamBox® System, tonneau cover or Mossy Oak® Package)	ILII -	-	0   —	0	0	0	0	0	0	0	WHEELS —		tootion droup		-	S	S	S	-			S	
BEDLINER — Spray-in			0 0		0	0	0		S	S		nch styled steel, pair			S						==		
BODY MODEL — Regular Cab 6'4" box			S			$\vdash$	0	_	_	<u> </u>	— 17 x 7-i Group)		minum (included wit	h Exterior Appearance	Р	-	S	S	_	S -	- 1		_
— Regular Cab 8' box — Quad Cab 6'4" box		0 -	0 —	0		0	0	0				inch chrome-clad alu	minum (WFJ)						0		_ 0		-
— Crew Cab 5'7" box			0 —	0			0	0		0	— 20 x 8-	inch painted Silver, a	uminum (WHE)			S		-1			-		
— Crew Cab 6'4" box		) -		0	0	0	0	0	0	0				Black Express Group) (WHN)	_	Р			_	0 -	_	-	_
BODYSIDE MOLDINGS — Chrome (optional with monotone paint only on Outdoorsman and Laramie: included with Limited Appearance Group)		)  -	-  -	0	0	0	_	0	_	Р		inch chrome-clad alu inch chrome-clad alu				0			2				<del> -</del>
DOOR HANDLES — Black		S	S S			S		_				inch aluminum, polisi		er pockets (WRF)		_				_ :	S –		
— Body-color	-	-	-   -	-	_		S	_				inch chrome-clad alu								-  -	_ S		E
— Chrome with body-color bezel				S		_		S		S				n Gold-clad accents (WRH) n Silver-clad accents								- S	_
EXHAUST — Single rear — Dual rear (included with HEMI V8 or EcoDiesel V6)			S S	S	S	S —	<u> </u>	S		<u> </u>		incn aiuminum, muiti ed with monotone pai		i Silver-ciau accents		-		-		-  -		- P	-
FOG LAMPS		_	s =		-	S	S	S			— 20 x 9-	inch aluminum, multi		painted with									S
GRILLE — Black surround, Black hex-link			_ S	-	_		_	_				-clad accents (WRM) inch polished alumini	ım /WDT\									0	0
— Body-color surround, Black hex-link (included with R/T models) — Body-color surround, chrome billet-perf			S —	=		S	P S			_		inch polished alumini inch polished forged a		on Regular Cah R/T							(0	0	-
— Body-color surround, chrome bliet-peri — Chrome surround, Black hex-link (included with Exterior Appearance Grou	ıb)	P _		_			_					del; optional on Crew		0 000 101						— S.	/0   -		

3500 CC

4500 CC

5500 CC

C/V TRADESMAN

PROMASTER

PROMASTER CITY | CONFIGURATIONS

FABRICS

RESOURCES

 $S = Standard \quad 0 = Optional \quad P = Part \ of \ Package \quad -- = Not \ available \\ NOTE: Some \ features \ and/or \ applications \ may \ be \ late \ availability.$ 

2815 RAM ISBD PICEUP  BUYER'S BUIDE (CONTINUED)  OFFI PROCES  FINANCIAL STATE OF THE PROCESS OF	UVERVIEW POWERTRAINS 1500 2500	3500	U	'	35UU U	ili		4500	UU		5500 0	G G/V TRADESMAN	PRUMASTER	PRUMASTER CITY	CUNFIGURATIONS	PAIN	1		FABR	IIUS	П	RESUU	KUES	"
In the part of t	BUYER'S GUIDE (CONTINUED) CPOS PACKAGE	TRADESMAN® REG/QUAD/CREW	2 2 2	- HFE			OUTDOORSMAN® QUAD/CREW	SPORT   REG/QUAD/CREW	= LARAMIE® QUAD/CREW	→ LARAMIE LONGHORN® CREW	■ LARAMIE LIMITED  CREW			ed)		TRADESMAN® REGOLIAD/CREW		三三三	공문	<b>8 8</b> 8	4 0		3 30	S   LARAMIE LIMITED
begul his carent, 13 feet disasting room contained. 8 de not Mary stempt  FERRITO - Transmission in infrarence vincine  From a section of the fine face of the face of the fine face of the fine face of the fine face of the face of the fine face of the face of the face of the fine face of the f		S	S	S	S	S	S	S		_					d bucket seats, power									
Service in the control of the property discovery. For this control of property discovery. For the control of property discovery. For th						Р	Р	S	S	S	S										- 1			
The results inclinated with 2-mile 1 filts framewhat Propagational Programmable  Provided Languist Inclination, with 7-mile 11 filts argumentle  Results and support inclination, with 7-mile 11 filts argumentle  Results and support inclination, with 7-mile 11 filts argumentle  Results and support inclination, with 7-mile 11 filts argumentle  Results and support inclination, with 7-mile 11 filts argumentle  Results and support inclination, with 7-mile 11 filts argumentle  Results and support of the 10 filts argumentle  Results and support of the 10 filts argumentle  Results and support inclination and			-						Ļ		ļ .					_	I –	_	-		- 11	_ 0	_	l —
- Present uniformed, with 7-wide for 1 fine Translated (TT) pregnamatic marker states for 16% Condend for 10% To pregnamatic marker states for 16% Condend for 10% To pregnamatic markers for 10% Condend for 10%		S	S	S	S	S	_	_	—	_	-										- 1			
Person Large Control (Control and Large Prince)  - Framin Large Control (Control and Large Prince)  - Framin Large Control (Large Princ			_			_	_	_													-			
Person Language under decreases, Veh 3-fich HT gragmanabe  - French Language under decreases, Veh 3-fich HT gragmanabe  - French Language under decreases with a best work of the second			I –		-	Р	8	S	8		-										-			
Personal name in lander and month, with 2 and 3 FT pregnamosis will be sold from the control of			I –		_				_	S	_					ır					- 1			
## Disparation of City Common for City City Common for City City Common for City City Common for City City City City City City City City											-						1 -		-	-	- 11	-	- S	I —
Part			I –	_	-	-		_	-	_	S	laser-	etched design rear ben								-			
Contenting inflation with internet 6 appearance 5 appearance 6 appea	CONSOLE — Full-size floor console (included with front bucket seats)	_		_	-1	Р	S	S	Р						d burdent anaka mannar					_	-	_		₩.
Page 415		_	I.	_		_	_	_	_	S	S										- 1			
FLORM MAIN   Front and crase problem (local circle and Corner Cab)		Р	Р		S		_			_	<u>-</u>	full-le	ngth floor console, 115	-volt auxiliary power	outlet, heated 2nd-row						- 1		0	
Frost and recorded Gloral Cob and Orac Cob incloted with P S S S S S S S S S S S S S S S S S S		0	0							3	3										- 11			
Front and rearries carpeted (Glace Cab and Carbo Cab Intended with P S S S S S S S S S S S S S S S S S S				0		_	_		_					lat load floor storage	(available in Canyon Brow	n					- 1			
Post   Engine Engine Engine (Cong)   The Cong (Cong Cong Cong Cong Cong Cong Cong Cong		P	9		9	9		c	9					-back, ventilated an	d heated bucket seats.		-				-			
First and mark   Lowery   Color   Co		,		0		3			L"		_										- 1			
S   S   S   S   S   S   S   S   S   S		P	2	2	2			2	$\vdash$		-						I –		-		- 11	- 1	-	S
### MEMORY STEMS. # Sexts, mirrors, pendis, radio presets   S   S   S   S   S   S   S   S   S			_					0	-												-			
Eather engaged with south control buttors (included with Lump Group)			_			3	2	3				Black)	(*UL)											
Pence - digitable with memory			<u> </u>		_		_	_	S	S	S					S	S	S	S		_  -			<u> </u>
Power 10-way digrusting driver and front-passenger seath   S   S   S   S		3	3	3	3	3	<u> </u>	<u>S</u>	$\vdash =$		=						-			2 :	5	_	_	-
STORAGE			-					_	S	S	S				ilo controi buttons					P	P		0	
- Power 10-way futner's and power 6-way passanger included with **19 assays =		S	S	S	S		_					STORAGE -	Front center-seat-cu	shion (included with	*M9 and *VL seats)			_						
- Pewer 10-way divers' with memory and power 6-way passanger		_	-	_		S	S		_	_	<u> </u>									_				
- Prover Z-very lumbar adjuster (driver's seet only), included with "M5			₩					P	9		<u> </u>													
Seat bett, front, shoulder height adjustable   S   S   S   S   S   S   S   S   S			-			_	_	_							w Cab illouers only)	3	<u> </u>							
- Heated, driver and front jussenger, included with Common (Pagulan Cab and Crow Cab Mode) and Classats) - Ventilated front (included with "Cl seats) - Ventilated front (included with Unding front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat, front armarst-tup) - Indied front (included with Under seat) - Indied front front (included with Under seat)	and *MJ seats)		_												only)	1-	1	_	_				_	
Vertilated with Comfort Group and **Cl seats		S	S	S	S	S	S	S	S	S	S					S	S	S			- 1			
- P S S S - Power froat and rear with driver's one-bouch down-and-up (Quad Cab and Cab		_	I –	_	-	Р	Р	Р	S	S	S				r Cab only; included with	Р	Р		S	_ :	S	s –	-   _	l —
Heated, 2nd-row, Crew Cab notyl (included with "Gib Ducket seats)			-					Р	S	S	S				n-and-un (Quad Cah									
holder, floor-mounted storage tray on Crew Cab (Quad Cab and Crew Cab models included folding rear benefix set trimmed in clubt with popular Equipment Group) (PVS)  — Cloth 40/20/40 spit-bench front seat, front armest with cup holder (Quad Cab and Crew Cab models include folding rear bench seat trimmed in clubt with popular Equipment Group) (PVS)  — Prenium clubt-mrimed 40/20/40 spit-bench front seat, front armest with cup holder power 10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 spit-folding rear bench seat trimmed in clubt with underseat storage and fold-flat toad floor storage) (*M)  — Prenium clubt-mrimed 40/20/40 spit-bench seat storage and fold-flat toad floor storage) (*M)  — S S S S S S S S S S S S S S S S S S		_							Р	S	S	and C	rew Cab models only)			S				5	S	8 8	S	S
models include folding rear bench seat trimmed in viny) (*TX)  — Cloth 40/2040 Spill-bench from seat, from armest with cup holder (Quad Cab and Crew Cab models include cloth folding rear bench seat; programment strong (*TY)  — Premium oldh-Trimmed 40/2040 Spill-bench from Seat, from armest with cup holder, power 10-way driver's seat, power lumbar adjuster, front armest with cup holder, power 10-way and the firmed spitch from the seat storage and fold-flat load floor storage) (*MI)  — Premium oldh-Trimmed way driver's seat, power lumbar adjuster, front armest with cup holder, power 10-way and seat storage and fold-flat load floor storage) (*MI)  — Premium oldh-Trimmed way the seat show the seat															odels)					S -				<u> </u>
- Clich 40/20/40 Spith-bench front seat, front armrest with cup holder (Quad Cab and Crew Cab models include of birth folding rear bench seat; included with Popular Equipment Group ("Y9)    Connectivity		3	3		-				_		-				w Cah modale only)	0	0	_						-
(Quad Cab and Crew Cab models include of thirding rear bench seat; prof. armest with repular Equipment Group) ("Y9)  — Premium cloth-trimmed 40/20/40 spit-bench front seat; front armest with cup holder, power I Loway driver's seat, power unbar a dijuster, front center-seat-cushion storage, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 spit-folding rear bench seat timmed in cloth-trimmed Mover's seat, power I Loway driver's seat, power I Loway driver seat, power Loway driver seat, power I Loway driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 14 Loway driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 14 Loway driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 14 Loway driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 15 Loway driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 15 Loway driver and power 6-way passenger, power lumbar adjuster, full-length floor driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 15 Loway driver and power 6-way passenger, power lumbar adjuster, full-length floor driver and power 6-way passenger, power lumbar adjuster, full-length floor driver and power 6-way passenger, power lumbar adjuster, full-length floor driver and power 6-wa	— Cloth 40/20/40 split-bench front seat, front armrest with cup holder																		_					
Permium cloth-trimmed di/2/2/40 split-bench front seat, front armrest with cup holder, power I DN-awy driver's seat, power furbar adjuster, front center-seat-cushion storage, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat with underseat storage and fold-flat load floor storage) ("Ms)  — Premium cloth-trimmed low-back bucket seats, power I D-way driver's seat, power lumbar adjuster, front console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat with and the consoler of		P	P	S	S	-	-	_	—		-				,,									
with cup holder, power 10-way driver's seat, power lumbar adjuster, front underseat storage and fold-flat load floor storage) ("M9)  S S S S S S S S S S S S S S S S S S S			-								-				es	S	_	S	S		_			
Uconnect 5.0 system)  But onderseat storage and fold-flat load floor storage) (*M9)  Premium colth-frimmed in cloth with underseat storage and fold-flat load floor storage) (*M9)  Premium colth-frimmed forew Cab models include 60/40 split-folding rear bench seat with underseat storage and fold-flat load floor storage) (*M9)  Premium colth-frimmed forew Cab models include 60/40 split-folding rear bench seat with underseat storage and fold-flat load floor storage) (*M9)  Premium colth-frimmed fine storage and flod-flat load floor storage) (*M9)  Premium colth-frimmed fine storage and flod-flat load floor storage) (*M9)  Premium colth-frimmed fine storage (*M9)  Premium colth-frimmed fine storage and flod-flat load floor storage (*M9)  Premium colth-frimmed fine storage and flod-flat load floor storage (*M9)  Premium colth-frimmed fine storage (*M9)  Pre	with cup holder, power 10-way driver's seat, power lumbar adjuster, front														L	S	S	S				SS	S	S
underseat storage and fold-flat load floor storage) (*MS)  — Premium cloth-frimmed low-back bucket seats, power ID-way driver's seat, power humbar adjuster, full-length floor console, IIS-ovid taudiary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth with underseat storage and fold-flat load floor storage) (*MD)  — Premium cloth-virunded with description of the storage of the storage and fold-flat load floor storage) (*MD)  — Premium cloth-virunded with underseat storage and fold-flat load floor storage) (*MD)  — Premium cloth-virunded with underseat storage and fold-flat load floor storage) (*MD)  — Premium cloth-virunded with underseat storage and fold-flat load floor storage) (*MD)  — Premium il, is load and crew Cab models include de storage and fold-flat load floor storage) (*MD)  — Premium il, is load and crew Cab models include divith Uconnect 8.4AN system  — — — P P P P S S S S S S S S S S S S S			I –	_	-	S	0	_	—		-			port (iliciadea with	va, "Ma, "Mu seats allu	P	P	Р	S	S :	S	SS	S	S
Premium cloth-trimmed low-back bucket seats, power 10-way driver's seat, (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth with underseat storage and fold-flat load floor storage) (*MU)  Premium cloth/vinyl-trimmed high-back keated bucket seats, power 10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage) (*AU)  Leather-trimmed high-back ventilated and heated bucket seats, power 10-way/memory 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage) (*AU)  Leather-trimmed high-back, ventilated and heated bucket seats, power 10-way/memory 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*C1)  Leather-trimmed high-back, ventilated and heated bucket seats, power 10-way/memory for driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*C1)  Leather-trimmed high-back, ventilated and heated bucket seats, power 10-way/memory for driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include with load floor storage; not available on Regular Cab) (*C1)  Leather-trimmed 40/20/40 split-bench heated and ventilated front with power														nect 8.4A and 8.4AN	systems)				Р	P :	S	S S	S	S
Cluad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth with underseat storage and fold-flat load floor storage) (*MI)												SINGLE-DI	CC CD PLAYER			0	0	0	0	0	0	0 0	0	0
SIRIUSXM TRAVEL LINK <sup>183</sup> — Included with Uconnect 8.4ÁN system — — — P P P P S S  — Premium cloth/vinyl-trimmed high-back heated bucket seats, power  10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage; or an included with Sport Premium II; 10 speakers including a subwoofer and 12-channel amplifier (included with Sport Premium II; 10 speakers including a subwoofer and 12-channel amplifier (included with Sport Premium II; 10 speakers including a subwoofer and 12-channel amplifier (included with Sport Premium II; 10 speakers including a subwoofer and 12-channel amplifier (included with Sport Premium Group; Quad Cab and Crew Cab models only)  SYSTEM CONTROLS — Steering wheel-mounted audio controls (included with leather-wrapped steering wheel)  10-way driver and power 6-way passenger, power lumbar adjuster, full-length sold include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*CI)  — Leather-trimmed 40/20/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*CI)  — Leather-trimmed 40/20/40 split-folding rear bench seat deepton and the storage and fold-flat load floor storage; not available on Regular Cab) (*CI)  — Leather-trimmed 40/20/40 split-bench heated and ventilated front with power 10-way/memory for driver and power 6-way passenger, power lumbar adjuster, full-length floor storage and folding center armset with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models)  — Leather-trimmed 40/20/40 split-folding rear bench seat trimmed in vinyl with underseat such as a special search of the storage and folding center armset with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models)  — Leather-	power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet	_	I –	_	_	0	S	_	_	_	_					Р	P	0	S	S :	S	-	S	S
Premium cloth/vinyl-trimmed high-back heated bucket seats, power  10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage; (*Al)  — Leather-trimmed high-back, ventilated and heated bucket seats, power 10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models oinclude 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*Cl)  — Leather-trimmed high-back, ventilated and heated bucket seats, power 10-way driver and power 6-way passenger, power lumbar adjuster, full-length leather-wrapped steering wheel)  UCONNECT ACCESS via MoBilleries  UCONNECT ACCESS via MoBilleries UCONNECT BLUETOOTH® CONNECTIVITY — Includes hands-free phone;  UCONNECT BLUETOOTH® CONNECTIVITY — Includes hands-free phone;  UCONNECT SUBJECT Connect 8.4A or 8.4AN system — — — — — — — — — — — — — — — — — — —																			Н				_	
10-way driver's seat, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage; (*Al)  Leather-trimmed high-back, ventilated and heated bucket seats, power 10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models only)  SYSTEM CONTROLS — Steering wheel-mounted audio controls (included with — — — S S S S S S S S S S S S S S S S															D.4AN SYSTEM	S	S	S	S			S -		<u> </u>
60/40 split-folding rear bench seat trimmed in cloth/vinyl with underseat storage and fold-flat load floor storage) ("AU)  Leather-trimmed high-back, ventilated and heated bucket seats, power  10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models on include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) ("CI)  Leather-trimmed wight of the consoleration of the c												— Premi	ım I; seven speakers aı	nd eight-channel am							-1	S —		
Storage and fold-flat load floor storage) (*AD)  Leather-trimmed high-back, ventilated and heated bucket seats, power  10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*CD)  Stering wheel-mounted audio controls (included with			I –		-	-	_	S	_		-						I -		_	0	0	P S	S	S
Leather-trimmed high-back, ventilated and heated bucket seats, power  10-way driver and power 6-way passenger, power lumbar adjuster, full-length floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regular Cab) (*C))  Streaming Audio, Voice Command <sup>(21)</sup> and Text Message Reader <sup>(22)</sup> (not compatible power 10-way/memory for driver and power 6-way passenger, power lumbar adjuster, front center-seat-cushion storage and folding center armrest with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in																	-				-			_
floor console, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in vinyl with underseat storage and fold-flat load floor storage; not available on Regulires Uconnect 8.4 AN system — — — 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0														ilicci-illouliteu auulo	controls (iliciaaca with		1-		-	S :	S	SS	S	S
include 60/40 split-folding rear bench seat trimmed in vinyl with underseat  storage and fold-flat load floor storage, not available on Regular Cab) (*Cl)  Leather-trimmed 40/20/40 split-bench heated and ventilated front with power 10-way/memory for driver and power 6-way passenger, power  lumbar adjuster, front center-seat-cushion storage and folding center armrest with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in								0				UCONNECT	ACCESS[19] — Require											
storage and fold-flat load floor storage; not available on Regular Cab) (*Cl)  Leather-trimmed 40/20/40 split-bench heated and ventilated front with power 10-way/memory for driver and power 6-way passenger, power  lumbar adjuster, front center-seat-cushion storage and folding center  armrest with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in		)						U											0	0	0	0 0	0	0
— Leather-trimmed 40/20/40 split-bench heated and ventilated front with power 10-way/memory for driver and power 6-way passenger, power    Jumbar adjuster, front center-seat-cushion storage and folding center armrest with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in	storage and fold-flat load floor storage; not available on Regular Cab) (*CJ)															Р	Р	Р	S	S	S	SS	S	S
lumbar adjuster, front center-seat-cushion storage and folding center armrest with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in												with iPhon	e <sup>®</sup> ) (requires Uconnect	5.0, 8.4A or 8.4AN sy	stem)									
armrest with cup holder, 115-volt auxiliary power outlet (Quad Cab and Crew Cab models include 60/40 split-folding rear bench seat trimmed in									_						ak Evarago Crassa)				_					_
Crew Cab models include 60/40 split-folding rear bench seat trimmed in	armrest with cup holder, 115-volt auxiliary power outlet (Quad Cab and				-		_		S		_				CK EXPRESS GROUP)	U	U/F	0		_				
THIS THE UNICOSCUL SENIE OF THE IDEA HOU SENIE OF TE																			اخا			_		S
											_													

3500 CC

4500 CC

5500 CC

C/V TRADESMAN

PROMASTER

PROMASTER CITY | CONFIGURATIONS


FABRICS

RESOURCES

16 OVERVIEW POWERTRAINS

 $S = Standard \quad 0 = Optional \quad P = Part \ of \ Package \quad -- = Not \ available \\ NOTE: Some \ features \ and/or \ applications \ may \ be \ late \ availability.$ 

18	OVERVIEW	POWERTRAINS	1500	2500	3	500		(	3500 (	CC		4500	CC		5500 C
BU	IS PACKAGE	E (CONTINU	ED)		TPADECMAN®	REG/QUAD/CREW	C EC/QUAD/CREW	- HFE REG	೨ SLT REG/QUAD/CREW	BIG HORN/LONE STAR* REG/QUAD/CREW	OUTDOORSMAN® QUAD/CREW	PORT REG/QUAD/CREW	= LARAMIE® QUAD/CREW	→ LARAMIE LONGHORN® -	□ LARAMIE LIMITED     □ CREW
	FETY AND SECUE					0									
AIR		ced multistage fro	nt		-	S	S	S	S	S	S	S	S	S	S
=	Supplemental sid	nt-seat side-moun	tod		-	S	S	S	S	S	S	S	S	S	S
		isted 4-wheel anti			_	S	S	S	S	S	S	S	S	S	S
ELE All-	CTRONIC STABILIT Speed Traction Cor	Y CONTROL (ESC)	<sup>5]</sup> — Includes 4-w upport, Ready Aler	heel ABS, Brake Ass t Braking, Electronio		S	S	S	S	S	S	S	S	S	S
		IND REAR PARK AS								0	0	0	0	S	S
PAR				Group) grid lines (grid lines	not	0	0		0	0/P	0/P	S	S	S	S
lock pan	IOTE KEYLESS ENT s, tailgate and Ra	<b>RY WITH ALLSECU</b> mBox <sup>®</sup> System (wh two transmitters (	en equipped), illu	or power door minated entry syste ular Equipment Gro	m, up	Р	Р	_	S	S	S	S	S	S	S
		<b>M</b> — Included with	h Remote Start an	d Security Group						Р	S	Р	0	S	S
		ncluded with Rem				_	_			Р	S	Р	S	S	S
Trai	ler Tow Group)	ROLLER — Fully ir	ntegrated electroni	c (included with	(	0/P	0/P	0/P	Р	0/P	0/P	0/P	0/P	0/P	0/P
BLA Entr hea 20-i	y Group, door and dlamps, Sport LED inch Black painted	JP — Includes Pop fender badge dele taillamps, Black p	te, Black tailgate l painted grille, Uco	roup, Power and Re badges, Sport projec nnect 5.0 system an ted steering wheel	ctor		0	_	_	_	_	_	_	_	
Uco	nnect 8.4A or 8.4A	N system)		ATC if equipped wit	h -		_			0	0	S	_	_	
rain	-sensing wipers a	' — Includes Pass nd Auto High-Bean	ive Entry/Keyless E n Headlamp Contr	inter 'n Go;'''		-	_		_		_	0	0	0	S
EXT	ERIOR APPEARAN		ides chrome front	and rear bumpers,		0	_		_	_	_	_	_	_	
				de moldings, body-c	olor .	_	_		_		_	_	_	_	0
lam mirr Doo	URY GROUP — In p, underhood lamp ors with signal an	o, illuminated vani d puddle lamps, o	dome lamp, ashtra ty mirror, auto day verhead console w	ay lamp, glove box /night mirror, exteri ith Universal Garag inch TFT programma	е -	_	_	_	_	0	S	S	_	_	_
rear inst prin 4x4	SY OAK® PACKAG box side; camoufl rument panel cent nary headrests (rec only)	age pattern on ext er stack and door p quires Canyon Brov	erior bed rail caps panel inserts; emb vn/Light Frost Beig	seatbacks, decal or , tailgate caps, inte roidered logo on fou ge interior; Crew Cal	rior ır - b		_		_	_	0	_	_	_	
floo	ring, remote keyles	s entry, floor mats	and SiriusXM® Sa			0	0	_	_		_	_	_	_	
keyl one-	ess entry, foldawa -touch down and p	y Black power heat ower locks (Regula	ed mirrors, power ar Cab only)	vinyl door trim, rem windows with front		0	0	_	_	_	_	_	_	_	_
skid	l plates (4x4 mode	ls only)		ion and transfer ca		0	_		_	0	S	_	0	0	
<b>REA</b> Parl	<b>R CAMERA AND PA</b> Assist <sup>[24]</sup> and Par	<b>ARK ASSIST GROUP</b> kView Rear Back-L	' — Includes Park Ip Camera <sup>[24]</sup>	Sense Front and Rea	ar .	-	_	_	_	0	0	_	-	_	_
REN Ren	IOTE START AND S note Start System	ECURITY GROUP -	– Includes securit				_			0	S	0	_		
P28 and	5/45R22 BSW All- Sport performance	e hood (Regular Ca	9-inch forged polis ab 4x2 6'4" box mo	shed aluminum whe idels only)	- 1	_	_	_	_		_	S	_	_	_
(Qua	ad Cab® and Crew	Cab models only)		ound Speaker Syste			_		_		_	0	_		
with	ı HEMI® V8 or Eco[	Diesel V6, or 3.55 a	xle ratio with Pent				_		0		_		_		
Clas		— Includes electron and 7 x 11-inch to roup)				0	0	_	Р	0	0	0	0	0	0



C/V TRADESMAN

PROMASTER

PROMASTER CITY | CONFIGURATIONS

PAINT

FABRICS

RESOURCES

19

21

#### **RAM 1500 TOWING AND PAYLOAD**

20

MAXIMUM LOADED TE	RAILER WEIGHT	TS (when properly eq	quipped)				SAE	J2807 COMF	PLIANT			
				REGUL	AR CAB		QUAD	CAB®		CREV	V CAB	
			6′4	'BOX	8′ 8	BOX	6′4″	вох	5′7″	ВОХ	6′4″	вох
POWERTRAIN	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	3.21	9,850	4,980	4,770	4,790	4,610	4,620	4,450	4,490	4,190		
3.6L PENTASTAR® V6 /	3.55	12,200	7,310	7,060								
8-SPEED AUTO	3.55	12,400			7,280	7,110						
	3.55	12,900					7,600	7,440	7,480	7,180		
	3.55	13,750			8,240	8,030	7,950	7,690	7,840	7,660	7,880	7,590
3.OL ECODIESEL V6 /	3.92	13,750			8,240	8,030	7,950	7,690	7,840	7,660	7,880	7,590
8-SPEED AUTO	3.92	14,550										8,390
	3.92	14,750			9,200	9,030	8,950	8,690	8,840	8,560	8,880	
	3.21	12,350	7,160		7,050		6,790		6,770		6,740	
5.7L HEMI® V8 /	3.92	14,325	9,140	8,970								
6-SPEED AUTO	3.55	14,400		9,050	9,100	8,880	8,840	8,670	8,820	8,610	8,790	8,550
	3.92	15,950			10,650	10,430	10,390	10,220	10,370	10,160	10,340	10,100
	3.21	13,800	8,630	8,420	8,490	8,300	8,210	8,060	8,170	8,000	8,070	7,800
5.7L HEMI V8 / 8-speed auto	3.92	14,350	9,180	8,970								
O OI LED AOTO	3.92	15,950			10,640	10,450	10,360	10,210	10,320	10,150	10,220	9,850

			REGU	LAR CAB		QUAC	CAB <sup>®</sup>		CRE	V CAB	
		6′4′	BOX	8′ 8	BOX	6′4″	BOX	5′7*	BOX	6′4″	BOX
POWERTRAIN	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	6,010	1,450									
	6,025	1,520									
3.6L PENTASTAR® V6 / 8-speed auto	6,300		1,580								
0 OI LED AO IO	6,600			1,900	1,710						
	6,800					1,900	1,720	1,850	1,650		
3.0L ECODIESEL V6 /	6,600			1,500	1,290						
8-SPEED AUTO	6,950					1,610	1,400	1,540	1,340	1,480	1,270
	6,350	1,610	1,430								
5.7L HEMI® V8 / 6-speed auto	6,600			1,720	1,500						
O OI LED AO IO	6,900					1,820	1,600	1,770	1,550	1,710	1,520
	6,350	1,600	1,430								
5.7L HEMI V8 / 8-speed auto	6,600			1,710	1,510						
O OI LLD NOTO	6,900					1,780	1,600	1,710	1,530	1,660	1,480

Numbers in Black boxes reflect max ratings. I. Payload and Max Trailer Weights are estimated values. 2. All weight sare shown in lb unless otherwise stated. 3. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. 4. Payload = GVWR – Base Weight. 5. Trailer Weight Rating are estimated values. 2. All weight sare estimated values. 2. All weights are estimated values. 2. All weights are estimated values are rounded to the nearest 10 lb. 4. Payload = GVWR – Base Weight. 5. Trailer Weight Rating are mutually exclusive. 7. GAWRs, GVWRs and GCWRs should never be exceeded. 8. The recommended tongue weight for a conventional hitch is 10 percent of the gross trailer weight. The maximum tongue weight for Class IV hitch receiver is limited to 1,100 lb. 9. A weight-distributing hitch is recommended for trailers over 5,000 lb.

#### **RAM 2500**



17-inch Painted Steel Wheel Standard on Tradesman® (WDA)

18-inch Polished

Forged Aluminum Wheel Standard on Big Horn /

Lone Star\* and Outdoorsman

Forged Alumi



17-inch Polished Aluminum Wheel Standard on Power Wagon<sup>6</sup> Models (WFV)



18-inch Full-Face Steel Wheel with Argent Painted Finish Optional on Tradesman (WBN)



18-inch Chrome-Clad Steel Wheel Standard on SLT Optional on Tradesman (WBH)



18-inch Polished Alu Wheel with White Gold Pockets Standard on Laramie Longhorn<sup>®</sup> with Two-Tone Paint (WBM)



18-inch Polished Alumir Wheel with Silver Pockets Standard on Laramie Longhorn with Monotone Paint (WBA)



ninum Wheel with Chrome Insert Standard on Laramie Limited Optional on SLT, Big Horn / Lone Star,\* Outdoorsman and Laramie (WRJ)



18-inch Polished

Aluminum Wheel

Standard on Laramie® (WBL)

20-inch Black Painted Aluminum Wheel Included with Black Appearance Group (WF3)



Wheel with White Gold Pockets Optional on Laramie Longhorn with Two-Tone Paint (WRK)



Wheel with Silver Pockets Ontional on Laramie Longhorn with available Monotone Paint (WRA)

#### **RAM 3500 SINGLE REAR WHEEL**



18-inch Full-Face Steel Wheel with Argent Painted Finish Standard on 3500 SRW Tradesman (WBN)



18-inch Chrome-Clad Steel Wheel Standard on 3500 SRW SLT Optional on 3500 SRW Tradesman (WBH)



18-inch Polished Forged Aluminum Wheel Standard on 3500 SRW Big Horn / Lone Star\* Optional on 3500 SRW SLT (WBJ)



18-inch Polished Aluminum Wheel Standard on 3500 SRW Laramie (WBL)



18-inch Polished Aluminum Wheel with White Gold Pockets Standard on 3500 SRW Laramie Longhorn with Two-Tone Paint (WBM)



18-inch Polished Alu Wheel with Silver Pockets Standard on 3500 SRW Laramie Longhorn with available Monotone Paint (WBA)



20-inch Painted Satin Carbon Aluminum Wheel with Chrome Inserts Standard on 3500 SRW Laramie Limited; Optional on 3500 SRW SLT, Big Horn / Lone Star,\* Outdoorsman and Laramie (WRJ)



20-inch Black Painted Aluminum Wheel Included with 3500 SRW Black Appearance Group (WF3)



17-inch Steel Wheel with Argent Painted Finish Standard on 3500 DRW Tradesman® (WFU)

**RAM 3500 DUAL REAR WHEEL** 

Properly secure all cargo.



17-inch Steel Wheel with Chrome Finish Standard on 3500 DRW SLT and Big Horn / Lone Star\* Optional on 3500 DRW Tradesman (WD4)



23

RAM HEAVY DUTY 2500/3500

17-inch Polished Aluminum Wheel Standard on 3500 DRW Laramie® and Laramie Limited Optional on 3500 DRW SLT and Big Horn / Lone Star\* (WF7)



20-inch Polished Aluminum Wheel with White Gold Pockets Optional on 3500 SRW Laramie Longhorn with Two-Tone Paint (WRK)



20-inch Polished Aluminum Wheel with Silver Pockets Optional on 3500 SRW Monotone Paint (WRA)

Laramie Longhorn with available

\*Lone Star model available only in Texas.



17-inch Polished Aluminum Wheel with Unique Laramie Longhorn® Center Cap Standard on 3500 DRW Laramie Longhorn (WF9)

OVERVIEW POWERTRAINS 1500 2500	3500	)		3500 (	CC		4500	CC		5500	DO CC C/V TRADESMAN	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAIN			FABR	RICS		RESOU	RCES	
2015 RAM 2500/3500 PICKUP BUYER'S GUIDE	TRADESMAN® REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN/LONE STAR* CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LARAMIE LIMITED CREW/MEGA	CREWMEGA				TRADESMAN® REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN/LONE STAR® CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	CREW/MEGA POWER WAGON	LARAMIE CKEW LARAMIE LONGHORN® CREW/MEGA	LARAMIE LIMITED
CPOS PACKAGE		2TB		2TZ/ 2TY	2TT		2TH		2TK			V V CE			2TA	2TB		2T7/			2TH 2T.	_	
2500	Х	Х	X	X	X	X	Х	Х	Х	X		-				_		211			_		_
3500 SRW/DRW (6'4" box not available with Crew Cab DRW)	X/X		X/X	_			X/X			X / X	WILDITARY	CAL FEATURES (con	,		0	-		0	C	0	0 0	0	
ENGINE/TRANSMISSION	Λ, Λ		X / X	K / K			<i>X</i> / <i>X</i>		X / X	K / K		N — Front, three-link lectronic disconnectin		П	S	S	2	S	2	S	S S — S	-	S
5.7L HEMI® V8 gas engine / 6-speed automatic (66RFE; SRW only)				26								tabilizer bar	ig stabilizer bar			3	S	S	<u></u>	3	S —	- S	S
383 hp / 400 lb-ft of torque	26A	-	26G	Z/Y	26T	-	26H	-	26K	26M	IVI	ive-link coil spring su	snansian (2500 anly)		S	S	S	S	S	S	S S	_	S
5.7L HEMI Bi-fuel CNG / gas engine / 6-speed automatic (66RFE; 2500 Crew Cab 8'	27A		27G							_		lotchkiss leaf spring s	· · · · · · · · · · · · · · · · · · ·	)	S		S	S	_	_	S -	- S	S
box only) 383 hp / 400 lb-ft of torque				22		_				H		luto-Level dual-mode			0		0	0	0	-1	0 —	- 0	0
6.4L HEMI V8 gas engine with MDS / 6-speed automatic (66RFE) 410 hp / 429 lb-ft of torque (367 hp Mega Cab®)	22A	22B	22G	22 Z / Y	22T	22P	22H	22J	22K	22M	M			1 2500 Tradesman models)	\$/0		S	S	S	_	S -	- S	5
6.7L Cummins® Turbo Diesel engine / 6-speed manual (G56) 350 hp / 660 lb-ft of torque	2EA	_	2EG	2E Z / Y	2ET	_	2EH	_	_	_	With g	as engines (optional o models; standard on 3	n 4x2 models; include		0 / P	S	0/P S	0 / P	S	S	/P S	S	5
6.7L Cummins Turbo Diesel engine / 6-speed automatic (68RFE)	2FA		2FG	2F Z / Y	2FT		2FH		2FK	2FM	TDAILED TO	<b>W</b> — 4- / 7-pin traile		ination receptacle)	S	S	S	S	S	S	S S	S	S
370 hp / 800 lb-ft of torque				_	-					H		/ hitch receiver			S	S	S	S	S	S	S S	_	S
6.7L Cummins Turbo Diesel engine / 6-speed AISIN® Heavy-Duty automatic (3500 only) 385 hp / 865 lb-ft of torque	28A	-	28G	28 Z / Y		-	28H	_	28K	28M		CASES (4x4 MODELS O	INLY) — Manual shift	-on-the-fly	S	S		-[		S	_ S		E
Diesel Exhaust Fluid (DEF) System (standard with diesel engine)	Р	_	Р	Р	Р	_	Р	_	Р	Р		nic shift-on-the-fly			0		S	S	S	_	S —	- S	5
MECHANICAL FEATURES												WARN,® front, electric,	12,000-lb capacity			S		-	_	S	_ S	_	E
ALTERNATOR — 160-amp (standard with gas engine)	S		S	S	S		S		S	S					S	S	S	S	S	S	SS	S	S
— 180-amp (standard on diesel; included with Snowplow Prep Group on	0 / P	S	0 / P	0 / P	0 / P	S	0 / P	S	0 / P	0 / P	D	FEATURES								_			
HEMI V8-equipped models)	071	J .	071	071	071	"	071	, ,	071	0/1	BEDLINEK -	— Spray-in (not availa		G model)	0	0	0	0	0	0	0 0	S	3
— 220-amp (included with Snowplow Prep Group on diesel- and 6.4L gas-equipped models; also included in dual alternator options)	0 / P	-	0 / P	0 / P	0 / P	-	0 / P	_	0 / P	0 / P	r	L AND BOX — Regula			0		0	_	_	_	0 0	_	-
— Dual-rated at 380 amps (6.4L gas V8 only; includes 160-amp and	0	0	0	0	0	0	0	0		0		ab 6'4" box (SRW only	()		0	S	0	0	0	-	0 S		0
220-amp alternators)		U	U	U	U	U	U	U	0	U		Cab® 6'4" box			0		0	0	U	-	0 -	- 0 - 0	
— Dual-rated at 440 amps (6.7L diesel only; includes two 220-amp alternators)	0	_	0	0	0	<u> </u>	0	_	0	0	DIIMDEDS	— Painted Black			S		U	0		-	0 -	0	H
AXLES — Antispin rear differential (standard on 3500)	0/S		0/8	S	S	_	0/8	_	0/8	0/S	3		Annearance Group ar	nd with monotone paint)	P	S	S	S	<u>Р</u>	S	s s	P	F
— Electronically locking front and rear differentials	_	S	_	<u> </u>	_	S	_	S	_	<u> </u>			Appearance Group at	id with monotone panit/		3	_	_	S	_	3 3	- S	5
— 3.42 ratio (standard for diesel)	0	_	0	0	_	_	0	_	0	0	CLEADANCE	: <b>LAMPS</b> — Cab (inclu	ided on DRW)		0 / P	0	0 / P	0 / P	0	SC	/P 0		_
— 3.73 ratio (standard for gas; available for 3500 DRW diesel)	\$/0			\$/0		_	\$/0	_		\$/0	Dov.on	d rear fender (include			Р		Р	Р		_	P _	- P	P
— 4.10 ratio (optional for gas; available for 3500 DRW diesel) — 11.5-inch rear axle (SRW)	0 S	S	0 S	0 S	0 S	S	0 S	S	0 S	0 S	DOOD HAND	LES — Black (include	· · · · · · · · · · · · · · · · · · ·	paint)	S	S	Р	Р	S	S		-	E
— 11.5-inch rear axie (5NW) — 11.5-inch rear axie (3500 DRW only; included with 6.4L gas engine,	3	3	3	3	3	3	3	3	3	3		e	·				S	S		-1	S S	S	S
diesel/G56 manual transmission, diesel/68RFE or diesel/AISIN transmission	Р	_	Р	Р	_	—	Р	_	Р	Р	FOG LAMPS				_	S	0	S	S	S	S S	S	S
with 3.42 axle ratio)										_	GRILLE —	Black surround with B	lack hex inserts		S	S		-1	_			-	-
— 11.8-inch rear axle (3500 DRW only; included with diesel/AISIN transmission with 3.73 and 4.10 axle ratios)	Р	-	Р	Р	_	-	Р	_	Р	Р	— Chrome	e surround with Black h	nex inserts (included in	Chrome Appearance Group)	Р		S	-	_	- 1		-	-
BATTERY — 730-amp, maintenance-free (two required for diesel)	S	S	S	S	S	S	S	S	S	S	Body-c	olor surround with Bla	ick hex inserts		_			-	S	_			-
DIESEL EXHAUST BRAKE — With "smart" function (included with diesel engine)	Р	_	Р	Р	Р		Р	_	Р	Р	Chrom	e surround with chrom	ne billet inserts					S	_	S		-	Ŀ
ELECTRONIC UPFITTER MODULE — Not available with premium speakers	0	0	0	0	0	0	_	_		-		e surround with chrom	·					_		_	S S	_	E
ENGINE BLOCK HEATER — Included with Cold Weather Group on diesel	0 / P	0	0 / P	0 / P	0 / P	0	0 / P	0	0 / P	0 / P	P	e surround with chrom			_		_	_	_	_		- S	S
FIFTH-WHEEL/GOOSENECK PREP PACKAGE — Includes in-box 7-pin harness	0		0	0	0		0		0	0		S/TAILLAMPS — Autor			S	S	S	S	S	S	S S	S	S
connector (not available with RamBox® System)	Р		P	_						Ľ	Quau-I	nalogen headlamps/in			S	S	S	S	S	-	c c	-	-
FUEL TANKS — 8-gallon tank (included with CNG engine)		_		_		<u> </u>		_		H		m projector headlamp igh-Beam Headlamp (		·				-1		_	S S	_	S
<ul> <li>— 18.2-G.G.E. (gasoline gallon equivalent) dual CNG tanks (included with CNG engine)</li> </ul>	Р	-	P	-	_	-		-	_	-		FILLER PANEL — Bla		•	0	S	0	0		S	,		-3
— 28-gallon tank (included with Regular Cab diesel)	Р	_	Р	_	_	<u> </u>		_		<u> </u>	Body-c		ck (iliciaded with spe	siai-oruer pairit)	S	3	S	S	<u> </u>	_	S S	S	S
— 31-gallon tank (included with 6'4" box)	S	S	S	S	S	S	S	S	S	S		2 <b>500</b> — Standard size	6 v 9_inch				5	-	0	-	0 0		H
— 32-gallon tank (included with 8' box; available with CNG engine)	\$/0	_	S/0	S	S	_	S	_	S	S		l (Black; Regular Cab			S					_			
HILL DESCENT CONTROL		S		_	_	S		S		_		heated (Black; include	-	te Entry Group on				_		0			H
SHOCKS — Front, heavy-duty	S		S	S	S		S		S	S	Regula	r Cab Tradesman)			P/S	S	S	S		S			
— Rear, heavy-duty	S	_	S	S	S	_	S	_	S	S	— Power- Luxury	folding/heated/puddle Group)	e/turn/auto-dimming	(Black; included in		-	Р	Р	S	Р			-
— Bilstein® gas-charged monotube  SKID PLATES (444 MODELS ONLY) — Transfer case (included in Protection Group	— Р	S	— Р	P		S	— Р	S	— Р	—     Р		heated/puddle/turn/m Appearance Package)	anual-folding (Black;	packaged with		_				-1	P —		-
and Snowplow Prep Group) ——Fuel tank		S		_	_	S		S		Ľ		folding/heated/puddle	e/turn/auto-dimming/	memory (chromed)							S S	S	S
STEERING — Power recirculating ball	S	S	S	S	S	S	S	S	S	S	2500 0-	tional size 7 x 11-inch		two-position foldaway									
												l (Black; Regular Cab	only)		0	0							
														requires Power					0				
S = Standard 0 = Optional P = Part of Package — = Not available NOTE: Some features and/or applications may be late availability.											and Re	heated/puddle/turn/m mote Entry Group on F	Regular Cab Tradesma	an)	0	0	0	0	0	0			

26 OVERVIEW	POWERTRAINS	1500	2500	350	0	3	3500 0	,6		4500	UU .		5500 CC	C/V TRADESMAN	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAIN			FABF	RICS		RESOL	JRCES	
2015 RAM 250 Buyer's Guid	-			TRADESMAN® REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN/LONE STAR† CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® CREW/MEGA	LARAMIE LIMITED   CREW/MEGA					TRADESMAN® BEGGREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA		OUTDOORSMAN® CREW	POWER WAGON CREW	CREW/MEGA POWER WAGON	LARAMIE CREW LARAMIE LONGHORN®	CREW/MEGA LARAMIF LIMITED
CPOS PACKAGE				2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM	CPOS PACE	KAGF			2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP 2	TH 21	TJ 27	rK 2
EXTERIOR FEATURE	FC (continued)						211								FEATURES (continu	od)					211					
— Power/heated/put	, ,	Idina (Black, requi	ros Luvury Group)			0	0	0	0						S — Front, carpeted (		Judad in Tradasman						-			
— Power/heated/pud		0 . , ,	, , , , ,	+=		U	U	U	U				_		ipment Group; require			Р		S		_	-	- 1		
Black Appearance	e Package)	power rolating (blue	on, optional with				_		_	0	_		_		nd rear, carpeted (inc		ipment Group;	Р	Р	S	S		S	S S	3	
— Power/heated/pu	ddle/turn/memory/p	power-folding (chro	omed)	_					_	0	0	0	0		s carpet floor covering	-		0	_	0			-			-
3500 — Standard size foldaway with convex of		er-tow mirrors, two	o-position												ubber (Regular Cab o nd rear, rubber	iny; requires carpet i	oor covering)	0	_	0	0	S	0 -			
— Manual (Black; R				S									_		nd rear, luxury				-			_				S
— Power/heated/pud		folding (Black: regi	uires Power	5		0	_								- Rearview day/night			S	S	S			S -	_		Í.
	y Group on Regular			Р		S	S		_				_		ew day/night with mic	rophone (included wi	th Uconnect® 3.0, 5.0			Р	S					
— Power/heated/pud Luxury Group)	ddle/turn/power-fol	lding (Black; packa	aged with optional		I – I	Р	Р		_		_		_		IA systems, without Li		<u> </u>									
— Power/heated/pud	ddle/turn/memon//	nower-folding (Rla	ck- ontional with												ew auto-dimming with		, , , ,			Р	Р	S	Р	S S	S S	S
Black Appearance		power rolaling (black	ck, optional with				-		_	Р	_		_	— Rearvie Camera	ew auto-dimming with a <sup>[24]</sup> in combination wi	i video display (inclui th back-un camera <sup>(2)</sup>	ded with Cargo-View or with Uconnect 3.0	Р	P	P	P	Р	Р	PP	p   p	
— Power/heated/puo	ddle/turn/memory/p	power-folding (chro	omed)		_		_		_	S	_	S	S		and back-up camera		or with dominot o.o									
RAMBOX® CARGO MAN drainable bins on both														— Rcall/E	call buttons (package	d with Uconnect 8.4	A and 8.4AN systems)			Р	Р	Р	Р	S S	_	S
Rail System with adjus				0	0	0	0	0	0	0	0	0	S	PEDALS —	Non-adjustable			S	S	S	S	S	_	S S	3 -	
requires Remote Keyle	ess Entry; not availa	ible with low-volun	me paints)												adjustable (requires a					0	0	0	0 -			
RUNNING BOARDS					_		_	_	_			S	_		adjustable with memo		ic transmission)			_		_	_	0 0	_	
SIDE STEPS — Chrom and on Laramie Limite			ne Laramie Longhorn	0	-	0	0	0	_	0	-	0 / P	P		IROOF — Not availabl				-	0	0	0	0	0 0	0 0	0
— Chrome, wheel-to			o or DRW	0	_	0	0	0	_	0		0	S		lanual adjusting drive 10-way driver's (inclu			S	S	S	— Р	— Р	— г	-		
TONNEAU COVER — N	Not available for Ran	m 2500 CNG model		0	0	0	0	0	0	0	0	0	0		10-way driver's with n				=			r	-	S S	S S	S
WHEEL FLARES — Bla	ack			_	S		_	S	S				_		2-way lumbar adjuste								_		_	-
— Bright Silver Meta	allic			_			_		_	S	_		_		nd *MJ seats)	(direct 5 55dt 6iiiy,	norduod with			P	S	S	S	SS	SS	
- White Gold Metall	lic			_	_		_	_	_			S	_	— Seat be	elt, front, shoulder hei	ght-adjustable		S	S	S	S	S	S	S S	S S	S
— Body-color (include Laramie Limited)		paint and with Ch	rome Group on	_	I – I		_	Р	_	Р	S	Р	Р		, driver and front-pas ed with Comfort Group		ed steering wheel				P	Р	Р	S S	s s	S
WINDSHIELD WIPERS		nittent		S	S	S	S	S	S	S	S	S			ted front	J)								S S	s s	S
— Rain-sensing (inc						_	_	_	_	P	P	Р				and Mega Cah® mode	ls only (included with				$\vdash$		_	P _	_	-
INTERIOR FEATURE		,									-	-			cket seats)									Ρ –	_ S	
AIR CONDITIONING				S	S	S	S		S				_	— Vinyl 40	0/20/40 split-bench fi	ont seat with folding	front armrest/cup holder, b models include folding	S	S							
AIR CONDITIONING WI	ITH DUAL-ZONE AU	TOMATIC TEMPERA	ATURE CONTROL												nch seat trimmed in v		b illouers illorade foldling	3	ď							
(included with Comfort equipped with Uconnec	t Group for Big Horn/	'Lone Star† and Out	doorsman models if		-		Р	Р	_	S	S	S	S				seat with folding front									
AUXILIARY INSTRUME			with Comfort Group or												t/cup noider, floor-mo include folding rear b		n Crew Cab (Crew Cab n vinyl) (*SX)	0	0				-			
with Uconnect 3.0 or 5.			o men commone aroup or	0	_	0	0	0	_	0		0	0		0/20/40 split-bench f											
BEZEL, CENTER STACK	K — Black			S	S		_	_	_			_	_		Cab and Mega Cab mo ed with Popular Equip		lding rear bench seat;	0	0	S		_	S -	- 1		
Color-keyed						S	S	S	S			_	_		m cloth-trimmed 40/2		nt seat, front armrest				$\vdash$		-			
- Woodgrain					_		_	_	_	S	S	_	_	with cu	ip holder, power 10-wa	ay drivėr's seat, pow	er lumbar adjuster, front			0	S	0	0 -	- 1	_   -	
— Real wood				_	_	_	_	_	_	_	_	S	<u>S</u>	and Me	ega Cab models includ	le 60/40 split-folding	ower outlet (Crew Cab rear bench seat) (*M9)									
CLUSTER — 3.5-inch			~ /EVIC)	P	P	P S	P S	Р	P S	Р	Р	Р	P				ower 10-way driver's seat,									
— 7-inch Thin Film				3	3	P	P	S	P	S	S		_	power l outlet (	umbar adjuster, full-l Crew Cab and Mega (	ength floor console, Sab models include 6	115-volt auxiliary power 0/40 split-folding rear			0	0	S	-	-  -	-   -	8
— 7-inch TFT (with I			попру			_	_	_	_	_	_	S	_		seat trimmed in cloth)		or to opine toraling roal									
— 7-inch TFT (with i												_	S	— Leather	r-trimmed 40/20/40 s	plit-bench heated an	d ventilated front with passenger, power lumbar									
CONSOLE — Mini floo	or console (included		nual transmission	P	S	Р	P	Р	S	Р	S			adjuste	er, front center-seat-c	ushion storage and f	olding center armrest with		-				-	s s	3 -	
or manual transfer cas	se)	<u> </u>		P	2				2		2			cup hol	lder, 115-volt auxiliar 60/40 split-folding r	power outlet (Crew	Cab and Mega Cab models									
— Full-size floor con		n bucket seats)				Р	Р	Р	_	Р		S	<u>S</u>				d bucket seats, includes									
— Overhead console		D 0				S	S	_	S	_	_	_		power 1	10-way driver and pov	er 6-way passenger.	power lumbar adjuster.									
		· ·	cluded in Luxury Group	_		Р	Р	S	Р	S	S	S	<u>S</u>	on Crev	v Cab models (Crew C	ab and Mega Cab m								0   -		
DOOR LOCKS — Manu		**	Croup	S	-		_		_				_		olding rear bench seat	,,,,							_			4
<ul> <li>Power door locks on Regular Cab T</li> </ul>		and Remote Entry	ылир	P/S	S	S	S	S	S	S	S	S	S				ack ventilated and heated ower 6-way passenger,									
	Go™						_		_	0	0	0	S	power I	umbar adjuster, prem	ium full-length floor	console, 115-volt auxiliary								_ S	3
— Keyless Enter 'n G					0	0	0	0	0				_				10 split-folding premium									
— Keyless Enter 'n G	Black vinyl (not ava	ailable on Mega Ca	ab®)	S	S	U	0	0	-					leather	with laser-etched des	sign rear bench seat	(available only in Canyon				1 1					

28	OVERVIEW	POWERTRAINS	1500	2500	3500	0		3500 (	CC		4500 (	CC		5500 C	C C/V TRADESMAN	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT			FABR	RICS		RESOUF	RCES	2
		O/3500 PIC E (CONTINU			TRADESMAN® REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN/LONE STAR® CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® - CREW/MEGA	LARAMIE LIMITED CREW/MEGA					TRADESMAN® REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN/LONE STAR* CREW/MEGA	OUTDOORSMAN® CREW POWER WACON	AM WE	CREW/MEGA POWER WAGON LARAMIE CREW	C 2 2	LARAMIE LIMITED CREW/MEGA
CDC	S PACKAGE				2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM	CPOS PACI	ACE			2TA	2TB	2TG	2TZ/ 2TY	2TT 2	2TP 21	TH 2TJ	2TK	2TM
		C (tid)				-		211								-						211					
	ERIOR FEATURE	,	tod and heated hual	kat aaata inaludaa												T® (continued)	Bluetooth/Access <sup>[19]</sup> /N	IAV						_			
_	power 10-way driv premium full-leng 2nd-row seats; in	ver and power 6-w gth floor console, 1 cludes 60/40 split		r lumbar adjuster.		-	_	_	_		_	_	0	_	(8.4-in	ch touchscreen displa OICE COMMAND <sup>[21]</sup> —			<u> </u>	— Р		0 S		0 0		S	S
_		yon Brown or Cattl				-									TIRES AND								_				
	includes power 10 adjuster, premiun heated 2nd-row s	)-way driver and p n full-length floor	'40 split-folding prei	ger, power lumbar uxiliary power outlet,		-	_	_	_	_	_	_	_	S	TIRES — 25 — LT245/ — LT285/	500 70R17E BSW All-Seasi 70R17D OWL All-Terra	in tires		S 			_	_			  -	
STE	RING WHEEL — I	Urethane			S	S	S	_	_	S	_	_						Chrome Appearance Group)	Р		S	S		_ 3		S	
	Leather-wrapped	with audio control	s (included in Luxur	ry Group)		_	Р	S	S	Р	_							th Popular Equipment Group)	0		P/0	0	S -	_ (		0	_
=	Leather-wrapped,	, heated with audio	o controls (included	in Comfort Group)		_	_	Р	Р		S	S	_				Road tires (included wi	th optional 20-inch wheels)	_		Р	Р	Ρ -	— F		P	S
		· · · · · · · · · · · · · · · · · · ·	wood and audio con			<u> </u>	_	_	_	_	_	_	S	S		e spare tire	D D I I I		S	S	S	S	S	SS	S S	S	S
_			ab and Mega Cab®)		S	ᆫ	S	S	S		S	_	S	S		l-size spare (requires	Box Delete)		0		0	0				_	<u> </u>
_			included in *VL and	I *M9 seats)		_	Р	Р	Р	Р	Р	Р	_	_	3500 Single — LT275/7	'Rear wneei 'OR18E BSW All-Seasi	on tires		S		S	S		_   5	3 —	S	-
_		ompartment (Crev			S	S	S	S	S	S	S	S	S	S				h Popular Equipment Group)	0		P/0	0		_ (		0	
_		rage boxes (Crew C			S	S	S	S	S	S	S	S	S	S				h optional 20-inch wheels)			0	0		_ (	5 _	0	S
_			ıly; included in *M9	seats and above)		<u> </u>	P	S	S	Р	S	S	S	S	3500 Dual F	ear Wheel			S		S	S			2	S	S
=			mirror iminated vanity mirr	ror		-	S P	S P	<u> </u>	S P			<u> </u>	<u> </u>	— LT235/		on tires Road tires (included	with	0		0/P	0		_ (		0	0
_		windows (Regular	Cab only)		S	1									WHEELS —	Equipment Group)				$\vdash$				-			$\vdash$
_		ront one-touch dov	vn (Regular Cab; inc	cluded in	Р	-	S	_	_	_	_	_	_	_	— 17 x 7.	5-inch steel painted inch polished forged	aluminum		S					S -			_
=	Power windows, fi	ront one-touch dov	wn-and-up (Crew Ca	ab and Mega Cab)	S	S	S	S	S	S	S	S	S	S		inch steel painted			0				_				
Ξ	Rear fixed window	V			S	S		_		_		_			— 18 x 8-	inch steel chrome-cla	d (included with Chro	ome Appearance Group)	Р		S			- 12			
Ξ	Rear sliding wind	ow, manual (Regu	lar Cab)		0	I —	S	_		_		_			— 18 x 8-	inch polished forged	aluminum				0	S	S -	- 15		_	=
Ξ	Rear sliding wind	ow, power (Crew C	ab and Mega Cab)			I –	S	S	S	S	S	S	S	S	— 18 x 8-	inch polished alumin	um						_	_ 5	3 —		
Ξ	Rear window defr	oster (requires rea	r sliding window)			<u> </u>	0	0	0	0	0	0	0	0	— 18 x 8-	inch polished alumin	um with White Gold p	ockets					_	- 1		S	
UC	ONNECT®																um with Silver pocket	S								Р	
CON	NECTIVITY — 12-	volt DC auxiliary			S	S	S	S	S	S	S	S	S	S		ed with monotone pai				$\blacksquare$						'	<u> </u>
Ξ	115-volt AC auxili	iary (included with	1 *M9 and *MJ seats	s)		I —	Р	S	S	Р	S	S	S	S				th Black Appearance Group)				Р		— F		_	_
		g USB port (include r *M9 and *MJ sea	ed with Uconnect 5.0	0, 8.4A and	Р	Р	Р	P	S	Р	S	S	S	S		<u>.</u>	ed Satin Carbon with				0	0	0 -	_ (		_	S
	, , .		3.0 and 5.0 system:	c. 1.5. amp fully		-								_			um with White Gold p							_		0	$\vdash$
func	tional USB port, a	uxiliary jack for mo	obile devices	is: 1.5-aiiip iuiiy	S	S	S	S	_	S	-	_	_	-		inch polished alumini onotone paint)	um with Silver pocket	s (орионаі				-		-  -		0	-
=			4AN systems: 1.5-ai				Р	Р	S	Р	S	S	S	S	— Steel s <sub>l</sub>	oare			S	S	S	S	S	S 5	S S	S	S
DO 4			levices and SD card			-	P								3500 Single				S					_			
_			t 8.4A and 8.4AN sys	items		0	-	P	S 0	P 0	S	S	S	S 0		inch steel painted	1/11101		-					-	-		_
_	ILE-DISC CD PLAY		od in Tradaaman Dan	ular Fauinment Croun	0 P	P	0 S	0 S	S	S	0 S	0 S	0 S	S			d (included in Chrom	e Appearance Group)	Р		S	_		_			$\vdash$
			AVEL LINK <sup>[18]</sup> — Incl	ular Equipment Group		l r	3									inch polished forged inch polished alumin					0	S		_	=		$\vdash$
	nect 8.4AN system		AVEL LINK	iuueu witii		I –		P	Р	Р	Р	Р	S	S			um with White Gold p	nokate						_ 3		S	$\vdash$
SPE	AKER SYSTEMS —	- Six speakers			S	S	S	S	S	S				_			um with Silver pocket										
=	Six premium spea	ıkers (Regular Cab	only)			-	0								(includ	ed with monotone pai	nt)									Р	_
	Group and *M9 or	r higher seat)	oofer (Surround Sour			_	0	0	0	0	S	S	S	S			ed Black (included wi ed Satin Carbon with	th Black Appearance Group) chrome inserts			0	P 0		— F			<u> </u>
	TEM CONTROLS — ry Group)	- Steering wheel-mo	ounted audio control:	s (included in		-	Р	S	S	Р	S	S	S	S			um with White Gold p							- 1		0	
_		— Uconnect 3.0 Al	M/FM		S	S									— 20 x 8-	inch polished alumin	um with Silver pocket									0	
_			wi/rivi ® (5-inch touchscree	en display)	0	0	S	S		S					(option	al with monotone pai	nt)										
_			h/Access <sup>[19]</sup> /NAV-rea						_						— Steel s				S		S	S		_ 5	-	S	S
	(8.4-inch touchsc			,			0	0	S	0	S	S			3500 Dual F — 17 x 6-	lear Wheel inch steel painted			S			_		_ []			_
																· · · · · · · · · · · · · · · · · · ·	e finish (included in (	Chrome Appearance Group)	Р		S	S					
																inch polished alumin		oo.no rippourante uroup)			0	0		_	5 _		S
																<u> </u>	um with Laramie Long	zhorn cap				Ť				S	_
																steel spare (include	`	5 oup	S		S	S			5 _	S	S
S =	Standard 0 = Option	nal P = Part of Pac	ckage = Not avail	lable												. 22501 oparo (moiado											

JU OVERVIEW	FUWER I RAINS 1300 2300	3300	,		0000	JU		4000	66		000	GG G/V TRADESINAN	FRUMASIER	FROWIASTER CITT CONFIGURATIO	JNS	FAINT			FADI	nius		NESUU	NULS	
2015 RAM 250 Buyer's Guidi		TRADESMAN® REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN/LONE STAR* CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN® • CREW/MEGA	LARAMIE LIMITED					TRADESMAN® REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN/LONE STAR* CREW/MEGA	OUTDOORSMAN® CREW	POWER WAGON CREW	LARAMIE® CREW/MEGA POWER WAGON	LARAMIE CREW LARAMIE LONGHORN® CREW/MEGA	LARAMIE LIMITED CREW/MEGA
CPOS PACKAGE		2TA	2TB	2TG	2TZ/ 2TY			2TH				CPOS PAC	KAGE				2TB		OT7/			2TH 2T.		
SAFETY AND SECUR	ITY											PACKAGE	S/EQUIPMENT GRO	UPS (continued)										
AIR BAGS[23] — Multist	age front and knee bolster	S	S	S	S	S	S	S	S	S	S			des engine block heater and winter fron	t grille cover	0		0	0	0		0 _	- 0	0
— Supplemental side	e-curtain	S	S	S	S	S	S	S	S	S	S		pped models only)									0		
— Supplemental from	t-seat side-mounted	S	S	S	S	S	S	S	S	S	S			ated cloth seats and heated leather ste included with Luxury Group); also inclu										
BRAKES — Four-wheel	antilock disc brakes	S	S	S	S	S	S	S	S	S	S	remote star	(with automatic trans	smission) and leather-wrapped steering	wheel				0 / P	0	0			_
	— Requires Uconnect® 8.4A or 8.4AN system	_	<u> </u>	0	0	0	0	0	0	0	0	<u>-</u>		ed with Uconnect® 8.4A or 8.4AN systemes Auto High-Beam Headlamp Control,	n)		$\vdash$							_
Roll Mitigation, Hill Star	<b>f CONTROL</b> <sup>[5]</sup> — Includes Brake Assist, Electronic t Assist, Rain Brake Support, Ready Alert Braking, rol and Trailer Sway Control <sup>[5]</sup>	S	S	S	S	S	S	S	S	S	S	rain-sensin	g wipers (not available	e with Cargo-View Camera <sup>[24]</sup> )  TY KIT — Includes DOT fire extinguishe	r	_		_		_	_	0 0		_
ELECTRONIC TRAILER I		0	0	S	S	S	S	S	S	S	S			vinyl flags and spare fuses	.,	0	0	0	0	0	0	0 0	0	0
KEY ALIKE (3500 only; n	not available with Keyless Enter 'n Go™; late availability)	0	0	0	0	0	0	0	0	0	0			ot available with Crew Cab 6'4" box; inc and fenders (3500 models only)	ludes	0	-	0	0	_	_	0 -	- 0	0
PARKSENSE® REAR PA	RK ASSIST[24]	0	0	0	0	0	0	S	S	S	S		1	ING PREP GROUP — Includes in-bed 7	-nin									
PARKVIEW® REAR BAC Uconnect 3.0 system or	K-UP CAMERA <sup>[24]</sup> — Video displayed in rearview mirror with on-screen with Cargo-View Camera <sup>[24]</sup> with other systems	0	0	0	0	0	0	S	S	S	S	harness cor	nector and mounting p	provisions for fifth-wheel or gooseneck l ch EVIC, switchable dome lamp, ashtra	nitches	0		0	0	0	_	0 -	- 0	0
System, illuminated enti	RY — Controls for power door locks, tailgate, RamBox® ry system, panic alarm (included in Tradesman Popular ver and Remote Entry Group)	Р	Р	S	S	S	S	S	S	S	S	illuminated signal and p 2TG / 2TP o	vanity mirror, auto day ouddle lamps, overhea oly: leather-wrapped st	y/night mirror, exterior power-folding mi d console with Universal Garage Door O teering wheel with audio controls, glove	rrors with pener; for			0	0	S	0	-	-	_
REMOTE START — Req	uires automatic transmission	_	_	0	S	S	0	0	0	S	S		amp; for 2TY / 2TZ only	<u>'</u>										
SECURITY ALARM — D		_	_	0	0	S	0	S	S	S	S	PUPULAR E flooring, flo	<b>QUIPMENT GROUP</b> — or mats, remote keyles:	- Includes 40/20/40 cloth bench seat, c s entry and SiriusXM® Satellite Radio <sup>[16]</sup>	arpeted	0	0				-		-	_
	ETERRENT SYSTEM — Engine immobilizer	S	S	S	S	S	S	S	S	S	S	POPULAR E	QUIPMENT GROUP —	- Premium cloth 40/20/40 bench seat, f	og lamps,			0						
	MATION SYSTEM WITHOUT ALERT (3500 models only)	S	_	S	S		_	S	_	S	S		egular Cab only)	<u> </u>				U						_
PACKAGES/EQUIPM	ORING (TPM) with EVIC display and alert (2500 models only)  FNT GROUPS	S	S	S	S	S	S	S	S	S	S	remote keyl	ess entry, power heated	DUP — Includes premium vinyl door tri d mirrors, power windows and power loc		0	-	_	-	_	_		-   -	_
BLACK APPEARANCE G	ROUP — Includes Black door handles, Black exterior gate badge, Black 4x4 badge (4x4 only), blacked-out				0			0			Г	(Regular Ca PROTECTIO (4x4 models	N GROUP — Includes	tow hooks and transfer case skid plate		0		0	0	S		0 —	- 0	0
projector headlamps and	d LED taillamps, Black painted front and rear bumpers, Black painted wheels with OWL tires (SRW models only)		-		U			U					- "	movable ashtray and cigar lighter		0	0	0	0	0	0	0 0	0	0
	r Cab and Crew Cab models with 5.7L HEMI® V8	0		0	0							SNOW CHIE	F GROUP — 4x4 SRW	/ models only; includes 180-amp alterna										
CHROME APPEARANCE	<b>GROUP</b> — Includes chrome bumpers, chrome grille surround wheels (SRW) or steel wheels with chrome finish (DRW)	0	-		_		_		_	_	-	differential	for 2500 models, trans	or for 6.4L HEMI V8 or 6.7L Cummins,® a sfer case skid plate, auxiliary switches f , cab clearance lamps and LT275/70R1	or .	0	-	0	0	0	_	0 -	- 0	0
CHROME LIMITED APPI body-color wheel flares	EARANCE GROUP — Includes chrome bodyside molding, and chrome bumpers		_		_		_		_	_	0	On-/Off-Roa Snowploy	d tires / PREP GROUP — 18	0-amp alternator (gas), 220-amp altern		0		0	0	0		0 —	- 0	0
S = Standard 0 = Option	nal P = Part of Package — = Not available											(diesel), tra	nsfer case skid plate (4	4x4 models only)		U		U	U	U		0 –	0	U

S = Standard 0 = Optional P = Part of Package — = Not availabl NOTE: Some features and/or applications may be late availability.

†Lone Star model available only in Texas.

†Lone Star model available only in Texas.



OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC C/V TRADESMAN PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS R
---

33

l	Α.	М	 2	5	<u>0</u>	0	1	3	<u>5(</u>	<u>) (</u>	) F	<u>ગ</u>	C	Kι	J١	Ρ	<u>T(</u>	<u>ر</u>	W	IN	١G	ŀ	۱N	ID	Р	Ά	<u>Y</u>	Ľ	0	<u>ad</u>	)

32

	AXIMUM LOADED TRAILER WEIGHTS	,,,,,,	, , , ,	,													
100			. 1)		REGULAR	CAB				CREV	V CAB				M	EGA CAB®	
	2500— SAE J2807 STANDARD COMPLIANT (when p	roperly equipp	iea)		8' BO	(		(	6'4" BOX			8' BO)	(			6'4" BOX	
	POWERTRAIN	AXLE RATIO	GCWR	4x2		4x4		4x2		4x4	4x2		4x4		4x2		4x4
	5.7L HEMI® V8 CNG / 66RFE 6-speed	3.73	15,000										6,940				
	5.7L HEMI V8 / 66RFE 6-speed	3.73	18,300	11,870		11,500		11,510		11,200	11,36		11,020		11,040		0,770
AT		4.10	20,300	13,870		13,500		13,510		13,200	13,36		13,010	_	13,040		2,770 2.230
l	6.4L HEMI V8 / 66RFE 6-speed	3.73 4.10	19,800 17,500	13,301	J	12,930		12,940		12,610	12,81	U	12,440	_	12,480		2,230
	0.4L NEWI VO / CONFE C-Speeu	4.10	22,800	16.300	1	15.930		15.940		15.610	15.81	n	15.440	_	15.480	+	5.230
	6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	25,300*	17,97		17.520	$\neg$	17.510		17.180	17.36		17.020		17.170		5.190	
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42	24.300*	16,90		16,440		16.450		16,120	16,29	0	15,940		16.100	1	4.520
			1)		REGUI	AR CAB				CREV	V CAB		MEGA C			CAB®	
	3500— SAE J2807 STANDARD COMPLIANT (when p	roperly equipp	ied)	8′1	BOX	8' BO	X DRW	6'4"	BOX	8'	BOX	8' BC	OX DRW	6′4	4" BOX	6'4" BI	OX DRW
	POWERTRAIN	AXLE RATIO	GCWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
	5.7L HEMI® V8 / 66RFE 6-SPEED	3.73	18,400	11,910	11,560			11,520	11,200	11,410	11,020			11,270	10,990		
	3.7ETIEWII VO / OOTII E O SI EED	4.10	20,400	13,910	13,560			13,520	13,200	13,410	13,020			13,270	12,990		
		3.73	19,900	13,370	12,970	13,020	12,640	12,970	12,640	12,830	12,470	12,450	12,100	12,710	12,400	12,210	12,020
	6.4L HEMI V8 / 66RFE 6-SPEED	4.10	22,900	16,370	15,970	10.500	10.140	15,970	15,640	15,830	15,470	15.050	(5.000	15,710	15,400	15.710	15.500
		4.I0 3.42	23,400 25,300	17.910	17.560	16,520 17,550	16,140 17,180	17.490	17.200	17.360	17.010	15,950 17.000	15,600 16.660	17.160	16.800	16,710	15,520 16,460
AT	6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	3.73	27,300	17,310	000,11	19.550	17,160	17,480	17,200	17,300	17,010	19.000	18.660	17,100	10,000	18,770	18.460
	0.7E COMMING TOTAL DIESEET 07 CONT. E C ST EED	4.10	30,300			22.550	22.180					22.000	21.660			21.770	21.460
		3.42	25,300	17.770	17.420	ELIOUS	LLIIOO	17.350	17.050	17.210	16.860	22,000	21,000	17.020	16,660	Lijiio	21,100
	6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 /	3.42	29,300			21,410	21,030					20,860	20,510			20,620	20,320
	AISIN® 6-SPEED	3.73	32,300			24,410	24,030					23,860	23,510			23,620	23,320
	MISHY U-SPELD	4.10	37,800				29,530					29,360	29,010			29,120	28,820
		4.10	37,900	10.000	10 500	30,000	10.100	10.150	10.100	10.000	45.000	45.000	15.010	10.100	45 800	15 500	4F 400
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	3.42	24,300	16,870	16,520	16,510	16,130 18.130	16,450	16,160	16,320	15,960	15,960 17,960	15,610 17,610	16,120	15,760	15,720 17,720	15,420
	the state Terrorisation I MAT Manual Terrorisation I DDW David	3.73	26,300									17,960	17,610			17,720	17,420

AT = Automatic Transmission | MT = Manual Transmission | DRW = Dual Rear Wheel | Weights given in lb. | Numbers in Black boxes reflect max ratings.

1. Weights are rounded to the nearest 10 lb. 2. Trailer Weight Rating and Tow Vehicle Trailering Weight are calculated as specified in SAE 12807. Passenger Weight = 300 lb Options Weight = 100 lb Trailering Equipment Weight. 75 lb for conventional hitch, 70 lb for gooseneck and 250 lb for 5th-wheel. Box Off Body Completion Weight = 80 lb per foot from end of cab to end of frame. 3. Payload and Trailer Weight Rating are mutually exclusive. 4. GAWRs, GWRs and GCWRs should never be exceeded. 5. The recommended tongue weight for a conventional hitch is 10 percent of the gross trailer weight. The maximum tongue weight from the weight should never exceed any of the manufacturer recommendations including but not limited to payload and GAWR. 7. A 5th-wheel or gooseneck hitch is required for trailers over 18,000 lb, a gooseneck hitch is required for trailers over 25,000 lb. \*2500 Regular Cab and Crew Cab vehicles with diesel engine and 17" wheels have GCWR of 23,000 lb for conventional trailers only.

M	XIMUM PAYLOAD CAPACITIES										
	2E00 (when preparly equipped)		REGUL	AR CAB		CREV	V CAB		MEGA	CAB <sup>®</sup>	
	2500 (when properly equipped)		8′ E	BOX	6′4″	BOX	8′ E	BOX	6'4" BOX		
	POWERTRAIN	GVWR	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	
	5.7L HEMI® V8 CNG / 66RFE 6-SPEED	9,000						1,410			
1 47	5.7L HEMI V8 / 66RFE 6-SPEED	9,000	3,040	2,670	2,680	2,370	2,530	2,190	2,210	1,950	
AI	6.4L HEMI V8 / 66RFE 6-SPEED	8,510				1,480					
	6.4L HEMI V8 / BORFE 6-SPEED	10,000	3,970	3,600	3,610	3,280	3,480	3,110	3,160	2,900	
	6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	10,000	3,170	2,700	2,690	2,360	2,530	2,190	2,340	1,990	
MT	6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	10,000	3,070	2,610	2,630	2,290	2,470	2,120	2,280	1.930	

			BEOU	1D 01D				ODE	11 0 1 B				1450	10100	
3500 (when properly equipped)				AR CAB					W CAB	0.00				A CAB®	
	OVILLED		BOX 4x4	8′ B0 4x2	X DRW		"BOX		BOX	8′ BO. 4x2	X DRW	4x2	BOX		OX DRW
POWERTRAIN	GVWR 10.100	4x2 4.080	4x4	4XZ	4x4	4x2	4x4	4x2	4x4	4XZ	4x4	4XZ	4x4	4x2	4x4
	10,100	4,080	3.930						-						
	10,500		0,500			4.090	1					-			
5.7L HEMI® V8 / 66RFE 6-SPEED	10,700					4,030	3,970					1			
	11,000						0,070	4.480				4.340			
	11,300							7,700	4,390			7,040	4,360		
	10.200	4,140							1,000				1,000		
	10,400	,,,,,	3.940												
	10,500					4,040									
	10,800						4,010								
	11,100							4,500							
6.4L HEMI V8 / 66RFE 6-SPEED	11,200											4,480			
0.4E HEWI VO / OOTH E O ST EED	11,400								4,440				4,370		
	13,300			6,890	6,510					6,320	5,970			6,080	5,890
	13,700			7,240	6,910										
	13,800			7,390											
AT	13,900									W 000	0.070			6,680	0.500
	14,000	4100								7,020	6,670				6,590
	11,100	4,180	4.230			4,160	-								
	11,500		4,230			4,160						3,930			
	11,700						4,070					3,830			
6.7L CUMMINS® TURBO DIESEL I-6 / 68RFE 6-SPEED	12,000					<del> </del>	4,070	4,530							
	12,300							4,000	4.480			<b>+</b>			
	12,400					<b>-</b>			4,400				4.270		
	14.000			6.720	6.350					6.170	5.830		4,270	5.940	5.630
	11,100	4.040		0,720	0,000					0,170	0,000			0,040	0,000
	11.500	1,010	4,090			4,020									
	11,600		,,,,,,,			1						3.790			
6.7L CUMMINS HIGH OUTPUT TURBO DIESEL I-6 / AISIN®	11,700						3,920								
6-SPEED	12,000							4,380							
	12,300								4,330						
	12,400												4,130		
	14,000			6,580	6,200					6,030	5,680			5,790	5,490
	11,100	4,140													
	11,500		4,190			4,120									
	11,600						1000					3,890			
MT 6.7L CUMMINS TURBO DIESEL I-6 / G56 6-SPEED	11,700						4,030	1.100							
	12,000							4,490	4.400						
	12,300								4,430				4.000		
	12,400			6.680	6.300	-				0.100	5.780		4,230	5.890	5.590
	14,000			0,680	6,300					6,130	5,/80			1 5,890	5,590

#### **RAM 3500**




17-inch Argent Steel Wheel Standard on 3500 DRW Tradesman® (WFU)



17-inch Chrome Steel Wheel Standard on 3500 DRW SLT Optional on 3500 DRW Tradesman (WD4)



17-inch Polished Aluminum Wheel Standard on 3500 DRW Laramie® Optional on 3500 DRW SLT (WF7)



RAM 4500/5500



19.5-inch Steel Wheel with Argent Finish Standard on 4500/5500 DRW Tradesman® and SLT (WP3)



19.5-inch Forged Aluminum Wheel Standard on 4500/5500 DRW Laramie<sup>®</sup> Optional on 4500/5500 DRW Tradesman and SLT (WP4)



18-inch Painted Steel Wheel Standard on 3500 SRW Tradesman (WBN)



18-inch Chrome-Clad Steel Wheel Standard on 3500 SRW SLT Optional on 3500 SRW Tradesman (WBH)



18-inch Polished Aluminum Wheel Standard on 3500 SRW Laramie Optional on 3500 SRW Tradesman and SLT (WBL)



SALE MATERIAL TORS   SALE	3	OVERVIEW	POWERTRAINS	1500	2500	3500	3500	CC 450	o cc		5500	CC	C/V TRADESMAN
DICENTED	00	IF DAR 074	00/4500/550	0.0114.0010	040				ADESMAN® G/CREW	T :G/CREW	IRAMIE® :EW		
EXTENSI   5.1 HEATH VP with VP (12CZ) (3500 SRW 60-inch CA only)   6-speed automatic (DP)   22A   27G   22H   1-AR   14H   1				O CHASSIS	CAB								
\$7. RESIMP*108 with VVT (EZC) (3500 SRW 60-inch CA only)	_		JŁ					SALES CODE	А	G	Н		
6.4. HEMN V8 (CSB) 6-speed automatic (CSD0 entyl) (GPP) 228, 220, 22H 50.4. HEMN V8 (CSB) ASSWP ASSACE (-speed automatic (DT3) 274, 276, 27H 50.4. HEMN V8 (CSB) ASSWP ASSACE (-speed automatic (DT3) 274, 276, 27H 50.4. HEMN V8 (CSB) ASSWP ASSACE (-speed automatic (DT3) 274, 276, 27H 50.4. HEMN V8 (CSB) ASSWP ASSACE (-speed automatic (DT3) 274, 276, 27H 50.4. HEMN V8 (CSB) ASSWP ASSACE (-speed automatic (DT3) 274, 276, 27H 50.4. HEMN V8 (CSB) ASSWP ASSACE (-speed automatic (DT3) 274, 276, 27H 50.4. HEMN V8 (CSB) ASSWP ASSACE (-speed automatic (DT2) 28h, 23G, 27H 50.4. HEMN V8 (CSB) ASSWP A	EN	GINE			TRANSM	IISSION							EXTERIO
6.7. Cummins* Turbo Diesel (ETN) (220 hp / 650 lb-11) 6-speed antomatic (DF3) 27A 27G 27H 800YSID 6.7. Cummins* Turbo Diesel (ETN) (220 hp / 650 lb-11) 6-speed annual (DEG) 27A 27G 27H 27G 2	5.7L	HEMI® V8 with V	VT (EZC) (3500 SRV	V 60-inch CA only)	6-speed a	automatic (DFP)			26A	26G	26H		BADGING
E.7. Cummins Turbo Diesel (ETN) (320 hp / 650 lb-1)	6.4L	HEMI V8 (ESB)			6-speed a	automatic (3500 on	ıly) (DFP)		22A	22G	22H		— Larar
MCCMANCAL FEATURES	6.4L	HEMI V8 (ESB)			AISIN® AS	S66RC 6-speed aut	omatic (DF	3)	27A	27G	27H		BODYSIDE
MECHANICAL FEATURES   ALTERNATIONS   SA   SA   SA   SA   SA   SA   SA	6.7L	Cummins® Turbo	Diesel (ETK) (320	hp / 650 lb-ft)	6-speed r	manual (DEG)			2EA	2EG	2EH		BUMPERS
### ALERNATURS — 160-amp (3900 SRW only) included with 5.7L engine)  ### Alernatures — 160-amp (3900 SRW only) included with 5.7L engine)  ### Alernatures — 160-amp (3900 SRW only) included with 5.7L engine)  ### Alernatures — 160-amp (3900 SRW only) included with 5.7L engine)  ### Alernatures — 160-amp (3900 SRW only) included with 5.7L engine)  ### Alernatures — 160-amp (3900 SRW only) included with 5.7L engine)  ### Alernatures — 160-amp (1900 SRW only) ondeds with Heavy-Duty Snowplow Prep Group, included  ### Alernatures — 160-amp (1900 SRW only) on 0 0  ### ALERNATURE — 160-amp (1900 SRW only) on 0 0  ### ALERNAT	6.7L	Cummins Turbo	Diesel (ETK) (325 h	p / 750 lb-ft)	AISIN AS6	69RC 6-speed heav	y-duty auto	omatic (DF2)	29A	29G	29H		— Front
### All Control (Seed and 1974)   Seed and 1974   Seed and 197	ME	CHANICAL FEAT	TURES										FASCIA —
180. ang (included on 5.04 Lengine with Reavy-Duty Snowplow Prep Group; included BAU OP	ALTE	RNATORS — 160	0-amp (3500 SRW o	nly; included with	5.7L engine)			BAB	S	S	S		
	=	180-amp (includ	led on 5.7L engine v	vith Heavy-Duty Sn	nowplow Prep Grou	ıp)		BAD	S	S	S		
With Ambibilities Prigo Group   April 20-amp, requires 6.4L engine)	=			500 models with H	leavy-Duty Snowpl	low Prep Group; inc	luded	RAI	O/P	O/P	0/P		
	_												
AXLES, 3500	_		<u> </u>		engine)					-			
Rear, antispin differential					0 1					-			
Rear, 3.73 ratio (included with disesel models only)	_	·		ncluded with SRW	Group)				-	_			
Rear, 3.73 ratio (included with dissel models only)	_	· ·								-			
Rear, 4.10 ratio (standard with gas models)	_								_	-			— Halog
Rear, 11.5-inch (included with SRW Group)	_									_			KEY-ALIKE
MIRROR	_			· · · · · · · · · · · · · · · · · · ·						-			LAMPS —
AxLES, 4500 AND 5500	_			Group)					-	_	-		MIRRORS
Front, 10.8-inch, 7,250-lb GAWR (available on 4500 and 5500 only; includes taller springs)  Rear, antispin differential  Rear, 4.10 ratio (included with 4500 diesel and 5500 diesel models with manual transmission; available on 5500 diesel with AISIN transmission)  Rear, 4.44 ratio (standard on 4500; available on 5500)  Rear, 4.84 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.84 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.87 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.87 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.87 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.87 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.88 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.88 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.88 ratio (available on 4500; available on 5500, requires 6.4L HEMI V8 engine)  Rear, 4.88 ratio (available vith gas engine; two per vehicle with diesel)  Rear, 4.88 ratio (available with gas engine; two per vehicle with diesel)  Rear, 4.88 ratio (available with gas engine; two per vehicle with diesel)  Rear, 4.88 ratio (available with gas engine; two per vehicle with diesel)  REAR PAVAILANCE										-			— Powe
Pow.	_							DJP		-			supp
Rear, All Oratio (included with 4500 diesel and 5500 diesel models with manual transmission; available on 5500 diesel with AlSIN transmission)	_	Front, 10.8-inch,	7,250-lb GAWR (av	railable on 4500 au	nd 5500 only; incl	udes taller springs)	)		_	-			
Rear, 4.44 ratio (standard on 4500; available on 5500)	_	Rear, antispin di	fferential					DSA	S	S	S		court
Rear, 4.44 ratio (standard on 4500; available on 5500)	_				diesel models with	n manual transmiss	sion;	DMF	S/0	S/0	S/0		TUBULAR
Rear, 9.aoa latu (avanable oii 1920; standard on 3500; leguines 9.4. Helmi vo engine)   Dims   Dim	_	Rear, 4.44 ratio (	(standard on 4500;	available on 5500	)			DMK	S/0	S/0	S/0		WHEEL FL
Rear, Dana® S111 (4500: 12,000-1b GAWR; 5500: 13,500-1b GAWR)	_	Rear, 4.88 ratio	(available on 4500;	standard on 5500	; requires 6.4L HE	MI V8 engine)		DMS	0/S	0/S	0/S		— Body
BZO BIODIESEL COMPATIBILITY — Requires diesel engine  XXJ 0 0 0 0  TIRES, 38  BATTERY — 730-amp (one per vehicle with gas engine; two per vehicle with diesel)  BCN S S S  DIESEL EXHAUST BRAKE — "Smart" exhaust brake (packaged with 6.7L Cummins engine)  ELECTRICAL UPFITTER INTERFACE MODULE — Over 50 wire circuits (included with Ambulance Prep Group)  XXS 0/P 0/P 0/P  ELT23  ENGINE BLOCK HEATER — Available with gas engine (included with Cold Weather Group with diesel)  NMC S S S  TIRES, 48  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL 0 0 0  TIRES, 48  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL 0 0 0  TIRES, 48  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL 0 0 0  WHEELS,  — 22-gallon, rear  — 22-gallon, rear  — 22-gallon, mid-ship  — 74-gallon dual-tank capacity: 52- and 22-gallon tanks (requires 6.4L or 6.7L engines; not available on 60-incl CA models)  MAXIMUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  FIO PREP PACKAGE — Available with 6.4L or 6.7L engines with AISIN automatic or 6-speed manual  LBN 0 0 0  Alternate left-side with 6.4L HEMI or 6.7L Cummins and AISIN transmission only (4x2 only)  FIO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P  ARC ONLY ONLY ONLY ONLY ONLY ONLY ONLY ONLY	_							DRT	S	S			WINDSHIE
BATTERY — 730-amp (one per vehicle with gas engine; two per vehicle with diesel)  BECN S S S  DIESEL EXHAUST BRAKE — "Smart" exhaust brake (packaged with 6.7L Cummins engine)  P P P P  ELECTRICAL UPFITTER INTERFACE MODULE — Over 50 wire circuits (included with Ambulance Prep Group)  XXS 0/P 0/P 0/P  ENGINE BLOCK HEATER — Available with gas engine (included with Cold Weather Group with diesel)  NHK 0/P 0/P 0/P  Spail ENGINE COOLING — Heavy-duty  NMC S S S  TIRES, 4!  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL 0 0 0  TIRES, 4!  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL 0 0 0  WHEELS,  — 22-gallon, mid-ship  — 74-gallon dual-tank capacity: 52- and 22-gallon tanks (requires 6.4L or 6.7L engines; not available on 60-inch CA models)  MAXIMUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  Alternate left-side with 6.4L HEMI or 6.7L cummins and AISIN transmission only (4x2 only)  Alternate left-side with 6.4L HEMI or 6.7L cummins and AISIN transmission only (4x2 only)  BOOK ABSORBERS — Front, heavy-duty  SCB S S  SCIDENT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine  STABILIZER BAR — Front  STABILIZER BAR — Front  TRANSFER CASE — Manual shift, part-time, 4x4 only  ELECTICAL MICHIGAN — No PO POR SETLING — No POR STABILITY — Package — Not available  SEZEL — Cent  Control of Potional P = Part of Package — Not available								XXJ	0	0	0		TIRES A
DIESEL EXHAUST BRAKE — "Smart" exhaust brake (packaged with 6.7L Cummins engine)  NEN P P P ELECTRICAL UPFITTER INTERFACE MODULE — Over 50 wire circuits (included with Ambulance Prep Group)  ENGINE BLOCK HEATER — Available with gas engine (included with Cold Weather Group with diesel)  NHK 0/P 0/P 0/P  Spail  ENGINE COOLING — Heavy-duty  NMC S S S  TIRES, 4!  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL 0 0 0  TIRES, 4!  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL 0 0 0  WHEELS,  — 22-gallon, rear  — 22-gallon, rear  — 22-gallon, rid-ship  — 74-gallon dual-tank capacity: 52- and 22-gallon tanks (requires 6.4L or 6.7L engines; not available on 60-inch CA models)  MAXIMUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  PTO PREP PACKAGE — Available with 6.4L HEMI or 6.7L engines with AISIN automatic or 6-speed manual  LBN 0 0 0  PTO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P  STABILIZER BAR — Front  SHA S S  SINTERING — Power, recirculating ball  TRANSFER CASE — Manual shift, part-time, 4x4 only  — Electric shift, part-time, 4x4 only  SE Standard 0 = Optional P = Part of Package — Not available  SE Standard 0 = Optional P = Part of Package — Not available					o per vehicle with	diesel)			S	S	S		TIRES, 35
ELECTRICAL UPFITTER INTERFACE MODULE — Over 50 wire circuits (included with Ambulance Prep Group) XXS					· · · · · · · · · · · · · · · · · · ·			NEN	Р	Р	Р		— LT23
ENGINE BLOCK HEATER — Available with gas engine (included with Cold Weather Group with diesel)  NHK							rep Group)		0/P	0/P	0/P		— LT23
ENGINE COOLING — Heavy-duty  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL  0  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL  0  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (6 minutes); dealer programmable, from  XCL  0  0  0  WHEELS, 4E  ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  IBMAINUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  IBMAINUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  IBMAINUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  IBMAINUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  IBMAINUM SPEED SETTINGS — 6.4L or 6.7L engines only (42 orly)  IBMAINUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  IBMAINUM SPEED SETTINGS — 6.4L or 6.7L									0/P	0/P			— Spare
ENGINE SHUT-OFF TIMER — 6.4L or 6.7L engines only (5 minutes); dealer programmable, from  XCL  0  0  0  1 – 60 minutes  NFH  S  S  S  Span  22-gallon, mid-ship  NFA  0  0  0  WHEELS,  74-gallon dual-tank capacity: 52- and 22-gallon tanks (requires 6.4L or 6.7L engines; not available not 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				00				NMC	S	S	S		TIRES, 45
FUEL TANK — 52-gallon, rear  — 22-gallon, mid-ship — 74-gallon dual-tank capacity: 52- and 22-gallon tanks (requires 6.4L or 6.7L engines; not available on 60-inch CA models)  MAXIMUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  PTO PREP PACKAGE — Available with 6.4L or 6.7L engines with AISIN automatic or 6-speed manual — Alternate left-side with 6.4L HEMI or 6.7L cummins and AISIN transmission only (4x2 only)  ENDOCK ABSORBERS — Front, heavy-duty — Packaged with Power Take-Off Prep when equipped with 6.7L engine  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  STABILIZER BAR — Front  STABILIZER BAR — Front  STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  SECULATED — Transfer case (4x4 only  DK1 S S —  BEZEL —  Cent  Control MINITERIC — Power, recirculating, 4x4 only  Electric shift, part-time, 4x4 only  DK3 O S  SESTANDARY OF PORT OF Package — Not available	ENG	INE SHUT-OFF TII		engines only (5 m	ninutes); dealer pr	ogrammable, from		XCI	0	0	0		— 225/7
— 22-gallon, mid-ship — 74-gallon dual-tank capacity: 52- and 22-gallon tanks (requires 6.4L or 6.7L engines; not available on 60-inch CA models)  MAXIMUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  PTO PREP PACKAGE — Available with 6.4L or 6.7L engines with AISIN automatic or 6-speed manual LBN 0 0 0 — Alternate left-side with 6.4L HEMI or 6.7L Cummins and AISIN transmission only (4x2 only)  LBV 0 0 0  PTO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine  SHOCK ABSORBERS — Front, heavy-duty — Rear, heavy-duty — Rear, heavy-duty — SFB S S SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P  STABILIZER BAR — Front  STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  XEA 0/P/S 0/P/S 0/P/S  ASSIST H  AUXILIAR  BEZEL —  Cent  Control  Contro										ļ.			<u> 225/</u>
- 74-gallon dual-tank capacity: 52- and 22-gallon tanks (requires 6.4L or 6.7L engines; not available on 60-inch CA models)  MAXIMUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  PTO PREP PACKAGE — Available with 6.4L or 6.7L engines with AISIN automatic or 6-speed manual LBN 0 0 0  — Alternate left-side with 6.4L HEMI or 6.7L Cummins and AISIN transmission only (4x2 only)  PTO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine LBX P P P SHOCK ABSORBERS — Front, heavy-duty  SFB S S S  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P O/P STABILIZER BAR — Front  STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  XEA 0/P/S 0/P/S 0/P/S  ASSIST H  AUXILIAR  BEZEL — Cent  Control Carbon Carbo	_												— Spare
maximum speed settings — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  PTO PREP PACKAGE — Available with 6.4L or 6.7L engines with AISIN automatic or 6-speed manual  Alternate left-side with 6.4L HEMI or 6.7L Cummins and AISIN transmission only (4x2 only)  LBV 0 0 0  PTO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine  SHOCK ABSORBERS — Front, heavy-duty  SFB S S  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P  STABILIZER BAR — Front  STEERING — Power, recirculating ball  STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  XEA 0/P/S 0/P/S 0/P/S  ASSIST H  AUXILIAR  BEZEL —  Cent  Control  Co	_							NFA	0	0	0		WHEELS,
MAXIMUM SPEED SETTINGS — 6.4L or 6.7L engines only (60 mph, 65 mph, 70 mph, 77 mph)  PTO PREP PACKAGE — Available with 6.4L or 6.7L engines with AISIN automatic or 6-speed manual  — Alternate left-side with 6.4L HEMI or 6.7L Cummins and AISIN transmission only (4x2 only)  ENDOY, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine  BHOCK ABSORBERS — Front, heavy-duty  SHOCK ABSORBERS — Front, heavy-duty  SHOCK ABSORBERS — Front, heavy-duty  STABILIZER BAR — Front, heavy-duty  STABILIZER BAR — Front  STABILIZER BAR — Front  STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  STEAMSFER CASE — Manual shift, part-time, 4x4 only  Electric shift, part-time, 4x4 only  SESTANDARD — Power on the package — Not available  SESTANDARD — Power on the package — Not available  SESTANDARD — Power on the package — Not available	_			nd 22-gallon tank	s (requires 6.4L or	6.7L engines; not	available	NLL	0	0	0		— 18 x i
PTO PREP PACKAGE — Available with 6.4L or 6.7L engines with AISIN automatic or 6-speed manual  — Alternate left-side with 6.4L HEMI or 6.7L Cummins and AISIN transmission only (4x2 only)  — Bear, Shock ABSORBERS — Front, heavy-duty — Rear, heavy-duty  — Rear, heavy-	MAX			.7L engines only (6	60 mph. 65 mph. 7	70 mph. 77 mph)		113. 114. 115. 119	0	0	0		— 18 x 3
— Alternate left-side with 6.4L HEMI or 6.7L Cummins and AISIN transmission only (4x2 only)  PTO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine  SHOCK ABSORBERS — Front, heavy-duty  — Rear, heavy-duty  SGB  S S  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF  O/P  O/P  O/P  INTERICATION  AIR CONT  STABILIZER BAR — Front  SHA  S S  STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  XEA  O/P/S O/P/S O/P/S  ASSIST H  AUXILIAR  BEZEL —  Cent  Cont  Co							anual			-			— 17 x
PTO, SPLIT-SHAFT CAPABILITY — Packaged with Power Take-Off Prep when equipped with 6.7L engine LBX P P P SHOCK ABSORBERS — Front, heavy-duty SFB S S S SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group) XEF 0/P 0/P 0/P 0/P STABILIZER BAR — Front SHA S S S STEERING — Power, recirculating ball SBE S S S STOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500 XEA 0/P/S	_									_			<u> </u>
SHOCK ABSORBERS — Front, heavy-duty  — Rear, heavy-duty  SFB S S S  — Rear, heavy-duty  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P  INTERIC STABILIZER BAR — Front  SHA S S S  STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  XEA 0/P/S 0/P/S 0/P/S  ASSIST H  TRANSFER CASE — Manual shift, part-time, 4x4 only  — Electric shift, part-time, 4x4 only  S = Standard 0 = Optional P = Part of Package — = Not available							engine			-			— 17 х
Rear, heavy-duty  SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF 0/P 0/P 0/P  STABILIZER BAR — Front  SHA S S  STEERING — Power, recirculating ball  SHE S S S  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  XEA 0/P/S 0/P/S 0/P/S  TRANSFER CASE — Manual shift, part-time, 4x4 only  Electric shift, part-time, 4x4 only  S S S S ASSIST H  AUXILIAR  BEZEL —  Cent  Control  Contro	_					oquippou min on i	2 01181110			-			WHEELS,
SKID PLATE — Transfer case (4x4 only; included with Heavy-Duty Snowplow Prep Group)  XEF	_									_			— 19.5
STABILIZER BAR — Front STEERING — Power, recirculating ball SBE S S TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500 XEA O/P/S O/P/S O/P/S TRANSFER CASE — Manual shift, part-time, 4x4 only DK1 S S Electric shift, part-time, 4x4 only DK3 0 0 S  BEZEL S = Standard 0 = Optional P = Part of Package — = Not available				ncluded with Heav	v-Duty Spownlow	Pren Group)				_			INTERIO
STEERING — Power, recirculating ball  TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500  XEA O/P/S O/P/S O/P/S  TRANSFER CASE — Manual shift, part-time, 4x4 only  Electric shift, part-time, 4x4 only  S = Standard 0 = Optional P = Part of Package — = Not available	_			noruucu witii iicav	, Duty Griowpiow	гтор штойр)				-			AIR COND
TOW HOOKS — Available with gas engines, included with diesel engine on 3500; standard on 4500/5500 XEA 0/P/S									_	_			— Dual
TRANSFER CASE — Manual shift, part-time, 4x4 only  — Electric shift, part-time, 4x4 only  S = Standard 0 = Optional P = Part of Package — = Not available	_			s included with di	esel engine on 350	10. standard on 450	0/5500			-			ASSIST H
Electric shift, part-time, 4x4 only  DK3 0 0 S  BEZEL  Cent  S = Standard 0 = Optional P = Part of Package — = Not available	_			·	osor ongine un sau	ro, stanuaru UII 400	0/0000			_	0/1/3		AUXILIAR
S = Standard 0 = Optional P = Part of Package — = Not available	_			iiio, 4A4 Ulliy						-	2		BEZEL —
S = Standard 0 = Optional P = Part of Package — = Not available		Liectific Stifft, pa	rt-tille, 4X4 Ullly					האח	0	0	3		— Cent
	S = S	Standard 0 = Opti	ional P = Part of Pac	kage — = Not ava	ilable								— Cent

		TRADESMAN® REG/CREW	SLT REG/CREW	LARAMIE®
	SALES CODE	TRAI REG	IS SE	H LAR
EXTERIOR FEATURES	SALLS GODE	A	<u> </u>	
BADGING — SLT	MTD		S	E
— Laramie	MTE		_	S
BODYSIDE MOLDINGS IN CHROME	MJB	0	0	C
BUMPERS — Front, Black	MB1	S	_	E
— Front, chrome (included with Chrome Appearance Group)	MCT	Р	S	S
FASCIA — Front, headlamp filler, Black (standard on 4500 and 5500 models; included on 3500 models when special paint tracking is ordered)	MCJ	S	S	S
— Front, headlamp filler, body-color (3500 only)	MCM	S	S	S
FOG LAMPS — Available with Chrome Appearance Group on Tradesman model	LNJ	Р	0	S
GRILLE — Black insert and surround	MFF	S	_	
— Chrome surround with Black insert (packaged with Chrome Appearance Group on Tradesman)	MFD	Р	S	E
— Chrome surround, chrome insert	MF1		_	5
HEADLAMPS — Automatic	LMG	S	S	S
— Halogen, quad	LME	S	S	
— Halogen, bifunctional projector	LMC			5
KEY-ALIKE FEATURE — Allows a single key to start multiple trucks	GRB, GRC, GRA, GRD	0	0	-
LAMPS — Cab-clearance	LNC	S	S	5
MIRRORS — Folding trailer-tow, manual, Black (Regular Cab only)	GPD	S	_	ī
— Power trailer-tow, heated, manual-folding, Black; includes exterior courtesy lamps and supplemental turn signal (standard on Crew Cab models; packaged with Power Accessory Group or Power and Remote Entry Group)	GPG	Р	S	_
Power multifunction trailer-tow, heated, manual-folding, chrome; includes position memory, exterior courtesy lamps and supplemental turn signal	GPC		_	5
TUBULAR SIDE STEPS IN CHROME	MRT	0	0	(
WHEEL FLARES — Black (4500/5500 only)	MMZ	S	S	5
— Body-color (3500 only)	MML	0	0	C
WINDSHIELD WIPERS — Variable/intermittent	JHA	S	S	S
TIRES AND WHEELS			_	
TIRES, 3500 — LT265/70R18E BSW On-/Off-Road (standard with SRW)	TTV	S	S	
— LT235/80R17E BSW All-Season (DRW models only)	TV2	S	S	9
— LT235/80R17E OWL On-/Off-Road (4x4 DRW models only)	TV3	0	0	(
— Spare, full-size	TBB	0	0	(
TIRES, 4500/5500 — 225/70R19.5G BSW All-Position (4x2 models only)	TUV	S	S	3
— 225/70R19.5G BSW All-Position front, rear Traction (standard on 4x4; available for 4x2 models)	TUY	S/0	S/0	Si
— 225/70R19.5G BSW All-Traction (4x4 models only)	TUZ	0	0	(
— Spare, full-size	TBB	0	0	(
WHEELS, 3500 — 18 x 8-inch styled steel, painted Argent (standard with SRW Group)	WBN	S	0	
— 18 x 8-inch chrome-clad steel (SRW Group only; packaged with Chrome Appearance Group)	WBH	P	S	H
— 18 x 8-inch polished aluminum (SRW Group only)		_	_	
	WBL	0	0	5
— 17 x 6-inch steel, painted Argent (DRW models only)	WFU	S	-	H
— 17 x 6-inch bright wheel skins and center cap (DRW models only; packaged with Chrome Appearance Group)	WD4	0/P	S	_
— 17 x 6-inch aluminum (DRW models only)	WF7	_	0	3
WHEELS, 4500/5500 — 19.5 x 6-inch steel	WP3	S	S	
— 19.5 x 6-inch polished aluminum	WP4	0	0	S
INTERIOR FEATURES				
AIR CONDITIONING	HAA	S	S	3
— Dual-Zone temperature control (included with Comfort Group on Crew Cab models)	HAF		—/P	3
ASSIST HANDLES — Driver and passenger-side (A-pillar-mounted)	CSP	S	S	S
AUXILIARY SWITCHES — Five, standard	LHL	S	S	S
BEZEL — Center stack, Black	JBF	S	_	
— Center stack, color-keyed	JBY		S	
— Center stack, woodgrain insert	JBB		_	S

PROMASTER

PROMASTER CITY | CONFIGURATIONS

PAINT

FABRICS

RESOURCES

37

8	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500	CC		5500
20	15 RAM 350	) 10/4500/550	O CHASSIS	CAB				TRADESMAN® REG/CREW	SLT REG/CREW	LARAMIE® CREW
		E (CONTINU				S	SALES CODE	А	G	Н
	TERIOR FEATURE									
		ickaged with Smok		2500.0	7		JJA	Р	Р	Р
		int, with tachomete inch Electronic Vel			7-mph speedomete ry	ron	JAT	S	S	_
Ξ	Instrument, with	7-inch Thin Film Tı	ransistor (TFT) mu	ltiview display (inc	luded with Luxury (	Group)	JA6	_	Р	S
_		e, floor, center (inc					CUF	_	Р	Р
_		ap lights (included					CUN	Р	S	_
_		niversal Garage Do		ed with Luxury Gro	1b)		CV2		Р	S
		ıal, Regular Cab or n Power Accessory		and Remote Entry (	Group: standard on		JE8		_	_
	Crew Cab Trades	man)					JPB	P/S	S	S
_	OR COVERING — Carpet	Heavy-duty vinyi					CKI	S 0	0 S	0 S
		, carpeted (Regula	r Cab, included wi	th carnet on Trade	cman models)		CLA	P	S	
_		arpeted (Crew Cab;		· ·			CLE	P	S	S
KEY	S — Includes two	additional base ke		*			GXJ	0		
	ess Enter 'n Go™)								_	
MIR	RORS — Day/nigh		nd Hoonnoot Dhon	[21] (included with	Convenience Group	ı on	GNA	S	S	
	Crew Cab models		na oconnect rhone	e (IIICIUUEU WILII	Convenience droup	7 011	GN5	_	_	Р
_		vith microphone (p					GR4	Р	Р	S
_		arview day/night w nnect 3.0 system is		/ (packaged with P	arkView® Rear Bac	k-Up	GN4	Р	Р	_
Ξ	- Passenger-side v	isor with mirror					GNM	S	S	
Ξ	- Illuminated visor,	, driver and passen	ger-side (included	l with Luxury Group	))		GNC	_	Р	S
_		ustable (requires a					XAP	_	0	
_		with memory (req	uires automatic tra	ansmission)			XAM	_		0 S
	VER ACCESSORY D	wo 12-volt auxiliar					JKY	S	S	S
_		(included with *N	-	nts)			JKV	_	P	S
_		shoulder height-ad		,			CGD	S	S	S
=	Red, Regular Cab	models only	<u>-                                      </u>				CGQ	0	0	0
SEA	<b>TS</b> — 10-way pow	er driver (included	with *M9,*MJ sea	ts)			JRT	_	Р	
=	- 10-way power dri	ver with memory a	nd 6-way power pa	issenger seats (*G	J,*VL)		JRF	_	_	S
_	<ul> <li>Heated, driver an (included in Com-</li> </ul>	d front-passenger, fort Group)	includes heated s	teering wheel in C	rew Cab models		CMA	_	Р	S
=	Heated, second-r	ow (included with	*GJ bucket seats)				JPZ	_	_	Р
Ξ	- Front Center Seat	Delete (included v	vith Rear Interior T	rim Delete Group)			CJT	0/P	0/P	
_		olit-bench front sea olding rear bench s			ss console (Crew C	ab	*TX	S	_	_
Ξ		40/20/40 split-ber s include folding re			nrest/business con:	sole	*SX	0	_	_
=	- Cloth-trimmed 40		h front seat with fo	olding center armre	est/business conso	e	*V9	0	S	_
=	Premium cloth-tri adjuster, folding o	mmed 40/20/40 sp	lit-bench front sea ness console with	t, power 10-way dri center-seat-cushio	ver's seat, power lu n storage, 115-volt trimmed in cloth)		*M9	_	0	_
_		ole, 115-volt auxili			eat, power lumbar a clude 60/40 split-i		*MJ	_	0	_
	driver and power and folding cente	6-way passenger s	seat, power lumbar s console, 115-volt	r adjuster, front ce auxiliary power ou	h power 10-way/mo nter-seat-cushion s itlet (Crew Cab mo	storage	*VL	_	_	S
	driver and power power outlet, hea	6-way passenger,	power lumbar adju ats on Crew Cab m	ister, fixed center of	ts, includes power console, 115-volt a nodels include 60/4	uxiliary	*GJ		_	0
		onal P = Part of Pac								

RADESMAN	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FAB	RICS	RESOUF	RCES	
							TRADESMAN® REG/CREW	SLT REG/CREW	NEW OWEN
					[	SALES CO		G	
INTERIOR I	FEATURES (continu	red)							
	- Tilt column	,				SUA	S	S	١
	<b>HEEL</b> — Four-spoke,	urethane				SCF	S	S	
		audio control buttons	(packaged with Luxu	v Group and Comfort	Group)	SCV		Р	1
		ed front seats and/or	·	,	,	NHS		P	
		ushion (included with				CVH		Р	i
— Front, b	ehind seat (Regular (	Cab only)				CU3	S	S	
		Cab only; included wi	ith *M9 seats and ab	ove)		CVN		Р	i
	- Included with autor					XBN	Р	Р	
		ee-blink lane-change	feature				S	S	1
	ront-passenger, with					GNM	S	S	
		with illuminated vani	ty mirrors (included v	rith Luxury Group)		GNC		Р	1
	– Manual (Regular C		,			JF8	S		
— Power, f		e-touch down (Regula	r Cab only; included v	with Power Accessory	Group	JPY	Р	S	
— Power, f	ront and rear with dr	iver's one-touch dowr	n-and-up (Crew Cab i	nodels only)		JP3	S	S	Ī
— Rear ba	cklight, fixed (includ	ed with rear defrost o	n Crew Cab models)			GJD	S	S	Ī
— Rear ba	cklight, sliding					GFD	0	0	Ī
— Rear ba	cklight, power-slidin	g (Crew Cab models o	only; included with Lu	kury Group)		GFE		Р	Ī
— Rear de	frost (not available w	vith manual-sliding b	acklight)			GFA		0	Ī
UCONNECT	<b>r</b> ®								Ī
CONNECTIVI	TY — 12-volt, one ba	attery and one ignition	n-fed			JJJ	S	S	1
— 2.5-amj	charge-only USB po	ort (included with Uco	nnect 5.0, 8.4A and 8	.4AN systems)		RS3	Р	Р	
— Auxilian	y jack for mobile devi	ces	·			RSU	S	S	
— SD card	slot (included with U	Jconnect 8.4A and 8.4	IAN systems)			RS1		Р	Ī
SINGLE-DISC	REMOTE CD PLAYER	R — Available with U	connect 3.0, 5.0, 8.4 <i>F</i>	and 8.4AN systems		RH1	0	0	Ī
SIRIUSXM® S	SATELLITE RADIO[16]					RSD	0	S	-
SPEAKER SY	STEM — Two standa	rd				RCB	S	_	Ī
— Six stan	dard					RCG		S	Ī
— Premiur Upfitter	n speakers (requires Interface Module)	either Uconnect 8.4A	or 8.4AN system; not	available with Electr	ical	RCK		0	
wheel and Lu		vheel-mounted audio	controls (included wit	h leather-wrapped s	teering	RDZ		Р	
		d with 8.4A or 8.4AN s	-			RS7		P	
		t 3.0 AM/FM with med				RA1	S	S	
Uconnec	ct with Bluetooth,®(21)	inch touchscreen disp SiriusXM Satellite Ra	dio <sup>(16)</sup>			RA2	0	0	
		4-inch touchscreen dis riusXM Satellite Radio				RA3		0/P	
input), (		8.4-inch touchscreen inect with Bluetooth, <sup>[2]</sup>				RA4		0	
SAFETY AN	ID SECURITY								
AIR BAGS[23]	— Multistage front					CG3	S	S	
— Driver a	ir bag only					CGT	0	0	
BRAKES —	Power-assisted 4-wh	eel antilock disc				BRT	S	S	
spare fuses	and two Red vinyl fla					ACL	0	0	
All-Speed Tra	action Control, Ready	. <b>(ESC)</b> <sup>[5]</sup> — Four-cha Alert Braking, Brake iler Sway Control, <sup>[5]</sup> EI	Assist, Hydraulic Boo	st Compensation, Ra	in Brake	BNB	S	S	
	REAR PARK ASSIST		3.1			XAA	0	0	
	REAR BACK-UP CAMI	<b>ERA</b> <sup>[24]</sup> — Displays in	rearview mirror with	Uconnect 3.0; all oth	ers on	XAC	0	0	
	Dookogod with I	Jconnect 8.4A and 8.4	1.00			RSR		Р	ĺ
RCALL/ECAL	L — Fackageu Witti t	Julilleut 0.4A and 0.4	IAN Systems			IVOIV			u

OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	C/V TRADESMAN	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	41
----------	-------------	------	------	------	---------	---------	---------	---------------	-----------	----------------	----------------	-------	---------	-----------	----

2015 RAM 3500/4500/5500 CHASSIS CAB		TRADESMAN® REG/CREW	SLT REG/CREW	LARAMIE® CREW
BUYER'S GUIDE (CONTINUED)	SALES CODE	А	G	Н
SAFETY AND SECURITY (continued)				
<b>REMOTE START SYSTEM</b> — Requires automatic transmission; packaged with available automatic transmission on Laramie models	XBM	_	0/P	Р
SECURITY ALARM	LSA	_	0	S
SENTRY KEY® THEFT DETERRENT SYSTEM — Engine immobilizer	GXX	S	S	S
TRAILER BRAKE CONTROLLER — Fully integrated electronic	XHC	0	0	0
PACKAGES/EQUIPMENT GROUPS				
<b>AMBULANCE PREP GROUP</b> — Includes 220-amp alternator, voltage monitoring auto idle-up system and electronic monitoring module (requires 6.4L or 6.7L engine)	AH2	0	0	0
$\textbf{CHROME APPEARANCE GROUP} \\ \text{Includes chrome front bumper, chrome grille and chrome-clad wheels (chrome-clad wheels on 3500 models)}$	AMP	0	_	_
COLD WEATHER GROUP — Includes engine block heater and winter front grille cover (requires diesel engine)	ADE	0	0	0
COMFORT GROUP — Includes heated cloth front seats (*M9, *MJ), leather-trimmed heated steering wheel and Dual-Zone temperature control on Crew Cab models (requires Uconnect® 8.4A or 8.4AN system)	AGF	_	0	_
CONVENIENCE GROUP — Includes Auto High-Beam Headlamp Control, auto-dimming rearview mirror, rain-sensing wipers, remote proximity keyless entry and Keyless Enter 'n Go™	ADC	_	_	0
HEAVY-DUTY FRONT SUSPENSION GROUP — Packaged with Heavy-Duty Snowplow Prep Group	AZB	0/P	0/P	0/P
HEAVY-DUTY SNOWPLOW PREP GROUP — Includes 180-amp alternator with 5.7L gas engine, 220-amp alternator with 6.4L and 6.7L engines and transfer case skid plate with heavy-duty front suspension on 4500/5500 models (requires 4x4 on 3500 models)	AHD	0	0	0
<b>LUXURY GROUP</b> — Includes sun visors with illuminated vanity mirrors, glove box lamp, underhood lamp, rear dome lamp with on-/off-switch, 7-inch EVIC screen, overhead console with Universal Garage Door Opener, leather-wrapped steering wheel with audio controls and power rear sliding window on Crew Cab models (requires Uconnect 5.0, 8.4A or 8.4AN system)	ADA	_	0	

		TRADESA REG/CRE	SLT REG/CRE	LARAMIE
	SALES CODE	А	G	Н
PACKAGES/EQUIPMENT GROUPS (continued)				
MAX TOW PACKAGE — Includes dual transmission oil cooler (3500), underbody thermal protection, transmission software calibration and aluminum rear axle differential cover (3500); requires diesel engine and Trailer Brake Controller for 3500, 4500 and 5500 models	AHQ	0	0	0
PAYLOAD UPGRADE PACKAGE — 5500 models (requires 6.4L engine)	AH5	0	0	0
POWER ACCESSORY GROUP — Includes premium vinyl door trim, power windows, power door locks and power-folding exterior trailer-tow mirrors (Regular Cab only)	AJW	0	_	_
POWER AND REMOTE ENTRY GROUP — Includes premium vinyl door trim, power windows, power door locks, power-folding exterior trailer-tow mirrors and remote keyless entry (Regular Cab only)	AJH	0	_	_
REAR INTERIOR TRIM DELETE GROUP — Includes front center seat delete, rear floor storage tray delete and cab-back trim panel (Regular Cab models only)	AS8	0	0	_
ROLLBACK CARRIER GROUP — Includes voltage monitoring auto idle-up system (5500 Regular Cab 120-inch CA models only; requires PTO Prep Package, 220-amp alternator and 22-gallon tank)	AH1	0	0	_
SINGLE REAR WHEEL (SRW) GROUP — 3500 60-inch CA models only	AR9	0	0	0
SMOKER'S GROUP — Includes ashtray and cigar lighter	AWS	0	0	0
10K GVWR PACKAGE — Includes 10,000-lb Gross Vehicle Weight Rating (3500 SRW) 4x2 (Z3D), 4x4 (Z8D)	Z3D, Z8D	0	0	0
15K GVWR PACKAGE — Includes 15,000-lb Gross Vehicle Weight Rating (4500 4x2, 4x4) 4x2 (Z4B), 4x4 (Z9B)	Z4B, Z9B	0	0	0
<b>16K GVWR PACKAGE</b> — Includes 16,000-lb Gross Vehicle Weight Rating (4500 4x2, 4x4) 4x2 (Z4C), 4x4 (Z9C)	Z4C, Z9C	0	0	0

 $S=Standard\ \ 0=Optional\ \ P=Part\ of\ Package\ \ ---=Not\ available\ \ CA=Cab-to-Axle\ length\ \ NOTE: Some\ features\ and/or\ applications\ may\ be\ late\ availability.$ 



OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC C/V TRADESMAN PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 43

#### RAM 3500/4500/5500 CHASSIS CAB JOB RATING INFORMATION

RAM 3500 CHA	ASSIS CAB MAX	JOB RATING II	NFORMATION*				
POWER	RTRAIN		Regular Cab 60" CA (4x2 / 4x4) SRW	Regular Cab 60" CA (4x2 / 4x4) DRW	Regular Cab 84" CA (4x2 / 4x4) DRW	Crew Cab 60" CA (4x2 / 4x4) SRW	Crew Cab 60" CA (4x2 / 4x4) DRW
		Max GVWR	10,500	N/A	N/A	10,500	N/A
	66RF6 6-SPEED	Max Payload	4,730 / 4,470	N/A	N/A	4,300 / 4,010	N/A
E 71 HEMI® VO		Max GAWR front	5,500	N/A	N/A	5,500	N/A
5.7L HEMI® V8	AUTOMATIC Transmission	Max GAWR rear	6,800	N/A	N/A	6,800	N/A
	INANSINISSIUN	Max Towing	14,080 / 13,820	N/A	N/A	13,650 / 13,360	N/A
		Max GCWR	20,000	N/A	N/A	20,000	N/A
		Max GVWR	10,700 / 11,000	13,500	13,500	10,700 / 11,000	13,500
	66RFE 6-SPEED	Max Payload	4,900 / 4,960	7,350 / 7,120	7,270 / 6,990	4,460 / 4,440	6,880 / 6,600
6.4L HEMI V8		Max GAWR front	5,500	5,500	5,500	5,500	5,500
0.4L HEIVII VO	6.4L HEMI V8 AUTOMATIC Transmission		6,800	9,850	9,850	6,800	9,850
	TRANSMISSION		15,050 / 14,810	14,700 / 14,470	14,620 / 14,340	14,610 / 14,290	14,230 / 13,950
		Max GCWR	21,000	21,000	21,000	21,000	21,000
		Max GVWR	10,700 / 11,000	14,000	14,000	10,700 / 11,000	14,000
	AISIN® HEAVY-DUTY	Max Payload	4,770 / 4,830	7,720 / 7,490	7,640 / 7,360	4,330 / 4,310	7,240 / 6,970
6.4L HEMI V8		Max GAWR front	5,500	5,500	5,500	5,500	5,500
U.4L IILIMII VU		Max GAWR rear	6,800	9,850	9,850	6,800	9,850
	I NANSINISSIUN	Max Towing	17,920 / 17,680	17,570 / 17,340	17,490 / 17,210	17,480 / 17,160	17,090 / 16,820
		Max GCWR	24,000	24,000	24,000	24,000	24,000
		Max GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
	G56 6-SPEED	Max Payload	5,030 / 5,180	7,080 / 6,840	6,990 / 6,710	4,590 / 4,670	6,600 / 6,320
6.7L CUMMINS®	MANUAL	Max GAWR front	6,000	6,000	6,000	6,000	6,000
TURBO DIESEL	TRANSMISSION	Max GAWR rear	6,800	9,850	9,850	6,800	9,850
	HIMIOMIOOIUN	Max Towing	19,280 / 19,030	18,930 / 18,690	18,840 / 18,560	18,840 / 18,520	18,450 / 18,170
		Max GCWR	26,000	26,000	26,000	26,000	26,000
		Max GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
6.7L CUMMINS	AISIN HEAVY-DUTY	Max Payload	4,870 / 5,020	6,920 / 6,680	6,830 / 6,550	4,430 / 4,510	6,440 / 6,160
HIGH OUTPUT	6-SPEED AUTOMATIC	Max GAWR front	6,000	6,000	6,000	6,000	6,000
TURBO DIESEL	TRANSMISSION	Max GAWR rear	6,800	9,850	9,850	6,800	9,850
I ONDO DIESEL	NUICCINICHAN	Max Towing	19,120 / 18,870	22,770 / 22,530	22,680 / 22,400	18,680 / 18,360	22,290 / 22,010
		Max GCWR	26,000	30,000	30,000	26,000	30,000

Weights given in Ib. N/A = Not available. "Maximum tow job rating numbers are for a properly equipped vehicle with a 150-lb allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights unst be subtracted from tow/payload weight. Please see your dealer for additional information. CA = Cab-to-Axle length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

RAM 4500 CH	ASSIS CAB MAX	JOB RATING INFORMATION	ON*				
POWERTRAIN		Regular Cab 60" CA (4x2 / 4x4)	Regular Cab 84" CA (4x2 / 4x4)	Regular Cab 108" CA (4x2 / 4x4)	Regular Cab I20" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4
	Max GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.4L HEMI® V8 WITH	Max Payload	9,660 / 9,270	9,500 / 9,120	9,350 / 9,000	9,210 / 8,940	9,080 / 8,730	8,940 / 8,640
AISIN® HEAVY-DUTY	Max GAWR front	6,500	6,500	7,000	7,000	7,000	7,000
6-SPEED AUTOMATIC	Max GAWR rear	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	Max Towing	19,010 / 18,620	18,850 / 18,470	18,700 / 18,350	18,560 / 18,290	18,430 / 18,080	18,290 / 17,990
	Max GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	Max GVWR	16,500	16,500	16,500	16,500	16,500	16,500
6.7L CUMMINS® TURBO	Max Payload	8,920 / 8,560	8,730 / 8,350	8,640 / 8,230	8,560 / 8,170	8,310 / 7,960	8,170 / 7,870
DIESEL WITH G56	Max GAWR front	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED MANUAL	Max GAWR rear	12,000	12,000	12,000	12,000	12,000	12,000
TRANSMISSION	Max Towing	20,270 / 19,910	20,080 / 19,700	19,990 / 19,580	19,910 / 19,520	19,660 / 19,310	19,520 / 19,220
	Max GCWR	28,000	28,000	28,000	28,000	28,000	28,000
6.7L CUMMINS HIGH	Max GVWR	16,500	16,500	16,500	16,500	16,500	16,500
OUTPUT TURBO DIESEL	Max Payload	8,800 / 8,400	8,570 / 8,190	8,480 / 8,070	8,400 / 8,010	8,150 / 7,800	8,010 / 7,710
WITH AISIN	Max GAWR front	7,250	7,250	7,250	7,250	7,250	7,250
HEAVY-DUTY 6-SPEED	Max GAWR rear	12,000	12,000	12,000	12,000	12,000	12,000
AUTOMATIC	Max Towing	24,650 / 24,250	24,420 / 24,040	24,330 / 23,920	24,250 / 23,860	24,000 / 23,650	23,860 / 23,560
TRANSMISSION	Max GCWR	32,500	32.500	32.500	32.500	32.500	32.500

Weights given in Ib. N/A = Not available. "Maximum tow job rating numbers are for a properly equipped vehicle with a 150-b allowance for the driver. Additional upfits, options, equipment, passengers and cargo weights must be subtracted from tow/payload weight. Please see your dealer for additional information. Ca = Cab-to-Ade length. SRW = Single Rear Wheel. DRW = Dual Rear Wheel.

RAM 5500 CHAS	SSIS CAB MAX	JOB RATING INFORMATION	ON*				
POWERTRAIN		Regular Cab 60" CA (4x2 / 4x4)	Regular Cab 84" CA (4x2 / 4x4)	Regular Cab IO8" CA (4x2 / 4x4)	Regular Cab I20" CA (4x2 / 4x4)	Crew Cab 60" CA (4x2 / 4x4)	Crew Cab 84" CA (4x2 / 4x4)
	Max GVWR	19,000	19,500	19,500	19,500	19,000	19,500
O 41 LIFEAUR VO WITH ALOUNG	Max Payload	12,110 / 11,740	12,480 / 12,100	12,310 / 11,960	12,260 / 11,880	11,600 / 11,220	11,910 / 11,550
6.4L HEMI® V8 WITH AISIN® HEAVY-DUTY 6-SPEED	Max GAWR front	6,500	6,500	7,000	7,000	7,000	7,000
AUTOMATIC TRANSMISSION	Max GAWR rear	13,500	13,500	13,500	13,500	13,500	13,500
AUTOWATIC TRANSMISSION	Max Towing	18,960 / 18,590	18,830 / 18,450	18,660 / 18,310	18,610 / 18,230	18,450 / 18,070	18,260 / 17,900
	Max GCWR	26,000	26,000	26,000	26,000	26,000	26,000
	Max GVWR	19,000	19,500	19,500	19,500	19,000	19,500
O 71 OUMANING® TURBO	Max Payload	11,390 / 10,990	11,790 / 11,360	11,700 / 11,220	11,610 / 11,140	10,830 / 10,480	11,140 / 10,810
6.7L CUMMINS® TURBO DIESEL WITH G56 6-SPEED	Max GAWR front	7,250	7,250	7,250	7,250	7,250	7,250
MANUAL TRANSMISSION	Max GAWR rear	13,500	13,500	13,500	13,500	13,500	13,500
MANUAL INANSMISSION	Max Towing	20,240 / 19,840	20,140 / 19,710	20,050 / 19,570	19,960 / 19,490	19,680 / 19,330	19,490 / 19,160
	Max GCWR	28,000	28,000	28,000	28,000	28,000	28,000
0.71.011.41.41.10.1110.11	Max GVWR	19,000	19,500	19,500	19,500	19,000	19,500
6.7L CUMMINS HIGH	Max Payload	11,250 / 10,830	11,630 / 11,200	11,540 / 11,060	11,450 / 10,980	10,670 / 10,320	10,980 / 10,910
OUTPUT TURBO DIESEL WITH AISIN HEAVY-DUTY	Max GAWR front	7,250	7,250	7,250	7,250	7,250	7,250
6-SPEED AUTOMATIC	Max GAWR rear	13,500	13,500	13,500	13,500	13,500	13,500
TRANSMISSION	Max Towing	29,600 / 29,180	29,480 / 29,050	29,390 / 28,910	29,300 / 28,830	29,020 / 28,670	28,830 / 28,760
HUICOINIONIII	Max GCWR	37,500	37,500	37,500	37,500	37,500	37,500

2015	RAM	C/V	TRADESMAN	BUYER'S	GUIDE
CPOS P	ACKAGE				

Properly secure all cargo.

GPUS PAGRAGE			2/(
ENGINE TRANS	MISSION		
3.6L Pentastar® Flex Fuel V6 6-spee	d automatic with Electronic Range Select and Tow/Haul Mode	ERB/DG2	S
MECHANICAL FEATURES			
ALTERNATOR — 160-amp		BAB	S
BATTERY — 730-amp maintenance-free		BCN	S
BRAKES — Four-wheel heavy-duty antilock		BR3	S
DEFROSTER — Rear-window (included with liftgate glas	s)	GFA	Р
ENGINE BLOCK HEATER		NHK	0
HEAVY-DUTY ENGINE COOLING — Includes engine oil co	oler, heavy-duty transmission cooling and heavy-duty radiator	NMC	S
SUSPENSION — Commercial-grade		SDH	S
TIP START		XBN	S
TRAILER SWAY DAMPING <sup>[5]</sup>		BNT	S
EXTERIOR FEATURES			
BELT MOLDING — Black		MMG	S
DOOR HANDLES — Black		MNA	S
DOORS — Dual manual-sliding side		GKE/GKA	S
FASCIAS — Body-color		MLA	S
GLASS — Solid window inserts for sliding doors, rear-qu	arter vents and liftgate	GC1	S
— Liftgate (includes rear window defroster and wiper/v	vasher)	GC2	0
— Liftgate and sliding doors		GC3	0
— Liftgate, sliding doors and rear-quarter vents		GC4	0
— Sunscreen (included with liftgate, sliding door and	ear-quarter vent glass)	GAE	Р
HEADLAMPS — Quad-halogen		LME	S
MIRRORS — Folding, power, heated, Black		GTS	S
TIRES — P225/65R17 BSW Touring		TU3	S
WHEEL COVERS — 17-inch		W7B	S
WINDSHIELD WIPERS — Front, variable/intermittent		JHA	S
— Rear window wiper/washer (included with liftgate g	ass)	JHB	Р
INTERIOR FEATURES			
AIR CONDITIONING — Dual-Zone manual temperature c	ontrol	HAD	S
— Three-Zone manual temperature control		HAK	0
— Rear air conditioning available (included with Three	-Zone manual temperature control)	HBB	Р
AIR FILTRATION		JMA	S
ASSIST HANDLE — Front-passenger, mounted on A-pilla		CSR	S
CARGO COMPARTMENT FLOOR MAT — An Authentic Acco	essory by Mopar®	CKL	0
CONSOLE — Overhead with observation mirror		CUN	S
DOOR LOCKS — Power		JPB	S
FLOOR COVERING — Rubber, front		CLU	S
FLOOR SILENCER — Rear			S
LIGHTING — Front: courtesy map; rear: dome		LCA/LCH	S
— Door: courtesy		LCB	S
— Liftgate: single floodlamp		LDF	S
LOAD FLOOR — Flat, aluminum, with antiskid strips	d antickid atrina	CXM	S
— Deluxe, with three in-floor storage compartments ar		CXU	0/
— Delete load floor (packaged with Cargo Upfit Prep Pa	аска ge)	CMJ	U/

	SALE	C TRAC
CPOS PACKAGE		27C
INTERIOR FEATURES (continued)		
MIRRORS — Visor vanity, driver's side only	GNF	S
— Auto-dimming rearview with integrated microphone for Uconnect® Phone <sup>[21]</sup> (included in Uconnect Hands-Free Group)	GN5	Р
POWER OUTLETS — 12-volt DC, located in instrument panel and rear-quarter trim panel	XHL	S
— Auxiliary, 12-volt, in instrument panel	JKP	S
SEATS — Cloth-trimmed	*H7	S
— Power two-way driver's lumbar support (included with power driver's seat)	JPE	Р
— Power eight-way driver's seat	JPR	0
SHIFT KNOB — Urethane	CV3	S
Leather-wrapped (included with Uconnect Hands-Free Group)	CVB	Р
SPEED CONTROL	NHM	S
STEERING COLUMN — Tilt/telescoping	SUD	S
STEERING WHEEL — Luxury	SCK	S
— Leather-wrapped (included with Uconnect Hands-Free Group)	SCL	Р
— With mounted audio controls	RDZ	S
STORAGE — Open bin in lower instrument panel	RF9	S
— Dual glove boxes	JKN	S
— Mopar⊚ Full-Width Cargo Divider	CWC	0
— Mopar Liftgate Security Grid (requires liftgate sunscreen glass)	XGC	0
WINDOWS — Front, power with driver's one-touch down	JPD	S
UCONNECT		
DELETE UCONNECT SYSTEM	RA8	0
SPEAKER SYSTEMS — Two speakers	RCB	S
— Six speakers included with Uconnect system delete	RCG	Р
UCONNECT SYSTEMS — Uconnect 130 AM/FM/CD with MP3/WMA support and audio jack	RES	S
— Uconnect 430N AM/FM/CD/DVD¹ with MP3/WMA support, 6.5-inch touchscreen, hard drive, SiriusXM® Satellite Radio; <sup>[16]</sup> audio jack, Uconnect Voice Command; <sup>[21]</sup> GPS navigation, SiriusXM Travel Link <sup>[18]</sup> and ParkView® Rear Back-Up Camera <sup>[24]</sup>	RHB	0
<ul> <li>Uconnect Voice Command<sup>(21)</sup> — Hands-free communications system; includes auto-dimming rearview mirror with microphone and iPod<sup>®</sup> connection in glove compartment (included with Uconnect Hands-Free Group)</li> </ul>	RSP	Р
— SiriusXM Satellite Radio <sup>161</sup> — Includes 1-year subscription (included with Uconnect Hands-Free Group or Uconnect 430N system)	RSC	0/F
SAFETY AND SECURITY		
ACTIVE HEAD RESTRAINTS <sup>[25]</sup>	CBD	S
AIR BAGS <sup>[23]</sup> — Advanced multistage driver and front-passenger, includes low-risk deployment	CG3	S
— Supplemental front-seat side-mounted	CJ1	S
— Supplemental side-curtain front	CJ4	S
— Driver's knee blocker	CGY	S
ELECTRONIC STABILITY CONTROL (ESC) <sup>[5]</sup> — Includes Brake Assist and All-Speed Traction Control	BNB	S
PARKVIEW REAR BACK-UP CAMERA[24] — Included with Uconnect 430N system	XAC	Р
REMOTE KEYLESS/ILLUMINATED ENTRY SYSTEM — Includes two transmitters, Sentry Key® antitheft engine immobilizer and headlamos-off time delay	GXW	S
SECURITY ALARM	LSA	0
TIRE PRESSURE MONITORING SYSTEM — Warning lamp	LAB	S
PACKAGES/EQUIPMENT GROUPS		
CARGO INTERIOR TRIM DELETE GROUP — Includes Cargo Upfit Prep Package, rear silencers delete and rear 12-volt power		
outlet delete	AS8	0
CARGO UPFIT PREP PACKAGE — Includes Cargo Interior Trim Delete Group and load floor delete	AZ3	0
POWER WINDOW GROUP — Includes power front windows, power second-row windows and power third-row vents	AWH	0
MOKER'S GROUP — Includes cigar lighter and ashtray	AWS	0
FRAILER TOW GROUP — Includes Class II hitch receiver and trailer-tow wiring harness	AHT	0
UCONNECT HANDS-FREE GROUP — Includes leather-wrapped shift knob, auto-dimming rearview mirror with microphone, steering wheel-mounted audio controls, SiriusXM Satellite Radio, Elbetooth® Streaming Audio, Uconnect Voice Command; <sup>21</sup> remote USB port and leather-wrapped steering wheel	AAJ	0
In_dash DVD canability is not available in all states. See your dealer for details		



In-dash DVD capability is not available in all states. See your dealer for details.

BEST-IN-CLAS	SS CAPABILITY
Cargo Capacity[11]	up to 155.5 cu ft
Payload <sup>[II]</sup>	1,800 lb
Towing <sup>[II]</sup>	3,600 lb‡



17-inch Wheel Cover Standard on C/V Tradesman (W7B)

C/V TRADESMAN

C/V TRADESMAN PROMASTER

PROMASTER CITY | CONFIGURATIONS

PAINT

FABRICS

RESOURCES





16-inch Steel Wheel with Center Cap Standard for Ram ProMaster 1500/2500/3500 (WCS and WMN)



16-inch Steel Wheel with Optional Cover
Optional for Ram ProMaster 1500/2500/3500 (W6A)



16-inch Aluminum Wheel Optional for Ram ProMaster I500/2500/3500 (WDN)

REGINES AND TRANSMISSIONS   Solution   Sol	2015 RAM PROMASTER 1500/2500/3500 VAN AND 2500/3500 CUTAWAY/CHASSIS CAB BUYER'S GUIDE	SALES CODE	/AN	WINDOWED	CHASSIS CAB	OHTAMAN
3.0L EcoDiesel 14 with 6-speed Dual Active Drive transmission		, ,				
S S S   SUSPENSIONS   SUSPENSIONS   SUSPENSIONS   SUSPENSIONS   SUSPENSIONS   SUBJECT   SUSPENSIONS   SUBJECT   SUSPENSIONS   SUBJECT   SUSPENSIONS   SUBJECT   SUSPENSIONS   SUBJECT   SUSPENSION   S			0	0	0	
SUSPENSIONS   LIGHT-DUTY — 1500 118-inch wheelbase		_				_
SDA   S						П
SDB   S   S   S   S   S   S   S   S   S	****	SDA	S		_	ī
SDB   S   COURING   SDC   S   SDC	MEDIUM-DUTY — 1500 136-inch wheelbase	SDJ	S		_	ı
REVINOTORHOME SUSPENSION (available on 3500 Cargo Van models)		SDB	S	0	S	П
MECHANICAL FEATURES	TOURING	SDC		S		Ė
MECHANICAL FEATURES	RV/MOTORHOME SUSPENSION (available on 3500 Cargo Van models)	SDD	0		0	
BAB   S   S   S   S   S   S   S   S   S						
### 220-amp (packaged with 3.0L EcoDiesel I4)  ### BAJ	ALTERNATOR — 180-amp	BAB	S	S	_	E
BATTERY — 95-amp		BAJ	0/8	0/8	S	П
NHM   0   0   0		BCY	S	S	S	
BNB   S   S   S	— 100-amp (packaged with 3.0L EcoDiesel I4)	BDC	Р	Р	Р	П
AES	CRUISE CONTROL	NHM	0	0	0	
NHK	ELECTRONIC STABILITY CONTROL (ESC) <sup>[5]</sup>	BNB	S	S	S	
FUEL TANK — 24-gallon  NFE S S S  POWER STEERING  SBA S S  SPEED LIMITER — 55-mph, 60-mph, 65-mph and 70-mph (dealer-activated)  NHR S S S  EXTERIOR FEATURES  DAYTIME RUNNING LIGHTS  DOORS, REAR — 260-degree-opening with fixed glass  — 260-degree-opening with no glass  GLB 0 S — — — — — — — — — — — — — — — — — —	ELECTRONIC VEHICLE TRACKING SYSTEM	AES	0	0	0	
POWER STEERING SPEED LIMITER — 55-mph, 60-mph, 65-mph and 70-mph (dealer-activated)  NHR S S S  EXTERIOR FEATURES  DAYTIME RUNNING LIGHTS  LMK 0 0 0 0  DOORS, REAR — 260-degree-opening with fixed glass — 260-degree-opening with no glass  GLF S — — -  Left-side with fixed glass (not available on 118-inch wheelbase)  GKE 0 — — -  Left-side with no glass (not available on 118-inch wheelbase)  GKB 0 S — -  Right-side with fixed glass  GKA S — — -  EXTENDED WIRING — Taillamps  KGF — S  FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group  LNJ P P	ENGINE BLOCK HEATER — 3.0L EcoDiesel 14 only	NHK		-		_
SPEED LIMITER — 55-mph, 60-mph, 65-mph and 70-mph (dealer-activated)  EXTERIOR FEATURES  DAYTIME RUNNING LIGHTS  DOORS, REAR — 260-degree-opening with fixed glass  — 260-degree-opening with no glass  GLF S — — DOORS, SIDE — Left-side with fixed glass (not available on 118-inch wheelbase)  — Left-side with no glass (not available on 118-inch wheelbase)  — Right-side with no glass  GKB 0 S — — Right-side with no glass  GKB 0 S — — EXTENDED WIRING — Taillamps  XGF — — S  FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group  LNJ P P				-		_
EXTERIOR FEATURES		SBA				_
DAYTIME RUNNING LIGHTS  LMK 0 0 0 0  DOORS, REAR — 260-degree-opening with fixed glass  — 260-degree-opening with no glass  GLF S — —  DOORS, SIDE — Left-side with fixed glass (not available on 118-inch wheelbase)  — Left-side with no glass (not available on 118-inch wheelbase)  — Right-side with no glass  GKE 0 — — —  — Right-side with no glass  GKA S — —  EXTENDED WIRING — Taillamps  XGF — — S  FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group  LNJ P P P	SPEED LIMITER — 55-mph, 60-mph, 65-mph and 70-mph (dealer-activated)	NHR	S	S	S	
DODRS, REAR — 260-degree-opening with fixed glass GLB O S — - 260-degree-opening with no glass GLF S —	EXTERIOR FEATURES					
— 260-degree-opening with no glass  DOORS, SIDE — Left-side with fixed glass (not available on 118-inch wheelbase)  — Left-side with no glass (not available on 118-inch wheelbase)  — Left-side with no glass (not available on 118-inch wheelbase)  — Right-side with fixed glass  — Right-side with no glass  — Right-side with no glass  — STEXTENDED WIRING — Taillamps  — Taillamps  — Tool LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group  LNU P P P		LMK	·		0	
DODRS, SIDE       Left-side with fixed glass (not available on 118-inch wheelbase)       GKD       0       —       —         Left-side with no glass (not available on 118-inch wheelbase)       GKE       0       —       —         — Right-side with fixed glass       GKB       0       S       —         — Right-side with no glass       GKA       S       —       —         EXETENDED WIRING       — Taillamps       XGF       —       S         FRONT FOG LAMPS WITH BRIGHT GRILLE       — Included with Premium Appearance Group       LNJ       P       P       P			- ·	S		
— Left-side with no glass (not available on 118-inch wheelbase) GKE 0 — — — — — Right-side with fixed glass GKB 0 S — — — Right-side with no glass GKA S — — — EXTENDED WIRING — Taillamps XGF — — S FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group LNJ P P P					_	
— Right-side with fixed glass					_	E
Right-side with no glass GKA S — EXTENDED WIRING — Taillamps XGF — S FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group LNJ P P P					_	
EXTENDED WIRING — Taillamps XGF — S FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group LNJ P P P				S	_	
FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group LNU P P P			S		_	
			-	_	-	
	FRONT FOG LAMPS WITH BRIGHT GRILLE — Included with Premium Appearance Group HALDGEN HEADLAMPS	LNJ	P	P	P S	

B	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 C	;   ;	4500	CC		5500 0
		· )Master° 15(  Taway/Chas					SALES CODE -	VAN	WINDOWED	CHASSIS CAB	CUTAWAY
	TERIOR FEATURE										
MIR	RORS — Manual- Power-adjustable	adjustable, manual-f	foldaway				GTP GTB	S 0	S 0	S 0	S 0
Ξ		r, neared r/power-folding, heate	ed				GTR	0	0	U	
ROO	F CLEARANCE LAN						LNC	S	S	S	S
	Rear	•					LNG	S	S	_	_
	<b>TERIOR FEATURE</b> OLT AUXILIARY PO						JJJ	S	S	S	S
	Rear	OHER TIONE					JKP	0	0	_	_
AIR		- Delete air conditioni	ing; heater only				HCD	0	0	0	0
CAD	Manually controlle GO COMPARTMENT	,					HAA CKL	S 0	S	S	S
_	GO LAMPS — Rea						LPE	S	S		
CAR	GO PARTITION —	None					CTP	S	S	_	
	With sliding wind	0W					XJ1	0	_	_	_
_	Without window GO TIE-DOWN RIN	IGS — Floor					CWC	0	S		
		ed with Cargo Conver	nience Group)				CKT	P	P		
_	VER DOOR LOCKS							S	S	S	S
_	R ASSIST HANDLES		n				CSR HDG	0	0	_	
		R CONDITIONING PRE ISTER — Requires re		with fixed glass o	n Cargo Van		GFA	0	S	0	0
	R WINDOW GUARD		ur mingou uooro	WILLI TIXOU GIUUU U	ii oargo van		XGC	0	_		
-	TING SURFACES —	– Cloth					*A7	S	S	S	S
	Cloth/vinyl	rally adjustable drive	r and front noo	oon oor hunkat			*B7	0 S	0 S	0 S	0 S
SEA		ually adjustable drive Istable (not available			ssenger swivel sea	†)	CDL	0	0	0	0
=		6-way adjustable (N/					CDU	0	0	0	0
_		n (not available with o		-,			CXX	0	0	0	0
	heated seat)	ires cloth seating surf		ble with passenger	double seat, cargo p	oartition or	CEA	0	0	0	0
_		quires 6-way adjustal r (requires 6-way adj		acconnor coate)			CMB CMC	0	0	0	0
	Passenger double		ustable dilvel/p	asseriger seats)			CAA	0	_	0	_
	Passenger-seat d						CD9	0	0	0	0
_	Passenger swivel cargo partition or	(requires cloth seating heated seat)	ng surfaces and	driver swivel seat	; not available with		CHR	0	0	0	0
	AY-ON FLOOR LINI	ER					XMF	0	_	_	
	ERING COLUMN —						SUC	S	S	S	S
	ERING WHEEL — I	Leather-wrapped uded with Cargo Conv	venience Group				SCC	0 P	0 P	0	0
	PRESSURE MONI		remence droup				XGM	S	S	S	S
	IT INTERFACE CON						BC3	0	0	0	0
	L PANELS — Full- Lower-side	-side					CTE	0	0		
	DOWS — Power						JPY	S	S	S	
WOO	DD FLOOR — Rear						CME	0	0	_	
	ONNECT®										
	FM/MP3		Le				RH3	S	S	S	S
		res Uconnect 5.0 syst — Includes four spe		ia innut huh			JLN RA9	0	0	0	0
	NNECT 5.0	morado roar op	oundro una moa	ia inpac nas			RA2	0	0	0	0
SA	FETY AND SECUF	RITY									
AIR	BAGS <sup>[23]</sup> — Six						CG3, CJ4, CJ1	S	S	S	S
	-CERTIFIED ROADS	SIDE SAFETY KIT					ACL	0	0	0	0
	KSENSE® REAR PA						XAA	0	0	_	
_	KVIEW® REAR BAC R Camera Wiring						XAC XA3	0 S	0 S	_	
_		t available with 3.0L	EcoDiesel 14				JJL	0	0	0	0
	CKAGES/EQUIPM										
CAR	GO CONVENIENCE	<b>GROUP</b> — Side-wall			et		AWF	0	0		
		T GRILLE COVER — 3			brow windshield to	oumort.	XD6	0	0	0	0
hold	er, shelf above roo	<b>CE GROUP</b> — Include of trim and locking gl	es non-locking i ove box	underseat storage	ıray, windsnield do	cument	AJV	0	0	0	0
PRE	MIUM APPEARANC	CE GROUP — Front fo	og lamps with b				ALU	0	0	0	0
SMO	KER'S GROUP —	Removable ash tray a	and cigar lighte	r			AWS	0	0	0	0

### 2015 RAM PROMASTER® 1500/2500/3500 VAN AND 2500/3500 CUTAWAY/CHASSIS CAB TOWING AND PAYLOAD

PROMASTER CITY | CONFIGURATIONS

C/V TRADESMAN


PROMASTER

MAXIMUN	M P	AYLOAD.	AND TOV	VING CA	PACITIES	S*				
POWERTRA	AIN	Body Style	Wheelbase (inches)	Vehicle Height (inches)	Overall Length (inches)	Curb Weight (lb)	GVWR (lb)	Payload (lb)	Towing Capacity (lb)	GCWR (lb)
			118	91	195	4,551	8,550	3,990	5,100	11,500
	1500	CARGO VAN	136	91	213.1	4,624	8,550	3,920	5,100	11,500
			136	101	213.1	4,731	8,550	3,810	5,100	11,500
		CARGO	136	101	213.1	4,764	8,900	4,130	5,100	11,500
3.6L	2500	VAN	159	101	236	4,889	8,900	4,010	5,100	11,500
Pentastar®   V6 /	120	WINDOWED VAN	159	101	236	4968	8,900	3,930	5,100	11,500
6-speed Automatic	3500	CARGO	159	101	236	4,903	9,350	4,440	5,100	11,500
Transmission	35	VAN	159 Ext.	101	250	5,017	9,350	4,330	5,100	11,500
	2500	CHASSIS CAB/ CUTAWAY	136	91	211	4,217 / 4,173	8,900	4,680 / 4,720	5,100	11,500
	3500	CHASSIS	159	91	234	4,239 / 4,183	9,350	5,110 / 5,160	5,100	11,500
	35	CAB/ CUTAWAY	159 Ext.	91	248	4,272 / 4,228	9,350	5,070 / 5,120	5,100	11,500
	500		118	91	195	4,792	8,550	3,750	5,100	12,500
		CARGO VAN	136	91	213.1	4,862	8,550	3,680	5,100	12,500
			136	101	213.1	4,954	8,550	3,590	5,100	12,500
		CARGO	136	101	213.1	5,005	8,900	3,890	5,100	12,500
3.0L	2500	VAN	159	101	236	5,147	8,900	3,750	5,100	12,500
EcoDiesel I4 / 6-speed	25	WINDOWED VAN	159	101	236	5,208	8,900	3,690	5,100	12,500
Dual Active Drive	g	CARGO VAN	159	101	236	5,185	9,350	4,160	5,100	12,500
Transmission	32(		159 Ext.	101	250	5,257	9,350	4,090	5,100	12,500
	2500	CHASSIS CAB/ CUTAWAY	136	91	211	4,457 / 4,414	8,900	4,440 / 4,480	5,100	12,500
	3500	CHASSIS	159	91	234	4,480 / 4,435	9,350	4,870 / 4,910	5,100	12,500
	35	CAB/ CUTAWAY	159 Ext.	91	248	4,511 / 4,468	9,350	4,830 / 4,880	5,100	12,500

PAINT

FABRICS

RESOURCES



303.7 CUBIC FEET\*

462.9 CUBIC MAX CARGO AREA

Meets SAE J1100 requirements.

\*When properly equipped. Up to 353 cu ft of usable storage on 136-inch wheelbase standard roof models. †When properly equipped. Up to 530 cu ft of usable storage on High Roof extended models.

**TRAILER TOW GROUP** — Class V hitch receiver and 4- / 7-pin wiring harness





16-inch Steel Wheel with Center Cap Standard on Tradesman® Cargo Van/Wagon (WDL)



16-inch Steel Wheel Cover Standard on Tradesman SLT Cargo Van/Wagon SLT Optional on Tradesman Cargo Van/Wagon (WCS)



16-inch Aluminum Wheel Available on Tradesman SLT Cargo Van/Wagon SLT (WDN)

2015 RAM PROMASTER CITY™ BUYER'S GUIDE	SALES CODE	TRADESMAN® CARGO VAN	TRADESMAN SLT CARGO VAN	WAGON	WAGON SLT
CPOS		2TC	2TD	2TA	2TI
ENGINE TRANSMISSION					
2.4L Tigershark® MultiAir®2 I4 9-speed automatic (DFH)	_	S	S	S	S
MECHANICAL FEATURES					
ALTERNATOR — 160-amp	BAB	S	S	S	S
BATTERY — 700-amp maintenance-free	BC8	S	S	S	S
BRAKES — Four-wheel antilock	BGK	S	S	S	S
FRONT AND REAR STABILIZER BARS	SHC	S	S	S	S
FUEL TANK — 16-gallon	NFZ	S	S	S	S
HEAVY-DUTY SUSPENSION	SDB	S	S	S	S
PUNCTURE SEALANT AND PORTABLE AIR COMPRESSOR	XAH	S	S	S	S
/EHICLE TRACKING SYSTEM	XDJ	0	0	0	0
EXTERIOR FEATURES					
ADJUSTABLE ROOF RAIL CROSSBARS	MWF	0	0	0	0
BODYSIDE MOLDING — Black	MJA	S	S	S	S
BUMPERS — Front and rear, Black	MLM	S		S	
— Body-color	MLA		S		S
BOOY-COOK	LMK	0	0	0	0
100RS — Dark-tint glass (not available with side and rear doors with solid panels on Cargo Van models)	GEG	0	0	0	S
— Rear with 180-degree opening	GLG	S	S	S	S
— Side and rear doors with solid panels	GC1	S	S	_	
— Side and rear doors with solid panels  — Rear hinged doors with glass	GC2	0	0		
— Rear rand sliding side doors with vented glass	GC3	0	0		
— Rear and sliding side door glass	GC4	0	U	S	-
FOG LAMPS — Front (requires Lights and Wheels Group)	LNJ	_		3	P
HEADLAMPS — Halogen	LMA	S	S	S	S
MIRRORS — Manual-adjustable	GTZ	S	3	S	3
	GTS	3	S	3	S
— Power-adjustable/folding/heated with body-color caps		_		_	3
ROOF RACK	MWM	0	0	_	
SIDE ROOF RAILS	MWE	0	0	0	C
SPLASH GUARDS	MKN	0	0	0	C
TIRES — 215/55R16XL BSW AII-Season	TMC	S	S	S	S
WHEEL COVERS — 16-inch steel wheels painted Black with full wheel covers	WCS	0	S	0	3
WHEELS — 16-inch steel wheels painted Silver with center cap	WDL	S	_	S	
— 16-inch aluminum wheels (requires Lights and Wheels Group)	WDN		Р		P
INTERIOR FEATURES					
AIR CONDITIONING	HAA	S	S	S	S
DOOR LOCKS — Power	_	S	S	S	S
IGHTING — Map/courtesy/cargo lamps	LBC	S	S	S	S
— Cargo area LED lighting	LCP	0	0	l —	
SEATS — Cloth low-back bucket seats with manual adjuster	*B7	S	_	S	E
— Premium cloth bucket seats with manual adjustable lumbar control	*C7	_	S	_	S
— 60/40 fold-and-tumble 3-passenger rear bench	CFF	_	_	S	S
— Heated front seats (included with Popular Equipment Group)	JPM	_	Р	_	P
SPEED CONTROL	NHM	0	S	0	S
STEERING COLUMN — Tilt/telescoping	SUD	S	S	S	S
STEERING WHEEL — Luxury	SCK	S		S	F
— Leather-wrapped (included with Uconnect® 5.0 system)	SCG	P	S	P	S
WINDOWS — Front power with one-touch down	JP3	S	S	S	S
— Second-row power windows (included with Popular Equipment Group)	JPG	_	P		P
— Tinted (requires rear and side sliding doors with vented glass on Cargo Van models)	GAC	Р	P	S	f
— Dark tint (not available with side and rear doors with solid panels on Cargo Van models)	GEG	0	0	0	S
UCONNECT	3LU				
SIRIUSXM® SATELLITE RADIO <sup>1161</sup> — Requires Uconnect 5.0 system	RSD	0	0	0	0
JCONNECT SYSTEMS — Uconnect 3.0 AM/FM with media hub with USB and auxiliary input	RA1	S	U	S	-
	TAI	3		3	H
Uconnect 5.0 AM/FM with 5-inch touchscreen display, media hub (with USB and auxiliary input), Uconnect with Bluetooth <sup>®(21)</sup> Uconnect 5.0 AM/FM with 5-inch touchscreen display, media hub (with USB and auxiliary input),	RA2	0	S	0	S
GPS navigation, Uconnect with Bluetooth <sup>[21]</sup>	RA5	0	0	0	C
SAFETY AND SECURITY					
AIR BAGS <sup>[23]</sup> — Front, driver and passenger	CGT/CGE	S	S	S	S
— Driver's-side inflatable knee bolster	CGY	S	S	S	S
— Supplemental front-seat side	CJ1	S	S	S	S
— Supplemental side-curtain for 1st and 2nd row	CJ4	-	9	S	S
— Supplemental Side-Cultain for 15t and 2nd fow	CJ4	S	S	3	3

 $S=Standard\ 0=Optional\ P=Part\ of\ Package\ ---=Not\ available\ NOTE:\ Some\ features\ and/or\ applications\ may\ be\ late\ availability.$ 

2015 RAM PROMASTER CITY™ BUYER'S GUIDE (CONTINUED)	SALES CODE	TRADESMAN <sup>®</sup> CARGO VAN	TRADESMAN SLT CARGO VAN	WAGON	WAGON SLT
SAFETY AND SECURITY (continued)					
DOT-CERTIFIED ROADSIDE SAFETY KIT	ACL	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) <sup>(5)</sup> — Includes Brake-Lock Differential, Electronic Roll Mitigation, Hill Start Assist, Trailer Sway Damping, <sup>(5)</sup> Brake Assist and All-Speed Traction Control	BNB	S	S	S	S
PARKSENSE® REAR PARK ASSIST <sup>[24]</sup> — Included with Rear Back-Up Camera Group; not available with Uconnect® 3.0 system	XAA	Р	Р	Р	Р
PARKVIEW® REAR BACK-UP CAMERA <sup>[24]</sup> — Included with Rear Back-Up Camera Group; not available with Uconnect 3.0 system	XAC	Р	Р	Р	Р
REMOTE KEYLESS ENTRY	GXM	S	S	S	S
REMOTE START SYSTEM	JJL	0	0	0	0
TIRE PRESSURE MONITORING SYSTEM — Warning lamp	LAB	S	S	S	S
PACKAGES/EQUIPMENT GROUPS					
CARGO PARTITION PACKAGES — Solid; includes cargo partition with no window and real wall trim	AS1	0	0	_	
— Window; includes cargo partition with window and rear wall trim	AHA	0	0		
LIGHTS AND WHEELS GROUP — Includes front fog lamps and 16-inch aluminum wheels	AZK		0		0
POPULAR EQUIPMENT GROUP — Includes heated front seats, 2nd-row power window and six speakers on Wagon models (requires side sliding door with vented glass on Cargo Van models)	AJY		0	_	0
REAR BACK-UP CAMERA GROUP — Includes ParkView Rear Back-Up Camera <sup>[24]</sup> and ParkSense Rear Park Assist <sup>[24]</sup> (not available with Uconnect 3.0 system)	AMV	0	0	0	0
<b>REAR WIPER/WASHER/DEFROSTER GROUP</b> — Includes rear window defroster and rear window wiper/washer (requires deep-tint sunscreen glass; not available with side and rear doors with solid panels)	AMF	0	0	0	0
<b>TRAILER TOW GROUP</b> — Includes Class III hitch receiver and 4- / 7-pin wiring harness	AHT	0	0	0	0

#### MAXIMUM PAYLOAD AND TOWING CAPACITIES

	TRADESMAN® CARGO VAN	TRADESMAN SLT CARGO VAN	WAGON	WAGON SLT
GVWR (lb)	5,395	5,395	5,395	5,395
GCWR (lb)	5,900	5,900	5,900	5,900
CURB WEIGHT (lb)	3,527	3,527	3,695	3,695
MAXIMUM PAYLOAD (Ib)	1,883	1,883	1,700	1,700
MAXIMUM TOWING* (lb)	2,000	2,000	1,800	1,800

 $<sup>{\</sup>rm *When\ properly\ equipped.}$ 

 $S = Standard \ \ 0 = Optional \ \ P = Part \ of \ Package \ \ \underline{\hspace{1.5cm}} = Not \ available \ NOTE: Some features and/or applications may be late availability.$ 

52




54	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	C/V TRADESMAN	PROMASTER	PROMASTER CITY CO	NFIGURATIONS	PAINT	FABRICS	RESOURCES	55			
RA	M PICKUP A	AND CHASSIS			S	2500/450	0/5500	RAM PRO	RAM PROMASTER CITY™ CONFIGURATIONS										
		PICKU	1500 2500/3500 PICKUPS PICKUPS			3500/4500/5500 Chassis Cabs				PROMASTER CITY									
		SRW RB 6	SRW	DRW	SRW	60" (18	DRW			ADESMAN RGO VAN	AM PROMASTER®	V	ASSENGE VAGON		DINFIGURATION	S			
RI	REGULAR CA	AB 8'	8' 2500/3500	3500	3500	4500 450	3500 4500 4500 5500 5500	4500 5500			PROMASTER 1500	PROMA 250	STER	PROM	IASTER 500				
Q	uad cab	RB 6'	4"						CARGO STAND ROOF		118" 136" 122.8"					_			
		RB 5	7" RB 6'4" 2500/3500	)					CARGO HIGH H		136"	136"	11.1. 159" 145.9"	159" 1: 145.9" EXT.	59" FRAME				
CI	REW CAB	RB 6	2500/3500	8 3500	3500	3500 4500 450 5500 550			WINDO VAN HIGH I				1.1.J 159"	WHEELB	AXLE LENGTH (CA) ASE Oor Length	-			
M	EGA CAB®		RB 64"	3500		RB RAMBO	BED LENGTH (C D-axle length (C Dx® System avail Single rear whe	LABLE Heel		ARD		136"		159"	159" FRAME				

56	OVERVIEW	POWERTRAINS	1500	2500	3500	3500 CC	4500 CC	5500 CC	C/V TRADESMAN	PROMASTER	PROMASTER CITY	CONFIGURATIONS	PAINT	FABRICS	RESOURCES	57	
E	TERIOR PAI	NT COLORS						SPECIAL EXTERIOR PAINT COLORS"									
		BLACK – S	}		BRILLIANT BLACK CRYSTAL PEARL – 1, 2, 4  TRUE BLUE PEARL – 1, 2, 3, 4					MIDNIGHT	Г BLUE – 1, 2	DARK BROWN – 1, 2, 3, 5					
		BLACK METALL	IC - 5	Ц						TIMBERLINE GF	REEN PEARL – 1, 2		TREE GREEN – 1, 2				
	BLACK	FOREST GREEN	PEARL – I, 2	Ц	GRANITE CRYSTAL METALLIC – 2, 3					LIGHT G	REEN – 1, 2	BRIGHT GREEN – 1, 2					
MAXIMUM STEEL METALLIC – 1, 2					QUA	RTZ GRAY MET	ALLIC - 5			HOLLAND	) BLUE - 1, 2	HILLS GREEN / GREEN ANGEL – 1, 2, 3					
Į	MIN	IERAL GRAY MET	FALLIC – I		BILL	ET SILVER MET	ALLIC – 4			POWER	TAN - 1, 2		ROBIN EGG BLUE – 1, 2				
	BL	UE NIGHT META	ILLIC – 5			SILVER METALL	IC - 5			BROOM YE	ELLOW – 3, 5		LIGHT CREAM – 1, 2				
ı	В	LUE STREAK PE	ARL - 2		BRIGH	T SILVER METAI	LIC - I, 2, 3			YELLO	DW - 1, 2		NATIONAL SAFETY YELLOW – 1, 2				
	BRI	IGHT WHITE – 1,			SANDSTONE	- 3			DETONATOR	YELLOW – I, 2	Ц	CONSTRUCTION YELLOW - 1, 2					
PRAIRIE PEARL – 1, 2						FLAME RED – I	, 2, 3			OMAHA O	RANGE – 1, 2	SCHOOL BUS YELLOW - 1, 2					
COPPERHEAD PEARL – I					REDLINE 2-COAT PEARL – 4					BRIGHT	RED - 1, 2		AGRICULTURE RED – 1, 2				
	DEEP CHER	RY RED CRYST <i>i</i>	AL PEARL – 1, 2,	3	WESTERN BROWN PEARL – 1, 2												
	D	EEP RED METAL	.LIC - 5		BRIGHT RED – 5				COLOR AVAILABILITY LEGEND  1: RAM 1500 2: RAM 2500/3500 AND CHASSIS CABS 3: RAM PROMASTER® 4: RAM C/V TRADESMAN® 5: RAM PROMASTER CITY							:TM	
									*See your deal	ler for special paint colo	or ordering requirements	3.					

OVERVIEW POWERTRAINS 1500 2500 3500 3500 CC 4500 CC 5500 CC C/V TRADESMAN PROMASTER PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 5500 CC C/V TRADESMAN PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 5500 CC C/V TRADESMAN PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 5500 CC C/V TRADESMAN PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 5500 CC C/V TRADESMAN PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 5500 CC C/V TRADESMAN PROMASTER CITY CONFIGURATIONS PAINT FABRICS RESOURCES 5500 CC C/V TRADESMAN PROMASTER CITY CONFIGURATIONS PAINT FABRICS PAINT

#### INTERIOR SEAT FABRICS



Hudson/Legacy Cloth Light Graystone Ram C/V Tradesman



Vinyl Black Ram ProMaster



Work-Grade Vinyl Diesel Gray Tradesman, HD and Chassis Cab only



Sedoso/Embossed Cloth Diesel Gray Tradesman, Express, HFE, SLT and Power Wagon®



Sedoso/Carbide Cloth
Diesel Gray
SLT, Big Horn/Lone Star,\* Outdoorsman® and Power Wagon



Bristol Vinyl/Sport Mesh Cloth Black Sport (1500 only)

### Sedoso/Carbide Cloth Canyon Brown SLT, Big Horn/Lone Star,\* Outdoorsman and Power Wagon

Bristol Leather/Perforated Leather Trim Light Frost Beige Laramie® and Power Wagon Laramie

#### Bristol Leather/Perforated Leather Trim Black

Natura Leather/Perforated Leather with Dark Saddle Piping and Tan Accent Stitching

Sport, Laramie and Power Wagon Laramie

Laramie Longhorn® (not available on Chassis Cab models)

Natura Leather/Perforated Leather with Black Piping and Black Accent Stitching Cattle Tan

Natura Leather/Perforated Leather with Medium Gray Stone Piping and Medium Gray Stone Accent Stitching

Laramie Longhorn (not available on Chassis Cab models)

Laramie Limited (not available on Chassis Cab models)

Natura Leather with Laser Etching/Perforated Leather with Dark Saddle Piping and Tan Accent Stitching Canyon Brown

Laramie Longhorn (not available on Chassis Cab models)

\*Lone Star model available only in Texas.

**Canyon Brown** 

#### THE RIGHT UPFIT FOR YOUR RAM TRUCK.

Because it's the most important and expensive tool in your business toolbox, you can increase your truck's efficiency and customize its capability with an upfit—an aftermarket body modification. Ram Commercial is ready to help.

Select upfitters who meet our criteria for excellence, and who agree to our guidelines, ensure that your truck performs to spec. Streamline the process by identifying the type of work, operating conditions (work site, on-/off-road, etc.), type and amount of weight or payload, and type and weight of trailer and contents (if applicable).

You'll find the most recent list of these upfitters and the comprehensive Body Builder's Guides—critical details, technical specs and measurements—at ramtrucks.com/commercial. Log on to rambodybuilder.com or use our toll-free hotline for Body Builder questions or assistance: the number is 866-205-4102.

#### THE FINAL WORD: FROM ACCESSORIES TO WARRANTIES.

5-YEAR/100,000-MILE POWERTRAIN LIMITED WARRANTY. Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Powertrain Limited Warranty.

3-YEAR/36,000-MILE BASIC LIMITED WARRANTY. Ram vehicles are covered by an FCA US LLC 3-Year/36,000-Mile Basic Limited Warranty. See your dealer for a copy of this limited warranty. Excludes normal maintenance and wear items.

**BUSINESSLINK.** If your business relies on vehicles, **BUSINESSLINK** can save you time, money and hassles. For more, log on to chryslercommercialvehicles.com or call us toll-free at 877-2THELINK (877-284-3546).

MOPAR VEHICLE PROTECTION.® Mopar Vehicle Protection is the only extended protection backed by the manufacturer. FCA US LLC stands behind Mopar Vehicle Protection with certified, factory-trained technicians, genuine Mopar® parts and service at any dealership within the United States, Canada, Puerto Rico or Mexico. Be sure to ask for a Mopar Vehicle Protection plan at your dealership. For more information, call us toll-free at 800-442-2666 or visit moparvehicleprotection.com

 $\textbf{AUTHENTIC ACCESSORIES BY MOPAR} \ are \ designed \ for \ exceptional \ fit, finish \ and \ performance. \ Visit \ your \ dealership \ or \ mopar.com$ 

**UCONNECT.®** With Uconnect, you're always connected—to people, places, music, movies and the Internet.

SIRIUSXM® SATELLITE RADIO. [16] Over 130 channels, including commercial-free music, sports, news, talk, comedy and entertainment. Factory-installed SiriusXM Satellite Radio [16] includes a one-year subscription. For more, go to siriusXm.com

RAM OUTFITTER is a collection of handpicked items bearing the Ram identity—from apparel to tools for work and play. It's all found at ramtrucks.com/outfitter

<sup>III</sup>Based on latest available competitive information. Class based on 250/2500 and 350/3500 pickups. <sup>IXI</sup>Transferable. See your dealer for complete details and a copy of the 5-Year/100.000-Mile Powertrain Limited Warranty. <sup>IXI</sup>Ram vehicles are covered by a FCA USLLC 3-Year/36.000-Mile Basic Limited Warranty. See your dealer for a copy of this limited warranty, Excludes normal maintenance and wear items. [4]Based on latest available competitive information. Class based on light-duty pickups. [5]No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions Always wear your seat belt: [8] Based on Standard Pickup class. EPA estimated 28 highway mpg based on EcoDiesel V6 4x2. Actual results may vary. [7] Based on Class 3 – 5 pickup-based conventional cab chassis. [8] Based on Class 4 - 5 pickup-based conventional cab chassis. [8] Based on Class 4 pickup-based conventional cab chassis. pickup-based conventional cab chassis. [10] Based on latest available competitive information. Class is based on Small Commercial Van segment (Class 1). [12] Based on size of fuel tank multiplied by highway mpg. Actual mileage may vary. [10] Based on latest available competitive information. Class is based on Large Commercial Van segment (Class 2). [14] Based on latest available competitive information. Class is Small Commercial Van segment. [6] Based on Standard Pickup class. Fuel economy based on EPA estimated 28 highway mpg on EcoDiesel V6 4x2. Actual results may vary. Torque comparison based on latest available competitive information. [6] Strius XM services require subscriptions, sold separately after the 12-month trial included with the new vehicle purchase. If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call SiriusXM at 1-866-635-2349 to cancel. Trial service is not transferable or refundable. See SiriusXM Customer Agreement for complete terms at siriusxm.com, All fees and programming subject to change. Our satellite service is available only to those at least 18 and older in the 48 contiguous U.S.A. and DC. Our Sirius satellite service is also available in PR (with coverage limitations). Our Internet radio service is available throughout our satellite service area and in AK and HI. 117 StriusXM services require subscriptions, sold separately after the 5-year trial included with the new vehicle purchase. If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call SiriusXM at 1-866-635-2349 to cancel. Trial service is not transferable or refundable. See SiriusXM Customer Agreement for complete terms at siriusxm.com. All fees and programming subject to change. Our satellite service is available only to those at least 18 and older in the 48 contiguous U.S.A. and DC. Our Sirius satellite service is also available in PR (with coverage limitations). Our Internet radio service is available throughout our satellite service area and in AK and HI. [18] Sirius XM services require subscriptions, sold separately after the 5-year trial included with the new vehicle purchase. Trial service is not transferable or refundable. The SiriusXM Travel Link data displays and individual product availability vary by vehicle hardware. Not all vehicles or devices are capable of receiving all Travel Link services offered by Sirius XM; Weather Forecast, Current Conditions may not be available in all locations; features of individual systems will vary. Images within are for representative purposes only and are not real products. For actual features and images of real products, consult the vehicle manufacturer. Sirius XM is not responsible for any errors or inaccuracies in the Sirius XM Travel Link services or their use. Our satellite service is available only to those at least 18 and older in the 48 contiguous U.S.A. and DC. Our Sírius satellite service is also available in PR (with coverage limitations). Our Internet radio service is available throughout our satellite service area and in AK and HI. [19] Uconnect Access is available only on equipped vehicles purchased within the 50 United States. Services can only be used where cellular coverage is available, see coverage map for details. For a complete list of Uconnect Access services, please visit driveuconnect.com/features/uconnect\_access/packages. Vehicle must be registered for Uconnect Access and fulfill minimum subscription requirements. [20] Uconnect Access via Mobile uses your smartphone's existing data plan to access information online. To use Via Mobile, you must have a compatible smartphone (with the Uconnect Access app installed and launched, visit UconnectPhone.com for compatibility) and you must fulfill all Uconnect Access registration and subscription requirements. Some applications must be configured on Mopar Owner Connect and may require an account. Via Mobile is included for five years and begins the day you take delivery of your vehicle Register as soon as possible. Must be within the 48 contiguous United States, plus Alaska, within active and usable cellular range. [12] Requires a mobile phone equipped with the Bluetooth Hands-Free Profile. Visit UconnectPhone.com for system and device compatibility. [12] Voice Text Reply and Voice Texting features require a compatible mobile device enabled with Bluetooth Message Access Profile (MAP). iPhone and some other smartphones do not currently support Bluetooth MAP. Visit UconnectPhone.com for system and device compatibility. Ensure MAP is ON and incoming message notification is enabled. Vehicle must be registered for Uconnect Access and you must fulfill minimum subscription requirements. Also requires the use of a compatible smartphone that supports text messaging and Bluetooth. Check UconnectPhone.com for device compatibility. [23] The Advanced Front Air Bags in this vehicle are certified to the new U.S. federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. <sup>64</sup>Always look before proceeding, electronic drive aid is not a substitute for conscientious driving, always be aware of your surroundings. <sup>65</sup>Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. [26] ON THE JOB is a retail incentive program; see your dealer for official rules. Inquire about eligibility by calling 877-ONTHE JOB or by logging on to chryslercommercial vehicles.com. The purchaser or lessee must be a qualified commercial customer for more than 30 days prior to the date of the vehicle purchase. An official ON THE JOB Customer Acknowledgment Form must be signed by the customer (provided by the dealer).

About this catalog: Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this catalog may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was printed. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications scontained here sees over Pan dealer.

©2015 FGA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Mopar, AllSecure, Big Horn, the Business Link design, the CNG design, C/V, HEMI, Laramie, Laramie Longhorn, Mega Cab, Mopar Vehicle Protection, the On The Job design, Outdoorsman, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Ram 1500 Express, RamBox, the Ram's Head logo, Ram ProMaster, Sentry Key, Snow Chief, Tigershark, TorqueFliter, Iradesman and Uconnect are registered trademarks and Active-Level, Keyless Enter in Go, Ram ProMaster City and Ram Work Grade are trademarks of FCA US LLC. Chrysler Capital is a registered trademark of FCA US LLC and licensed to Santander Consoner USA Inc. MultiAir is a registered trademark of FCA US LLC. Benoten his a registered trademark of Bluetonts Inc. Phone and if Poda are registered trademarks of EAL. Benoten the Inc. Bosch is a registered trademark of Bluetonts Inc. Phone and if Poda are registered trademarks of EAL Benders of Warn Industries, Inc. Mossy Okak is a registered trademark of Warn Industries, Inc. Mossy Okak is a registered trademark of Santon Industries, Inc. Mossy Okak is a registered trademark of Santon Industries, Inc. Mossy Okak is a registered trademark of Santon Industries, Inc. Mossy Okak is a registered Trademark of Warn Industries, Inc. Mossy Okak is a registered Trademark of Heave Undoor, Inc. Danis is registered trademarks of Santon Industries, Inc. Rosesy Indus