Citroën Care for Car and Driver

Across the UK, a network of 250 Citroën Dealers are equipped and trained to meet the needs of today's motorists, each with a team of technicians skilled in the care and maintenance of the Citroën C3 Pluriel and using only genuine Citroën parts. Each can also offer a selection of finance packages to suit the private and business purchaser. Contract Hire, Lease Purchase and Finance Lease are available to the business user, through Citroën Contract Motoring, whilst Elect 3 Personal Contract Purchase is specifically designed to offer flexibility and to match Citroën direct for further information, the motoring needs to the budget of the retail customer.

Citroën Elect 3

K9444

With the Elect 3 Personal Contract Purchase Scheme, you decide on the model which best suits your motoring needs, then set your preferred contract period of 24 or 36 months and anticipated annual mileage. At the end of the contract period you have the added flexibility of part exchanging the rapid expert roadside assistance to you it or simply returning it to the Dealer. By choosing Elect 3 you can drive a new Citroën every two or three years.

Citroën Fleet and Business Sales All Citroën Dealers are dedicated to meeting the specialist needs of both the fleet and business buyer. Their comprehensive service can include advice on important business vehicle decisions, such as alternative acquisition methods, disposal of existing cars and vans, priority servicing and much more. In short, their expertise aims to provide a 'total transport solution' for all your fleet or business vehicle needs. If you would like to contact please call Citroën Fleet Connect on 08457 940 940. Or look us up on the world wide web at:

Citroën Assist

http://www.citroen.co.uk/fleet

Whilst Citroën cars are engineered for maximum reliability, you might become stranded through circumstances outside your control. In response to a free telephone call. Citroën Assist brings car for another new Citroën, purchasing in an emergency. It comes free of charge for a full year and operates 24 hours a day in all parts of the UK. Services include nationwide recovery for both

car and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. Alongside UK cover, Citroën Assist also offers a comprehensive European service.

Comprehensive Warranty

Every new Citroën car offers the benefit of a 3 year* warranty package, plus a 12 year anti-corrosion** warranty and a 3 year paint warranty.

Citroën Insurance

Citroën Insurance is as thoughtfully designed as your car and provides real value for money exclusively to Citroën

Policies provide 24 hour accident recovery, with all repairs carried out by a Citroën approved repairer, guaranteed for a full three years. For an immediate quote, call 0870 024 2725.

owners. Instant cover is available

over the telephone, with convenient

instalment options (subject to status).

Internet

The Citroën website contains full information on all Citroën products and offers available in the UK. The site address is: http://www.citroen.co.uk

*2 years' manufacturer's warranty. No-fee customer option of 1 year's Dealer provided extended warranty, only on cars sourced from Citroën UK Limited.

** Against all internal to external perforation to bodywork or underbody on condition the car undergoes an inspection by a Citroën franchised Dealer every two years from its fourth anniversary. Full details available on request.







All measurements in millimetres



www.citroen.co.uk

Citroën UK Limited, 221 Bath Road, Slough, SL1 4BA

NOTE: Every endeavour has been made to ensure that the information and details contained in this specification leaflet were accurate at the time of going to press May 2003. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this leaflet up to date, but in order to avoid any misunderstandings please consult your Dealer. Specifications of all models refer to cars produced from 01/04/03.

THE NEW **CITROËN C3 PLURIEL**



PRODUCT & TECHNICAL INFORMATION

MAY 2003

THE NEW **CITROËN C3 PLURIEL**





The Citroën C3 Pluriel...

Prepare to take a step out of the ordinary. Prepare to open your mind to a whole new range of possibilities. Prepare for a little touch of magic. You're about to encounter a brand new concept ... the new C3 Pluriel from Citroën.

The flowing lines of the contemporary and curvaceous styling could well be the first thing you notice. And the rounded, plunging bonnet with funky 'teardrop' headlamps give you a hint of the C3 Pluriel's boundless individuality and charisma.



You'll also be impressed by the spaciousness of the interior – there's room for four to travel in comfort. But where does the magic come into it?

The C3 Pluriel can transform at the touch of a button into what you want it to be. From a 3-door Saloon into a Panoramic Saloon ... or a Cabriolet ... or a Spider ... or a Spider Pick-Up. Decide who you want to be today and choose your C3 Pluriel to match. So you can dream your own dream, create your own reality and take the C3 Pluriel along for the ride.

CITROËN C3 PLURIEL

A unique concept with so much more

Who knows what you'll be doing tomorrow? If the mood is right, you go with the flow and your car needs to be able to react to the spontaneity of the moment too. That's what the C3 Pluriel is all about.

And it does it in real style, but the C3 Pluriel is so much more than a pretty face. Rest assured, the C3 Pluriel has real strength of character and inner beauty too. It's packed with a level of equipment, safety features, technology and storage unheard of until now.

You have the option of either the 1.4i or 1.6i 16V SensoDrive model. Whatever your choice, both engines provide an effective blend of performance and economy.



Sometimes it's the little details that really count. Whether you choose the C3 Pluriel 1.4i model with 'Geo' or the 1.6i model featuring '3D Apiculla', the upholstery has been especially developed to be weather proof.

- Electric full length sliding and fully retractable roof
- Removable roof arches
- Multi-function on-board trip computer
- ABS with Electronic Brakeforce Distribution (EBD)
- Emergency Braking Assistance (EBA)
- Variable power assisted steering
- Driver's, front passenger's and front lateral airbags
- Electric windows (front and rear) and door mirrors
- RDS stereo radio/CD plaver
- Height and tilt adjustable steering wheel
- Remote control central locking with deadlocks
- Front fog lights
- CO₂ emmisions of 163g/km

- SensoDrive gearbox
- Anti-theft alarm
- 15" alloy wheels with 185/65 R15 tyres
- Front seat back pockets
- Body colour inserts on back of front seats
- Stylish '3D Apiculla' cloth upholstery
- Front carpet mats
- CO₂ emmisions of 157g/km







1 The body colour flows into the interior too

2 Even storage can be stylish

Express your personality from the range of cool classic and contemporary body colours available to you. Whichever you choose, the colour flows through into the cabin for a truly co-ordinated feel. There are body-coloured inserts on the front and rear door panels, together with the back of the front seats on the 1.6i 16V SensoDrive version.

The roof and roof arches contrast in either 'anthracite' or 'aluminium' finish, according to your selected body colour. And all this is complemented by the weather proof interior trims. So whether the upholstery is 'Geo' or '3D Apiculla', there's a perfect match for harmonious synergy and stylish impact both inside and out.

Sunset Orange (Metallic)

> Arctic Steel (Metallic)

Passion Red

Sahara Gold (Metallic)

Pizazz Green (Metallic)

Storm Grey (Metallic) Tuscan Blue

> Rainforest (Pearlescent)

COLOUR & TRIM AVAILABILITY





THE NEW **CITROËN C3 PLURIEL**

Versatility, individuality and practicality ... it's a winning combination

The C3 Pluriel - a car that's as versatile and individual as you are. OK, you're really tempted. But hang on a minute. Don't let your heart rule your head. What about equipment? What about comfort? What about safety? What about the practicalities and all those details that really make a difference?

Sorted. One of the first things you'll notice is just how roomy the C3 Pluriel really is. In fact, there's more space than many other cars in its class so it really is a true 4-seater. There's no need for your passengers to get up close and personal. Unless they want to, that is!

And they'll stay safe and sound too. Because the C3 Pluriel benefits from a whole host of active and passive safety features. For starters, there's the responsive and stable road holding complemented by ABS with Electronic Brakeforce Distribution (EBD) and Emergency Braking Assistance (EBA). The speedvariable power assisted steering and automatically activated hazard warning lights in the event of sudden deceleration. And, if the worst should happen, the reinforced body shell, protective roof arches and four airbags could make all the difference.

So picture it now. You get behind the wheel. You easily adjust the height of the seat. Then the

1 Seats four in absolute comfort

3 A strong new contender for

rear of the year'

height and tilt of the steering wheel too. Now you're in the most comfortable driving position and it feels good. You can't help but notice that the design of the dashboard means everything is to hand and you feel really in control. You switch on the stereo and turn up the CD volume with the steering wheel mounted control.

Now comes the really serious decision of the day. Is it to be the Panoramic Saloon or the Cabriolet? Or perhaps the Spider? But don't get too hung up on it. After all, if you change your mind, the C3 Pluriel changes too.









4 The RD3 stereo CD/radio has automatic speed sensitive volume control. A dashboard mounted 5 CD autochanger is available as a dealer fitted equipment.

The SensoDrive sensation

Does the comfort and relaxation of driving an automatic appeal? But what about the enjoyment and pure pleasure of fingertip gear changes that comes with a manual gearbox? It can all be a bit of a dilemma.

The good news is that now with the C3 Pluriel 1.6i 16V you don't have to chose. Because with the SensoDrive paddle shift, five speed sequential gearbox, you can have both.

So whatever your mood and whether it's urban driving with all the stops and starts or motoring out on the open road, you can chose automatic or manual mode. And really get the maximum from your driving experience.



Options you won't want to be without

Whether you wish to enhance the vehicle's appearance, add to its convenience, storage or safety features, or partake of high-quality in-car entertainment including the 5 CD autochanger and satellite navigation systems, we have the accessory solution for you. For information on the full range of accessories available, contact you local Citroën dealer or visit www.accessories.citroen.co.uk.

Below is a selection of C3 Pluriel Accessories

5 Rain cover

Essential product for when the vehicle is parked providing protection against sudden downpours.

6 Roof arch storage bags

These protect the arches when removed and aid transport and storage.

7 Roof arch storage stand

This steel stand with protective foam strips is easily assembled, and is an ideal storage solution for your roof arches.







THE NEW **CITROËN C3 PLURIEL**

EQUIPMENT SPECIFICATION

Body Type	1.4i	1.6i 16V SensoDrive
Saloon 3 door		
Panoramic Saloon 3 door		
Cabriolet 3 door		
Spider 3 door		
Spider pick-up 3 door		
Style		
Body colour painted bumper skirts		
Two-tone body/roof colour		
'Techno' style headlamps and rear lights		
'Coyotte' 15" alloy wheels with 185/65/R15 tyres and locking wheel nuts (four)		•
'Leopard' 16" alloy wheels with 195/50/R16 tyres ¹	\diamond	\diamond
'Aluminium' effect interior door handles		
'Aluminium' effect gear lever knob		
'Aluminium' effect steering shift paddle		
'Aluminium' effect front vents		
'Wishbone' style front and rear armrests		
Body colour inserts on interior front doors and rear panels		
Body colour inserts on back of front seats		•
Front carpet mats		•

Comfort & Convenience

Air conditioning	0	
Automatic digital air conditioning		C
Heat reflecting windscreen		C
Pollen filter		
Air recirculation		
Tinted windows	•	
Electric front windows with one-touch opening operation		
Electric rear windows		
Electric door mirrors		
Electric and heated door mirrors		C
Electric full length sliding and fully retractable roof		
with 8 pre-programmed opening positions		
Automatic rain sensitive windscreen wipers		C
Variable power assisted steering		
Height and tilt adjustable steering wheel		
Roof arch storage bags	\$3	<
Roof arch storage stand	\$3	<
Rain cover	\$3	<
Driver's and front passenger's sunvisors with	•	
covered courtesy mirrors and map holder		
Driver's and front passenger's reading lights	•	9
Space saver spare wheel	•	9
12 volt socket on centre console	•	
Cigarette lighter		
Heated rear window	•	

Safety & Security

ABS with Electronic Brakeforce Distribution (EBD)	
Emergency Braking Assistance (EBA)	
Adaptative driver's and front passenger's airbags	
Front passenger's airbag cut-off device	
Front lateral airbags	
Front seat belt pre-tensioners with force-limiters	
Four 3-point inertia reel seat belts	
Automatic activation of hazard warning lights	
(in case of rapid deceleration)	-
Energy absorbing door impact protection	
High strength steel front pillars	
Removable reinforced roof arches	
Rear head restraints with reinforced safety cage	
Fuel cut-off device	
High frequency remote control central locking for doors,	
rear window and tailgate (with two plips)	
Deadlocks	•
Dashboard mounted locks control for doors and electric rear windows	•
Automatic door and boot locking (when car in motion)	•
Automatic re-locking after 30 seconds (when using the plip -	
if the doors and boot remain unopened)	
Transponder immobiliser	•
Boot security cover	•
Anti-theft alarm	

Seating	1.4 i
'Geo' cloth upholstery	
'3D Apiculla' cloth upholstery	
Driver's seat height adjustment	۲
Height adjustable front head restraints	۲
Split/folding rear seat with reinforced head restraints	۲
Isofix child seat anchorage points on two rear seats	۲

Storage

Front door pockets		
Front seat back pockets		
Lockable lower front passenger glove box	•	
Air conditioned lower front passenger glove box		O ²
Upper front passenger glove box		
Removable rear parcelshelf	•	
Removable boot floor		
Centre console with cup holders		

Lighting

Front fog lights	•
High level third brake light	•
Height adjustable headlamps	
2 speed windscreen wipers with intermittent function (not with automatic pack)	•
Automatic illumination of driving lights	
Twin rear fogs and reversing lights	•

Driver Information

Rev counter	-
Digital clock	-
Digital dashboard display	(
Audible lights-on warning	
'Black panel' night time instrument lighting	
Coolant temperature gauge	(
Multi-function on-board trip computer	
Self-programmable audible over-speed warning	

In-Car Entertainment

Option Summary

Air conditioning	0	
Automatic pack: . Automatic digital air conditioning . Automatic rain sensitive winscreen wipers . Automatic illumination of driving lights . Heat reflecting windscreen . Air conditioned glove box . Exterior temperature display . Electric and heated door mirrors		O2
Spider pack: . Roof arch storage bags . Roof arch storage stand . Rain cover	\$3	\$3
'Leopard' 16" alloy wheels with 195/50/R16 tyres ¹	\diamond	\diamond
Dashboard mounted 5 CD autochanger	\diamond	\diamond
Metallic/Pearlescent paint	0	0

• Standard equipment O Optional cost factory fitted equipment

- ♦ Optional cost dealer fitted equipment
- ¹ Requires tyre upgrade.

• • • •

•

- ² Part of automatic pack. Cannot be ordered individually.
- ³ Part of spider pack. Can be ordered individually.

1.6i 16V SensoDrive

٠

• • • •

•

• ○² ●

> . ٠ • ٠ • ٠ • •

. \diamond \diamond

Engino		
Engine	1.4i	1.6i 16V SensoDrive
Capacity (cc)	1360	1587
Cylinders	4 in line	4 in line
Max power DIN (hp/rpm)	75/5400	110/5750
Max torque DIN (Ib.ft/rpm)	86/3300	108/4000
Fuel system	Multipoint electr	onic fuel injection
Transmission		
Five speed manual	•	
ive speed SensoDrive		•
Clutch type	Dry single plate	Dry single plate
Performance		
Aax speed (mph)	101	117
0-62 mph (secs)	13.9	12.6
tanding 1000m (secs)	35.7	33.8
I.B. All figures driver alone		
Economy Litres/100km (mpg)		
Jrban cycle	8.9 (31.7)	8.3 (34.0)
ixtra urban	5.5 (51.4)	5.5 (51.4)
Combined	6.8 (41.5)	6.6 (42.8)
N.B. Official Government test fuel consumption figures	0.0 (11.0)	0.0 (12.0)
CO ₂ Emissions (g/km)	163	157
Wheels & Tyres		
15" wheels with 185/65 R15 tyres	•	
5" alloy wheels with 185/65 R15 tyres		•
25/80 R15 space saver spare wheel	•	•
Weights (kg)		
Jnladen weight	1136	1177
lax laden weight	1506	1543
lax towing weight braked	850	850
lax tow hitch download	34	34
Brakes	Front ventilated discs, rear drums	Front ventilated discs, rear discs
Steering		
Number of turns lock to lock		9.9
umber of turns lock to lock urning circle between kerbs (m)	2.8 11.29	
Suspension		
	Anti-roll bars front and rear. Front: Macpherson strut/c	oil springs. Rear: independent trailing arms/coil springs
Fuel Tank Capacity Litres (gallons)	47 (10.3)	
Exterior Dimensions (mm)		
		224
.ength Midth	3934	
Vidth	1700 1563	
Height Maalbase		
Wheelbase	2460	

Engine	1.4i	1.6i 16V SensoDrive
Capacity (cc)	1360	1587
Cylinders	4 in line	4 in line
Max power DIN (hp/rpm)	75/5400	110/5750
Max torque DIN (lb.ft/rpm)	86/3300	108/4000
Fuel system	Multipoint electron	nic fuel injection
Transmission		
Five speed manual	•	•
Five speed SensoDrive		
Clutch type	Dry single plate	Dry single plate
Performance		
Max speed (mph)	101	117
0-62 mph (secs)	13.9	12.6
Standing 1000m (secs)	35.7	33.8
N.B. All figures driver alone		
Economy Litres/100km (mpg)		
Urban cycle	8.9 (31.7)	8.3 (34.0)
Extra urban	5.5 (51.4)	5.5 (51.4)
Combined	6.8 (41.5)	6.6 (42.8)
N.B. Official Government test fuel consumption figures	0.0 (11.0)	0.0 (12.0)
CO ₂ Emissions (g/km)	163	157
	100	20,
Wheels & Tyres		
15" wheels with 185/65 R15 tyres	•	
15" alloy wheels with 185/65 R15 tyres		•
125/80 R15 space saver spare wheel	•	•
Weights (kg)		
Unladen weight	1136	1177
Max laden weight	1506	1543
Max towing weight braked	850	850
Max tow hitch download	34	34
Brakes	Front ventilated diago, your drymo	Front ventilated discs, rear discs
Brances	Front ventilated discs, rear drums	FIGHT VEHILIATED DISCS, TEAT DISCS
Steering		
Number of turns lock to lock	2.8	3
Turning circle between kerbs (m)	11.29	
Suspension	Anti-roll bars front and rear. Front: Macpherson strut/coi	springs. Rear: independent trailing arms/coil springs.
Fuel Tank Capacity Litres (gallons)	47 (10.3)	
Exterior Dimensions (mm)		
Length	393	
Width	1700	
Height	156	
Wheelbase	2460	

Engino		
Engine	1.4i	1.6i 16V SensoDrive
Capacity (cc)	1360	1587
Cylinders	4 in line	4 in line
Max power DIN (hp/rpm)	75/5400	110/5750
Max torque DIN (Ib.ft/rpm)	86/3300	108/4000
Fuel system	Multipoint electr	onic fuel injection
Transmission		
Five speed manual	•	
ive speed SensoDrive		•
Clutch type	Dry single plate	Dry single plate
Performance		
Aax speed (mph)	101	117
0-62 mph (secs)	13.9	12.6
tanding 1000m (secs)	35.7	33.8
I.B. All figures driver alone		
Economy Litres/100km (mpg)		
Jrban cycle	8.9 (31.7)	8.3 (34.0)
ixtra urban	5.5 (51.4)	5.5 (51.4)
Combined	6.8 (41.5)	6.6 (42.8)
N.B. Official Government test fuel consumption figures	0.0 (11.0)	0.0 (12.0)
CO ₂ Emissions (g/km)	163	157
Wheels & Tyres		
15" wheels with 185/65 R15 tyres	•	
5" alloy wheels with 185/65 R15 tyres		•
25/80 R15 space saver spare wheel	•	•
Weights (kg)		
Jnladen weight	1136	1177
lax laden weight	1506	1543
lax towing weight braked	850	850
lax tow hitch download	34	34
Brakes	Front ventilated discs, rear drums	Front ventilated discs, rear discs
Steering		
Number of turns lock to lock		9.9
umber of turns lock to lock urning circle between kerbs (m)	2.8 11.29	
Suspension		
	Anti-roll bars front and rear. Front: Macpherson strut/c	oil springs. Rear: independent trailing arms/coil springs
Fuel Tank Capacity Litres (gallons)	47 (10.3)	
Exterior Dimensions (mm)		
		224
.ength Midth	3934	
Vidth	1700 1563	
Height Maalbase		
Wheelbase	2460	

Engine	1.4i	1.6i 16V SensoDrive	
Capacity (cc)	1360	1587	
Cylinders	4 in line	4 in line	
Max power DIN (hp/rpm)	75/5400	110/5750	
Max torque DIN (Ib.ft/rpm)	86/3300	108/4000	
Fuel system	Multipoint electronic fuel injection		
Transmission			
Five speed manual	•		
Five speed SensoDrive		•	
Clutch type	Dry single plate	Dry single plate	
Performance			
Max speed (mph)	101	117	
0-62 mph (secs)	13.9	12.6	
Standing 1000m (secs)	35.7	33.8	
N.B. All figures driver alone			
Economy Litres/100km (mpg)			
Urban cycle	8.9 (31.7)	8.3 (34.0)	
Extra urban	5.5 (51.4)	5.5 (51.4)	
Combined	6.8 (41.5)	6.6 (42.8)	
N.B. Official Government test fuel consumption figures			
CO ₂ Emissions (g/km)	163	157	
	100	107	
Wheels & Tyres			
15" wheels with 185/65 R15 tyres	•		
15" alloy wheels with 185/65 R15 tyres		•	
125/80 R15 space saver spare wheel	•	•	
Weights (kg)			
Unladen weight	1136	1177	
Max laden weight	1506	1543	
Max towing weight braked	850	850	
Max tow hitch download	34	34	
Brakes	Front ventilated discs, rear drums	Front ventilated discs, rear discs	
Steering			
	2.8		
Number of turns lock to lock Turning circle between kerbs (m)	11.		
	11.	23	
Suspension			
Suspension	Anti-roll bars front and rear. Front: Macpherson strut/co	II springs. Rear: independent trailing arms/coil springs.	
Fuel Tank Capacity Litres (gallons)	47 (10.3)		
Exterior Dimensions (mm)			
Length	3934		
Width	1700		
Height	1563		
Wheelbase	24	60	

Engine	1.4i	1.6i 16V SensoDrive	
Capacity (cc)	1360	1587	
Cylinders	4 in line	4 in line	
	75/5400	110/5750	
lax power DIN (hp/rpm)			
lax torque DIN (Ib.ft/rpm)	86/3300	108/4000	
uel system	Multipoint electronic fuel injection		
Transmission			
ive speed manual	•		
ïve speed SensoDrive		•	
lutch type	Dry single plate	Dry single plate	
Performance			
flax speed (mph)	101	117	
0-62 mph (secs)	13.9	12.6	
tanding 1000m (secs)	35.7	33.8	
.B. All figures driver alone	55.7	33.0	
Economy Litres/100km (mpg)			
Irban cycle	8.9 (31.7)	8.3 (34.0)	
xtra urban	5.5 (51.4)	5.5 (51.4)	
ombined	6.8 (41.5)	6.6 (42.8)	
I.B. Official Government test fuel consumption figures	0.0 (1210)	0.0 (12.0)	
CO ₂ Emissions (g/km)	163	157	
Wheels & Tyres			
5" wheels with 185/65 R15 tyres	•		
5" alloy wheels with 185/65 R15 tyres		•	
25/80 R15 space saver spare wheel	•	•	
Weights (kg)			
Jnladen weight	1136	4 4 7 7	
0			
	1506	1177	
-	1506 850	1543	
lax towing weight braked	850	1543 850	
lax towing weight braked		1543	
Aax towing weight braked Aax tow hitch download	850	1543 850	
Aax towing weight braked Aax tow hitch download Brakes	850 34	1543 850 34	
lax towing weight braked lax tow hitch download Brakes Steering	850 34 Front ventilated discs, rear drums	1543 850 34 Front ventilated discs, rear discs	
Aax towing weight braked Aax tow hitch download Brakes Steering Jumber of turns lock to lock	850 34	1543 850 34 Front ventilated discs, rear discs	
Max towing weight braked Max tow hitch download Brakes Steering Number of turns lock to lock	850 34 Front ventilated discs, rear drums 2.8	1543 850 34 Front ventilated discs, rear discs	
Aax towing weight braked Aax tow hitch download Brakes Steering Jumber of turns lock to lock urning circle between kerbs (m)	850 34 Front ventilated discs, rear drums 2.8	1543 850 34 Front ventilated discs, rear discs 29	
Max laden weight Max towing weight braked Max tow hitch download Brakes Steering Number of turns lock to lock furning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons)	850 34 Front ventilated discs, rear drums 2.8 11.2	1543 850 34 Front ventilated discs, rear discs P 9 9 9 9 9 9 9 9 9	
Max towing weight braked Max tow hitch download Brakes Steering Jumber of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons)	850 34 Front ventilated discs, rear drums 2.6 11.2 Anti-roll bars front and rear. Front: Macpherson strut/coil	1543 850 34 Front ventilated discs, rear discs P 9 9 9 9 9 9 9 9 9	
Aax towing weight braked Aax tow hitch download Brakes Steering Aumber of turns lock to lock iuming circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm)	850 34 Front ventilated discs, rear drums 2.6 11.2 Anti-roll bars front and rear. Front: Macpherson strut/coll 47 (10	1543 850 34 Front ventilated discs, rear discs P 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
Aax towing weight braked Aax tow hitch download Brakes Steering Aumber of turns lock to lock turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm) ength	850 34 Front ventilated discs, rear drums 2.6 11.2 Anti-roll bars front and rear. Front: Macpherson strut/coll 47 (10 393	1543 850 34 Front ventilated discs, rear discs Pront ventilated discs, rear discs	
Max towing weight braked Max tow hitch download Brakes Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm) Length Vidth	850 34 Front ventilated discs, rear drums 2.6 11.2 Anti-roll bars front and rear. Front: Macpherson strut/coll 47 (10 393 170	1543 850 34 Front ventilated discs, rear discs Pront ventilated discs, rear disc Pront ventilated disc Pront ventil	
Max towing weight braked Max tow hitch download Brakes Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm) Length	850 34 Front ventilated discs, rear drums 2.6 11.2 Anti-roll bars front and rear. Front: Macpherson strut/coll 47 (10 393	1543 850 34 Front ventilated discs, rear discs Pront ventilated discs, rear disc Pront ventilated disc, rear disc Pront ventilated dis	

Engino		
Engine	1.4i	1.6i 16V SensoDrive
Capacity (cc)	1360	1587
Cylinders	4 in line	4 in line
Max power DIN (hp/rpm)	75/5400	110/5750
Max torque DIN (Ib.ft/rpm)	86/3300	108/4000
Fuel system	Multipoint electro	nic fuel injection
Transmission		
Five speed manual	•	
ive speed SensoDrive		•
Clutch type	Dry single plate	Dry single plate
Performance		
Aax speed (mph)	101	117
)-62 mph (secs)	13.9	12.6
standing 1000m (secs)	35.7	33.8
I.B. All figures driver alone	00.7	00.0
Economy Litres/100km (mpg)		
Jrban cycle	8.9 (31.7)	8.3 (34.0)
İxtra urban	5.5 (51.4)	5.5 (51.4)
Combined	6.8 (41.5)	6.6 (42.8)
I.B. Official Government test fuel consumption figures	6.8 (41.5)	6.6 (42.8)
v.b. official dovernment test fuel consumption lightes		
CO_2 Emissions (g/km)	163	157
Wheels & Tyres		
15" wheels with 185/65 R15 tyres	•	
5" alloy wheels with 185/65 R15 tyres		•
25/80 R15 space saver spare wheel	•	•
Weights (kg)		
Jnladen weight	1136	1177
lax laden weight	1506	1543
lax towing weight braked	850	850
fax tow hitch download	34	34
Brakes	Front ventilated discs, rear drums	Front ventilated discs, rear discs
Steering		
		-
Number of turns lock to lock	2.	
furning circle between kerbs (m)	11.	
`	Anti-roll bars front and rear. Front: Macpherson strut/co	il springs. Rear: independent trailing arms/coil springs
Suspension	· · ·	
	47 (1	0.3)
Fuel Tank Capacity Litres (gallons)		0.3)
Fuel Tank Capacity Litres (gallons)		0.3)
Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm)		
Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm)	47 (1	34
Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm) Length Width Height	47 (1 39	34 20

Engine	1.4i	1.6i 16V SensoDrive
Capacity (cc)	1360	1587
ylinders	4 in line	4 in line
lax power DIN (hp/rpm)	75/5400	110/5750
lax torque DIN (Ib.ft/rpm)	86/3300	108/4000
uel system	Multipoint electronic fuel injection	
Transmission		
ive speed manual	•	•
ive speed SensoDrive		•
lutch type	Dry single plate	Dry single plate
Performance		
lax speed (mph)	101	117
-62 mph (secs)	13.9	12.6
tanding 1000m (secs)	35.7	33.8
I.B. All figures driver alone		
Economy Litres/100km (mpg)		
Jrban cycle	8.9 (31.7)	8.3 (34.0)
xtra urban	5.5 (51.4)	5.5 (51.4)
Combined	6.8 (41.5)	6.6 (42.8)
I.B. Official Government test fuel consumption figures		
CO ₂ Emissions (g/km)	163	157
Wheels & Tyres		
5" wheels with 185/65 R15 tyres	•	
5" alloy wheels with 185/65 R15 tyres	•	•
25/80 R15 space saver spare wheel	•	•
Weights (kg)		
Jnladen weight	1136	1177
lax laden weight	1506	1543
lax towing weight braked	850	850
lax tow hitch download	34	34
Brakes	Front ventilated discs, rear drums	Front ventilated discs, rear discs
Steering		
		3
Steering Number of turns lock to lock Turning circle between kerbs (m)	2.8	
Jumber of turns lock to lock urning circle between kerbs (m)	11.2	29
lumber of turns lock to lock urning circle between kerbs (m)		29
lumber of turns lock to lock urning circle between kerbs (m)	11.2	29 I springs. Rear: independent trailing arms/coil springs
Aumber of turns lock to lock urning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons)	11.2 Anti-roll bars front and rear. Front: Macpherson strut/coi	29 I springs. Rear: independent trailing arms/coil springs
Tumber of turns lock to lock Jurning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm)	11.2 Anti-roll bars front and rear. Front: Macpherson strut/coi 47 (10	29 I springs. Rear: independent trailing arms/coil spring 0.3)
Aumber of turns lock to lock Jurning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm) ength	11.2 Anti-roll bars front and rear. Front: Macpherson strut/coi 47 (1)	29 I springs. Rear: independent trailing arms/coil springs 0.3)
Aumber of turns lock to lock turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres (gallons) Exterior Dimensions (mm) ength Vidth	11.2 Anti-roll bars front and rear. Front: Macpherson strut/coi 47 (1) 393 170	29 I springs. Rear: independent trailing arms/coil spring 0.3) 14 10
Number of turns lock to lock	11.2 Anti-roll bars front and rear. Front: Macpherson strut/coi 47 (1)	29 I springs. Rear: independent trailing arms/coil springs 0.3) 14 10 13

Boot Volumes (dm³)

Rear seats up - below parcel shelf (Litres VDA) Rear seats up - below parcel shelf - Cabriolet & Spider (Litres VDA) Depth under boot security cover - Cabriolet & Spider (mm) Length of boot - rear seats up (mm) Length of boot - rear seats down (mm) Length of boot - rear seats down & rear tailgate open - Pick-up (mm)

TECHNICAL SPECIFICATION Petrol Engines

266	
137	
400 670	
1350 1940	
1940	

THE NEW





