

This HDi multi-valve engine combines outstanding performance and levels of torque with economy and refinement. Thanks to its advanced particulate filter, it virtually eliminates the release of Diesel smoke into the atmosphere.

## Options you won't want to be without

Whether you wish to enhance the vehicle's appearance, add to its convenience, storage or safety features, or partake of high-quality in-car entertainment including the 6 CD autochanger and satellite navigation systems, we have the accessory solution for you. For information on the full range of accessories available, contact your local Citroën dealer or visit www.accessories.citroen.co.uk.

Below is a selection of C5 Accessories

#### 1 VTR sports pack

Complete the look to perfection on the Hatchback models with a 'chrome' effect lower front mesh grille and rear spoiler.

#### 2 RT3 radio/CD player/phone/colour satellite navigation

Available as an option on VTR and Exclusive models, incorporates a large format colour screen and includes a 6 CD autochanger where not already





## Citroën Care for Car and Driver

A network of Citroën New Car Dealers, Authorised Repairers and Parts Distributors At the end of the contract period you have emergency. It comes free of charge for a of today's Citroën customer.

Dealers can offer advice on vehicle funding; via Citroën Contract Motoring with Citroën every two or three years. packages such as Contract Hire, Finance Lease or Lease Purchase for Business Users, or via Citroën Financial Services with Elect 3 Personal Contract Purchase for Retail buyers

In addition Authorised Repairers have a maintenance of Citroën products, using only genuine Citroën parts.

For added Peace of Mind both Business and Retail customers can purchase a Citroën Ensure Maintenance Contract, which covers routine Service and Parts cost, and which can be enhanced to include items such as tyres and extended replacement vehicle cover.

#### Citroën Elect 3

With the Elect 3 Personal Contract Purchase Scheme, you decide on the model stranded through circumstances outside which best suits your motoring needs, then your control. In response to a free set your preferred contract period of 24 or telephone call, Citroën Assist brings rapid

36 months and anticipated annual mileage. expert roadside assistance to you in an car for another new Citroën, purchasing it parts of the UK. Services include or simply returning it to the Dealer. By choosing Elect 3 you can drive a new

### Citroën Fleet and Business Sales

All Citroën Dealers are dedicated to meeting the specialist needs of both the fleet and business buyer. Their comprehensive service can include advice team of technicians skilled in the care and such as alternative acquisition methods, disposal of existing cars and vans, priority servicing and much more. In short, their expertise aims to provide a 'total transport solution' for all your fleet or business vehicle needs. If you would like to contact Citroën direct for further information, please call Citroën Fleet Connect on 08457 940 940. Or look us up at:

#### Citroën Assist

http://www.citroen.co.uk/fleet

Whilst Citroën cars are engineered for maximum reliability, you might become

nationwide recovery for both car and passengers, a home call service, UK cover, Citroën Assist also offers a comprehensive European service.

#### Comprehensive Warranty

Estate

Every new Citroën car offers the benefit of a 3 year\* warranty package, plus a 12 year anti-corrosion\*\* warranty and a

#### Citroën Insurance

Citroën Insurance is as thoughtfully designed are equipped and trained to meet the needs the added flexibility of part exchanging the full year and operates 24 hours a day in all as your car and provides real value for money exclusively to Citroën owners. Instant cover is available over the telephone, with convenient instalment options (subject to replacement vehicle, hotel accommodation status). Policies provide 24 hour accident and vehicle storage if required. Alongside recovery, with all repairs carried out by a Citroën Authorised Repairer, guaranteed for a full three years. For an immediate quote, call 0870 024 2725.


The Citroën website contains full information on all Citroën products and offers available in the UK. The site address is: http://www.citroen.co.uk You can contact Citroën directly via customer-services@citroen.com

sourced from Citroën UK Limited. \*\*Against all internal to external perforation to bodywork or underbody on condition the car undergoes an inspection by a Citroën franchised Dealer every two years from its fourth anniversary. Full details available on request. Credit subject to status and to over 18's only. A guarantee may be required. Written quotations available on request from Citroën Financial Services, Quadrant House, Princess Way, Redhill, Surrey RH1 1QA. Citroën Financial Services is a trading name of Banque PSA Finance




PRODUCT & TECHNICAL INFORMATION


SEPTEMBER 2003





## Hatchback


K9542














All measurements in millimetres



www.citroen.co.uk

Citroën UK Limited, 221 Bath Road, Slough, SL1 4BA

NOTE: Every endeavour has been made to ensure that the information and details contained in this specification leaflet were accurate at the time of going to press September 2003. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this leaflet up to date, but in order to avoid any misunderstandings please consult your Dealer. Specifications of all models refer to cars produced from 2nd June 2003.





# CITROËN C5

# COLOUR & TRIM AVAILABILITY

	LX	VTR	Exclu	usive
	'Constellation' velour upholstery	Part Grey 'Daper' cloth / Part Blue 'Pointil' velour upholstery	Beige full leather upholstery	Grey full leather upholstery
Polar White	•	•		•
Admiral Blue	•	•		•
Oriental Blue (Pearlescent)	•	•	•	
Icelandic Grey (Metallic)	•	•		•
Arctic Steel (Metallic)	•	•		•
Hurricane Grey (Metallic)	•	•	•	
Black (Metallic)	•	•	•	
Wicked Red (Pearlescent)	•	•		•
Icelandic Green (Metallic)	•	•		•







- 1 Body colour co-ordinated door mirrors (VTR models and above)
- 2 Body colour painted bumpers (VTR models and above)
- 3 Grey or Beige full leather upholstery, depending on body colour (Exclusive models)

C5 combines technological sophistication with strength, robustness and reliability.

In fact, everything about C5, from the beautifully sleek exterior, to the perfect fit and finish of the interior, down to the smallest component, is designed and built with care, to give a long life of motoring pleasure.

Throughout the entire design process, Citroën have focused on quality. C5's body is 94% galvanised and engineered to keep its good looks, structural integrity and build quality intact for many years to come. Citroën's complete confidence in C5's durability is reflected in the car's long service intervals (20,000 miles for petrol cars and 12,500 miles for Diesels). And to ensure total peace-of-mind, C5 comes with a 12 year anti-corrosion warranty and a 3 year paint warranty.





## The Citroën C5

Citroën's remarkable mid-range executive hatchback and estate comes bursting into a field of look-alikes to occupy centre stage.

Sophisticated and beautifully styled, the Citroën C5 bristles with the latest digital technology and combines top-ofthe-range elegance with a character that dares to be different. Generous dimensions and a confident, powerful stance, make the Citroën C5 an imposing, alluring new presence on the road. With long flowing lines, a graceful profile with its sweeping arch of glass, broad bonnet and sleek cluster headlamps set high on the wings, C5 is pure style. Pure Citroën.



# **EQUIPMENT SPECIFICATION**

# CITROËN C5

# **EQUIPMENT SPECIFICATION**

Body Availability	ĭ	Ϋ́R	Exclusive
Hatchback	•		•
Estate	•	•	•
Engine Availability			
1.8i 16V (117hp)	•	•	
2.0i 16V (138hp)	(Hatch./Est.)	(Hatch.)	
		(Hatch./Est.)	
2.0i 16V (138hp) Auto		(Hatch./Est.)	(Hatch.)
3.0i V6 24V (210hp) Auto			(Hatch./Est
2.0HDi (90hp)	(Hatch./Est.)		
2.0HDi (110hp)	(Hatch./Est.)	(Hatch./Est.)	(Hatch./Est
2.0HDi (110hp) Auto	(Hatch /Fst )	(Hatch./Est.)	
2.2HDi (136hp) 6 speed with particulate filter	(Flaterity Est.)	•	•
2.2HDi (136hp) Auto with particulate filter		(Hatch./Est.)	•
			(Hatch./Est
Driving Technology			
& Information Systems			
<u> </u>			
Hydractive 3 suspension with automatic ride height adjustment	•	•	2.0HDi
Hydractive 3 suspension with 'Sport' function and automatic ride height adjustment			2.0i 16V 3.0i V6
			2.2HDi
Suspension height indicator Variable power assisted steering			
Cruise control			•
Trafficmaster™ Oracle¹ RT3 radio/CD player/phone/Colour Satellite Navigation		0	$O^2$
Self-programmable audible over-speed warning	•	•	•
Audible lights-on and key-in-ignition warning 'Black panel' night-time instrument lighting	•	•	•
Coolant temperature gauge	•		
Maintenance indicator	•	•	•
Coolant level warning indicator	2.0HDi	2.0HDi	3.0i V6 2.0HDi
Oil level indicator			2.2HDi
Oil temperature gauge	Auto		
Washer reservoir low level indicator	Auto	•	•
Multi-function screen (radio, time, external temperature,	•	•	•
date and warning messages)			
Multi-function on-board trip computer (current fuel consumption, average fuel	Auto	•	•
consumption, distance covered, average speed and range on remaining fuel)			
O+ 1-			
Style			
Exterior Body colour painted bumper skirts			
Body colour painted bumpers and			
side rubbing strips			
Body colour co-ordinated door mirrors  Body colour painted door handles	•	•	•
Body colour rear number plate moulding	•	•	•
with 'Chrome' effect surround 'Aluminium' effect roof bars			
		(Estate)	(Estate)
'Chambord' 15" full width wheel trims 'Hungaro' 16" alloy wheels (five on Exclusive -			
four on VTR) VTR Sports pack:			
VIIN OUUIIS DACK:			

		œ	Exclusive
		- YR	Ä
'Chrome' effect lower front mesh grille		(Estate)	
Metallic/Pearlescent Black paint	0	0	0
Interior			
'Aluminium' effect interior door handles	•	•	•
'Aluminium' effect gear lever 'Aluminium' effect gear lever knob	Auto Manual	Auto	Auto Manual
'Aluminium' effect sill finishers (front and rear)	Manuai	iviariuai	Mariual
'Chrome' effect boot sill finisher	(Estate)	(Estate)	(Estate)
Leather steering wheel	(EState)	•	•
'Carbon fibre' effect on dashboard, centre console and doors		•	
'Wood' effect on dashboard, centre console and doors Front carpet mats			
Rear carpet mats			•
Comfort & Convenience			
Air conditioning  Automatic digital air conditioning with sunlight	•	•	
sensor and separate temperature controls for driver and front passenger			•
Pollen filter  Heat-reflecting windscreen	•		•
Air re-circulation	•	•	•
Height and tilt adjustable 4-spoke steering wheel	•	•	•
12 volt socket on lower centre console 12 volt socket in the boot		•	
	(Estate)	(Estate)	(Estate)
Driver's and front passenger's sunvisors with covered courtesy mirrors	•		
Driver's and front passenger's sunvisors with		•	•
covered and illuminated courtesy mirrors  Driver's and front passenger's double sunvisors			•
Rear sunblind			(Hatch.)
Driver's and front passenger's reading lights	•	•	(Fidicity)
Rear courtesy light <sup>4</sup>	•	•	•
Rear reading lights <sup>4</sup> Electric front windows with one-touch operation			
and anti-pinch			
Electric rear windows with one-touch operation and anti-pinch		•	•
Electric windows with 30 second operating period after the ignition is switched off (includes electric seats when specified)	•	•	•
Automatic switch off of electrical systems after	•		•
60 minutes of key being removed from ignition  Electric slide/tilt sunroof with pre-programmed			- 0
opening positions <sup>4</sup>		0	O <sup>2</sup>
Seating			
'Constellation' velour upholstery Part Grey 'Daper' cloth / part Blue 'Pointil'			
velour upholstery		•	
Grey or Beige full leather upholstery (depending on body colour), with electrically adjustable front seats			•
Heated front seats			O <sup>2</sup>
Illuminated driver's and front passenger's footwells  Driver's seat height adjustment			•
Pront passenger's seat height adjustment		•	•
Height and tilt adjustable front head restraints	•	•	•
Split/folding rear seat with three retractable head restraints	•	•	•
Isofix child seat anchorage points on two outer rear seats	•	•	•
Driver's and front passenger's adjustable and folding armrests		•	•
Rear central armrest with ski flap, storage			
and two cup holders			

Storage	<b>\( \)</b>	VTR	Exclusive
Lockable and illuminated glove box	•	•	•
Driver's side glove box	•	•	•
Front seat back pockets	•	•	•
Storage bin under front passenger's seat			•
Two cup holders on lower centre console (not available when RT3 radio/CD player/phone/ Colour Satellite Navigation specified)	•	•	•
Four front door pockets (one covered and one			
open on each door)			
Rear door pockets	•	•	•
Windscreen mounted ticket holder	•	•	•
Roof bar fixing points	(Hatch.)	(Hatch.)	(Hatch
Opening tailgate window	•	•	•
Boot sill height adjustment (from the rear of the car)	(Estate)	(Estate)	(Estate
	(Estate)	(Estate)	(Estate
Combined parcel shelf and retractable boot cover	(Estate)	(Estate)	(Estate
Two covered storage compartments in the boot	(Estate)	(Estate)	(Estate
Reversible protective boot mat		(Estate)	(Estate
Retractable passenger cabin safety net		(Estate)	(Estate
Four lashing eyes in the boot	•	•	•
Protective boot net			•
Safety			
ABS with Electronic Brakeforce Distribution (EBD)			
Emergency Braking Assistance (EBA)	•	•	
Electronic Stability Programme (ESP) and traction control			
Energy absorbing side impact protection	•	•	
Adaptive driver's and front passenger's airbags			
Front lateral airbags			
Side window airbags			
Fuel cut-off device			
Front passenger's airbag cut-off device			
Five 3-point inertia reel seat belts			
Front seat belt pre-tensioners with force-limiters			
Force-limiters on two outer rear seats			
Height adjustable front seat belts			
Automatic activation of hazard warning lights (in case of rapid deceleration or impact	•	•	•
Tyre pressure warning			•
Visibility & Lighting			
Electrically adjustable and heated anti-glare door mirrors	•	•	•
Wide-angle door mirrors	•	•	•
Speed sensitive windscreen wipers	•		
Automatic rain sensitive windscreen wipers		•	•
Rear wash/wipe	•	<b>•</b>	
	(Estate)	(Estate)	(Estate
Automatic illumination of driving lights	(Hatch.)	(Hatch.)	(Hatch
(light and front wiper movement sensing)			•
Xenon headlamps			
Headlamp washer jets			
Integrated front fog lights			
High level third brake light	•		•
Twin rear fog and reversing lights	•	•	•
Parking assistance pack:			
. rear parking sensors			
automatic rotractable door mirrors			
. automatic retractable door mirrors . indexable passenger door mirror			

Security & Locking	ĭ	VIR	Fyclis
High frequency remote control central locking with deadlocks	•	•	•
High security locks	•	•	•
Multi-function plip remote control with folding ignition key (locking/locating, unlocking and remote window closing - includes sunroof when specified)	•	•	•
Child lock indicator	•	•	•
Transponder immobiliser		•	•
Anti-theft alarm (perimetric and volumetric)	0	•	•
Rain sensitive automatic window closing (includes sunroof when specified)	•	•	•
Automatic re-locking after 30 seconds (when using the plip - if the doors and boot remain unopened)	•	•	•
Automatic boot locking (when car in motion)	•	•	•
six speakers and steering mounted controls	•	•	
	•	$\bigcirc^3$	•
-	•	<b>●</b> ○3	•
Six CD autochanger  Option Summary	•	<ul><li>○</li><li>○</li><li>○</li></ul>	•
Speed sensitive stereo volume Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint Anti-theft alarm	0		0
Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint			(Estat
Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint Anti-theft alarm Rear wash/wipe	(Estate)	0	(Estat
Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint Anti-theft alarm Rear wash/wipe  Electric slide/tilt sunroof with pre-programmed opening positions <sup>4</sup>	(Estate)	(Estate)	(Esta
Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint Anti-theft alarm Rear wash/wipe  Electric slide/tilt sunroof with pre-programmed opening positions <sup>4</sup> Heated front seats	(Estate)	(Estate) (Hatch.)	(Esta
Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint Anti-theft alarm Rear wash/wipe  Electric slide/tilt sunroof with pre-programmed opening positions <sup>4</sup> Heated front seats RT3 radio/CD player/phone/Colour Satellite Navigation	(Estate)	(Estate)	(Esta
Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint Anti-theft alarm Rear wash/wipe  Electric slide/tilt sunroof with pre-programmed opening positions <sup>4</sup> Heated front seats RT3 radio/CD player/phone/Colour Satellite Navigation	(Estate)	(Estate) (Hatch.)	(Esta
Six CD autochanger  Option Summary  Metallic/Pearlescent Black paint Anti-theft alarm Rear wash/wipe  Electric slide/tilt sunroof with pre-programmed opening positions <sup>4</sup> Heated front seats RT3 radio/CD player/phone/Colour Satellite Navigation VTR Sports pack: . 'Chrome' effect lower front mesh grille	(Estate)	(Estate) (Hatch.)	(Esta

• Standard equipment O Optional factory fitted equipment

♦ Optional dealer fitted equipment

<sup>&</sup>lt;sup>1</sup> With first annual licence free of charge.

<sup>&</sup>lt;sup>2</sup> RT3 radio/CD player/phone/Colour Satellite Navigation, electric slide/tilt sunroof and heated front seats are part of the SE pack, and cannot be ordered individually.

 $<sup>^{\</sup>rm 3}$  Available with RT3 radio/CD player/phone/colour satellite navigation only.

<sup>&</sup>lt;sup>4</sup> Rear courtesy light and rear reading lights automatically deleted when electric slide/tilt sunroof is specified on Estate models.



# TECHNICAL SPECIFICATION

**Petrol Engines** 

Engine	1.8i 16V	2.0i 16V	2.0i 16V Auto	3.0i V6 24V Auto
Capacity (cc)	1749	1997	1997	2946
Cylinders	4 in line	4 in line	4 in line	V6
Bore and stroke (mm)	82.7x81.4	85.0x88.0	85.0x88.0	87.0x82.6
Max power DIN (hp/rpm)	117/5500	138/6000	138/6000	210/6000
Max torque DIN (lb.ft/rpm)	118/4000	140/4100	140/4100	215/3750
Fuel system		Multipoint electro	nic fuel injection	
Transmission				
Five speed manual	•	•		
Four speed sequential auto-adaptive automatic			• N/4	•
Clutch type	Dry single plate	Dry single plate	N/A	N/A
Performance				
Max speed (mph)	122	129	126	144
0-62 mph (secs)	11.1	9.8	11.2	9.7
Standing 1000m (secs)	32.6	31.0	32.5	30.1
N.B. All figures driver alone				
Economy Litres/100km (mp	g)			
Urban cycle	10.6 (26.6)	11.5 (24.6)	13.3 (21.2)	14.5 (19.5)
Extra urban	6.0 (47.1)	6.4 (44.1)	6.1 (46.3)	7.6 (37.2)
Combined	7.7 (36.7)	8.3 (34.0)	8.7 (32.5)	10.2 (27.7)
N.B. Official Government test fuel consumption figures				
CO <sub>2</sub> Emissions (g/km)	182	197	208	241
	• (I X)			
15" wheels with 195/65 R15 tyres	● (LX) ● (VTR)	•	•	•
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres		•	•	•
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)		• 1318	• 1325	• 1520
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight	• (VTR)	1318 1845	● 1325 1845	1520 2020
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight	● (VTR)			
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked	● (VTR)  1290 1810	1845	1845	2020
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download	● (VTR)  1290 1810 1500	1845 1500	1845 1500	2020 1400
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load	● (VTR)  1290 1810 1500 75 75	1845 1500 75	1845 1500 75 75	2020 1400 75 75
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes	● (VTR)  1290 1810 1500 75 75	1845 1500 75 75	1845 1500 75 75	2020 1400 75 75
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes	● (VTR)  1290 1810 1500 75 75	1845 1500 75 75	1845 1500 75 75 scs. ABS with EBD and Emerg	2020 1400 75 75
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering	● (VTR)  1290 1810 1500 75 75	1845 1500 75 75 circuit brakes. Front and rear dis	1845 1500 75 75 scs. ABS with EBD and Emerg	2020 1400 75 75
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering  Number of turns lock to lock	● (VTR)  1290 1810 1500 75 75 Servo assisted hydraulic dual	1845 1500 75 75 circuit brakes. Front and rear di	1845 1500 75 75 scs. ABS with EBD and Emerg	2020 1400 75 75 75 ency Braking Assistance (I
Wheels & Tyres  15" wheels with 195/65 R15 tyres  16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering  Number of turns lock to lock Turning circle between kerbs (m)  Suspension	● (VTR)  1290 1810 1500 75 75  Servo assisted hydraulic dual  3.3 10.6  Hydractive 3 with automatic	1845 1500 75 75 circuit brakes. Front and rear dis Hydraulic variable po 3.3 10.6	1845 1500 75 75 scs. ABS with EBD and Emerg	2020 1400 75 75 ency Braking Assistance (I
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering  Number of turns lock to lock Turning circle between kerbs (m)	• (VTR)  1290 1810 1500 75 75  Servo assisted hydraulic dual  3.3 10.6  Hydractive 3 with automatic ride height adjustment	1845 1500 75 75 circuit brakes. Front and rear dis Hydraulic variable po 3.3 10.6	1845 1500 75 75 8cs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 boort' function and automatic r	2020 1400 75 75 75 ency Braking Assistance (I
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering Number of turns lock to lock Turning circle between kerbs (m)  Suspension	1290 1810 1500 75 75 Servo assisted hydraulic dual  3.3 10.6 Hydractive 3 with automatic ride height adjustment Anti-roll bars	1845 1500 75 75 circuit brakes. Front and rear dis Hydraulic variable po 3.3 10.6 Hydractive 3 with 'Sp	1845 1500 75 75 8cs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 boort' function and automatic r	2020 1400 75 75 75 ency Braking Assistance (I
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering Number of turns lock to lock Turning circle between kerbs (m)  Suspension	1290 1810 1500 75 75 Servo assisted hydraulic dual  3.3 10.6 Hydractive 3 with automatic ride height adjustment Anti-roll bars	1845 1500 75 75 circuit brakes. Front and rear dis Hydraulic variable po 3.3 10.6 Hydractive 3 with 'Sp	1845 1500 75 75 75 scs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 cort' function and automatic reson strut - rear: independent	2020 1400 75 75 75 ency Braking Assistance (I
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering Number of turns lock to lock Turning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (ga	1290 1810 1500 75 75 75 Servo assisted hydraulic dual  3.3 10.6  Hydractive 3 with automatic ride height adjustment Anti-roll bars  allons)	1845 1500 75 75 75  circuit brakes. Front and rear dia Hydraulic variable po 3.3 10.6  Hydractive 3 with 'Sp	1845 1500 75 75 75 scs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 cort' function and automatic reson strut - rear: independent	2020 1400 75 75 75 ency Braking Assistance (I
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering Number of turns lock to lock Turning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (games) Boot Volumes & Dimensions	1290 1810 1500 75 75 75  Servo assisted hydraulic dual  3.3 10.6  Hydractive 3 with automatic ride height adjustment Anti-roll bars  allons)	1845 1500 75 75 75 circuit brakes. Front and rear diservation of the second of the sec	1845 1500 75 75 75 scs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 port' function and automatic reson strut - rear: independent	2020 1400 75 75 75 ency Braking Assistance (I
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering Number of turns lock to lock Turning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (games between below parcel shelf (litres VDA)	1290 1810 1500 75 75 Servo assisted hydraulic dual  3.3 10.6 Hydractive 3 with automatic ride height adjustment Anti-roll bars  allons)	1845 1500 75 75 75  circuit brakes. Front and rear diservation of the second of the se	1845 1500 75 75 75 scs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 port' function and automatic reason strut - rear: independent	2020 1400 75 75 75 ency Braking Assistance (I
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max towing weight braked Max roof rack load  Brakes  Steering Number of turns lock to lock Turning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (games and the superiors) Seats up - below parcel shelf (litres VDA) Seats down - up to roof (litres VDA)	1290 1810 1500 75 75 Servo assisted hydraulic dual  3.3 10.6 Hydractive 3 with automatic ride height adjustment Anti-roll bars  allons)  456 1310	1845 1500 75 75 75 circuit brakes. Front and rear diserval in the second of the second	1845 1500 75 75 75 scs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 port' function and automatic reson strut - rear: independent	2020 1400 75 75 75 ency Braking Assistance ( 3.0 11.8 ide height adjustment t trailing arms 456 1310
15" wheels with 195/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering  Number of turns lock to lock Turning circle between kerbs (m)	1290 1810 1500 75 75 Servo assisted hydraulic dual  3.3 10.6 Hydractive 3 with automatic ride height adjustment Anti-roll bars  allons)	1845 1500 75 75 75  circuit brakes. Front and rear diservation of the second of the se	1845 1500 75 75 75 scs. ABS with EBD and Emerg wer assisted steering 3.3 10.6 port' function and automatic reason strut - rear: independent	2020 1400 75 75 75 ency Braking Assistance (I



# TECHNICAL SPECIFICATION

				Diesel Engines
2.0HDi 90hp	2.0HDi 110hp	2.0HDi 110hp Auto	2.2HDi	2.2HDi Auto
1997	1997	1997	2179	2179
4 in line	4 in line	4 in line	4 in line	4 in line
	85.0x88.0	85.0x88.0		85.0x96.0
				136/4000
				232/2000
200, 2000				
			•	
•	•			
		•		•
Dry single plate	Dry single plate	N/A	Dry single plate	N/a
112	110	117	127	126
				11.2
				33.1
34.0	33.4	34.2	31./	55.1
7.7 (36.7) 4.7 (60.1) 5.7 (49.6)	7.4 (38.2) 4.6 (61.4) 5.6 (50.4)	8.9 (31.7) 5.1 (55.4) 6.5 (43.5)	8.7 (32.5) 4.8 (58.9) 6.3 (44.8)	9.8 (28.8) 5.4 (52.3) 7.0 (40.3)
152	147	173	167	185
•	• (LX)	• (LX)		
	• (VTR, Exclusive)	• (VTR, Exclusive)	•	•
1360	1385	1410	1485	1520
1880	1905	1910	1985	2020
1500	1500	1500	1500	1100
75	75	75	75	75
75	75	75	75	75
Servo assisted hydrauli	ic dual circuit brakes. Fro	ont and rear discs. ABS with	n EBD and Emergency	Braking Assistance (EBA)
	Hydraul	ic variable nower assisted	steering	
2.2				2.0
				3.0 11.8
10.0	10.0	10.0	11.0	11.0
	1997 4 in line 85.0x88.0 90/4000 151/1900  Dry single plate  112 13.1 34.8  7.7 (36.7) 4.7 (60.1) 5.7 (49.6)  152  1360 1880 1500 75 75	1997  4 in line  4 in line  85.0x88.0  90/4000  110/4000  151/1900  184/1750  High  Dry single plate  Dry single plate  Dry single plate  Dry single plate  112  119  13.1  11.3  34.8  33.4  33.4  34.8  7.7 (36.7)  4.7 (60.1)  5.7 (49.6)  152  147	1997 1997 1997 1997 4 in line	1997 1997 1997 2179  4 in line

Suspension	Hydractive 3 with automatic ride height adjustment	Hydractive 3 with 'Sport' function			
		and automatic ride height adjustment			
	Anti-roll bars front and rear - front: Macpherson strut - rear: independent trailing arms				

Fuel Tank Capacity Litres (gallons)

Boot Volumes & Dimensions								
Seats up - below parcel shelf (litres VDA)	456	456	456	456	456			
Seats down - up to roof (litres VDA)	1310	1310	1310	1310	1310			
Depth under parcel shelf (mm)	554	554	554	554	554			
Max access width (mm)	1184	1184	1184	1184	1184			
Max access height (mm)	663	663	663	663	663			



Max access height (mm)

## TECHNICAL SPECIFICATION

**Petrol Engines** 

Engine	1.8i 16V	2.0i 16V	2.0i 16V Auto	3.0i V6 24V Auto
Capacity (cc)	1749	1997	1997	2946
Cylinders	4 in line	4 in line	4 in line	V6
Bore and stroke (mm)	82.7x81.4	85.0x88.0	85.0x88.0	87.0x82.6
Max power DIN (hp/rpm)	117/5500	138/6000	138/6000	210/6000
Max torque DIN (lb.ft/rpm)	118/4000	140/4100	140/4100	215/3750
Fuel system		Multipoint electro	nic fuel injection	
Transmission				
Five speed manual	•	•		
Four speed sequential auto-adaptive automatic Clutch type	Dry single plate	Dry single plate	N/A	N/A
Performance				
Max speed (mph)	120	126	121	140
0-62 mph (secs)	11.5	10.0	11.8	9.7
Standing 1000m (secs)	32.8	31.2	33.1	30.2
N.B. All figures driver alone	32.0	J1.2	55.1	30.2
·				
Economy Litres/100km (mp		11.0 (02.7)	14.1 (00.0)	140/101)
Urban cycle	10.8 (26.2)	11.9 (23.7)	14.1 (20.0)	14.8 (19.1)
Extra urban	6.2 (45.6)	6.4 (44.1)	6.2 (45.6)	7.7 (36.7)
Combined N.B. Official Government test fuel consumption figures	7.9 (35.8)	8.4 (33.6)	9.1 (31.0)	10.3 (27.4)
N.B. Official Government test fuel consumption figures				
CO <sub>2</sub> Emissions (g/km)	187	200	217	245
Wheels & Tyres				
<del>-</del>				
15" wheels with 205/65 R15 tyres	•			
16" alloy wheels with 215/65 R16 tyres		•	•	•
Weights (kg)				
Unladen weight	1371	1367	1374	1547
•	1971	1967	1974	
Max laden weight	600			2160
Max payload*  Max towing weight braked	1300	600 1500	600 1500	613 1300
Max tow hitch download	85 75	85 75	85 75	85 75
Max roof rack load	/5	/5	/5	/5
Brakes	Servo assisted hydraulic dual c	rcuit brakes. Front and rear di	scs. ABS with EBD and Emerg	gency Braking Assistance (
Steering		Hydraulic variable po	ower assisted steering	
Number of turns lock to lock	3.3	3.3	3.3	3.0
Turning circle between kerbs (m)	10.6	3.3	3.3	3.0
iuming circle between kerbs (III)		10.0	10.0	11.0
	10.0			
Suspension	Hydractive 3 with automatic	Hydractive 3 with 'Sp	port' function and automatic i	ide height adjustment
Suspension	Hydractive 3 with automatic ride height adjustment		port' function and automatic researchers	
· 	Hydractive 3 with automatic ride height adjustment Anti-roll bars to			
Suspension Fuel Tank Capacity Litres (g	Hydractive 3 with automatic ride height adjustment Anti-roll bars to		erson strut - rear: independen	
Fuel Tank Capacity Litres (g	Hydractive 3 with automatic ride height adjustment Anti-roll bars f	ront and rear - front: Macphe	erson strut - rear: independen	
Fuel Tank Capacity Litres (g Boot Volumes & Dimension	Hydractive 3 with automatic ride height adjustment Anti-roll bars to gallons)	ront and rear - front: Macphe	erson strut - rear: independen	t trailing arms
Fuel Tank Capacity Litres (g Boot Volumes & Dimension Seats up - below parcel shelf (litres VDA)	Hydractive 3 with automatic ride height adjustment Anti-roll bars to gallons)  S 563	ront and rear - front: Macphe 66 (1 563	erson strut - rear: independen 14.5) 563	t trailing arms
Fuel Tank Capacity Litres (g Boot Volumes & Dimension Geats up - below parcel shelf (litres VDA) Geats up - up to roof (litres VDA)	Hydractive 3 with automatic ride height adjustment Anti-roll bars to gallons)  S  563 893	ront and rear - front: Macphe 66 (1 563 893	erson strut - rear: independen 14.5) 563 893	t trailing arms  563 893
Fuel Tank Capacity Litres (g  Boot Volumes & Dimension  Seats up - below parcel shelf (litres VDA)  Seats up - up to roof (litres VDA)  Seats down - up to roof (litres VDA)	Hydractive 3 with automatic ride height adjustment Anti-roll bars 1  (Sallons)  S  563  893  1658	70nt and rear - front: Macphe 66 (1 563 893 1658	erson strut - rear: independen 14.5) 563 893 1658	t trailing arms  563 893 1658
Fuel Tank Capacity Litres (g Boot Volumes & Dimension Geats up - below parcel shelf (litres VDA) Geats up - up to roof (litres VDA) Geats down - up to roof (litres VDA)	Hydractive 3 with automatic ride height adjustment Anti-roll bars 1  (Sallons)  S  563 893 1658 481	563 893 1658 481	erson strut - rear: independen 14.5) 563 893 1658 481	t trailing arms  563 893 1658 481
Fuel Tank Capacity Litres (g Boot Volumes & Dimension Seats up - below parcel shelf (litres VDA) Seats up - up to roof (litres VDA) Seats down - up to roof (litres VDA) Depth under parcel shelf (mm) Sill height - min/max (mm)	Hydractive 3 with automatic ride height adjustment Anti-roll bars 1  (Sallons)  S  563 893 1658 481 568 - 493/653	563 893 1658 481 568 - 493/653	563 893 1658 481 568 - 493/653	t trailing arms  563 893 1658 481 568 - 493/653
Fuel Tank Capacity Litres (g  Boot Volumes & Dimension  Geats up - below parcel shelf (litres VDA)  Geats up - up to roof (litres VDA)  Geats down - up to roof (litres VDA)  Depth under parcel shelf (mm)	Hydractive 3 with automatic ride height adjustment Anti-roll bars 1  (Sallons)  S  563 893 1658 481	563 893 1658 481	erson strut - rear: independen 14.5) 563 893 1658 481	563 893 1658 481



# TECHNICAL SPECIFICATION

**Diesel Engines** 

Engine	2.0HDi 90hp	2.0HDi 110hp	2.0HDi 110hp Auto	2.2HDi	2.2HDi Auto
Capacity (cc)	1997	1997	1997	2179	2179
Cylinders	4 in line	4 in line	4 in line	4 in line	4 in line
Bore and stroke (mm)	85.0x88.0	85.0x88.0	85.0x88.0	85.0x96.0	85.0x96.0
Max power DIN (hp/rpm)	90/4000	110/4000	110/4000	136/4000	136/4000
Max torque DIN (lb.ft/rpm)	151/1900	184/1750	184/1750	232/2000	232/2000
Fuel system			pressure direct Diesel inje		
Transmission					
Six speed manual				•	
Five speed manual	•	•			
Four speed sequential auto-adaptive automatic			•		•
Clutch type	Dry single plate	Dry single plate	N/A	Dry single plate	N/A
Performance					
Max speed (mph)	109	116	114	125	123
0-62 mph (secs)	13.5	11.6	13.4	10.6	11.3
Standing 1000m (secs)	35.2	33.7	34.8	32.3	33.3
N.B. All figures driver alone	33.2	33.7	34.0	- JL.J	55.5
Economy Litres/100km (mpg	<u>(</u> )				
		7.0 (07.0)	0.2 (20.4)	0.7 (20.5)	9.9 (28.5)
Urban cycle	7.7 (36.7)	7.6 (37.2)	9.3 (30.4)	8.7 (32.5)	9.9 (20.3)
•	7.7 (36.7) 4.8 (58.9)	7.6 (37.2) 4.6 (61.4)	5.2 (54.3)	5.0 (56.5)	5.4 (52.3)
Extra urban Combined					
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)	4.8 (58.9)	4.6 (61.4)	5.2 (54.3)	5.0 (56.5)	5.4 (52.3)
Urban cycle Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres	4.8 (58.9) 5.9 (47.9)	4.6 (61.4) 5.7 (49.6)	5.2 (54.3) 6.7 (42.2)	5.0 (56.5) 6.4 (44.1)	5.4 (52.3) 7.1 (39.8)
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)	4.8 (58.9) 5.9 (47.9)	4.6 (61.4) 5.7 (49.6)	5.2 (54.3) 6.7 (42.2)	5.0 (56.5) 6.4 (44.1)	5.4 (52.3) 7.1 (39.8)
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres	4.8 (58.9) 5.9 (47.9) 155	4.6 (61.4) 5.7 (49.6) 149	5.2 (54.3) 6.7 (42.2) 178	5.0 (56.5) 6.4 (44.1)	5.4 (52.3) 7.1 (39.8)
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres  15" wheels with 205/65 R15 tyres	4.8 (58.9) 5.9 (47.9) 155	4.6 (61.4) 5.7 (49.6) 149	5.2 (54.3) 6.7 (42.2) 178	5.0 (56.5) 6.4 (44.1) 169	5.4 (52.3) 7.1 (39.8) 187
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)	4.8 (58.9) 5.9 (47.9) 155	4.6 (61.4) 5.7 (49.6) 149	5.2 (54.3) 6.7 (42.2) 178	5.0 (56.5) 6.4 (44.1) 169	5.4 (52.3) 7.1 (39.8) 187
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres  15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight	4.8 (58.9) 5.9 (47.9) 155	4.6 (61.4) 5.7 (49.6)  149  (LX)  (VTR, Exclusive)	5.2 (54.3) 6.7 (42.2) 178 • (LX) • (VTR, Exclusive)	5.0 (56.5) 6.4 (44.1) 169	5.4 (52.3) 7.1 (39.8)
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight	4.8 (58.9) 5.9 (47.9) 155	4.6 (61.4) 5.7 (49.6)  149  (LX)  (VTR, Exclusive)	5.2 (54.3) 6.7 (42.2) 178 • (LX) • (VTR, Exclusive)	5.0 (56.5) 6.4 (44.1) 169	5.4 (52.3) 7.1 (39.8) 187
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres  15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight  Max laden weight  Max payload*	4.8 (58.9) 5.9 (47.9) 155 • 1423 2023 600	4.6 (61.4) 5.7 (49.6) 149 ● (LX) ● (VTR, Exclusive) 1438 2038 600	5.2 (54.3) 6.7 (42.2)  178  • (LX) • (VTR, Exclusive)  1464 2064 600	5.0 (56.5) 6.4 (44.1) 169 1518 2148 630	5.4 (52.3) 7.1 (39.8) 187 187 1558 2175 617
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max payload* Max towing weight braked	4.8 (58.9) 5.9 (47.9)  155   1423 2023 600 1400	4.6 (61.4) 5.7 (49.6) 149 ● (LX) ● (VTR, Exclusive) 1438 2038 600 1500	5.2 (54.3) 6.7 (42.2)  178  • (LX) • (VTR, Exclusive)  1464 2064 600 1500	5.0 (56.5) 6.4 (44.1) 169 1518 2148 630 1450	5.4 (52.3) 7.1 (39.8)  187  1558 2175 617 1000
Extra urban Combined N.B. Official Government test fuel consumption figures  CO <sub>2</sub> Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres	4.8 (58.9) 5.9 (47.9) 155 • 1423 2023 600	4.6 (61.4) 5.7 (49.6) 149 ● (LX) ● (VTR, Exclusive) 1438 2038 600	5.2 (54.3) 6.7 (42.2)  178  • (LX) • (VTR, Exclusive)  1464 2064 600	5.0 (56.5) 6.4 (44.1) 169 1518 2148 630	5.4 (52.3) 7.1 (39.8) 187 187 1558 2175 617
Extra urban Combined N.B. Official Government test fuel consumption figures  CO2 Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max payload* Max towing weight braked Max tow hitch download Max roof rack load	4.8 (58.9) 5.9 (47.9)  155   1423 2023 600 1400 85 75	4.6 (61.4) 5.7 (49.6)  149  ● (LX)  ● (VTR, Exclusive)  1438 2038 600 1500 85 75	5.2 (54.3) 6.7 (42.2)  178  • (LX) • (VTR, Exclusive)  1464 2064 600 1500 85 75	5.0 (56.5) 6.4 (44.1) 169 1518 2148 630 1450 85 75	5.4 (52.3) 7.1 (39.8)  187  1558 2175 617 1000 85 75
Extra urban Combined N.B. Official Government test fuel consumption figures  CO2 Emissions (g/km)  Wheels & Tyres  15" wheels with 205/65 R15 tyres  16" alloy wheels with 215/65 R16 tyres  Weights (kg)  Unladen weight Max laden weight Max payload* Max towing weight braked Max tow hitch download Max roof rack load	4.8 (58.9) 5.9 (47.9)  155   1423 2023 600 1400 85 75	4.6 (61.4) 5.7 (49.6)  149  ● (LX)  ● (VTR, Exclusive)  1438 2038 600 1500 85 75	5.2 (54.3) 6.7 (42.2)  178  • (LX) • (VTR, Exclusive)  1464 2064 600 1500 85	5.0 (56.5) 6.4 (44.1) 169 1518 2148 630 1450 85 75	5.4 (52.3) 7.1 (39.8)  187  1558 2175 617 1000 85 75
Extra urban Combined N.B. Official Government test fuel consumption figures  CO2 Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max payload* Max towing weight braked Max tow hitch download Max roof rack load  Brakes	4.8 (58.9) 5.9 (47.9)  155   1423 2023 600 1400 85 75	4.6 (61.4) 5.7 (49.6)  149  ■ (LX)  ■ (VTR, Exclusive)  1438 2038 600 1500 85 75  c dual circuit brakes. Fro	5.2 (54.3) 6.7 (42.2)  178  • (LX) • (VTR, Exclusive)  1464 2064 600 1500 85 75	5.0 (56.5) 6.4 (44.1)  169  1518 2148 630 1450 85 75  EBD and Emergency B	5.4 (52.3) 7.1 (39.8)  187  1558 2175 617 1000 85 75
Extra urban Combined N.B. Official Government test fuel consumption figures  CO2 Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max payload* Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering	4.8 (58.9) 5.9 (47.9)  155   1423 2023 600 1400 85 75	4.6 (61.4) 5.7 (49.6)  149  ■ (LX)  ■ (VTR, Exclusive)  1438 2038 600 1500 85 75  c dual circuit brakes. Fro	5.2 (54.3) 6.7 (42.2)  178  (LX)  (VTR, Exclusive)  1464 2064 600 1500 85 75  ant and rear discs. ABS with	5.0 (56.5) 6.4 (44.1)  169  1518 2148 630 1450 85 75  EBD and Emergency B	5.4 (52.3) 7.1 (39.8)  187  1558 2175 617 1000 85 75
Extra urban Combined N.B. Official Government test fuel consumption figures  CO2 Emissions (g/km)  Wheels & Tyres 15" wheels with 205/65 R15 tyres 16" alloy wheels with 215/65 R16 tyres  Weights (kg) Unladen weight Max laden weight Max payload* Max towing weight braked Max tow hitch download	4.8 (58.9) 5.9 (47.9)  155   1423 2023 600 1400 85 75  Servo assisted hydraulie	4.6 (61.4) 5.7 (49.6)  149  • (LX) • (VTR, Exclusive)  1438 2038 600 1500 85 75  c dual circuit brakes. Fro	5.2 (54.3) 6.7 (42.2)  178  • (LX) • (VTR, Exclusive)  1464 2064 600 1500 85 75  ont and rear discs. ABS with	5.0 (56.5) 6.4 (44.1)  169  1518 2148 630 1450 85 75  EBD and Emergency B	5.4 (52.3) 7.1 (39.8)  187  187  1558 2175 617 1000 85 75  raking Assistance (E

## Fuel Tank Capacity Litres (gallons)

Boot Volumes & Dimensions

Seats up - below parcel shelf (litres VDA)	563	563	563	563	563
Seats up - up to roof (litres VDA)	893	893	893	893	893
Seats down - up to roof (litres VDA)	1658	1658	1658	1658	1658
Depth under parcel shelf (mm)	481	481	481	481	481
Sill height - min/max (mm)	568 - 493/653	568 - 493/653	568 - 493/653	568 - 493/653	568 - 493/653
Max access width (mm)	1176	1176	1176	1176	1176
Max access height (mm)	819	819	819	819	819

<sup>\*</sup>Whilst payload figures are included for guidance, the actual payload will depend upon the weight of any optional equipment, fuel and passengers carried.

<sup>\*</sup>Whilst payload figures are included for guidance, the actual payload will depend upon the weight of any optional equipment, fuel and passengers carried.




## New generation auto-adaptive suspension

Auto-adaptive Hydractive 3 suspension is unique to Citroën. Combining digital technology with re-designed, simplified hydraulics, it is probably the most advanced suspension system available on any mainstream production car. Hydractive 3 provides the Citroën C5 with levels of road-holding, ride comfort and handling that are simply outstanding. On some models the system uses a number of electronic sensors to continually monitor the state of the road and to analyse driver input, such as braking, steering and acceleration. This information is relayed to C5's Built-in Hydroelectronic Interface (BHI), which reacts to adjust the suspension's spring rate and damping. With the suspension matched to the road conditions and your driving style, C5 smoothes out a rough road, gives a poised, balanced ride, superb handling and rock-solid road-holding.

For drivers who favour a more assertive driving style, a 'Sport' setting puts the suspension into performance mode more often and for longer.





C5's cockpit is where intelligent design and passionate attention to detail come together to promote the comfort, safety and well-being of the driver. Nothing has been left to chance, ensuring you stay relaxed, alert and in control, even on the longest journeys.



'Hungaro' 16" alloy wheels

#### LX kev equipment

- O Hydractive 3 suspension with automatic ride height adjustment
- ABS with Electronic Brakeforce Distribution (EBD)
- Emergency Braking Assistance (EBA)
- Adaptive driver's and front passenger's airbags
- Front lateral and side window airbags
- Front passenger's airbag cut-off device
- Automatic activation of hazard warning lights
- High level third brake light
- Air conditioning
- Multi-function on-board trip computer (Auto models only)

### VTR key equipment (over LX)

- Automatic rain sensitive windscreen wipers
- Electric rear windows with one-touch operation and anti-pinch
- 'Black panel' night-time instrument lighting
- Alloy wheels
- Leather steering wheel
- Front passenger's seat height adjustment
- O Driver's and front passenger's adjustable and folding armrests
- Anti-theft alarm
- Multi-function on-board trip computer

#### Exclusive key equipment (over VTR)

- Hydractive 3 suspension with 'Sport' function and automatic ride height adjustment (excluding 2.0HDi 110hp engine)
- Electronic Stability Programme (ESP) and traction control
- Cruise control
- Tyre pressure warning
- Xenon headlamps in lieu of front fog lights
- Headlamp washer jets
- Parking assistance pack: rear parking sensors, automatic retractable door mirrors, indexable passenger door mirror and electrochrome rear view mirror
- Automatic digital air conditioning with sunlight sensor and separate temperature controls for driver and front passenger
- Six CD autochanger