


# Elantra





### Comfort and style have a new name... Elantra. Designed for the thinking individual, the Elantra offers a massive specification list including climate control, electric tilt and slide sunroof and remote central locking with alarm, without the massive cost. Versatile, honest and spacious, the Elantra offers extraordinary value for money for its size and specification. The Elantra will appeal to people looking for comfort and luxury, common sense people who want the best in life but do not feel the need to spend a small fortune to achieve it. Don't just take our word for it, have a look for yourself. Hyundai Elantra: You have a choice, make it a great one. comfortable Choice



The moment you sit in the Elantra, as you relax into its roomy interior, the stress and strain of everyday life will just melt away... leaving you feeling safe and in control.

With the powerful, yet economical Common Rail Turbo Diesel, you have the power to match the superb levels of comfort needed to take you on those long journeys, whilst allowing you to feel fighting fit at the other end.

Hyundai Elantra: A CAR FIRST. A BADGE SECOND.



### Shine

### We have metallic and mica colour options available.

A metallic finish is achieved by adding aluminium flakes to the paint and then applying a coat of clear lacquer. The mica finish adds an extra depth of lustre with the inclusion of mica particles in the paint layer.

<b>Body Colours</b>	2.0 CRTD CDX	
Metallic		
Ocean Blue	•	
Platinum Silver	•	
Mica		
Bordeaux Red	•	

Hyundai Elantra: Show your true colours.

Platinum Silver Bordeaux Red Ocean Blue (Metallic) (Mica) (Metallic)



## Outside

Adding to the sleek lines and to complement your lifestyle, the Elantra is equipped to the highest standards. 15" alloy wheels, a sporty rear spoiler incorporating a third brake light, remote central locking and alarm all come as standard.

Hyundai have also developed a range of complementary accessories to enhance your driving experience. Please consult your Hyundai dealer for further information.



15" Alloy Wheel



Rear Light Cluster



Front Grille



Electric Tilt and Slide Sunroof With sleek lines which reflect its power and handling, the Elantra has a wealth of space and comfort. It truly is a car to enthuse about.

To match these qualities, the Elantra carries all the equipment you could ever want in a vehicle. Traction control system, dual front and side airbags, leather upholstery... the list goes on and on. For more information, please contact your nearest Hyundai dealer.





Satellite navigation (Smartnav™) is available as a customer option to ensure you arrive at your destination with the maximum of ease. For further information please refer to the Customer Options brochure or ask your dealer.

Hyundai Elantra: You have a choice in life.




Climate Control



Stereo RDS Radio/CD Player



Rear Centre Armrest with Integrated Cup Holder



Displacement cc 1991 Bore & Stroke mm 83.0 x 92.0 Compression Ratio 17.7:1 Max Power kW/BHP 83/111 Torque Nm/lbs ft 235/173 0-62mph in seconds 11.6 Top Speed MPH 118  Suspension Front Independent Macphersor strut with coil spring and anti-roll bar. Rear Dual-link type with coil spring and anti-roll bar.  Steering  Power assisted rack and pinion steering. Energy absorbing collapsible steering column  Steering wheel lock to lock turns 3.15  Brakes System Dual diagonal split circuit	Model	2.0 CRTD▲ CDX
Displacement cc	Engine	
Bore & Stroke mm	Type	4 cylinder SOHC 16valve
Compression Ratio	Displacement cc	1991
Max Power kW/BHP         83/111           Torque Nn/Ibs ft         235/173           -62mph in seconds         11.6           Top Speed MPH         118           Suspension           Front         Independent Macphersor strut with coil spring and anti-roll bar.           Rear         Dual-link type with coil spring and anti-roll bar.           Steering           Power assisted rack and pinion steering. Energy absorbing collapsible steering column           Steering wheel lock to lock turns         3.15           Brakes           System         Dual diagonal split circuit power assisted with Anti-lock Brakes (ABS) and Electronic Brake force Distribution (EBD)           Front         11" ventilated discs           Rear         10" solid discs           Tyres           Racial Ply         195/60 R15           Wheels           Steel/Alloy         5.5J x 15           Dimensions mm (inches)           Overall leigth         4520 (177.9)           Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (front)         1485 (58.5) <td< td=""><td>Bore &amp; Stroke mm</td><td>83.0 x 92.0</td></td<>	Bore & Stroke mm	83.0 x 92.0
Torque Nm/lbs ft         235/173           0-62mph in seconds         11.6           Top Speed MPH         118           Suspension         Independent Macphersor strut with coil spring and anti-roll bar.           Front         Dual-link type with coil spring and anti-roll bar.           Rear         Dual-link type with coil spring and anti-roll bar.           Steering           Power assisted rack and pinion steering. Energy absorbing collapsible steering column           Steering wheel lock to lock turns         3.15           Brakes           System         Dual diagonal split circuit power assisted with Anti-lock Brakes (ABS) and Electronic Brake force Distribution (EBD)           Front         11" ventilated discs           Rear         10" solid discs           Tyres           Racial Ply         195/60 R15           Wheels           Steel/Alloy         5.5.J x 15           Dimensions mm (inches)           Overall length         4520 (177.9)           Overall width         1720 (67.7)           Overall height         1425 (56.1)           Wheelss         2610 (102.8)           Track (front)         1485 (58.5)	Compression Ratio	17.7:1
0-62mph in seconds		
0-62mph in seconds	Torque Nm/lbs ft	235/173
Top Speed MPH         118           Suspension         Independent Macphersor strut with coil spring and anti-roll bar.           Rear         Dual-link type with coil spring and anti-roll bar.           Steering         Power assisted rack and pinion steering, Energy absorbing collapsible steering column           Steering wheel lock to lock turns         3.15           Brakes         Dual diagonal split circuit power assisted with Anti-lock Brakes (ABS) and Electronic Brake force Distribution (EBD)           Front         11* ventilated discs           Rear         10* solid discs           Tyres         Prosection (EBD)           Rear         10* solid discs           Tyres         Prosection (EBD)           Steel/Alloy         5.5J x 15           Dimensions mm (inches)         0verall length           Overall length         4520 (177.9)           Overall width         1720 (67.7)           Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (68.1)           Turning circle         10.2 (33* 6*)           Weights and capacities         1910 (4211)           Luggage capacity litres (cu ft)         Seats up         367 (13.0) <t< td=""><td></td><td></td></t<>		
Suspension Front Independent Macphersor strut with coil spring and anti-roll bar.  Rear Dual-link type with coil spring and anti-roll bar.  Steering Power assisted rack and pinion steering. Energy absorbing collapsible steering column  Steering Wheel lock to lock turns 3.15  Brakes  System Dual diagonal split circuit power assisted with Anti-lock Brakes (ABS) and Electronic Brake force Distribution (EBD)  Front 11" ventilated discs  Rear 10" solid discs  Tyres  Radial Ply 195/60 R15  Wheels  Steel/Alloy 5.5J x 15  Dimensions mm (inches)  Overall length 4520 (177.9)  Overall width 1720 (67.7)  Overall width 1720 (67.7)  Overall height 1425 (56.1)  Wheelbase 2610 (102.8)  Track (front) 1485 (58.5)  Track (front) 1485 (58.1)  Turning circle 10.2 (33' 6")  Weights and capacities  Luggage capacity litres (cu ft)  Seats up 367 (13.0)  Seats down 801 (28.3)  Kerb weight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) F5 (165)  Fuel tank capacity (litres) 55  Fuel tank capacity (litres) 55  Fuel consumption 1/100km (mpg) and emissions  Urban 8.2 (34.4)  Extra urban 4.9 (57.6)  Combined 6.1 (46.3)  CO <sub>2</sub> Emissions g/km* 160  HC+NOx Emissions g/km* 0.374		
Front Independent Macpherson strut with coil spring and anti-roll bar.  Rear Dual-link type with coil spring and anti-roll bar.  Steering  Power assisted rack and pinion steering. Energy absorbing collapsible steering column  Steering wheel lock to lock turns 3.15  Brakes  System Dual diagonal split circuit power assisted with Anti-lock Brakes (ABS) and Electronic Brake force Distribution (EBD)  Front 11" ventilated discs  Rear 10" solid discs  Tyres  Radial Ply 195/60 R15  Wheels  Steel/Alloy 5.5J x 15  Dimensions mm (inches)  Overall length 4520 (177.9)  Overall length 4520 (177.9)  Overall height 1425 (56.1)  Wheelbase 2610 (102.8)  Track (front) 1485 (58.5)  Track (front) 1485 (58.5)  Track (rear) 1475 (58.1)  Turning circle 10.2 (33' 6")  Weights and capacities  Luggage capacity litres (cu ft)  Seats up 367 (13.0)  Seats down 801 (28.3)  Kerb weight kg (lbs) 1910 (4211)  Max tow weight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)		
Rear Dual-link type with coil spring and anti-roll bar.  Steering Power assisted rack and pinion steering. Energy absorbing collapsible steering column  Steering wheel lock to lock turns 3.15  Brakes  System Dual diagonal split circuit power assisted with Anti-lock Brakes (ABS) and Electronic Brake force Distribution (EBD)  Front 11" ventilated discs  Rear 10" solid discs  Tyres  Radial Ply 195/60 R15  Wheels  Steel/Alloy 5.5.J x 15  Dimensions mm (inches)  Overall length 4520 (177.9)  Overall width 1720 (67.7)  Overall height 1425 (56.1)  Whoelbase 2610 (102.8)  Track (front) 1485 (58.5)  Track (rear) 1475 (58.1)  Turning circle 10.2 (33' 6")  Weights and capacities  Luggage capacity litres (cu ft)  Seats up 367 (13.0)  Seats down 801 (28.3)  Kerb weight kg (lbs) 1940 (4211)  Max tow weight kg (lbs) Braked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) 75 (165)  Fuel tank capacity (itres) 55  Fuel consumption // 100km (mpg) and emissions  Urban 8.2 (34.4)  Extra urban 4.9 (57.6)  Combined 6.1 (46.3)  CO <sub>2</sub> Emissions g/km* 160  HC+NOx Emissions g/km* 10.374		Independent Macaberson
Steering   Power assisted rack and pinion steering. Energy absorbing collapsible steering column   Steering wheel lock to lock turns   3.15		strut with coil spring and
Power assisted rack and pinion steering. Energy absorbing collapsible steering column	Rear	
Power assisted rack and pinion steering. Energy absorbing collapsible steering column	Steering	·
Brakes   System   Dual diagonal split circuit power assisted with Anti-lock Brakes (ABS) and Electronic Brake force Distribution (EBD)		absorbing collapsible steering column
System         Dual diagonal split circuit power assisted with Antilock Brakes (ABS) and Electronic Brake force Distribution (EBD)           Front         11" ventilated discs           Rear         10" solid discs           Tyres           Radial Ply         195/60 R15           Wheels           Steel/Alloy         5.5J x 15           Dimensions mm (inches)           Overall length         4520 (177.9)           Overall width         1720 (67.7)           Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)           Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         Braked         1400 (3086)           Unbraked         555           Fuel consumption l/100km (mpg) and emissions     <	Steering wheel lock to lock turns	3.15
Dower assisted with Anti-   lock Brakes (ABS) and     Electronic Brake     force Distribution (EBD)     Front   11" ventilated discs     Rear   10" solid discs     Tyres     Radial Ply   195/60 R15     Wheels     Steel/Alloy   5.5J x 15     Dimensions mm (inches)     Overall length   4520 (177.9)     Overall width   1720 (67.7)     Overall width   1425 (56.1)     Wheelsae   2610 (102.8)     Track (front)   1485 (58.5)     Track (rear)   1475 (58.1)     Turning circle   10.2 (33' 6")     Weights and capacities     Luggage capacity litres (cu ft)     Seats up   367 (13.0)     Seats down   801 (28.3)     Kerb weight kg (lbs)   1441 (3177)     Gross vehicle weight kg (lbs)   8 raked   1400 (3086)     Unbraked   550 (1213)     Noseweight kg (lbs)   75 (165)     Fuel consumption l/100km (mpg) and emissions     Urban   8.2 (34.4)     Extra urban   4.9 (57.6)     Combined   6.1 (46.3)     CO2 Emissions g/km*   160     HC+NOx Emissions g/km*   160     HC+NOx Emissions g/km*   160     HC+NOx Emissions g/km*   160     HC+NOx Emissions g/km*   0.374	Brakes	
Front 11" ventilated discs  Rear 10" solid discs  Tyres  Radial Ply 195/60 R15  Wheels  Steel/Alloy 5.5J x 15  Dimensions mm (inches)  Overall length 4520 (177.9)  Overall width 1720 (67.7)  Overall height 1425 (56.1)  Wheelbase 2610 (102.8)  Track (front) 1485 (58.5)  Track (rear) 1475 (58.1)  Turning circle 10.2 (33' 6")  Weights and capacities  Luggage capacity litres (cu ft)  Seats up 367 (13.0)  Seats down 801 (28.3)  Kerb weight kg (lbs) 1441 (3177)  Gross vehicle weight kg (lbs) 8 raked 1400 (3086)  Unbraked 550 (1213)  Noseweight kg (lbs) 75 (165)  Fuel tank capacity (litres) 55  Fuel consumption l/100km (mpg) and emissions  Urban 8.2 (34.4)  Extra urban 4.9 (57.6)  Coop Emissions g/km* 160  HC+NOx Emissions g/km* 160	System	Electronic Brake
Rear       10" solid discs         Tyres         Radial Ply       195/60 R15         Wheels         Steel/Alloy       5.5J x 15         Dimensions mm (Inches)         Overall length       4520 (177.9)         Overall width       1720 (67.7)         Overall height       1425 (56.1)         Wheel base       2610 (102.8)         Track (front)       1485 (58.5)         Track (frear)       1475 (58.1)         Turning circle       10.2 (33' 6")         Weights and capacities         Luggage capacity litres (cu ft)         Seats down       801 (28.3)         Kerb weight kg (lbs)       1910 (421.0)         Max tow weight kg (lbs)       Braked       1400 (3086)         Urbarked       550 (1213)         Noseweight kg (lbs)       Braked       1400 (3086)       Urbarked       550 (1213)         Noseweight kg (lbs)       Braked	Front	
Tyres         Radial Ply         195/60 R15           Wheels         Steel/Alloy         5.5J x 15           Dimensions mm (inches)         Overall length         4520 (177.9)           Overall width         1720 (67.7)           Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1448 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)           Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO <sub>2</sub> Ernissions g/km²		
Radial Ply 195/60 R15  Wheels  Steel/Alloy 5.5J x 15  Dimensions mm (inches)  Overall length 4520 (177.9)  Overall width 1720 (67.7)  Overall height 1425 (56.1)  Wheelbase 2610 (102.8)  Track (front) 1485 (58.5)  Track (rear) 1475 (58.1)  Turning circle 10.2 (33' 6")  Weights and capacities  Luggage capacity litres (cu ft)  Seats up 367 (13.0)  Seats down 801 (28.3)  Kerb weight kg (lbs) 1910 (4211)  Max tow weight kg (lbs) 1910 (4211)  Max tow weight kg (lbs) 1900 (213)  Noseweight kg (lbs) 60 (132)  Max roof weight kg (lbs) 75 (165)  Fuel tank capacity (litres) 55  Fuel consumption I/100km (mpg) and emissions  Urban 8.2 (34.4)  Extra urban 4.9 (57.6)  Combined 6.1 (46.3)  CO₂ Emissions g/km* 160  HC+NOx Emissions g/km* 160		TO BOILD GIOCO
Wheels           Steel/Alloy         5.5J x 15           Dimensions mm (inches)         4520 (177.9)           Overall length         4520 (177.9)           Overall width         1720 (67.7)           Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities         Luggage capacity litres (cu ft)           Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Ernissions g/km²         160		105/60 D15
Steel/Alloy   5.5J x 15		195/60 R15
Dimensions mm (inches)           Overall length         4520 (177.9)           Overall width         1720 (67.7)           Overall width         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)         Seats up           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Ernissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Overall length         4520 (177.9)           Overall width         1720 (67.7)           Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)         Seats up           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO <sub>2</sub> Ernissions g/km*         160           HC+NOx Emissions g/km*         0.374		5.5J x 15
Overall width         1720 (67.7)           Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)         Seats up           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO <sub>2</sub> Ernissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Overall height         1425 (56.1)           Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)         Seats up           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         1440 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Wheelbase         2610 (102.8)           Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)         Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1941 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		1720 (67.7)
Track (front)         1485 (58.5)           Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)         Seats up           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374	Overall height	1425 (56.1)
Track (rear)         1475 (58.1)           Turning circle         10.2 (33' 6")           Weights and capacities           Luggage capacity litres (cu ft)         Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Ernissions g/km*         160           HC+NOx Emissions g/km*         0.374	Wheelbase	2610 (102.8)
Turning circle 10.2 (33' 6")  Weights and capacities  Luggage capacity litres (cu ft)  Seats up 367 (13.0) Seats down 801 (28.3)  Kerb weight kg (lbs) 1441 (3177)  Gross vehicle weight kg (lbs) 1910 (4211)  Max tow weight kg (lbs) Braked 1400 (3086) Unbraked 550 (1213)  Noseweight kg (lbs) 60 (132)  Max roof weight kg (lbs) 75 (165)  Fuel tank capacity (litres) 55  Fuel consumption I/100km (mpg) and emissions  Urban 8.2 (34.4)  Extra urban 4.9 (57.6)  Combined 6.1 (46.3)  CO₂ Emissions g/km* 160  HC+NOx Emissions g/km* 0.374	Track (front)	1485 (58.5)
Turning circle 10.2 (33' 6")  Weights and capacities  Luggage capacity litres (cu ft)  Seats up 367 (13.0) Seats down 801 (28.3)  Kerb weight kg (lbs) 1441 (3177)  Gross vehicle weight kg (lbs) 1910 (4211)  Max tow weight kg (lbs) Braked 1400 (3086) Unbraked 550 (1213)  Noseweight kg (lbs) 60 (132)  Max roof weight kg (lbs) 75 (165)  Fuel tank capacity (litres) 55  Fuel consumption I/100km (mpg) and emissions  Urban 8.2 (34.4)  Extra urban 4.9 (57.6)  Combined 6.1 (46.3)  CO₂ Emissions g/km* 160  HC+NOx Emissions g/km* 0.374	Track (rear)	1475 (58.1)
Luggage capacity litres (cu ft)           Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374	Turning circle	
Luggage capacity litres (cu ft)           Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374	Weights and canacities	
Seats up         367 (13.0)           Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Seats down         801 (28.3)           Kerb weight kg (lbs)         1441 (3177)           Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		s.un 367 (13.0)
Kerb weight kg (lbs)     1441 (3177)       Gross vehicle weight kg (lbs)     1910 (4211)       Max tow weight kg (lbs)     Braked     1400 (3086)       Unbraked     550 (1213)       Noseweight kg (lbs)     60 (132)       Max roof weight kg (lbs)     75 (165)       Fuel tank capacity (litres)     55       Fuel consumption I/100km (mpg) and emissions       Urban     8.2 (34.4)       Extra urban     4.9 (57.6)       Combined     6.1 (46.3)       CO₂ Emissions g/km*     160       HC+NOx Emissions g/km*     0.374		
Gross vehicle weight kg (lbs)         1910 (4211)           Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO <sub>2</sub> Ernissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Max tow weight kg (lbs)         Braked         1400 (3086)           Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Unbraked         550 (1213)           Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions         Urban           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Noseweight kg (lbs)         60 (132)           Max roof weight kg (lbs)         75 (165)           Fuel tank capacity (litres)         55           Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO₂ Emissions g/km²         160           HC+NOx Emissions g/km²         0.374		()
Max roof weight kg (lbs)       75 (165)         Fuel tank capacity (litres)       55         Fuel consumption I/100km (mpg) and emissions         Urban       8.2 (34.4)         Extra urban       4.9 (57.6)         Combined       6.1 (46.3)         CO₂ Emissions g/km²       160         HC+NOx Emissions g/km²       0.374		
Fuel tank capacity (litres)     55       Fuel consumption I/100km (mpg) and emissions       Urban     8.2 (34.4)       Extra urban     4.9 (57.6)       Combined     6.1 (46.3)       CO <sub>2</sub> Emissions g/km*     160       HC+NOx Emissions g/km*     0.374		
Fuel consumption I/100km (mpg) and emissions           Urban         8.2 (34.4)           Extra urban         4.9 (57.6)           Combined         6.1 (46.3)           CO <sub>2</sub> Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		
Urban       8.2 (34.4)         Extra urban       4.9 (57.6)         Combined       6.1 (46.3)         CO₂ Emissions g/km*       160         HC+NOx Emissions g/km*       0.374		
Extra urban       4.9 (57.6)         Combined       6.1 (46.3)         CO₂ Emissions g/km*       160         HC+NOx Emissions g/km*       0.374		
Combined         6.1 (46.3)           CO <sub>2</sub> Emissions g/km*         160           HC+NOx Emissions g/km*         0.374		. ,
CO2 Emissions g/km*         160           HC+NOx Emissions g/km*         0.374	Extra urban	
CO2 Emissions g/km*         160           HC+NOx Emissions g/km*         0.374	Combined	6.1 (46.3)
HC+NOx Emissions g/km* 0.374	CO <sub>2</sub> Emissions g/km*	
		0.374
		0.034

† The results given here do not express or imply any guarantee of fuel consumption of any model to which this brochure refers. The driver's style and road traffic conditions, as well as the extent to which the vehicle has been driven and the standard of maintenance, will all affect its fuel consumption. \*g/km = grams of emitted substance per kilometre travelled. CO<sub>2</sub> = carbon dioxide; HC = hydrocarbons; NO<sub>x</sub> = nitrogen oxide 

• = Common Rail Turbo Diesel

Model	2.0 CRTD <sup>4</sup> CDX	
Safety and security		
3 x 3 Point Rear Seatbelts	•	_
Adjustable Head Restraints - Front		
Adjustable Steering Column - Height	•	
Airbags - Side	•	
Airbags - Driver and Front Passenger	•	
Anti-lock Brakes (ABS) with Electronic Brake force Distibution (EBD)		
Childproof Rear Door Locks	•	-
Engine Immobiliser	•	-
Height Adjustable Seat Belts - Front	•	-
ISOfix Child Seat Anchorage - Rear Only	•	-
Locking Wheel Nuts	•	
Power Assisted Steering	•	
Remote Central Locking with Alarm	•	
Seatbelt Pre-tensioners with Load Limiters		
Side Impact Bars	•	
Traction Control System	•	
Interior		
Centre Console - Wood Effect	•	
Cigarette Lighter and Ashtray	•	
Cup Holders - Front	•	
Door Courtesy Lights	•	_
Door Pockets - Front	•	_
Front Armrest - with Storage Compartment Leather Gear Knob	•	_
Leather Seat Facings and Door Trim	•	-
Leather Steering Wheel	•	-
Rear Centre Arm Rest	•	-
Rear Seat - 60/40 Split, Double Folding	•	-
Seat Back Pockets - Front	•	_
Tinted Glass	•	
Exterior		
15" Alloy Wheels - Steel Spare	•	
Body Coloured Bumpers	•	
Body Coloured Door Handles and Mirrors	•	
Front Fog Lights	•	_
Metallic Paint	•	_
Mica Paint  Page Fag Lights	•	_
Rear Fog Lights Rear Spoiler with Integral Brake Light	•	-
Functional		-
5 Speed Manual Transmission	•	-
Adjustable Intermittent Front Wipers	•	-
Aerial - Electric	•	-
Climate Control	•	
Door Kick Plates	•	
Electric Door Mirrors	•	
Electric Tilt and Slide Sunroof	•	
Electric Windows - Front and Rear	•	
Heated Door Mirrors	•	
Mudflaps - Front	•	_
Oxidisation Catalyst	•	_
Rear Wash/Wipe with Intermittent Facility	•	_
Remote Fuel Filler Flap Release Seat Height Adjustment - Driver	•	-
Stereo RDS Radio/CD Player	•	-
Trip Computer	•	-
Gauges - Speedometer, Rev Counter,		-
Fuel Level, Water Temperature	•	
Warning Lights - Oil Pressure, Brake Fluid Level	,	
Battery Charge, Full Beam, Indicators, Seatbelt, Parking Brake, Airbag, ABS,	•	
Tailgate/Boot Open, Low Fuel, Fog Lights		
and Rear Fog Light		
Customer options		_
Satellite Navigation (Smartnav™)		_

<sup>●</sup> Standard equipment □ Optional equipment



1720mm excluding door mirrors



1485mm Front 1475mm Rear

The colours and finishes reproduced in this brochure are subject to the limitations of the printing process and may vary from the actual colour and paint finish.

Specifications shown in this brochure are based upon the latest available information at the time of printing.

In line with our policy of continual product improvement Hyundai Car (UK) Ltd reserves the right to make changes at any time, without notice, to prices, colours, material, design, shape, specifications and models, and to discontinue items.



2610mm 4520mm

For the latest details, please consult your Hyundai dealer.

### Hyundai Car (UK) Ltd

St John's Court, Easton Street, High Wycombe, Bucks HP11 1JX Tel: 01494 428600 Fax: 01494 428699

Customer enquiries: 0800 981981 www.hyundai.co.uk

