# Citroën Care for Car and Driver

A network of Citroën New Car Dealers, Authorised Repairers and Parts Distributors are equipped and trained to meet the needs of today's Citroën customer.

Dealers can offer advice on vehicle funding; via Citroën Contract Motoring with packages such as Contract Hire, Finance Lease or Lease Purchase for Business Users, or via Citroën Financial Services with Hire Purchase or Elect 3 Personal Contract Purchase for Retail buyers.

In addition Authorised Repairers have a team of technicians skilled in the care and maintenance of Citroën products

#### Citroën Flect 3

With the Elect 3 Personal Contract Purchase Scheme, you decide on the model which best suits your motoring needs, then set your preferred contract period and anticipated annual mileage. At the end of the contract period you have the added flexibility of part exchanging the car for another new Citroën, purchasing the vehicle or simply returning it.

#### Citroën DRIVENOW Personal Lease

DRIVENOW Personal Lease is an innovative new way to enjoy a new Citroën without the cost of ownership. With Citroën Assistance, Replacement of Wear & Tear Parts and Extended Warranty as standard for the full term of the agreement, most unforeseen costs that can prove difficult to budget for are taken care of. With leasing which can be arranged for a period of up to 4 years, DRIVENOW Personal Lease offers you a hassle free motoring solution.

#### Citroën Fleet and Business Sales

advice on important business vehicle

All Citroën New Car Dealers are dedicated to meeting the specialist needs of both the fleet and business buyer.

Their comprehensive service can include

decisions, such as alternative acquisition methods, disposal of existing cars and vans, priority servicing and much more. In short, their expertise aims to provide a 'total transport solution' for all your fleet or business vehicle needs. If you would like to contact Citroën direct for further information, please call Citroën Fleet Connect on 08457 940 940. Or look us up at: http://www.citroen.co.uk/fleet

#### Citroën ADVANTAGE

Whether you intend to keep your new Citroën for more than 3 years or simply plan to drive more than 60,000 miles during its first three years, Citroën ADVANTAGE is an extended warranty which offers a similar level of cover to Citroën's new vehicle warranty. For more information, please contact your Citroën Dealer or call 0800 587 9808.

Citroën ADVANTAGE is underwritten by Pinnacle Insurance plc. Conditions apply.

#### Citroën MAINTENANCE

What if you could relax, safe in the knowledge that for a small one off fee or a low monthly payment, you could benefit from routine servicing, replacement of wear & tear items and roadside assistance? With Citroën MAINTENANCE you can. Simply choose the period & select the mileage and you too could benefit from peace of mind motoring on your terms. For information, contact your Citroën New Vehicle Dealer or Citroën Authorised Repairer.

#### Citroën ASSISTANCE

In response to a free telephone call, Citroën ASSISTANCE brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both car and

passengers, a home call service.

replacement vehicle, hotel accommodation and vehicle storage if required. Citroën ASSISTANCE applies to all vehicles registered from 01/01/05. Please note, Citroën ASSISTANCE only applies to incidents covered by the new vehicle warranty. Full details are available on request from Citroën UK via cukcustomer\_relations@citroen.com

#### **Comprehensive Warranty**

Every new Citroën car offers the benefit of a 3 year\* warranty package, plus a 12 year anti-corrosion\*\* warranty and a 3 year paint warranty.

#### Citroën INSURANCE

Citroën INSURANCE\*\*\* is the only motor insurance designed exclusively for Citroën drivers and offers tailored cover at a competitive price. When the time comes to renew your insurance cover, call Citroën Insurance on 0870 024 2725. Lines open 8am – 8pm weekdays, 9am-5pm Saturdays. Calls may be recorded.

#### Internet

The Citroën Website contains full information on all Citroën products and offers available in the UK, together with details of our environmental and recycling policies.


The site address is: http://www.citroen.co.uk You can contact Citroën directly via cukcustomer\_relations@citroen.com

- \* 2 years' manufacturer's warranty. No-fee customer option of 1 year's Dealer provided extended warranty, only on cars sourced from Citroën UK Limited. Note: dealer provided warranty is limited to 60,000 miles for cars and 100,000 miles for light commercial vehicles.
- \*\* Against all internal to external perforation to bodywork or underbody on condition the car undergoes an inspection by a Citroën franchised Dealer every two years from its fourth anniversary
- \*\*\* Citroën Insurance is arranged by Banque PSA Finance and underwritten by UK Insurance Limited. Conditions apply.

Full details available on request.

Credit subject to status and to over 18's only. A guarantee may be required. Written quotations available on request from Citroën Financial Services, Quadrant House, Princess Way, Redhill, Surrey RH1 1QA. Citroën Financial Services is a trading name of Banque PSA Finance. Telephone calls may be recorded or monitored for training or quality purposes.






All measurements in millimetres

K10616







www.citroen.co.uk

Citroën UK Limited, 221 Bath Road, Slough, SL1 4BA


NOTE: Every endeavour has been made to ensure that the information and details contained in this specification leaflet were accurate at the time of going to press September 2006. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this leaflet up to date, but in order to avoid any misunderstandings please consult your Dealer.



# PRODUCT & TECHNICAL INFORMATION

SEPTEMBER 2006









# Outstanding vigilance


#### LANE DEPARTURE WARNING SYSTEM (LDWS)

This remarkable piece of equipment makes long tedious journeys on motorways or major roads so much safer. Operating at speeds over 50mph, the system detects any crossing of white lines through infra-red sensors located under the front bumper. If no indicator is being used, the driver is warned by vibrations that emanate from either the left or the right side of the driving seat, depending in which direction the drift is taking place. Corrective action can then be immediately taken to rectify the drift.

LDWS is available as an option on Exclusive/VTS models specified with the Mistral dashboard ambience.



The C4's headlamps activate automatically in fading light or rainfall. Standard on COOL/VTR+/Exclusive/VTS.



The sophisticated Xenon dual function directional headlamps operate on full and dipped beam. The directional functionality means they also follow the turn of the steering wheel for an incredibly wide field of vision. Any dangers lurking in those dark corners on bends are now fully exposed. Standard on Exclusive/VTS.

### Best of both worlds

#### THE NEW EGS GEAR BOX

The new Electronic Gearbox System (E.G.S) brings two gearboxes together into one, to give the best of both worlds.

It gives a fast and precise manual gearbox controlled by paddles or a gear lever alongside a smooth and efficient automatic transmission. When in manual mode, the driver remains in full control of gear changes but without the hassle of clutch pedal operation. The result is dynamic and precise, yet undemanding, so the driver can experience maximum driving enjoyment with minimum effort. When the driver wishes to relax completely, they can choose the automatic mode, where the gear changes are made by the E.G.S, seamlessly and effortlessly.

The E.G.S gearbox has been developed as a completely new gearbox, cleverly designed to deliver the key benefits of a quick and smooth transmission, fuel efficiency and a reduction in emissions. The use of paddles brings important safety benefits too, as the drivers hands never have to leave the steering wheel.

#### CITROËN E.G.S KEY BENEFITS

- Flexibility with choice and ease of use
- Smoothness of operation
- Fast and precise gear changes
- A choice of **6 Speeds**
- Improved fuel consumption and Reduced emissions
- Easy hill starts and manoeuvrability
- Auto-adaptive response to all driving styles
- Enhanced safety



Please note: the leather trim depicted above is not available in the UK C4 range



# Superb sounds and so much more

The quality stereo radio/CD player is located in the centre of the dashboard with an off-set display that is clearly visible from every seat. The sound system volume automatically adjusts according to the C4's speed for an optimum listening experience.

The optional JBL Hi-fi system has been especially designed for the C4 cabin resulting in a superb made-to-measure sound performance.

Its sub-woofer gives exceptional depth and quality of sound and is situated in the boot.

Working with voice-recognition technology, the Bluetooth® system means that as long as your mobile phone is compatible, you can use it easily, safely and legally.

It works by the C4 taking over the functionality of the phone. Please note that this feature is not compatible with NaviDrive.

Hands-free calls are now a cinch. Just use the controls at the base of the steering wheel (part of the optional NaviDrive) and your voice is picked up by the microphone built into the courtesy light console. And the voice-recognition system feature means you can make hands-free outbound calls too.

Whether automatic or manually operated, the air-conditioning system boasts an advanced filter together with an air recycling feature. The automatic system also features dual-zone functionality so that driver and front passenger can enjoy their own temperature settings.

So you can travel in comfort without compromising your safety.

Bluetooth\* is available as an option from SX/VTR models up excluding COOL.

# Sit back in comfort and take in the air.

Sit back in comfort and take in the air. The pleasant scented air of the innovative air freshener that's stylishly integrated into the dashboard design. So now, you have the option of indulging yet another one of your senses in the C4. All models except LX/VT.






### Cabin comforts

With the standards having been set by the curvaceously elegant good looks and impressive performance, the C4's interior has a lot to live up to. And it does it with ease. The attractive cabin living space combines comfort together with all the equipment and practicalities that are needed to make the travelling experience a real pleasure. Comfort like the outstandingly generous rear passenger legroom that prevails even when the front seats are pushed right back. And when it comes to pragmatics, check out the myriad of storage spaces. There's no fewer than 32 (maximum configuration) situated throughout the cabin together with an ample boot that on some models can be compartmentalised into 4 sections to create flexible storage solutions.



Push/pull drawers situated either side of the dashboard are home to the loose change that comes in so handy for parking. All models except LX/VT.



The front doors feature two storage areas including one large enough to store a 0.5L bottle of water.



The drawer located beneath the front passenger seat provides a discreet and accessible place to stow items away from prying eyes.



15" 'Arromanche' steel wheels on LX/VT



16" 'Radicale' alloy wheels on SX/VTR/COOL



17" 'Resolfen' alloy wheels on VTR+/VTS




17" 'Toka-Toka' alloy wheels on Exclusive



The Special Edition C4 COOL comes packed with even more equipment but you won't have to pay a penny extra. So, stay chilled because the upgrade you've been wanting but couldn't afford could now be well within your reach.


You'll really appreciate the automatic air conditioning that provides dual zone climate control delivering

optimum comfort levels for both driver and passengers. The C4 COOL is also equipped with automatic windscreen wipers and headlights. Finally, to add to the sheer pleasure of the driving experience, your new C4 COOL will come complete with a leather steering wheel and electric rear windows on Hatchback models. And remember, with the C4 COOL it all comes fully inclusive. So don't miss this free upgrade opportunity.




Euro NCAP date assessed: C4 Hatchback November 2004


# **COLOUR & TRIM AVAILABILITY**



## SEATING



'Comfort' seats\*
Standard on LX/VT, SX, COOL and Exclusive.



'Sport' seats

Standard on VTR, COOL, VTR+, VTS and Exclusive models with Leather option.

Colours are shown for illustration purposes only. Please consult Colour Display in Dealership.

<sup>\*</sup>Trim shown not available in UK.



## **EQUIPMENT SPECIFICATION**

# CITROËN C4

# **EQUIPMENT SPECIFICATION**

#### **Body Availability** Hatchback (LX/SX/COOL/VTR+/Exclusive) Coupé (VT/VTR/COOL/VTR+/VTS) **Engine Availability** 1.4i 16V 90hp 1.6i 16V 110hp 1.6i 16V 110hp Auto 2.0i 16V 143hp 2.0i 16V 143hp Auto 2.0i 16V 180hp 1.6HDi 16V 92hp 1.6HDi 16V 110hp 1.6HDi 16V 110hp EGS 2.0HDi 16V 138hp 6-speed 2.0HDi 16V 138hp Auto 6-speed Safety & Security ABS with Electronic Brakeforce Emergency Braking Assistance (EBA) Electronic Stability Programme (with Traction Control) Adaptive driver's and front passenger's airbags Front lateral airbags / Side window airbags Front passenger's airbag deactivation switch Front seat belt pre-tensioners with force-limiters (height adjustable on Hatchback) Seatbelt 'unfastened' warning light Automatic activation of hazard warning lights (in case of rapid deceleration) Energy absorbing side impact protection Transponder immobiliser High frequency multi-functional remote control central locking with deadlocks (one plip) Child lock indicator Security Pack (Anti-theft alarm (perimetric and volumetric) and Laminated Side Acoustic Glass) Programmable automatic door and boot locking (when car in motion) Automatic re-locking after 30 seconds (when using the plip - if the doors and boot remain unopened) Tyre Pressure Detector Lockable filler cap Lane Departure Warning System (LDWS) (only available with Mistral Dashboard Ambience)<sup>1</sup> Style Exterior Standard front bumper with straight air intake Sport front bumper with straight air intake Sport front bumper with curved air intake Body colour painted bumper inserts Body colour painted bumper inserts with chrome Body colour painted side rubbing strips Body colour painted door handles Brushed chrome painted door handles Body colour painted door mirror housing (upper part) Sport rear spoiler Chrome tailpipe 15" Full width 'Arromanche' wheel trims 16" 'Radicale' alloy wheels (set of 4) 17" 'Resolfen' alloy wheels (set of 4)

17" 'Toka-Toka' alloy wheels (set of 4)

0 0 0 0

Metallic/Pearlescent Paint

					ည
	_	≅		_	Exclusive/VTS
	LXVI	SX/VTR	1000	VTR+	Exclu
Interior					
Front door sills					/0
Chrome insert on front doors armrest Chrome insert on doors armrest					-/•
Aluminium drilled pedals					-/0
Leather steering wheel		-/•	•	•	-/-
Leather steering wheel with chrome inserts					•
Leather gear lever knob				(HDi 138hp	
Aluminium gear lever knob				Hatch)	-/ (Except HE 138hp)
Lighting					
Front fog lights		•	•	•	•
Height adjustable headlamps	•	•	•	•	•
Halogen 'Boomerang' headlamps	•	•	•	•	
Xenon Dual Function Directional Headlamps (Boomerang-shaped)					•
Automatic illumination of headlamps			•	•	•
'Guide-me-home' headlamps which can be selected to stay on for 60 seconds approx. after					
ignition is switched off, activated using the plip					•
Front door sill and footwell lighting					•
Boot courtesy light	•	•	•	•	•
Interior lights come on when vehicle is unlocked and remain on until ignition is switched on	•	•	•	•	•
Comfort & Convenience					
Cruise control and speed limiter	•	•	•	•	•
12V socket and cigar lighter				•	•
Manual air conditioning		•			
Automatic digital air conditioning with			•	•	•
dual-zone temperature setting					
Heat-reflecting windscreen Scented air freshener*					
Tinted windows	•	•	•	•	•
Variable power assisted steering	•	•	•	•	•
Height and tilt adjustable multi-functional fixed centred controls steering wheel	•	•	•	•	•
Automatic rain sensitive windscreen wipers			•	•	•
Panoramic fixed sunroof				0	0
with darkened tailgate window Electric front windows with 'one-touch'					
operation and 'anti pinch'	•	•	•	•	•
Electric rear windows with 'one-touch'			•	•	•/-
operation and 'anti pinch' Electric rear windows and automatic child			(5 door)	(5 door)	-/
lock controls situated on driver's door keypad Electric door mirrors				(5 door)	•/-
Heated and folding door mirrors					
Electrochrome rearview mirror  Driver's and front passenger's sunvisors with				•	•
covered courtesy mirrors and map holder  Driver's and front passenger's sunvisors with					
covered and illuminated courtesy mirrors and map holder					•
Automatic rear wiper (when reversed gear is engaged and the front wipers are on)  Flat blade front wipers	•	•	•	•	•
Driver Information					
Rev counter on steering column Central translucent instrument display					
Oil level gauge					
Maintenance indicator	•	•	•		•
Exterior temperature display	•	•	•	•	•
Door ajar/boot open warning	•	•	•	•	•
Multi-function on-board trip computer	•	•	•	•	•
Front parking sensor (directionally audible and visual)					0
Rear parking sensor (directionally audible and visual <sup>2</sup> )				0	•
'Black Panel' function					
_					
Seating					
_	•	• •/-	(5 door)	•	● ●/-

		œ			
	LXVI	SX/VTR	T000	VTR+	
Driver's seat lumbar adjustment				•	
Height adjustable front head restraints	•	•	•	•	
Split/folding rear seat with three retractable head restraints	•	•	•	•	
Front central armrest				•	
Rear central armrest with storage, two integrated cup holders and space for two pens Isofix child seat anchorage points on two outer rear seats	•	•	•	•	
Storage					
Illuminated glove box with sunglasses storage					
Open storage under lateral and central air vents	•		_		
'Push/Pull' drawer under the lateral and central air vents***		•	•	•	
Open storage area on driver's side (lower section of the dashboard)	•	•	•	•	
Four front door pockets (two on each door)	•	•	•	•	
Two rear door pockets (one on each door)	•	•	•	•	
Sunglasses holder (on driver's side)				•	
Seat back storage nets	•	•	•	•	
Small drawer under passenger seat	•	•	•	•	
Open storage compartment in the right hand side of the boot (not compatible with optional JBL Hi-fi)	•	•	•	•	
Storage compartment in the left side of boot	Open	Open	Open	With lid	W
Multi-functional boot net				•	
Boot foldaway partition (not compatible with optional JBL Hi-fi)				•	
In-Car Entertainment					
RDS stereo radio/CD player	•	•	•	•	
5-CD autochanger fitted in front central armrest			_	0	
Speed sensitive stereo volume	•	•	•	•	
Bluetooth® system <sup>4/6</sup>		0		0	
JBL Hi-Fi System (amplifier, 9 loudspeakers incl. a subwoofer, bi-tuner radio, double antenna + MP3 reader) <sup>6</sup>				0	
Option Summary					
Electronic Stability Programme (with Traction Control)	0	(1.6HDi 110hp) O (other engines)		(1.6i 16V)	
Security Pack (Anti-theft alarm (perimetric and volumetric) and Laminated Acoustic Side Glass)				0	
Lane Departure Warning System (LDWS) (only available with Mistral Dashboard Ambience) <sup>1</sup>					
Metallic/Pearlescent Paint	0	0	0	0	
Panoramic fixed sunroof				0	
Front parking sensor (directionally audible and visual)  Rear parking sensor (directionally audible and visual)				0	
Leather Pack <sup>3</sup>				0	
5-CD autochanger fitted in front central armrest				0	
NaviDrive Pack (Radio/CD player/Colour Satellite					
Navigation/prione, 16/9 colour screen)**					
Navigation/phone, 16/9 colour screen) <sup>4/5</sup> Bluetooth® System <sup>4/6</sup>		0		0	

#### ● Standard equipment ○ Optional factory fitted equipment

ABS with Electronic Brakeforce Distribution (EBD) & Emergency	
Braking Assistance (EBA)	
Driver's, front passenger's adaptive airbags, front lateral and side	
window airbags	
Front seat belts with pre-tensioners and force-limiters	
Multi-function on-board trip computer	
RDS stereo radio/CD player with six speakers	
High frequency remote control central locking	
Electric front windows with one-touch operation and anti pinch	
Electric door mirrors	
Variable power assisted steering	
Cruise control	
Speed limiter	
Manual air conditioning	
Front fog lights	
16" Alloy wheels	
Scented Air Freshener	
Leather steering wheel (Coupé only)	
ESP with traction control (1.6HDi 16V 110hp SX)	
Automatic digital air conditioning with dual zone temperature setting	

#### Electric Rear Windows (Hatchback only) Leather Steering Wheel (already standard on VTR)

- COOL badging

- ESP with traction control (option on 1.6i 16V)
- Front central armrest
- Driver's seat lumbar adjustment

Air conditioned glove box

Automatic rain sensitive wipers Automatic illumination of headlamps

- Electrochrome rear view mirror
- Heat reflecting windscreen
- 17" Alloy wheels
- Rear central armrest with storage, two integrated cup holders and space for two pens
- Boot foldaway partition (except with JBL Hi-Fi option)

- Laminated Side Acoustic Glass
- Anti-theft alarm
- Tyre Pressure Detector
- Xenon Dual Function Directional Headlamps
- Front door sill and footwell lighting
- Heated and folding electric door mirrors
- Rear parking sensor
- Five CD autochanger (fitted in front central armrest)

<sup>&</sup>lt;sup>1</sup> Lane Departure Warning System (LDWS) is only available with Mistral Dashboard Ambience. (please refer to the Exterior Body Colour/Interior Seat Trim table).

Rear parking sensor visual only available with Navidrive Pack or front parking sensors.

<sup>&</sup>lt;sup>3</sup> Mistral or Wadibis Leather Pack contains: Heated seats and Leather Upholstery (please refer to the Exterior Body Colour/Interior Seat Trim table). In addition Hatchback models include electric driver's seat, additional plip, indexable passenger door mirror.

<sup>&</sup>lt;sup>4</sup> Bluetooth® System and NaviDrive are NOT compatible.

NaviDrive Pack must be ordered with NaviDrive CD-Rom

<sup>&</sup>lt;sup>6</sup> The MP3 function available with JBL Hi-Fi is not compatible with optional NaviDrive Pack. Therefore a customer who wants to order both JBL Hi-Fi and NaviDrive on Hatchback Exclusive models or Coupé VTS models will not have MP3 as part of the Hi-Fi system. MP3 function works from MP3 encoded CD/R's. JBI Hi-Fi is NOT compatible with Bluetooth System

<sup>\*</sup> Scented Air Freshener supplied with an introductory pack of 3 scents. Further scents available at

<sup>\*\*</sup> Exclusive models specified with optional leather pack will feature sports seats.

<sup>\*\*\*</sup> No "Push/Pull" drawer under central air vent when vehicle is specified with NaviDrive Pack



# **TECHNICAL SPECIFICATION**

Petrol Engines

	1.4i 16V 90hp Euro IV	1.6i 16V 110hp Euro IV	1.6i 16V 110hp Auto Euro IV	2.0i 16V 143hp Euro IV	2.0i 16V 143h Auto Euro IV	
Capacity (cc)	1360	1587	1587	1997	1997	
Cylinders	4 in line	4 in line	4 in line	4 in line	4 in line	
ore and stroke (mm)	75.0x77.0	78.5x82.0	78.5x82.0	85.5x88.0	85.0x88.0	
Max power DIN (hp/rpm)	90/5250	110/5800	110/5800	143/6000	143/6000	
flax torque DIN (lb.ft/rpm)	98/3250	108/4000	108/4000	148/4000	148/4000	
uel system	33,3233		pint electronic fuel injection		2.10, 1000	
Transmission						
ive speed manual	•	•		•		
our speed automatic			•		•	
lutch type	Dry single plate	Dry single plate	NA	Dry single plate	NA	
Performance						
Max speed (mph)	113	121	117	129	128	
-62 mph (secs)	12.8	10.6	13.1	9.2	10.1	
Standing 1000m (secs)	34.5	32.1	34.3	30.3	31.3	
B. All figures driver alone	54.5	52.1	04.0	30.3	01.0	
Economy Litres/100km (mpg)						
Jrban cycle	8.7 (32.5)	9.5 (29.7)	10.6 (26.6)	10.7 (26.4)	11.7 (24.1)	
xtra urban	5.2 (54.3)	5.7 (49.6)	5.8 (48.7)	5.8 (48.7)	6.1 (46.3)	
Combined	6.4 (44.1)	7.1 (39.8)	7.6 (37.2)	7.6 (37.2)	8.1 (34.9)	
I.B. Official Government test fuel consumption figures	511 (1111)	, (65.6)	7.0 (07.2)	7.0 (07.2)	0.1 (0)	
CO <sub>2</sub> Emissions (g/km)	153	169	180	182	193	
2 .0 .						
Wheels & Tyres 15" Full width 'Arromanche' wheel trims with 195/65R15H tyres	• (LX)					
6" 'Radicale' alloy wheels (4) with 205/55R16V tyres	• (SX)	• (SX) (COOL)	• (SX)			
7" 'Resolfen' alloy wheels (4) with 205/50R17W tyres	- (6/()	● (VTR+)	- (0/1)	● (VTR+)		
7" 'Toka-Toka' alloy wheels (4) with 205/50R17W tyres		• (VII(I)		(VII(I)	• (Exclusive)	
Weights (kg)						
Unladen weight	1182	1200	1274	1276	1292	
Max laden weight	1702	1732	1794	1772	1812	
Max towing weight braked	1200	1200	1200	1300	1300	
<u> </u>						
Max tow hitch download  Max roof rack load	63 75	61 75	62 75	62 75	66 75	
ilax rooi rack roau	73	73	73	75	75	
Brakes	ABS	S with EBD and EBA as s	standard on all models. From	nt ventilated discs, rear	discs	
Steering		Va	riable power assisted steer	ing		
	2 88		riable power assisted steer	_	2 88	
Number of turns lock to lock	2.88 10.70	2.88 10.70	riable power assisted steer 2.88 10.70	2.88 10.70	2.88 10.70	
Number of turns lock to lock Furning circle between kerbs (m)	10.70	2.88 10.70	2.88	2.88 10.70	10.70	
Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Canacity Litres (gall	10.70 Anti-roll bars	2.88 10.70	2.88 10.70	2.88 10.70	10.70	
Number of turns lock to lock Furning circle between kerbs (m)	10.70 Anti-roll bars	2.88 10.70	2.88 10.70	2.88 10.70	10.70	
Sumber of turns lock to lock furning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (gall	10.70 Anti-roll bars	2.88 10.70	2.88 10.70 acpherson strut/coil springs re	2.88 10.70	10.70	
Jumber of turns lock to lock Jurning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (gall  Boot Volumes & Dimensions	10.70  Anti-roll bars  ONS)	2.88 10.70 front and rear - front: Ma	2.88 10.70 acpherson strut/coil springs re 60 (13)	2.88 10.70 ear: independent trailing a	10.70 nrms/torsion bars	
Number of turns lock to lock Furning circle between kerbs (m) Suspension	10.70 Anti-roll bars	2.88 10.70	2.88 10.70 acpherson strut/coil springs re	2.88 10.70	10.70	



# TECHNICAL SPECIFICATION

**Diesel Engines** 

Engine	1.6HDi 16V 92hp Euro IV	1.6HDi 16V 110hp Euro IV	1.6HDi 16V 110hp DPFS EGS Euro IV	2.0HDi 16V 138hp 6 speed Euro IV	2.0HDi 16V 138hp DPFS Auto 6-speed Euro IV
Capacity (cc)	1560	1560	1560	1997	1997
Cylinders	4 in line	4 in line	4 in line	4 in line	4 in line
Bore and stroke (mm)	75.0x88.3	75.0x88.3	75.0x88.3	85.0x88.0	85.0x88.0
Max power DIN (hp/rpm)	92/4000	110/4000	110/4000	138/4000	100/4000
Max torque DIN (lb.ft/rpm)	159/1750	177/1750	177/1750	236/2000	320/2000
Fuel system	100/1/00		pressure direct diesel inj		020/2000
Tuoi System		riigii	pressure uncer dieser inj	cettori	
Transmission					
Five speed manual	•	•			
Six speed manual				•	
Six speed EGS			•		
Six speed automatic					•
Clutch type			Dry single plate		
Performance					
Max speed (mph)	112	119	119	129	128
0-62 mph (secs)	12.5	11.2	11.2	9.7	10.4
Standing 1000m (secs)	34.1	32.6	32.6	30.9	31.7
N.B. All figures driver alone					
Economy Litres/100km (mpg)					
Urban cycle	5.9 (47.9)	6.1 (46.3)	5.8 (48.7)	7.2 (39.2)	9.1 (31.0)
Extra urban	4.1 (68.9)	4.0 (70.6)	3.8 (74.3)	4.6 (61.4)	5.1 (55.4)
Combined  N.B. Official Government test fuel consumption figures	4.7 (60.1)	4.8 (58.8)	4.5 (62.8)	5.5 (51.4)	6.6 (42.8)
N.B. Official dovernment test fuel consumption figures					
CO <sub>2</sub> Emissions (g/km)	125	128	120	145	175
Wheels & Tyres  15" Full width 'Arromanche' wheel trims with 195/65R15H tyres	• (LX)				
16" 'Radicale' alloy wheels (4) with 205/55R16V tyres	• (SX) (COOL)	• (SX)	• (SX)		
17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres	(0//) (000L)	● (VTR+)	• (VTR+)	● (VTR+)	● (VTR+)
17" 'Toka-Toka' alloy wheels (4) with 205/50R17W tyres		O (VII(1)	• (VII(I)	• (Exclusive)	• (Exclusive)
Weights (kg)					
Unladen weight	1257	1280	1293	1381	1416
Max laden weight	1777	1800	1800	1849	1880
Max towing weight braked	1300	1300	1300	1500	1570
Max tow hitch download	66	66	65	73	70
Max roof rack load	75	75	75	75	75
Brakes	ABS	S with EBD and EBA as st	andard on all models. Fro	ont ventilated discs, rear	discs
_					
Steering		Vari	able power assisted stee	ering	
Number of turns lock to lock	2.88	2.88	2.88	2.69	2.69
Turning circle between kerbs (m)	10.70	10.70	10.70	11.40	11.40
Suspension	Anti-roll bars	front and rear - front: Macp	herson strut/coil springs re	ear: independent trailing a	rms/torsion bars
Fuel Tank Capacity Litres (galle	ons)				
			60 (13)		
Boot Volumes & Dimensions					
Seats up - below parcel shelf (litres VDA)	320	320	320	320	320
Max access width (mm)	1034	1034	1034	1034	1034
Max access height (mm)	791	791	791	791	791



# **TECHNICAL SPECIFICATION**

**Petrol Engines** 

0 11 ( )	1.4i 16V 90hp Euro IV	1.6i 16V 110hp Euro IV	2.0i 16V 143hp Euro IV	2.0i 16V 180hp Euro IV
Capacity (cc)	1360	1587	1997	1997
Cylinders	4 in line	4 in line	4 in line	4 in line
Bore and stroke (mm)	75.0x77.0	78.5x82.0	85.0x88.0	85.0x88.0
Max power DIN (hp/rpm)	90/5250	110/5800	143/6000	180/7000
Max torque DIN (lb.ft/rpm)	98/3250	108/4000	148/4000	149/4750
Fuel system		Multi-point electronic	fuel injection system	
Transmission				
Five speed manual	•	•	•	•
Clutch type		Dry sing	gle plate	
Performance				
Max speed (mph)	113	121	129	141
0-62 mph (secs)	12.8	10.6	9.2	8.3
Standing 1000m (secs)	34.5	32.1	30.3	28.9
N.B. All figures driver alone				
Economy Litres/100km (mpg)				
Urban cycle	8.7 (32.5)	9.5 (29.7)	10.7 (26.4)	11.7 (24.1)
Extra urban	5.2 (54.3)	5.7 (49.6)	5.8 (48.7)	6.5 (43.5)
Combined	6.4 (44.1)	7.1 (39.8)	7.6 (37.2)	8.4 (33.6)
N.B. Official Government test fuel consumption figures	0.4 (44.1)	7.1 (55.0)	7.0 (37.2)	0.4 (55.0)
CO <sub>2</sub> Emissions (g/km)	153	169	182	200
Wheels & Tyres				
15" Full width 'Arromanche' wheel trims with 195/65R15H tyres	• (VT)			
16" 'Radicale' alloy wheels (4) with 205/55R16V tyres	• (VTR)	• (VTR) (COOL)		
17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres		● (VTR+)	● (VTR+)	• (VTS)
Weights (kg)				
Unladen weight	1181	1200	1288	1337
Max laden weight	1701	1720	1770	1768
Max towing weight braked	1200	1200	1300	1100
Max tow hitch download	63	61	62	57
Max roof rack load	75	75	75	75
Brakes	ADC with	EDD and EDA as standard an a	II madala Frant vantilated disco	raor diaga
Bianes	ADS WILLI	EBD and EBA as standard on a	ii iiioueis. Fiorit veritiiateu uiscs	, rear discs
Steering		Variable power	assisted steering	
3	2.88	2.88	2.88	2.88
		10.70	10.70	
Number of turns lock to lock	10.70	10.70		10.70
Number of turns lock to lock Turning circle between kerbs (m)			coil springs rear-independent trai	
Number of turns lock to lock Turning circle between kerbs (m) Suspension	Anti-roll bars front ar	nd rear - front: Macpherson strut/	coil springs rear: independent trai	
Number of turns lock to lock Turning circle between kerbs (m)	Anti-roll bars front ar	nd rear - front: Macpherson strut/		
Number of turns lock to lock Turning circle between kerbs (m) Suspension	Anti-roll bars front ar	nd rear - front: Macpherson strut/	coil springs rear: independent trai	
Number of turns lock to lock Turning circle between kerbs (m) Suspension	Anti-roll bars front ar	nd rear - front: Macpherson strut/		
Number of turns lock to lock Furning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (galle  Boot Volumes & Dimensions	Anti-roll bars front ar	nd rear - front: Macpherson strut/		
Number of turns lock to lock Turning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (gallo	Anti-roll bars front an	nd rear - front: Macpherson strut/o	(13)	ling arms/torsion bars



# **TECHNICAL SPECIFICATION**

**Diesel Engines** 

Engine	1.6HDi 16V 92hp Euro IV	1.6HDi 16V 110hp Euro IV	1.6HDi 16V 110hp DPFS EGS Euro IV	2.0HDi 16V 138 6 speed Euro IV
Capacity (cc)	1560	1560	1560	1997
Cylinders	4 in line	4 in line	4 in line	4 in line
Bore and stroke (mm)	75.0x88.3	75.0x88.3	75.0x88.3	85.0x88.0
Max power DIN (hp/rpm)	92/4000	110/4000	110/4000	138/4000
Max torque DIN (lb.ft/rpm)	159/1750	177/1750	177/1750	236/2000
uel system		High pressure dire	ect diesel injection	
Transmission				
ive speed manual	•	•		
six speed manual				•
six speed EGS				
Clutch type		Dry sing	gle plate	_
Performance				
	110	110	110	120
Max speed (mph)	112	119	119	129
0-62 mph (secs)	12.5	11.2	11.2	9.7
Standing 1000m (secs)  N.B. All figures driver alone	34.1	32.6	32.6	30.9
-				
Economy Litres/100km (mpg)	F 0 (47 0)	C 1 (4C 2)	F 0 (40.7)	7.0 (20.0)
Urban cycle	5.9 (47.9)	6.1 (46.3)	5.8 (48.7)	7.2 (39.2)
Extra urban	4.1 (68.9)	4.0 (70.6)	3.8 (74.3)	4.6 (61.4)
Combined	4.7 (60.1)	4.8 (58.8)	4.5 (62.8)	5.5 (51.4)
CO Emissions (a/km)	125	128	120	145
CO <sub>2</sub> Emissions (g/km)	123	120	120	143
Wheels & Tyres	• (VTR) (COOL)	120	120	140
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres		● (VTR+)	● (VTR+)	● (VTS)
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres				
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)				
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight	● (VTR) (COOL)  1255	● (VTR+) 1279	● (VTR+) 1293	● (VTS) 1379
Wheels & Tyres  6" 'Radicale' alloy wheels (4) with 205/55R16V tyres  7" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight	● (VTR) (COOL)  1255 1775	● (VTR+)  1279 1799	● (VTR+)  1293 1790	● (VTS)  1379 1835
Wheels & Tyres  1.6" 'Radicale' alloy wheels (4) with 205/55R16V tyres  1.7" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight  Max towing weight braked	● (VTR) (COOL)  1255 1775 1300	● (VTR+)  1279  1799  1300	● (VTR+)  1293 1790 1300	● (VTS)  1379 1835 1500
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight  Max towing weight braked  Max tow hitch download	● (VTR) (COOL)  1255 1775 1300 66	● (VTR+)  1279 1799 1300 66	● (VTR+)  1293 1790 1300 65	● (VTS)  1379 1835 1500 73
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight  Max towing weight braked  Max tow hitch download	● (VTR) (COOL)  1255 1775 1300	● (VTR+)  1279  1799  1300	● (VTR+)  1293 1790 1300	• (VTS)  1379 1835 1500
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight  Max towing weight braked  Max tow hitch download  Max roof rack load	● (VTR) (COOL)  1255 1775 1300 66 75	● (VTR+)  1279 1799 1300 66	● (VTR+)  1293 1790 1300 65 75	● (VTS)  1379 1835 1500 73 75
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes	● (VTR) (COOL)  1255 1775 1300 66 75	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs	● (VTS)  1379 1835 1500 73 75
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs	● (VTS)  1379 1835 1500 73 75  4, rear discs
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight  Max towing weight braked  Max roof rack load  Brakes  Steering  Number of turns lock to lock	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all  Variable power at 2.88	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs assisted steering 2.88	● (VTS)  1379 1835 1500 73 75  4, rear discs
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight  Max towing weight braked  Max tow hitch download  Max roof rack load  Brakes  Steering  Number of turns lock to lock  Turning circle between kerbs (m)	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs	● (VTS)  1379 1835 1500 73 75  4, rear discs
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with  2.88 10.70	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all  Variable power at 2.88	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs assisted steering 2.88 10.70	• (VTS)  1379 1835 1500 73 75  4, rear discs  2.69 11.40
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering  Number of turns lock to lock Turning circle between kerbs (m)	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with  2.88 10.70  Anti-roll bars front an	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all  Variable power at 2.88 10.70	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs assisted steering 2.88 10.70	• (VTS)  1379 1835 1500 73 75  4, rear discs  2.69 11.40
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight  Max laden weight  Max towing weight braked  Max tow hitch download  Max roof rack load  Brakes  Steering  Number of turns lock to lock  Turning circle between kerbs (m)  Suspension	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with  2.88 10.70  Anti-roll bars front an	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all  Variable power at 2.88 10.70	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs assisted steering 2.88 10.70  coil springs rear: independent trai	• (VTS)  1379 1835 1500 73 75  4, rear discs  2.69 11.40
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres 17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load  Brakes  Steering Number of turns lock to lock Furning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (gallo	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with  2.88 10.70  Anti-roll bars front an	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all  Variable power at 2.88 10.70  nd rear - front: Macpherson strut/o	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs assisted steering 2.88 10.70  coil springs rear: independent trai	• (VTS)  1379 1835 1500 73 75  4, rear discs  2.69 11.40
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres 17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight Wax laden weight Wax laden weight Wax towing weight braked Wax roof rack load  Brakes  Steering Number of turns lock to lock Furning circle between kerbs (m)  Suspension  Fuel Tank Capacity Litres (gallo	● (VTR) (COOL)  1255 1775 1300 66 75  ABS with  2.88 10.70  Anti-roll bars front an	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all  Variable power at 2.88 10.70  nd rear - front: Macpherson strut/o	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs assisted steering 2.88 10.70  coil springs rear: independent trai	• (VTS)  1379 1835 1500 73 75  4, rear discs  2.69 11.40
Wheels & Tyres  16" 'Radicale' alloy wheels (4) with 205/55R16V tyres  17" 'Resolfen' alloy wheels (4) with 205/50R17W tyres  Weights (kg)  Unladen weight Max laden weight Max towing weight braked Max tow hitch download  Max roof rack load  Brakes  Steering  Number of turns lock to lock  Turning circle between kerbs (m)  Suspension	• (VTR) (COOL)  1255 1775 1300 66 75  ABS with  2.88 10.70  Anti-roll bars front all	● (VTR+)  1279 1799 1300 66 75  EBD and EBA as standard on all  Variable power at 2.88 10.70  Indicate the front of the following structors are structors and the following structors are structors and the following structors are structors are structors and the following structors are structors.	● (VTR+)  1293 1790 1300 65 75  Il models. Front ventilated discs assisted steering 2.88 10.70  coil springs rear: independent trai	• (VTS)  1379 1835 1500 73 75  , rear discs  2.69 11.40  ling arms/torsion bars