Citroën Care for Car and Driver

A network of Citroën New Car Dealers, Authorised Repairers and Parts Distributors are equipped and trained to meet the needs of today's Citroën customer.

Dealers can offer advice on vehicle funding; via Citroën Contract Motoring with packages such as Contract Hire, Finance Lease or Lease Purchase for Business Users, or via Citroën Financial Services with Hire Purchase or Elect 3 Personal Contract Purchase for Retail buyers.

In addition Authorised Repairers have a team of technicians skilled in the care and maintenance of Citroën products.

Citroën Elect 3

With the Elect 3 Personal Contract Purchase Scheme, you decide on the model which best suits your motoring needs, then set your preferred contract period and anticipated annual mileage. At the end of the contract period you have the added flexibility of part exchanging the car for another new Citroën, purchasing the vehicle or simply returning it.

Citroën Fleet and Business Sales

All Citroën New Car Dealers are dedicated to meeting the specialist needs of both the fleet and business buyer. Their comprehensive service can include advice on important business vehicle decisions, such as alternative acquisition methods, disposal of existing cars and

vans, priority servicing and much more. In short, their expertise aims to provide a 'total transport solution' for all your fleet or business vehicle needs. If you would like to contact Citroën direct for further information, please call Citroën Fleet Connect on 08457 940 940. Or look us up at: http://www.citroen.co.uk/fleet

Ensure Maintenance Contract

Relax and be assured that your vehicle is always maintained to the highest standards and is in perfect working order with an Ensure Maintenance Contract. This contract offers you made-tomeasure solutions to help you control and spread the running costs of your new Citroën. The contract can last from 1 to 3 years – with a mileage limit from 10.000 to 120.000 miles. It covers the cost of scheduled servicing, the replacement of worn items (excl. tyres), MOT test and the benefit of Citroën Assistance. In addition to the standard contract, you may also choose from different options to cover the supply and fitment of replacement types or to enhance the level of your cover for courtesy vehicle.

Citroën Assistance

In response to a free telephone call, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both car

and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. Citroën Assistance applies to all vehicles registered from 01/01/05. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty. Full details are available on request from Citroën UK via cukcustomer relations@citroen.com

Comprehensive Warranty

Every new Citroën car offers the benefit of a 3 year* warranty package, plus a 12 year anti-corrosion** warranty and a 3 year paint warranty.

Citroën Insurance

Citroën Insurance*** is the only motor insurance designed exclusively for Citroën drivers and offers tailored cover at a competitive price.

When the time comes to renew your insurance cover, call Citroën Insurance on 0870 024 2725. Lines open 8am - 8pm weekdays, 9am-5pm Saturdays. Calls may be recorded.

Internet

The Citroën Website contains full information on all Citroën products and offers available in the UK, together with details of our environmental and recycling policies. The site address is: http://www.citroen.co.uk You can contact Citroën directly via cukcustomer relations@citroen.com


* 2 years' manufacturer's warranty. No-fee customer option of 1 year's Dealer provided extended warranty, only on cars sourced from Citroën UK Limited. Note: dealer provided warranty is limited to 60,000 miles for cars and 100,000 miles for light commercial vehicles.


** Against all internal to external perforation to bodywork or underbody on condition the car undergoes an inspection by a Citroën franchised Dealer every two years from the fourth environment from its fourth anniversary.


*** Citroën Insurance is arranged by Banque PSA Finance and underwritten by UK Insurance Limited. Conditions apply.

Full details available on request.


Credit subject to status and to over 18's only. A guarante may be required. Written quotations available on request from Citroën Financial Services, Quadrant House, Princess Way, Redhill, Surrey RH1 1QA. Citroën Financial Services is a trading name of Banque PSA Finance. Telephone calls may be recorded or monitored for training or quality purposes.







All measurements in millimetres





www.citroen.co.uk Citroën UK Limited, 221 Bath Road, Slough, SL1 4BA

NOTE: Every endeavour has been made to ensure that the information and details contained in this specification leaflet were accurate at the time of going to press February 2006. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this leaflet up to date, but in order to avoid any misunderstandings please consult your Dealer. Specifications of all models refer to cars produced as of 5th December 2005.

CITROËN XSARA Dicasso





PRODUCT & TECHNICAL INFORMATION

FEBRUARY 2006


The Citroën Xsara Picasso

Citroën have always seen things from the driver's point of view. Which is why so much attention, and considerable investment, have been lavished on the cockpit of the Xsara Picasso. This is where you feel in control. At your fingertips are a range of advanced functions that adapt instantly to your needs. They are all designed to help make driving safer and more enjoyable, and come as standard, not only on the top-of-the-range Exclusive models, but across the entire range.

As you sit behind the wheel, you sense a strong intelligence at work. For example, the stereo system varies the sound volume according to the speed at which you are travelling, and can continue playing for 30 minutes after you've switched off the engine. And, comfortingly, the headlamps can stay on for one minute to see you safely out of a dark car park or garage. Then there are the clever front and rear wipers: switch them to intermittent and they will vary in speed according to the speed of the vehicle.

These, and a whole host of other clever features, are controlled by an advanced electrical system, which uses Multiplex technology to minimise the electrical wiring required. Just one of the many ways in which Citroën are applying fresh thinking and new technology to make Xsara Picasso a vehicle you can rely on.





COLOUR & TRIM AVAILABILITY

| LX | Desire | Exclusive |
|--------------------------|-------------------------|----------------------------|
| Blue 'Daper' cloth | Grey 'Reps' cloth | Blue 'Dorice' velour |
| Black/Beige dashboard | Black/Grey dashboard | Black/Grey dashboard |
| Blue 'Daper' cloth | Grey 'Reps' cloth | Matinal 'Dorice' velour |
| Black/Beige dashboard | Black/Grey dashboard | Bronze/Beige dashboard |

Optional Beige Leather Pack on all Exclusive models (Bronze dashboard)



| | LX | Desire | | Exclusive | |
|--|----------------------------------|---------------------------------|------------------------------------|------------------------------------|-----------------------------|
| | | | | | |
| Colours are shown for illustration purposes only. Please consult Colour Display in Dealership | Blue 'Daper' cloth upholstery | Grey 'Reps' cloth upholstery | Blue 'Dorice' velour upholstery | Matinal 'Dorice' velour upholstery | Beige Leather upholstery |
| Arctic Steel (Metallic) | • | • | • | | • |
| Wicked Red (Pearlescent) | • | • | | • | • |
| Black | | • | | • | • |
| Sahara Gold (Metallic) | • | • | | • | • |
| Polar White | • | • | • | | • |
| Oriental Blue (Pearlescent) | • | • | | • | • |
| Storm Grey (Metallic) | • | • | | • | • |
| Iron Grey (Pearlescent) | • | • | | • | • |

- ABS with Electronic Brakeforce Distribution (EBD)
- Driver's, front passenger's and front lateral airbags
- Height adjustable front seat belts with pre-tensioners and force-limiters
- On-board trip computer
- RDS stereo radio/CD player with six speakers and steering mounted controls
- High frequency remote control central locking
- Electric front windows with one-touch operation on the driver's side
- Electric and heated door mirrors
- Heat-reflecting windscreen

- Air conditioning
- Front fog lights
 - Leather steering wheel

 - Cruise control (2.0i 16V auto only)
 - ESP with EBA and traction control (1.6HDi 16V 110hp and 2.0i 16V auto)

 - Front folding armrests



Accessories you won't want to be without

Whether you wish to enhance the vehicle's appearance, add to its convenience, storage or safety features, or enjoy its high-quality in-car entertainment including the 6 CD autochanger and satellite navigation systems, we have the accessory solution for you. For information on the full range of accessories available, contact your local Citroën dealer or visit www.accessories.citroen.co.uk.

Below is a selection of Xsara Picasso Accessories

- 1 Oslo alloy wheels
- 2 Fridge
- 3 Tailgate bike carrier





- Body colour painted bumpers, side rubbing strips, door mirrors, handles and rear number plate moulding

- Automatic digital air conditioning
- Three independently sliding rear seats
- Electric rear windows
- Alloy wheels
- Electrically retractable door mirrors
- Air conditioned glove box
- Automatic illumination of headlamps
- Automatic rain sensitive wipers
- Rear window sunblind
- Boot net
- Cruise control





CITROËN XSARA PICASSO

clusive

EQUIPMENT SPECIFICATION

clusive

٠

.

• •

• •

• •

.

•

sire

CITROËN XSARA PICASSO

| Engine Availability | Ľ | Desire | Exclusiv |
|---|---|--------------------------------|---------------------------------|
| 1.6i 16V (110hp) | | | ٠ |
| 2.0i 16V (137hp) Auto | | | ٠ |
| 1.6HDi 16V (92hp) | | | ۲ |
| 1.6HDi 16V (110hp) | | • | |
| Safety & Security | | | |
| ABS with Electronic Brakeforce Distribution (EBD) | | • | ٠ |
| Electronic Stability Programme (ESP) and traction control ¹ | | 1.6 HDi 110hp 2.0i 16V Auto | 0 1.6 HDi 110 2.0i 16V Au |
| Energy absorbing side impact protection | | | ٠ |
| Driver's, front passenger's and front lateral airbags | | | |
| Fuel cut-off device | | | |
| Front passenger's airbag cut-off device | | • | |
| Front seat belt pre-tensioners with force-limiters | | • | |
| Height adjustable front seat belts | | • | |
| Five 3-point inertia reel seat belts | | • | |
| Elevated seating position for increased visibility and improved lateral protection | • | • | ٠ |
| High tensile steel side protection bars | | • | |
| Independent front and rear suspension | | | |
| High frequency remote control central locking with dashboard mounted button | ٠ | ٠ | • |
| Transponder immobiliser | | ٠ | ٠ |
| Locking fuel filler cap | | | ٠ |
| Programmable automatic door and boot locking (when car in motion) | • | • | • |
| Comfort & Convenience | | | |

Air conditioning Automatic digital air conditioning Heat-reflecting windscreen ٠ ٠ • Air re-circulation • ٠ Pollen filter • ٠ Tinted windows • Power assisted steering • • Dashboard mounted gear lever • • Height adjustable steering wheel ٠ Heated rear window with automatic cut-off ۲ ۲ Driver's and front passenger's sunvisors with courtesy mirrors (covered on driver's side) • Driver's and front passenger's sunvisors with covered and illuminated courtesy mirrors Ticket holder inside windscreen Cigarette lighter Rear tailgate opens to 2 positions • • Rear window sunblind Fold down table with integrated cup holders and armrests • • on back of central rear seat Electric front windows with one-touch operation on driver's side • • Electric rear windows Electric and heated door mirrors • • Electrically retractable door mirrors Electric full size glass sunroof \bigcirc Height adjustable driver's seat • • • Driver's seat lumbar adjustment Front folding armrests ٠ Height and tilt adjustable front head restraints • • • Independently foldable and removable rear seats with three retractable rear head restraints ٠ • • Sliding central rear seat • • Three independently sliding rear seats Isofix child seat anchorage points on outer rear seats • • Blue 'Daper' cloth upholstery Grey 'Reps' cloth upholstery • Blue or matinal 'Dorice' velour upholstery Beige leather upholstery Rear parking sensors 0 0

Driver Information

| Digital clock | | |
|---|---|---|
| Digital dashboard display | | • |
| Coolant temperature indicator | | |
| Maintenance indicator | | |
| Exterior temperature display with black ice warning indicator | | |
| Status of central locking and child locks display | | |
| On-board trip computer with 6 functions: | | |
| Distance travelled | | |
| Average speed | | |
| Self-programmable audible speed warning | | |
| Number of miles on remaining fuel | | |
| Average fuel consumption | | |
| Current fuel consumption | • | |
| | | |

| | Ľ | Des | Exc |
|---|---|----------------|-----|
| Warning signals for: | | | |
| Keys left in ignition | | | |
| Lights left on | | | ٠ |
| Pre-programmed speed exceeded | | | |
| Handbrake left on | | | |
| Cruise control | | • ² | |
| Satellite Navigation | | | 0 |
| Style Body colour painted bumper skirts | | | |
| Body colour painted bumpers with chrome inserts and side rubbing strips | | • | • |
| Body colour painted door mirrors | | | |
| Body colour painted door handles | | | |
| Body colour painted rear number plate moulding | | | |
| 'Bayonne' 15" steel wheels | | | |
| 'Melbourne' 15" alloy wheels (four) | | | |
| 3-speed 'butterfly' style windscreen wipers | | | |
| Leather steering wheel | | | |
| Metallic/Pearlescent/Black paint | 0 | 0 | 0 |
| In Car Entertainment | | | |

In-Car Entertainment

| RDS stereo radio/CD player with 6 speakers and steering mounted controls | ٠ | • |
|---|---|---|
| Speed sensitive stereo volume | ٠ | ۲ |

Lighting

| 0 0 | | |
|------------------------------------|--|---|
| Front fog lights | | |
| Height adjustable headlamps | | |
| Halogen headlamps | | ۲ |
| Twin rear fog and reversing lights | | ۲ |
| High level third brake light | | |
| Boot courtesy light | | |
| Front and rear courtesy lights | | ٠ |
| Front and rear reading lights | | ۲ |
| | | |

Storage

| Foldable and removable storage box in the boot - Modubox® | | | |
|--|---|---|--|
| 15 litre illuminated glove box with cup holders and space | | | |
| for sunglasses and a pen in the lid | • | • | |
| Air conditioned glove box | | | |
| Upper glove box | | | |
| Two 9 litre compartments in rear floor | | | |
| Large pockets in all four doors with space for a 1.5 litre | | • | |
| bottle and a 33 centilitre drinks can | • | • | |
| Drawer under driver's seat | | | |
| Drawer under passenger's seat | | | |
| Aircraft style tables on rear of front seats | | | |
| Storage compartment at the bottom of the centre console | | | |
| Four lashing eyes in the boot | | | |
| Boot net | | | |
| Flat floor for carrying long items (when rear seats removed) | | | |
| Storage area for carrying sunglasses on driver's side | | | |
| | | | |
| Special Equipment & Features | | | |
| | | | |

'Black panel' function to allow most dashboard lights to • • be switched off for night driving 12 volt socket in the rear • • 'Guide-me-home' headlamps, which can be selected to • stay on for 60 seconds after ignition is switched off Automatic illumination of headlamps Automatic rain sensitive wipers Stereo operates for 30 minutes after ignition is switched off • Interior lights come on when vehicle is unlocked and

| remain on until ignition is switched on | - |
|---|---|
| Speed sensitive wipers (front and rear) | |
| Intermittent rear wash/wipe | |
| Automatic rear wiper (when reverse gear is engaged and front wipers are on) | ٠ |
| | |

Option Summary

| Electronic | Stability | Programme | (ESP) | and | traction | control ¹ |
|------------|-----------|-----------|-------|-----|----------|----------------------|

| | | 2.0i 16V Aut | 2.0i 16V Au |
|----------------------------------|---|--------------|-------------|
| Rear parking sensors | | 0 | 0 |
| Electric full size glass sunroof | | 0 | 0 |
| Satellite Navigation | | | 0 |
| Beige leather upholstery | | | 0 |
| Metallic/Pearlescent/Black paint | 0 | 0 | 0 |
| | | | |

Standard equipment O Optional equipment

¹ ESP automatically brings in Emergency Braking Assistance (EBA) and automatic illumination of hazard warning lamps (in case of rapid deceleration). ² Standard only on 2.0i 16V Automatic.

| Engine | 1.6i 16V Euro IV | 2.0i 16V Auto Euro IV | 1.6HDi 16V 92hp | 1.6HDi 16V 110hı DPFS* Euro IV |
|--|--|---|--|---|
| Capacity (cc) | 1587 | 1997 | 1560 | 1560 |
| Cylinders | 4 in line | 4 in line | 4 in line | 4 in line |
| Bore and stroke (mm) | 75 x 88.3 | 85.0 x 88.0 | 75.0 x 88.3 | 75.0 x 88.3 |
| fax power DIN (hp/rpm) | 110/5800 | 137/6000 | 92/4000 | 110/4000 |
| 1ax torque DIN (Ib.ft/rpm) | 108/4000 | 141/4100 | 159/1750 | 192/2000 |
| | Multipoint f | | High pressure direct | |
| uel system | inditipoliti i | | | LI DIESEI INJECTION |
| Transmission | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive |
| ive speed manual | • | | • | • |
| Four speed automatic | | • | | |
| Clutch type | Dry single plate | N/A | Dry single plate | Dry single plate |
| Performance | | | | |
| Max speed (mph) | 112 | 119 | 109 | 114 |
|)-62 mph (secs) | 11.4 | 10.9 | 13.8 | 11.9 |
| Standing 1000m (secs) | 34 | 33.8 | 35.8 | 33.7 |
| N.B. All figures driver alone | 2. | 23.0 | 12.00 | |
| Economy Litres/100km | (mng) | | | |
| | . = | 105 (00 6) | 65(425) | 6 4 (44 1) |
| Jrban cycle | 9.5 (29.7) | 12.5 (22.6) | 6.5 (43.5) | 6.4 (44.1) |
| Extra urban Combined | 6.0 (47.1) 7.3 (38.7) | 6.4 (44.1) 8.6 (32.9) | 4.3 (65.7) 5.1 (55.4) | 4.4 (64.2) 5.1 (55.4) |
| N.B. Official Government test fuel consumption | figures | | | |
| CO ₂ Emissions (g/km) | 172 | 205 | 135 | 136 |
| Wheels & Tyres | | | | |
| | | | | |
| 15" wheels with 185/65 R15 tyres | • | • | • | ٠ |
| | • | • | • | • |
| Weights (kg) | • 1240 | • 1326 | • 1300 | • 1313 |
| Weights (kg) | 1240 | | 1300 | 1313 |
| Neights (kg) Inladen weight Max laden weight | 1240 1800 | 1832 | 1300 1850 | 1313 1850 |
| Weights (kg) Jnladen weight Max laden weight Max towing weight braked | 1240 1800 1300 | 1832 1300 | 1300 1850 1300 | 1313 1850 1300 |
| Weights (kg) Jnladen weight Max laden weight Max towing weight braked Max tow hitch download | 1240 1800 | 1832 | 1300 1850 | 1313 1850 |
| Weights (kg) Jnladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load | 1240 1800 1300 80 | 1832 1300 80 | 1300 1850 1300 80 | 1313 1850 1300 80 |
| Weights (kg) Jnladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load | 1240 1800 1300 80 | 1832 1300 80 | 1300 1850 1300 80 | 1313 1850 1300 80 |
| Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes | 1240 1800 1300 80 80 | 1832 1300 80 80 | 1300 1850 1300 80 80 | 1313 1850 1300 80 80 |
| Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes MBS with Electronic Brakeforce Distribution | 1240 1800 1300 80 80 | 1832 1300 80 80 | 1300 1850 1300 80 80 | 1313 1850 1300 80 80 |
| Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance | 1240 1800 1300 80 80 | 1832 1300 80 80 Front and rear discs | 1300 1850 1300 80 80 Front discs, rear drums | 1313 1850 1300 80 80 |
| Weights (kg) Jnladen weight Aax laden weight Aax towing weight braked Aax tow hitch download Aax roof rack load Brakes BS with Electronic Brakeforce Distribution Imergency Braking Assistance Steering | 1240 1800 1300 80 80 Front discs, rear drums | 1832 1300 80 80 Front and rear discs • • • Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | 1313 1850 1300 80 80 Front and rear discs |
| Weights (kg) Inladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering umber of turns lock to lock | 1240 1800 1300 80 80 Front discs, rear drums • | 1832 1300 80 80 Front and rear discs • • • • Power assis 3.22 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | 1313 1850 1300 80 80 Front and rear discs • • • • • |
| Weights (kg) Jnladen weight Aax laden weight Aax towing weight braked Aax tow hitch download Aax roof rack load Brakes BS with Electronic Brakeforce Distribution Imergency Braking Assistance Steering Jumber of turns lock to lock | 1240 1800 1300 80 80 Front discs, rear drums | 1832 1300 80 80 Front and rear discs • • • Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | 1313 1850 1300 80 80 Front and rear discs |
| Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock Furning circle between kerbs (m) | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 | 1832 1300 80 80 Front and rear discs • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | 1313 1850 1300 80 80 Front and rear discs • • • • 3.22 11.48 |
| Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front an | 1832 1300 80 80 Front and rear discs • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 11.48 | 1313 1850 1300 80 80 Front and rear discs • • • • 3.22 11.48 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front an | 1832 1300 80 80 Front and rear discs • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 11.48 | 1313 1850 1300 80 80 Front and rear discs • • • • 3.22 11.48 |

| ax speed (mph) | |
|---------------------|--|
| 62 mph (secs) | |
| anding 1000m (secs) | |
| | |

| Engine | 1.6i 16V Euro IV | 2.0i 16V Auto Euro IV | 1.6HDi 16V 92hp | 1.6HDi 16V 110hp DPFS* Euro IV |
|--|--|--|--|--|
| Capacity (cc) | 1587 | 1997 | 1560 | 1560 |
| Cylinders | 4 in line | 4 in line | 4 in line | 4 in line |
| Bore and stroke (mm) | 75 x 88.3 | 85.0 x 88.0 | 75.0 x 88.3 | 75.0 x 88.3 |
| Max power DIN (hp/rpm) | 110/5800 | 137/6000 | 92/4000 | 110/4000 |
| Aax torque DIN (Ib.ft/rpm) | 108/4000 | 141/4100 | 159/1750 | 192/2000 |
| uel system | Multipoint fu | | High pressure direct | |
| | manipoint n | | | |
| Transmission | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive |
| Five speed manual | • | | • | • |
| our speed automatic | | • | | |
| Clutch type | Dry single plate | N/A | Dry single plate | Dry single plate |
| Performance Max speed (mph) | 112 | 119 | 109 | 114 |
|)-62 mph (secs) | 11.4 | 10.9 | 13.8 | 11.9 |
| tanding 1000m (secs) | 34 | 33.8 | 35.8 | 33.7 |
| N.B. All figures driver alone Economy Litres/100km | (mpg) | | | |
| Jrban cycle | 9.5 (29.7) | 12.5 (22.6) | 6.5 (43.5) | 6.4 (44.1) |
| xtra urban | 6.0 (47.1) | 6.4 (44.1) | 4.3 (65.7) | 4.4 (64.2) |
| combined | 7.3 (38.7) | 8.6 (32.9) | 5.1 (55.4) | 5.1 (55.4) |
| I.B. Official Government test fuel consumption | figures | | | |
| CO ₂ Emissions (g/km) | 172 | 205 | 135 | 136 |
| | | | | |
| - | • | • | • | • |
| 5" wheels with 185/65 R15 tyres | • | • | • | • |
| 5" wheels with 185/65 R15 tyres Weights (kg) | 1240 | • 1326 | • 1300 | • 1313 |
| 5" wheels with 185/65 R15 tyres Veights (kg) Inladen weight | • 1240 1800 | | | , |
| 5" wheels with 185/65 R15 tyres Veights (kg) Inladen weight lax laden weight | 1800 | 1326 1832 | 1300 1850 | 1313 1850 |
| 5" wheels with 185/65 R15 tyres Veights (kg) Inladen weight lax laden weight lax towing weight braked | 1800 1300 | 1326 1832 1300 | 1300 1850 1300 | 1313 1850 1300 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight fax laden weight fax towing weight braked fax tow hitch download | 1800 | 1326 1832 | 1300 1850 | 1313 1850 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load | 1800 1300 80 | 1326 1832 1300 80 | 1300 1850 1300 80 | 1313 1850 1300 80 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load | 1800 1300 80 | 1326 1832 1300 80 | 1300 1850 1300 80 | 1313 1850 1300 80 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes | 1800 1300 80 80 | 1326 1832 1300 80 80 | 1300 1850 1300 80 80 | 1313 1850 1300 80 80 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load Brakes BS with Electronic Brakeforce Distribution | 1800 1300 80 80 | 1326 1832 1300 80 80 | 1300 1850 1300 80 80 | 1313 1850 1300 80 80 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes BS with Electronic Brakeforce Distribution mergency Braking Assistance | 1800 1300 80 80 | 1326 1832 1300 80 80 Front and rear discs | 1300 1850 1300 80 80 | 1313 1850 1300 80 80 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load Brakes BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering | 1800 1300 80 80 Front discs, rear drums | 1326 1832 1300 80 80 Front and rear discs • • • • • | 1300 1850 1300 80 80 Front discs, rear drums • | 1313 1850 1300 80 80 Front and rear discs |
| 5" wheels with 185/65 R15 tyres Veights (kg) Inladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load Brakes BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering umber of turns lock to lock | 1800 1300 80 80 Front discs, rear drums • 3.22 | 1326 1832 1300 80 80 Front and rear discs • • • • • • • • • • • • • • • • • • | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | 1313 1850 1300 80 80 Front and rear discs • • • • |
| 5" wheels with 185/65 R15 tyres Veights (kg) Inladen weight Iax laden weight Iax towing weight braked Iax tow hitch download Iax roof rack load BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering lumber of turns lock to lock | 1800 1300 80 80 Front discs, rear drums | 1326 1832 1300 80 80 Front and rear discs • • • • • | 1300 1850 1300 80 80 Front discs, rear drums • | 1313 1850 1300 80 80 Front and rear discs |
| 5" wheels with 185/65 R15 tyres S" wheels with 185/65 R15 tyres Weights (kg) Inladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes BS with Electronic Brakeforce Distribution imergency Braking Assistance Steering lumber of turns lock to lock turning circle between kerbs (m) | 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 | 1326 1832 1300 80 80 Front and rear discs • • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 11.48 | 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock furning circle between kerbs (m) Suspension | 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front an | 1326 1832 1300 80 80 Front and rear discs • • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |
| Wheels & Tyres Use with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litre | 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front an | 1326 1832 1300 80 80 Front and rear discs • • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 11.48 | 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |

| Engine | 1.6i 16V Euro IV | 2.0i 16V Auto Euro IV | 1.6HDi 16V 92hp | 1.6HDi 16V 110hp DPFS* Euro IV |
|---|--|--|--|---|
| Capacity (cc) | 1587 | 1997 | 1560 | 1560 |
| Cylinders | 4 in line | 4 in line | 4 in line | 4 in line |
| Bore and stroke (mm) | 75 x 88.3 | 85.0 x 88.0 | 75.0 x 88.3 | 75.0 x 88.3 |
| flax power DIN (hp/rpm) | 110/5800 | 137/6000 | 92/4000 | 110/4000 |
| lax torque DIN (lb.ft/rpm) | 108/4000 | 141/4100 | 159/1750 | 192/2000 |
| uel system | Multipoint fu | | High pressure direct | |
| | Multipolite it | | | |
| Transmission | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive |
| ive speed manual | • | | • | • |
| our speed automatic | | • | | |
| lutch type | Dry single plate | N/A | Dry single plate | Dry single plate |
| Performance | 112 | 119 | 109 | 114 |
| -62 mph (secs) | 11.4 | 10.9 | 13.8 | 11.9 |
| | 34 | | 35.8 | 33.7 |
| tanding 1000m (secs) .B. All figures driver alone | 34 | 33.8 | 30.8 | 33./ |
| Economy Litres/100km Irban cycle | (mpg) 9.5 (29.7) | 12.5 (22.6) | 6.5 (43.5) | 6.4 (44.1) |
| xtra urban | 6.0 (47.1) | 6.4 (44.1) | 4.3 (65.7) | 4.4 (64.2) |
| ombined | 7.3 (38.7) | 8.6 (32.9) | 5.1 (55.4) | 5.1 (55.4) |
| .B. Official Government test fuel consumption | figures | | | |
| CO ₂ Emissions (g/km) | 172 | 005 | 105 | 100 |
| | 172 | 205 | 135 | 136 |
| Vheels & Tyres | 172 | | | 136 |
| Vheels & Tyres | • | 205 | 135 | 136 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres | • | | | 136 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) | 172 | | | 136 |
| Vheels & Tyres " wheels with 185/65 R15 tyres Veights (kg) nladen weight | • | • | • | • |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight ax laden weight | • 1240 | • 1326 | • 1300 | • 1313 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight lax laden weight ax towing weight braked | • 1240 1800 | • 1326 1832 | • 1300 1850 | • 1313 1850 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight ax laden weight ax towing weight braked ax tow hitch download | • 1240 1800 1300 | • 1326 1832 1300 | • 1300 1850 1300 | • 1313 1850 1300 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load | • 1240 1800 1300 80 80 | • 1326 1832 1300 80 80 80 | • 1300 1850 1300 80 80 80 | • 1313 1850 1300 80 80 80 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load | • 1240 1800 1300 80 | • 1326 1832 1300 80 | • 1300 1850 1300 80 | • 1313 1850 1300 80 80 80 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight ax laden weight ax towing weight braked ax tow hitch download ax roof rack load | • 1240 1800 1300 80 80 | • 1326 1832 1300 80 80 80 | • 1300 1850 1300 80 80 80 | • 1313 1850 1300 80 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight ax laden weight ax towing weight braked ax tow hitch download ax roof rack load Brakes 35 with Electronic Brakeforce Distribution | • 1240 1800 1300 80 80 | • 1326 1832 1300 80 80 80 | • 1300 1850 1300 80 80 80 | 1313 1850 1300 80 80 |
| Vheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load Brakes BS with Electronic Brakeforce Distribution mergency Braking Assistance | • 1240 1800 1300 80 80 | • 1326 1832 1300 80 80 80 Front and rear discs • • | • 1300 1850 1300 80 80 80 Front discs, rear drums • | 1313 1850 1300 80 80 |
| Vheels & Tyres "wheels with 185/65 R15 tyres Veights (kg) nladen weight ax laden weight ax towing weight braked ax tow hitch download ax roof rack load Brakes Bs with Electronic Brakeforce Distribution nergency Braking Assistance Steering | • 1240 1800 1300 80 80 Front discs, rear drums • | 1326 1832 1300 80 80 Front and rear discs • • Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | • 1313 1850 1300 80 80 80 Front and rear discs |
| Vheels & Tyres "wheels with 185/65 R15 tyres Veights (kg) Maden weight ax laden weight ax towning weight braked ax tow hitch download ax roof rack load Brakes BS with Electronic Brakeforce Distribution mergency Braking Assistance teering mber of turns lock to lock | • 1240 1800 1300 80 80 Front discs, rear drums • 3.22 | • 1326 1832 1300 80 80 Front and rear discs • • • • • • • • • • • • • | 1300 1850 1300 80 80 Front discs, rear drums • ted steering 3.22 | • 1313 1850 1300 80 80 80 Front and rear discs • • • 3.22 |
| Vheels & Tyres "wheels with 185/65 R15 tyres Veights (kg) nladen weight ax laden weight ax towing weight braked ax tow hitch download ax roof rack load Brakes Bs with Electronic Brakeforce Distribution nergency Braking Assistance Steering umber of turns lock to lock | • 1240 1800 1300 80 80 Front discs, rear drums • | 1326 1832 1300 80 80 Front and rear discs • • Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | • 1313 1850 1300 80 80 Front and rear discs |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) nladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering umber of turns lock to lock urning circle between kerbs (m) | • 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 | • 1326 1832 1300 80 80 Front and rear discs • • • • • • • • • • • • • | • 1300 1850 1300 80 80 Front discs, rear drums • ted steering 3.22 11.48 | • 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight Aax laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering humber of turns lock to lock urning circle between kerbs (m) Suspension | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front and | • 1326 1832 1300 80 80 Front and rear discs • • • • • • • • • • • • • | 1300 1850 1300 80 80 Front discs, rear drums • ted steering 3.22 | • 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Aax laden weight Max towing weight braked Aax roof rack load Brakes Mass with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Aumber of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litre | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front and | • 1326 1832 1300 80 80 Front and rear discs • • • • • • • • • • • • • | • 1300 1850 1300 80 80 Front discs, rear drums • ted steering 3.22 11.48 | • 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |

| | 1.6i 16V Euro IV | 2.0i 16V Auto Euro IV | 1.6HDi 16V 92hp | 1.6HDi 16V 110hj DPFS* Euro IV |
|---|--|---|--|--|
| Capacity (cc) | 1587 | 1997 | 1560 | 1560 |
| Cylinders | 4 in line | 4 in line | 4 in line | 4 in line |
| Bore and stroke (mm) | 75 x 88.3 | 85.0 x 88.0 | 75.0 x 88.3 | 75.0 x 88.3 |
| Max power DIN (hp/rpm) | 110/5800 | 137/6000 | 92/4000 | 110/4000 |
| | 108/4000 | 141/4100 | 159/1750 | 192/2000 |
| Max torque DIN (lb.ft/rpm) | | | | |
| uel system | Multipoint f | uel injection | High pressure direc | ct Diesel injection |
| Transmission | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive |
| Five speed manual | • | | • | • |
| Four speed automatic | | • | | |
| Clutch type | Dry single plate | N/A | Dry single plate | Dry single plate |
| Performance | | | | |
| Max speed (mph) | 112 | 119 | 109 | 114 |
| D-62 mph (secs) | 11.4 | 10.9 | 13.8 | 11.9 |
| | 34 | 33.8 | 35.8 | 33.7 |
| Standing 1000m (secs) N.B. All figures driver alone | 54 | 53.0 | 55.0 | 33./ |
| Economy Litres/100km (| (mpg) | | | |
| Jrban cycle | 9.5 (29.7) | 12.5 (22.6) | 6.5 (43.5) | 6.4 (44.1) |
| Extra urban | 6.0 (47.1) | 6.4 (44.1) | 4.3 (65.7) | 4.4 (64.2) |
| Combined | 7.3 (38.7) | 8.6 (32.9) | 5.1 (55.4) | 5.1 (55.4) |
| N.B. Official Government test fuel consumption f | | 0.0 (02.3) | 0.1 (00.7) | 0.1 (00.7) |
| CO ₂ Emissions (g/km) | 172 | 205 | 135 | 136 |
| | | | | |
| Wheels & Tyres | | | | |
| • | • | • | • | • |
| 15" wheels with 185/65 R15 tyres | • | • | • | • |
| 5" wheels with 185/65 R15 tyres Weights (kg) | • 1240 | • 1326 | • 1300 | 1313 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Juladen weight | • 1240 1800 | • 1326 1832 | | |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight | | | 1300 | 1313 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Jnladen weight Max laden weight Max towing weight braked | 1800 1300 | 1832 1300 | 1300 1850 1300 | 1313 1850 1300 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Jnladen weight Max laden weight Max towing weight braked Max tow hitch download | 1800 | 1832 | 1300 1850 | 1313 1850 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load | 1800 1300 80 | 1832 1300 80 | 1300 1850 1300 80 | 1313 1850 1300 80 |
| Wheels & Tyres 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max roof rack load Brakes | 1800 1300 80 | 1832 1300 80 | 1300 1850 1300 80 | 1313 1850 1300 80 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max roof rack load Brakes | 1800 1300 80 80 | 1832 1300 80 80 | 1300 1850 1300 80 80 | 1313 1850 1300 80 80 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max roof rack load Brakes ABS with Electronic Brakeforce Distribution | 1800 1300 80 80 | 1832 1300 80 80 | 1300 1850 1300 80 80 | 1313 1850 1300 80 80 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance | 1800 1300 80 80 | 1832 1300 80 80 Front and rear discs | 1300 1850 1300 80 80 Front discs, rear drums | 1313 1850 1300 80 80 |
| 5" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes MBS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering | 1800 1300 80 80 Front discs, rear drums | 1832 1300 80 80 Front and rear discs • • • Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | 1313 1850 1300 80 80 Front and rear discs |
| 5" wheels with 185/65 R15 tyres Weights (kg) Inladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering lumber of turns lock to lock | 1800 1300 80 80 Front discs, rear drums • 3.22 | 1832 1300 80 80 Front and rear discs • • • Power assis 3.22 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | 1313 1850 1300 80 80 Front and rear discs • • • • |
| 5" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max roof rack load Brakes MBS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock | 1800 1300 80 80 Front discs, rear drums | 1832 1300 80 80 Front and rear discs • • • Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | 1313 1850 1300 80 80 Front and rear discs |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max roof rack load | 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 | 1832 1300 80 80 Front and rear discs • • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |
| 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock Turning circle between kerbs (m) | 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front an | 1832 1300 80 80 Front and rear discs • • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 11.48 | 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |

| Engine | 1.6i 16V Euro IV | 2.0i 16V Auto Euro IV | 1.6HDi 16V 92hp | 1.6HDi 16V 110hr DPFS* Euro IV | | |
|---|----------------------------------|---------------------------|--------------------------|-----------------------------------|--|--|
| Capacity (cc) | 1587 | 1997 | 1560 | 1560 | | |
| Cylinders | 4 in line | 4 in line | 4 in line | 4 in line | | |
| Bore and stroke (mm) | 75 x 88.3 | 85.0 x 88.0 | 75.0 x 88.3 | 75.0 x 88.3 | | |
| lax power DIN (hp/rpm) | 110/5800 | 137/6000 | 92/4000 | 110/4000 | | |
| | 108/4000 | 141/4100 | 159/1750 | 192/2000 | | |
| lax torque DIN (lb.ft/rpm) uel system | Multipoint fi | | High pressure direct | | | |
| | | | Fight pressure direct | LI DIESEI INJECTION | | |
| Transmission | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive | | |
| ïve speed manual | • | | • | • | | |
| our speed automatic | | • | | | | |
| lutch type | Dry single plate | N/A | Dry single plate | Dry single plate | | |
| Performance Max speed (mph) -62 mph (secs) | <u> </u> | 119 10.9 | 109 13.8 | 114 11.9 | | |
| tanding 1000m (secs) | 34 | 33.8 | 35.8 | 33.7 | | |
| N.B. All figures driver alone Economy Litres/100km (| | 105 (00 C) | C E (42 E) | 6 4 (44 1) | | |
| Jrban cycle | 9.5 (29.7) | 12.5 (22.6) 6.4 (44.1) | 6.5 (43.5) | 6.4 (44.1) | | |
| xtra urban Combined | 6.0 (47.1) 7.3 (38.7) | 8.6 (32.9) | 4.3 (65.7) 5.1 (55.4) | 4.4 (64.2) 5.1 (55.4) | | |
| N.B. Official Government test fuel consumption f | | 0.0 (02.5) | 0.1 (00.1) | 0.1 (00.1) | | |
| CO ₂ Emissions (g/km) | 172 | 205 | 135 | 136 | | |
| Wheels & Tyres | | • | • | • | | |
| · · · · · · · · · · · · · · · · · · · | | - | | | | |
| Neights (kg) | | | | | | |
| Inladen weight | 1240 | 1326 | 1300 | 1313 | | |
| lax laden weight | 1800 | 1832 | 1850 | 1850 | | |
| lax towing weight braked | 1300 | 1300 | 1300 | 1300 | | |
| lax tow hitch download | 80 | 80 | 80 | 80 | | |
| lax roof rack load | 80 | 80 | 80 | 80 | | |
| Brakes | Front discs, rear drums | Front and rear discs | Front discs, rear drums | Front and rear discs | | |
| | Front uloos, rour urums | | Front aloos, four drams | Front and roar discs | | |
| BS with Electronic Brakeforce Distribution | • | • | | • | | |
| | | • | | • | | |
| mergency Braking Assistance | | Power assisted steering | | | | |
| | | Power assis | sted steering | | | |
| Steering | 3.22 | | | 3 22 | | |
| steering umber of turns lock to lock | 3.22 | 3.22 | 3.22 | 3.22 | | |
| Steering umber of turns lock to lock | 3.22 11.48 | | | 3.22 11.48 | | |
| Steering Jumber of turns lock to lock urning circle between kerbs (m) | 11.48 | 3.22 11.48 | 3.22 | 11.48 | | |
| Emergency Braking Assistance Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres | 11.48 Anti-roll bars front an | 3.22 11.48 | 3.22 11.48 | 11.48 | | |

| Engine | 1.6i 16V Euro IV | 2.0i 16V Auto Euro IV | 1.6HDi 16V 92hp | 1.6HDi 16V 110hr DPFS* Euro IV | | |
|---|----------------------------------|---------------------------|--------------------------|-----------------------------------|--|--|
| Capacity (cc) | 1587 | 1997 | 1560 | 1560 | | |
| Cylinders | 4 in line | 4 in line | 4 in line | 4 in line | | |
| Bore and stroke (mm) | 75 x 88.3 | 85.0 x 88.0 | 75.0 x 88.3 | 75.0 x 88.3 | | |
| lax power DIN (hp/rpm) | 110/5800 | 137/6000 | 92/4000 | 110/4000 | | |
| | 108/4000 | 141/4100 | 159/1750 | 192/2000 | | |
| lax torque DIN (lb.ft/rpm) uel system | Multipoint fi | | High pressure direct | | | |
| | | | Fight pressure direct | LI DIESEI INJECTION | | |
| Transmission | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive | | |
| ïve speed manual | • | | • | • | | |
| our speed automatic | | • | | | | |
| lutch type | Dry single plate | N/A | Dry single plate | Dry single plate | | |
| Performance Max speed (mph) -62 mph (secs) | <u> </u> | 119 10.9 | 109 13.8 | 114 11.9 | | |
| tanding 1000m (secs) | 34 | 33.8 | 35.8 | 33.7 | | |
| N.B. All figures driver alone Economy Litres/100km (| | 105 (00 C) | C E (42 E) | 6 4 (44 1) | | |
| Jrban cycle | 9.5 (29.7) | 12.5 (22.6) 6.4 (44.1) | 6.5 (43.5) | 6.4 (44.1) | | |
| ixtra urban Combined | 6.0 (47.1) 7.3 (38.7) | 8.6 (32.9) | 4.3 (65.7) 5.1 (55.4) | 4.4 (64.2) 5.1 (55.4) | | |
| N.B. Official Government test fuel consumption f | | 0.0 (02.5) | 0.1 (00.1) | 0.1 (00.1) | | |
| CO ₂ Emissions (g/km) | 172 | 205 | 135 | 136 | | |
| Wheels & Tyres | | • | • | • | | |
| · · · · · · · · · · · · · · · · · · · | | - | | | | |
| Neights (kg) | | | | | | |
| Inladen weight | 1240 | 1326 | 1300 | 1313 | | |
| lax laden weight | 1800 | 1832 | 1850 | 1850 | | |
| lax towing weight braked | 1300 | 1300 | 1300 | 1300 | | |
| lax tow hitch download | 80 | 80 | 80 | 80 | | |
| lax roof rack load | 80 | 80 | 80 | 80 | | |
| Brakes | Front discs, rear drums | Front and rear discs | Front discs, rear drums | Front and rear discs | | |
| | Front uloos, rour urums | | Front aloos, four drams | Front and roar discs | | |
| BS with Electronic Brakeforce Distribution | • | • | | • | | |
| | | • | | • | | |
| mergency Braking Assistance | | Power assisted steering | | | | |
| | | Power assis | sted steering | | | |
| Steering | 3.22 | | | 3 22 | | |
| steering umber of turns lock to lock | 3.22 | 3.22 | 3.22 | 3.22 | | |
| Steering umber of turns lock to lock | 3.22 11.48 | | | 3.22 11.48 | | |
| Steering Jumber of turns lock to lock urning circle between kerbs (m) | 11.48 | 3.22 11.48 | 3.22 | 11.48 | | |
| Emergency Braking Assistance Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres | 11.48 Anti-roll bars front an | 3.22 11.48 | 3.22 11.48 | 11.48 | | |

| Engine | 1.6i 16V Euro IV | 2.0i 16V Auto Euro IV | 1.6HDi 16V 92hp | 1.6HDi 16V 110hı DPFS* Euro IV |
|---|--|--|---|---|
| Capacity (cc) | 1587 | 1997 | 1560 | 1560 |
| Cylinders | 4 in line | 4 in line | 4 in line | 4 in line |
| Bore and stroke (mm) | 75 x 88.3 | 85.0 x 88.0 | 75.0 x 88.3 | 75.0 x 88.3 |
| fax power DIN (hp/rpm) | 110/5800 | 137/6000 | 92/4000 | 110/4000 |
| fax torque DIN (Ib.ft/rpm) | 108/4000 | 141/4100 | 159/1750 | 192/2000 |
| uel system | | uel injection | High pressure direct | |
| | | , | 0 1 | , |
| Transmission | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive |
| ive speed manual | • | | • | • |
| Four speed automatic | | • | | |
| Clutch type | Dry single plate | N/A | Dry single plate | Dry single plate |
| Performance | | | | |
| Max speed (mph) | 112 | 119 | 109 | 114 |
|)-62 mph (secs) | 11.4 | 10.9 | 13.8 | 11.9 |
| Standing 1000m (secs) | 34 | 33.8 | 35.8 | 33.7 |
| N.B. All figures driver alone | 34 | 33.0 | 55.0 | 33./ |
| Economy Litres/100km | (mpg) | | | |
| Jrban cycle | 9.5 (29.7) | 12.5 (22.6) | 6.5 (43.5) | 6.4 (44.1) |
| xtra urban | 6.0 (47.1) | 6.4 (44.1) | 4.3 (65.7) | 4.4 (64.2) |
| Combined | 7.3 (38.7) | 8.6 (32.9) | 5.1 (55.4) | 5.1 (55.4) |
| | | 205 | 135 | 136 |
| - | | 200 | 100 | 100 |
| Wheels & Tyres | • | • | • | • |
| 5" wheels with 185/65 R15 tyres | • | • | | |
| Wheels & Tyres ^{5" wheels with 185/65 R15 tyres} Weights (kg) | • 1240 | 1326 | | |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Jnladen weight | | • | • | • |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Jnladen weight Max laden weight | 1240 1800 | • 1326 1832 | • 1300 1850 | • 1313 1850 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Jnladen weight Max laden weight Max towing weight braked | 1240 1800 1300 | • 1326 1832 1300 | • 1300 1850 1300 | • 1313 1850 1300 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download | 1240 1800 | • 1326 1832 | • 1300 1850 | • 1313 1850 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load | 1240 1800 1300 80 | • 1326 1832 1300 80 | • 1300 1850 1300 80 | • 1313 1850 1300 80 |
| Wheels & Tyres 15" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load | 1240 1800 1300 80 | • 1326 1832 1300 80 | • 1300 1850 1300 80 | • 1313 1850 1300 80 80 80 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Aax laden weight Max towing weight braked Max roof rack load Brakes | 1240 1800 1300 80 80 | 1326 1832 1300 80 80 | • 1300 1850 1300 80 80 | • 1313 1850 1300 80 80 80 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes BS with Electronic Brakeforce Distribution | 1240 1800 1300 80 80 | 1326 1832 1300 80 80 | • 1300 1850 1300 80 80 | • 1313 1850 1300 80 80 80 |
| Wheels & Tyres 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance | 1240 1800 1300 80 80 | • 1326 1832 1300 80 80 80 Front and rear discs • | • 1300 1850 1300 80 80 80 Front discs, rear drums • | • 1313 1850 1300 80 80 80 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes BS with Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution Image of the system BS by the Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution Image of the system BS with Electronic Brakeforce Distribution | 1240 1800 1300 80 80 Front discs, rear drums | I 1326 1832 1300 80 80 Front and rear discs I Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | • 1313 1850 1300 80 80 Front and rear discs • • |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Veights (kg) Inladen weight lax laden weight lax towing weight braked lax tow hitch download lax roof rack load BS with Electronic Brakeforce Distribution mergency Braking Assistance Steering umber of turns lock to lock | 1240 1800 1300 80 80 Front discs, rear drums • | • 1326 1832 1300 80 80 Front and rear discs • • • • • • • • • • • • • | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | • 1313 1850 1300 80 80 Front and rear discs • • • 3.22 |
| Wheels & Tyres 5" wheels with 185/65 R15 tyres Weights (kg) Juladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes MBS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Jumber of turns lock to lock | 1240 1800 1300 80 80 Front discs, rear drums | I 1326 1832 1300 80 80 Front and rear discs I Power assis | 1300 1850 1300 80 80 Front discs, rear drums • | • 1313 1850 1300 80 80 Front and rear discs • • |
| Wheels & Tyres Use with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock Furning circle between kerbs (m) | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 | • 1326 1832 1300 80 80 Front and rear discs • • • • Power assis 3.22 11.48 | 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 | • 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |
| Wheels & Tyres Use of turns lock to lock Turning circle between kerbs (m) | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front an | • 1326 1832 1300 80 80 Front and rear discs • • • • Power assis 3.22 11.48 | • 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 11.48 | • 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |
| CO ₂ Emissions (g/km) Wheels & Tyres 15" wheels with 185/65 R15 tyres Weights (kg) Unladen weight Max laden weight Max towing weight braked Max tow hitch download Max roof rack load Brakes ABS with Electronic Brakeforce Distribution Emergency Braking Assistance Steering Number of turns lock to lock Turning circle between kerbs (m) Suspension Fuel Tank Capacity Litres | 1240 1800 1300 80 80 Front discs, rear drums • 3.22 11.48 Anti-roll bars front an | • 1326 1832 1300 80 80 Front and rear discs • • • • Power assis 3.22 11.48 | • 1300 1850 1300 80 80 Front discs, rear drums • sted steering 3.22 11.48 | • 1313 1850 1300 80 80 Front and rear discs • • • 3.22 11.48 |

Bool volume Litres

| Seats up - below parcel shelf | 550 | 550 | 550 | 550 |
|-----------------------------------|------|------|------|------|
| Seats folded forward - up to roof | 1969 | 1969 | 1969 | 1969 |
| Seats removed - up to roof | 2128 | 2128 | 2128 | 2128 |

* Diesel Particulate Filter System



TECHNICAL SPECIFICATION