

Illustrations, descriptions and specifications. This catalogue was correct at the time of going to print. However, Ford policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Transit Specialist Dealer. **Optional equipment.** Throughout this publication, wherever a feature is described as being an 'Option' or 'Optional Fitment/Pack', etc., you should assume that it will be at extra cost to the base vehicle, unless specifically stated to the contrary. All models and colour combinations are subject to availability.



Published by Commercial Vehicle Marketing,
Ford Motor Company Limited,
Brentwood, Essex, England.
Registered in England No. 235446.
FA 1513
BJN 302312. FoE H33E.
PN 677508/0906/160m/GBR en.
September 2006.
© Ford Motor Company Limited.

Note The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ford Motor Company Limited and its associated companies is under licence. Other trademarks and trade names are those of their respective owners.

www.fordvans.co.uk

K160

FordPanelVans

Feel the difference



Ford People Movers



Ford Tourneo Connect

Ford Tourneo



Ford Transit Minibus

	Seats	Wheelbase	Overall length (mm)	Overall height (mm)	Overall width (mm) [†]
Ford Tourneo Connect	5 and 8	LWB	4555	1981	1795
Ford Tourneo	8 and 9	SWB	4863	1989-2070	2360
Ford Transit Minibus	9 and 12	MWB	5230	2302-2363	2360
	15	LWB	5680	2393	2360
	17	LWB EL	6403	2380	2360

[†]Includes mirrors.

Ford Chassis Cabs



Ford Transit Chassis Cab

Ford Transit Chassis Double Cab

	Nominal body length	Wheelbase	Payload (gross)** (kg)	Gross Vehicle Mass (kg)	Maximum Gross Train Mass (kg)
Ford Chassis Cab	2.85m (9ft 4in)	SWB	1529-1531	3000	3500
	3.2m (10ft 6in)	MWB	1806-2525	3500-4250	4500-6500
	3.66m (12ft 0in)	LWB	1748-1873	3500	4500-6300
	4.0m (13ft 1in)	LWB EF	1733-2466	3500-4250	4500-6500
Ford Chassis Double Cab	2.85m (9ft 4in)	LWB	1630-2372	3500-4250	5500-6500
	3.2m (10ft 6in)	LWB EF	1611-1632	3500	5500-6300

**Gross payload = GVM minus kerbweight.

Ford Panel Vans



Ford Fiesta Van

Ford Transit Connect



Ford Transit Van

Ford Transit Double Cab-in-Van

	Wheelbase	Load length (mm)	Cube (cu.m) (VDA)*	Payload (gross)** (kg)	Gross Vehicle Mass (kg)	Maximum Gross Train Mass (kg)
Ford Fiesta Van	SWB	1320	1.013	512-541	1540-1585	1640-2335
Ford Fiesta SportVan	SWB	1320	1.013	543	1605	2335
Ford Transit Connect Van	SWB	1739-2467 [†]	2.8-3.4	637-837	2030-2240	2825-3040
	LWB	1986-2714 [†]	3.7-4.4	938-941	2340	3140
Ford Transit Van	SWB	2582	5.19-6.81	855-1665	2600-3300	3500-5300
	MWB	2949	6.45-8.85	862-1785	2600-3500	3500-6300
	LWB	3399	8.45-10.2	864-1728	2800-3500	3500-6300
	LWB EL 'Jumbo'	4107	12.28	1293-2062	3500-4250	5500-6500

*Measured using the VDA method. **Gross payload = GVM minus kerbweight. [†] Max. load length with passenger seat folded flat.

FordRanger





Ford Ranger Regular Cab/Super Cab/XLT Double Cab



	Drive	Load box length (mm)	Load box width (mm)	Payload (gross)** (kg)	Gross Vehicle Mass (kg)	Maximum Gross Train Mass (kg)
Ford Ranger Regular Cab	4x2/4x4	2280	1456	1190/1235	2800/3010	4400/6010
Ford Ranger Super Cab	4x2/4x4	1753	1456	1225/1225	2900/3070	4500/6070
Ford Ranger Double Cab	4x4	1530	1456	1175	3020	6020

**Gross payload = GVM minus kerbweight.

Ford Transit Van SWB Low Roof



Ford Transit Van SWB Medium Roof



Dimensions (mm)

	SWB Low Roof Van Front-Wheel Drive	Rear-Wheel Drive	SWB Medium Roof Van Front-Wheel Drive	Rear-Wheel Drive
A	Overall length (excluding step where fitted)			
B	Overall width (with/without mirrors)			
C	Overall height			
D	Front of vehicle to front wheel centre			
E	Wheelbase			
F	Rear of vehicle to rear wheel centre			
G	Side door entry width			
H	Rear door entry width			
I	Loadspace between wheel arches			
J	Rear door entry height			
K	Maximum loadspace width			
L	Side load door entry height			
M	Load floor to roof			
N	Maximum loadspace length			
O	Loading height			
P	Loadspace			

Key: All dimensions (shown in mm) are subject to manufacturing tolerances and refer to minimum specification models and do not include additional equipment. *Height dimensions show the range from minimum to maximum of a fully laden, lowest payload vehicle to unladen highest payload vehicle. These illustrations are for guidance only. Loadspace shown as SAE/VDA and measured in cubic metres. **VDA method** This is the method used by the Verbund die Automobil Industrie (VDA) in Germany. A VDA figure is determined by filling the loadspace with 'litre' blocks, each measuring 200x100x50 mm. The blocks are then counted, and the numerical result is converted into cubic metres. **SAE method** The SAE (Society of Automotive Engineers) method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. **Ford** favours the use of the more realistic VDA method of calculation for measuring 'useable' interior loadspace.

Model availability

	SWB 260	SWB 280	SWB 300	SWB 330	MWB 260	MWB 280	MWB 300	MWB 330	MWB 350	LWB 280	LWB 300	LWB 330	LWB 350	LWB 350 EL	LWB 430 EL
Transit Van															
2.2 Duratorq TDCi Diesel 85 PS	●	●	●		●	●	●			●	●				
2.2 Duratorq TDCi Diesel 110 PS	●	●	●	●	●	●	●	●	●	●	●	●	●		
2.2 Duratorq TDCi Diesel 130 PS	●	●	●	●	●	●	●	●	●	●	●	●	●		
2.4 Duratorq TDCi Diesel 100 PS				●				●	●	●		●	●	●	●
2.4 Duratorq TDCi Diesel 115 PS				●				●	●	●		●	●	●	●
2.4 Duratorq TDCi Diesel 140 PS				●				●	●			●	●	●	●
2.3 Duratec Petrol 145 PS		●		●		●	●	●	●	●	●	●			

					SWB 260	SWB 280	SWB 300	MWB 280	MWB 300	MWB 330	MWB 350	LWB 330	LWB 350	LWB 350 EL	
Transit Double Cab-in-Van															
2.2 Duratorq TDCi Diesel 85 PS					●	●	●	●	●						
2.2 Duratorq TDCi Diesel 110 PS					●	●	●	●	●						
2.2 Duratorq TDCi Diesel 130 PS					●	●	●	●	●						
2.4 Duratorq TDCi Diesel 100 PS										●	●	●	●	●	●
2.4 Duratorq TDCi Diesel 115 PS										●	●	●	●	●	●
2.4 Duratorq TDCi Diesel 140 PS										●	●	●	●	●	●

● = Standard, ○ = Option, at extra cost. All models are 5-speed manual transmission, except for the 2.4 Duratorq TDCi 115 PS and 140 PS diesel engines which are 6-speed manual, unless otherwise stated.

Weights and loads



	Driveline	Gross vehicle mass (kg)	Kerb mass(kg)*	Gross payload (kg) ^o	Front axle plated mass (kg)	Rear axle plated mass (kg)	Front axle kerb mass (kg)	Rear axle kerb mass (kg)	Axle ratio ^{oo}	Max. GTM (kg) with quoted axle ratio
260 SWB Low Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2600	1609	991	1450	1475	985	595	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2600	1611	989	1450	1475	987	595	4.54	3500
280 SWB Low Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1609	1191	1450	1650	985	595	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1611	1189	1450	1650	987	595	4.54	3500
2.3 Duratec Petrol 145 PS	RWD	2800	1750	1050	1600	1850	923	729	5.11/5.44	4500
300 SWB Low Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1609	1391	1600	1760	985	595	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1611	1389	1600	1760	987	595	4.54	3500
330 SWB Low Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3300	1635	1665	1700	2150	1014	601	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	1812	1488	1700	2150	996	723	4.78/5.11	5300
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	1817	1483	1700	2150	996	723	3.73/4.27	5300
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	1837	1463	1700	2150	1000	739	3.73/4.27	5300
2.3 Duratec Petrol 145 PS	RWD	3300	1752	1548	1700	2150	825	729	5.11/5.44	4500/5000
260 SWB Low Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2600	1718	882	1450	1475	1022	667	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2600	1720	880	1450	1475	1024	667	4.54	3500
280 SWB Low Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1718	1082	1450	1650	1022	667	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1720	1080	1450	1650	1024	667	4.54	3500

Weights and loads



	Driveline	Gross vehicle mass (kg)	Kerb mass(kg)*	Gross payload (kg) ^o	Front axle plated mass (kg)	Rear axle plated mass (kg)	Front axle kerb mass (kg)	Rear axle kerb mass (kg)	Axle ratio ^{oo}	Max. GTM (kg) with quoted axle ratio
300 SWB Low Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1718	1282	1600	1760	1022	667	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1720	1280	1600	1760	1024	667	4.54	3500
260 SWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2600	1634	966	1450	1475	990	615	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2600	1636	964	1450	1475	992	615	4.54	3500
280 SWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1634	1166	1450	1650	990	615	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1636	1165	1450	1650	992	615	4.54	3500
300 SWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1634	1366	1600	1760	990	615	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1636	1364	1600	1760	992	615	4.54	3500
330 SWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3300	1661	1639	1700	2150	1019	621	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	1837	1463	1700	2150	1001	742	4.78/5.11	5300
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	1842	1458	1700	2150	1001	742	3.73/4.27	5300
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	1862	1438	1700	2150	1005	759	3.73/4.27	5300
2.3 Duratec Petrol 145 PS	RWD	3300	1777	1523	1700	2150	930	749	5.11/5.44	4500/5000
260 SWB Medium Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2600	1743	857	1450	1475	1027	687	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2600	1745	855	1450	1475	1029	687	4.54	3500
280 SWB Medium Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1743	1057	1450	1650	1027	687	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1745	1055	1450	1650	1029	687	4.54	3500
300 SWB Medium Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1743	1257	1600	1760	1027	687	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1745	1255	1600	1760	1029	687	4.54	3500

SWB = Short wheelbase. **FWD** = Front-wheel Drive, **RWD** = Rear-wheel Drive. ^o**Gross Payload**= Gross vehicle mass, less kerb mass. **GVM** = Gross vehicle mass. The total permissible all-up weight of a rigid vehicle – i.e. with body, payload, ancillaries, fuel, oil, water, driver and crew. ***Kerb mass** = The weight of the complete vehicle and all equipment including fuel and water, but without payload, driver or any crew. All kerb masses quoted in this brochure are subject to manufacturing tolerances and are for vehicles with minimum equipment. **GTM** = Gross train mass. The total permissible all-up weight of a rigid vehicle (see GVM) together with its trailer and load. ^{oo}The illustrated rear axle ratio shown is one example of what is available dependent upon model, payload and engine combination. Alternative ratios are available, in most cases, for more specialised applications. Different GTMs available with alternative rear axle ratios. Please consult your Ford Dealer for details.



Ford Transit Van MWB Low Roof



Ford Transit Van MWB Medium Roof



Ford Transit Van MWB High Roof



Dimensions (mm)

	MWB Low Roof Van Front-Wheel Drive	MWB Medium Roof Van Front-Wheel Drive	Rear-Wheel Drive	MWB High Roof Van Front-Wheel Drive	Rear-Wheel Drive
A	Overall length (excluding step where fitted)				
B	Overall width (with/without mirrors)				
C	Overall height				
D	Front of vehicle to front wheel centre				
E	Wheelbase				
F	Rear of vehicle to rear wheel centre				
G	Side door entry width				
H	Rear door entry width				
I	Loadspace between wheel arches				
J	Rear door entry height				
K	Maximum loadspace width				
L	Side load door entry height				
M	Load floor to roof				
N	Maximum loadspace length				
O	Loading height				
P	Loadspace				

Key: All dimensions (shown in mm) are subject to manufacturing tolerances and refer to minimum specification models and do not include additional equipment. *Height dimensions show the range from minimum to maximum of a fully laden, lowest payload vehicle to unladen highest payload vehicle. These illustrations are for guidance only. Loadspace shown as SAE/VDA and measured in cubic metres. **VDA method** This is the method used by the Verbund die Automobil Industrie (VDA) in Germany. A VDA figure is determined by filling the loadspace with 'litre' blocks, each measuring 200x100x50 mm. The blocks are then counted, and the numerical result is converted into cubic metres. **SAE method** The SAE (Society of Automotive Engineers) method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. **Ford** favours the use of the more realistic VDA method of calculation for measuring 'useable' interior loadspace.

Weights and loads



	Driveline	Gross vehicle mass (kg)	Kerb mass (kg)*	Gross payload (kg) ^o	Front axle plated mass (kg)	Rear axle plated mass (kg)	Front axle kerb mass (kg)	Rear axle kerb mass (kg)	Axle ratio ^{oo}	Max. GTM (kg) with quoted axle ratio
280 MWB Low Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1689	1111	1500	1650	1034	635	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1691	1109	1500	1650	1036	635	4.54	3500
300 MWB Low Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1689	1311	1600	1760	1034	635	4.23	4000/4500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1691	1309	1600	1760	1036	635	4.54	4500
330 MWB Low Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3300	1715	1585	1700	2150	1063	641	4.54	4500
350 MWB Low Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3500	1715	1785	1750	2250	1063	641	4.54	4500
260 MWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2600	1714	886	1450	1550	1039	656	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2600	1716	884	1450	1550	1041	656	4.54	3500
280 MWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1714	1086	1500	1650	1040	655	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1716	1084	1500	1650	1041	656	4.54	3500
2.3 Duratec Petrol 145 PS	RWD	2800	1821	979	1600	1850	961	787	5.11/5.44	4500
300 MWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1714	1286	1600	1760	1040	655	4.23	4000/4500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1716	1284	1600	1760	1042	655	4.54	4500
2.3 Duratec Petrol 145 PS	RWD	3000	1821	1179	1600	1850	961	787	5.11/5.44	4500
330 MWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3300	1740	1560	1700	2150	1068	661	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	1883	1417	1700	2150	1034	781	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	1888	1412	1700	2150	1034	781	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	1908	1392	1700	2150	1037	798	3.73/4.27	6000/6100
2.3 Duratec Petrol 145 PS	RWD	3300	1823	1477	1700	2150	963	787	5.11/5.44	4500/5000
350 MWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3500	1740	1760	1750	2250	1068	661	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	1883	1617	1750	2250	1034	781	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	1888	1612	1750	2250	1034	781	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	1908	1592	1750	2250	1037	798	3.73/4.27	6000/6300
2.3 Duratec Petrol 145 PS	RWD	3500	1823	1677	1750	2250	963	787	5.11/5.44	4500/5000
280 MWB Medium Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1823	977	1500	1650	1081	722	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1825	975	1500	1650	1083	722	4.54	3500
300 MWB Medium Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1823	1177	1600	1760	1081	722	4.23	4000/4500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1825	1175	1600	1760	1083	722	4.54	4500
330 MWB Medium Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	1991	1309	1700	2150	1075	849	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	1996	1304	1700	2150	1075	849	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	2017	1283	1700	2150	1079	865	3.73/4.27	6000/6100
350 MWB Medium Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	1991	1509	1750	2250	1076	848	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	1996	1504	1750	2250	1076	848	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	2017	1483	1750	2250	1079	865	3.73/4.27	6000/6300

Weights and loads



	Driveline	Gross vehicle mass (kg)	Kerb mass (kg)*	Gross payload (kg) ^o	Front axle plated mass (kg)	Rear axle plated mass (kg)	Front axle kerb mass (kg)	Rear axle kerb mass (kg)	Axle ratio ^{oo}	Max. GTM (kg) with quoted axle ratio
260 MWB High Roof Van (Optional model)										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2600	1736	864	1500	1650	1044	673	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2600	1738	862	1500	1650	1044	673	4.54	3500
280 MWB High Roof Van (Optional model)										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1736	1064	1500	1650	1044	673	4.25	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1738	1062	1500	1650	1046	673	4.54	3500
2.3 Duratec Petrol 145 PS	RWD	2800	1843	957	1600	1850	965	805	5.11/5.44	4500
300 MWB High Roof Van (Optional model)										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1736	1264	1600	1760	1044	673	4.23	4000/4500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1738	1262	1600	1760	1046	673	4.54	4500
2.3 Duratec Petrol 145 PS	RWD	3000	1843	1157	1600	1850	965	805	5.11/5.44	4500
330 MWB High Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3300	1762	1538	1700	2150	1073	679	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	1905	1395	1700	2150	1038	799	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	1910	1390	1700	2150	1038	799	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	1930	1370	1700	2150	1043	815	3.73/4.27	6000/6100
2.3 Duratec Petrol 145 PS	RWD	3300	1845	1455	1700	2150	967	805	5.11/5.44	4500/5000
350 MWB High Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3500	1762	1738	1750	2250	1073	679	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	1905	1595	1750	2250	1038	799	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	1910	1590	1750	2250	1038	799	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	1930	1570	1750	2250	1042	816	3.73/4.27	6000/6300
2.3 Duratec Petrol 145 PS	RWD	3500	1845	1655	1750	2250	967	805	5.11/5.44	4500/5000
300 MWB High Roof Double Cab-in-Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1845	1155	1600	1760	1086	740	4.23	4000/4500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1847	1153	1600	1760	1088	740	4.54	4500
330 MWB High Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	2014	1286	1700	2150	1080	866	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	2019	1281	1700	2150	1080	866	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	20391	1261	1700	2150	1084	882	3.73/4.27	6000/6100
350 MWB High Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	2014	1486	1750	2250	1080	866	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	2019	1481	1750	2250	1080	866	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	2039	1461	1750	2250	1084	882	3.73/4.27	6000/6300

MWB = Medium wheelbase. **FWD** = Front-wheel Drive, **RWD** = Rear-wheel Drive. ^o**Gross Payload** = Gross vehicle mass, less kerb mass. **GVM** = Gross vehicle mass. The total permissible all-up weight of a rigid vehicle – i.e. with body, payload, ancillaries, fuel, oil, water, driver and crew. ***Kerb mass** = The weight of the complete vehicle and all equipment including fuel and water, but without payload, driver or any crew. All kerb masses quoted in this brochure are subject to manufacturing tolerances and are for vehicles with minimum equipment. **GTM** = Gross train mass. The total permissible all-up weight of a rigid vehicle (see GVM) together with its trailer and load. ^{oo}The illustrated rear axle ratio shown is one example of what is available dependent upon model, payload and engine combination. Alternative ratios are available, in most cases, for more specialised applications. Different GTMs available with alternative rear axle ratios. Please consult your Ford Dealer for details. **NOTE:** All figures for 350 RWD models are for the vehicle fitted with the standard 1750 kg front axle, specification of the optional 1850 kg front axle will affect these figures. Please consult your Ford Dealer for details.

Ford Transit Van LWB Medium Roof



Ford Transit Van LWB High Roof



Dimensions (mm)

	LWB Medium Roof Van		LWB High Roof Van	
	Front-Wheel Drive	Rear-Wheel Drive	Front-Wheel Drive	Rear-Wheel Drive
A	Overall length (excluding step where fitted)		5680	5680
B	Overall width (with/without mirrors)		2360/1974	2360/1974
C	Overall height		2330-2381	2389-2394
D	Front of vehicle to front wheel centre		933	933
E	Wheelbase		3750	3750
F	Rear of vehicle to rear wheel centre		997	997
G	Side door entry width		1250	1250
H	Rear door entry width		1540	1540
I	Loadspace between wheel arches		1390	1390
J	Rear door entry height		1666	1566
K	Maximum loadspace width		1762	1762
L	Side load door entry height		1565	1465
M	Load floor to roof		1745	1645
N	Maximum loadspace length		1985	1885
O	Loading height		3399	3399
P	Loadspace		542-594	705-710
			10.45/8.97 (cu.m)	9.85/8.45 (cu.m)
			11.89/10.20 (cu.m)	11.29/9.69 (cu.m)

Key: All dimensions (shown in mm) are subject to manufacturing tolerances and refer to minimum specification models and do not include additional equipment. *Height dimensions show the range from minimum to maximum of a fully laden, lowest payload vehicle to unladen highest payload vehicle. These illustrations are for guidance only. Loadspace shown as SAE/VDA and measured in cubic metres. **VDA method** This is the method used by the Verbund die Automobil Industrie (VDA) in Germany. A VDA figure is determined by filling the loadspace with 'litre' blocks, each measuring 200x100x50 mm. The blocks are then counted, and the numerical result is converted into cubic metres. **SAE method** The SAE (Society of Automotive Engineers) method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. **Ford** favours the use of the more realistic VDA method of calculation for measuring 'useable' interior loadspace.

Weights and loads


	Driveline	Gross vehicle mass (kg)	Kerb mass (kg)*	Gross payload (kg) ^o	Front axle plated mass (kg)	Rear axle plated mass (kg)	Front axle kerb mass (kg)	Rear axle kerb mass (kg)	Axle ratio ^{oo}	Max. GTM (kg) with quoted axle ratio
280 LWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1746	1054	1550	1650	1064	663	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1748	1052	1550	1650	1066	663	4.54	3500
2.4 Duratorq TDCi Diesel 100 PS	RWD	2800	1909	891	1700	2150	1071	772	4.78/5.11	3500
2.4 Duratorq TDCi Diesel 115 PS	RWD	2800	1914	886	1700	2150	1071	772	3.73/4.27	3500
2.4 Duratec Petrol 145 PS	RWD	2800	1849	951	1600	1850	998	778	5.11/5.44	4500
300 LWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1746	1254	1600	1760	1064	663	4.23	4000/4500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1748	1252	1600	1760	1066	663	4.54	4500
2.3 Duratec Petrol 145 PS	RWD	3000	1849	1151	1600	1850	998	778	5.11/5.44	4500
330 LWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3300	1772	1528	1700	2150	1093	668	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	1911	1389	1700	2150	1071	772	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	1916	1384	1700	2150	1071	772	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	1936	1364	1700	2150	1075	788	3.73/4.27	6000/6100
2.3 Duratec Petrol 145 PS	RWD	3300	1851	1449	1700	2150	1000	778	5.11/5.44	4500/5000
350 LWB Medium Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3500	1772	1728	1750	2250	1093	668	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	1911	1589	1750	2250	1071	772	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	1916	1584	1750	2250	1071	772	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	1936	1564	1750	2250	1075	788	3.73/4.27	6000/6300
2.3 Duratec Petrol 145 PS	RWD	3500	1851	1649	1750	2250	1000	778	5.11/5.44	4500/5000
330 LWB Medium Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	2020	1280	1700	2150	1118	834	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	2024	1276	1700	2150	1118	834	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	2045	1255	1700	2150	1121	851	3.73/4.27	6000/6100
350 LWB Medium Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	2020	1480	1750	2250	1118	834	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	2024	1476	1750	2250	1118	834	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	2045	1455	1750	2250	1121	851	3.73/4.27	6000/6300
280 LWB High Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	2800	1773	1027	1550	1650	1071	683	4.23	3500
2.2 Duratorq TDCi Diesel 130 PS	FWD	2800	1775	1025	1550	1650	1073	683	4.54	3500
2.4 Duratorq TDCi Diesel 100 PS	RWD	2800	1936	864	1700	2150	1078	792	4.78/5.11	3500
2.4 Duratorq TDCi Diesel 115 PS	RWD	2800	1941	859	1700	2150	1078	792	3.73/4.27	3500
2.3 Duratec Petrol 145 PS	RWD	2800	1876	924	1600	1850	1005	798	5.11/5.44	4500
300 LWB High Roof Van										
2.2 Duratorq TDCi Diesel 85 PS/110 PS	FWD	3000	1773	1227	1600	1760	1071	683	4.23	4000/4500
2.2 Duratorq TDCi Diesel 130 PS	FWD	3000	1775	1225	1600	1760	1073	683	4.54	4500
2.3 Duratec Petrol 145 PS	RWD	3000	1876	1124	1600	1850	1005	798	5.11/5.44	4500
330 LWB High Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3300	1799	1501	1700	2150	1100	688	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	1938	1362	1700	2150	1078	792	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	1943	1357	1700	2150	1078	792	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	1963	1337	1700	2150	1082	809	3.73/4.27	6000/6100
2.3 Duratec Petrol 145 PS	RWD	3300	1878	1422	1700	2150	1007	798	5.11/5.44	4500/5000

Weights and loads

	Driveline	Gross vehicle mass (kg)	Kerb mass (kg)*	Gross payload (kg) ^o	Front axle plated mass (kg)	Rear axle plated mass (kg)	Front axle kerb mass (kg)	Rear axle kerb mass (kg)	Axle ratio ^{oo}	Max. GTM (kg) with quoted axle ratio
350 LWB High Roof Van										
2.2 Duratorq TDCi Diesel 110 PS/130 PS	FWD	3500	1799	1701	1750	2250	1100	688	4.54	4500
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	1938	1562	1750	2250	1078	792	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	1943	1557	1750	2250	1078	792	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	1963	1537	1750	2250	1082	809	3.73/4.27	6000/6300
2.3 Duratec Petrol 145 PS	RWD	3500	1884	1616	1750	2250	1007	798	5.11/5.44	4500/5000
330 LWB High Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3300	2047	1253	1700	2150	1124	855	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3300	2052	1248	1700	2150	1124	855	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3300	2072	1228	1700	2150	1128	871	3.73/4.27	6000/6100
350 LWB High Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	2047	1453	1750	2250	1124	855	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	2052	1448	1750	2250	1124	855	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	2072	1428	1750	2250	1128	871	3.73/4.27	6000/6300

LWB = Long wheelbase. **FWD** = Front-wheel Drive, **RWD** = Rear-wheel Drive. ^o**Gross Payload** = Gross vehicle mass, less kerb mass. **GVM** = Gross vehicle mass. The total permissible all-up weight of a rigid vehicle – i.e. with body, payload, ancillaries, fuel, oil, water, driver and crew. ***Kerb mass** = The weight of the complete vehicle and all equipment including fuel and water, but without payload, driver or any crew. All kerb masses quoted in this brochure are subject to manufacturing tolerances and are for vehicles with minimum equipment. **GTM** = Gross train mass. The total permissible all-up weight of a rigid vehicle (see GVM) together with its trailer and load. ^{oo}The illustrated rear axle ratio shown is one example of what is available dependent upon model, payload and engine combination. Alternative ratios are available, in most cases, for more specialised applications. Different GTMs available with alternative rear axle ratios. Please consult your Ford Dealer for details. *With optional air conditioning. **NOTE:** All figures for 350 RWD models are for the vehicle fitted with the standard 1750 kg front axle, specification of the optional 1850 kg front axle will affect these figures. Please consult your Ford Dealer for details.

Ford Transit Van LWB EL 'Jumbo' High Roof



Dimensions (mm)

		LWB EL 'Jumbo' High Roof Van Rear-Wheel Drive
A	Overall length (excluding step where fitted)	6403
B	Overall width (with/without mirrors)	2360/1974/2084 (DRW)
C	Overall height	2623-2624
D	Front of vehicle to front wheel centre	933
E	Wheelbase	3750
F	Rear of vehicle to rear wheel centre	1720
G	Side door entry width	1250
H	Rear door entry width	1540
I	Loadspace between wheel arches	1390 (SRW)
		1153 (DRW 350 and 430 Jumbo)
J	Rear door entry height	1796
K	Maximum loadspace width	1762
L	Side load door entry height	1465
M	Load floor to roof	1885
N	Maximum loadspace length	4107
O	Loading height	711-715
P	Loadspace	14.30/12.28 (cu.m)

Key: All dimensions (shown in mm) are subject to manufacturing tolerances and refer to minimum specification models and do not include additional equipment. *Height dimensions show the range from minimum to maximum of a fully laden, lowest payload vehicle to unladen highest payload vehicle. These illustrations are for guidance only. Loadspace shown as SAE/VDA and measured in cubic metres. **VDA method** This is the method used by the Verbund die Automobil Industrie (VDA) in Germany. A VDA figure is determined by filling the loadspace with 'litre' blocks, each measuring 200x100x50 mm. The blocks are then counted, and the numerical result is converted into cubic metres. **SAE method** The SAE (Society of Automotive Engineers) method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. **Ford** favours the use of the more realistic VDA method of calculation for measuring 'useable' interior loadspace.

Weights and loads

	Driveline	Gross vehicle mass (kg)	Kerb mass (kg)*	Gross payload (kg) ^a	Front axle plated mass (kg)	Rear axle plated mass (kg)	Front axle kerb mass (kg)	Rear axle kerb mass (kg)	Axle ratio ^{ao}	Max. GTM (kg) with quoted axle ratio
350 LWB EL (SRW) 'Jumbo' High Roof Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	2073	1427	1750	2300	1039	961	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	2078	1422	1750	2300	1039	961	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	2098	1402	1750	2300	1043	978	3.73/4.27	6000/6300
350 LWB EL (DRW) 'Jumbo' High Roof Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	2144	1356	1750	2600	1043	1001	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	2148	1352	1750	2600	1043	1001	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	2152	1348	1750	2600	1046	1018	3.73/4.27	6000/6300
430 LWB EL (DRW) 'Jumbo' High Roof Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	4250	2188	2062	1750	2950	1054	1018	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	4250	2193	2057	1750	2950	1054	1018	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	4250	2197	2053	1750	2950	1058	1018	3.73/4.27	6000/6500
350 LWB EL (SRW) 'Jumbo' High Roof Double Cab-in-Van										
2.4 Duratorq TDCi Diesel 100 PS	RWD	3500	2182	1318	1750	2300	1087	1022	4.78/5.11	5500/6000
2.4 Duratorq TDCi Diesel 115 PS	RWD	3500	2186	1314	1750	2300	1087	1022	3.73/4.27	5500/6000
2.4 Duratorq TDCi Diesel 140 PS	RWD	3500	2207	1293	1750	2300	1090	1039	3.73/4.27	6000/6300

LWB EL = Long wheelbase, extended length. **FWD** = Front-wheel Drive, **RWD** = Rear-wheel Drive. **^aGross Payload** = Gross vehicle mass, less kerb mass. **GVM** = Gross vehicle mass. The total permissible all-up weight of a rigid vehicle – i.e. with body, payload, ancillaries, fuel, oil, water, driver and crew. ***Kerb mass** = The weight of the complete vehicle and all equipment including fuel and water, but without payload, driver or any crew. All kerb masses quoted in this brochure are subject to manufacturing tolerances and are for vehicles with minimum equipment. **GTM** = Gross train mass. The total permissible all-up weight of a rigid vehicle (see GVM) together with its trailer and load. ^{ao}The illustrated rear axle ratio shown is one example of what is available dependent upon model, payload and engine combination. Alternative ratios are available, in most cases, for more specialised applications. Different GTMs available with alternative rear axle ratios. Please consult your Ford Dealer for details. **NOTE:** All figures for 350 RWD SRW models are for the vehicle fitted with the standard 1750 kg front axle, specification of the optional 1850 kg front axle will affect these figures. Please consult your Ford Dealer for details.

Engine data

	Engine technical features	Maximum power ^o	Maximum torque ^o
2.2 Duratorq TDCi Diesel 63 kW (85 PS) 2198 cc	4 cylinders in line; DOHC; 16 valves; alloy cylinder head; direct injection with high-pressure, common-rail, multipoint fuel injection system; turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	63 kW (85 PS) at 3500 min ⁻¹ (rpm)	250 Nm at 1500 min ⁻¹ (rpm)
2.2 Duratorq TDCi Diesel 81 kW (110 PS) 2198 cc	4 cylinders in line; DOHC; 16 valves; alloy cylinder head; direct injection with high-pressure, common-rail, multipoint fuel injection system; turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	81 kW (110 PS) at 3500 min ⁻¹ (rpm)	285 Nm at 1750 min ⁻¹ (rpm)
2.2 Duratorq TDCi Diesel 96 kW (130 PS) 2198 cc	4 cylinders in line; DOHC; 16 valves; alloy cylinder head; direct injection with high-pressure, common-rail, multipoint fuel injection system; turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	96 kW (130 PS) at 3500 min ⁻¹ (rpm)	310 Nm at 1600 min ⁻¹ (rpm)
2.4 Duratorq TDCi Diesel 74 kW (100 PS) 2402 cc	4 cylinders in line; DOHC; 16 valves; alloy cylinder head; direct injection with high-pressure, common-rail, multipoint fuel injection system; turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	74 kW (100 PS) at 3500 min ⁻¹ (rpm)	285 Nm at 1600 min ⁻¹ (rpm)
2.4 Duratorq TDCi Diesel 85 kW (115 PS) 2402 cc	4 cylinders in line; DOHC; 16 valves; alloy cylinder head; direct injection with high-pressure, common-rail, multipoint fuel injection system; turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	85 kW (115 PS) at 3500 min ⁻¹ (rpm)	310 Nm at 1750 min ⁻¹ (rpm)
2.4 Duratorq TDCi Diesel 103 kW (140 PS) 2402 cc	4 cylinders in line; DOHC; 16 valves; alloy cylinder head; direct injection with high-pressure, common-rail, multipoint fuel injection system; turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	103 kW (140 PS) at 3500 min ⁻¹ (rpm)	375 Nm at 2000 min ⁻¹ (rpm)
2.3 Duratec Petrol 107 kW (145 PS) 2261 cc	4 cylinders in line; DOHC; 16 valves; electronic multipoint fuel injection	107 kW (145 PS) at 5250 min ⁻¹ (rpm)	210 Nm at 3850 min ⁻¹ (rpm)

^oTested in accordance with ISO 1585. All models are 5-speed manual transmission, except for the 2.4 Duratorq TDCi 115 PS and 140 PS diesel engines which are 6-speed manual, unless otherwise stated. **Please note:** All Transit engines are Stage IV emissions level.

Mechanical features

	SWB	MWB	LWB	Jumbo
Brakes				
Dual-circuit, with self-adjusting servo-assistance. Front and rear discs	●	●	●	●
Front brakes – Brake pad wear indicator	●	●	●	●
Fuel Tank				
80 litres	●	●	●	●
Steering				
Power-assisted steering	●	●	●	●
Suspension				
Front, independent MacPherson struts, variable rate coil springs, stabiliser bar and gas-pressurised shock absorbers. Rear, leaf springs and gas-pressurised shock absorbers	●	●	●	●
Front – Anti-roll bar	●	●	●	●
Rear stabiliser bar (430 Vans only)				●
Transmission				
Speed limiter – 70 mph (not available on petrol models)	○	○	○	○
Heavy duty front axle				
1850 kg (RWD 350 and 430 models only) (Jumbo available MY 2007)		○	○	○
Axle ratios				
FWD				
Final drive ratio – 4.23 (260, 280 & 300 models with 2.2 Duratorq TDCi 85 PS and 110 PS diesel engines only)	●	●	●	
Final drive ratio – 4.54 (330 & 350 models with 2.2 Duratorq TDCi 110 PS diesel engine only)	●	●	●	
Final drive ratio – 4.54 (2.2 Duratorq TDCi 130 PS diesel engine only)	●	●	●	
RWD				
Final drive ratio – 4.78 (RWD models with 2.4 Duratorq TDCi 100 PS diesel engine only)	●	●	●	●
Final drive ratio – 5.11 (petrol and 2.4 Duratorq TDCi 100 PS diesel models only)	●	●	●	●
Final drive ratio – 5.44 (petrol models only)	○	○	○	○
Final drive ratio – 3.73 (2.4 Duratorq TDCi 115 PS and 140 PS diesel engines only)	●	●	●	●
Final drive ratio – 4.27 (2.4 Duratorq TDCi 115 PS and 140 PS diesel engines only)	○	○	○	○
Turning circle				
Kerb to kerb – 10.8 m, wall to wall 11.4 m	●			
Kerb to kerb – 11.9 m, wall to wall 12.5 m		●		
Kerb to kerb – 13.3 m, wall to wall 14.3 m			●	●

● = Standard, ○ = Option, at extra cost.

Safety and security features

	SWB	MWB	LWB	Jumbo
Safety				
Anti-lock brakes – Electronic, 4-wheel (includes rear disc brakes)	●	●	●	●
Traction control – Includes 4-wheel anti-lock brakes (optional 85 PS, 100 PS, 130 PS, 140 PS; standard 110 PS, 115 PS)	○	○	○	○
Electronic Stability Programme (ESP)* (not available with Dual Rear Wheel) (optional 110 PS, 115 PS; standard 130 PS, 140PS) (not available 85 PS, 100PS)	○	○	○	○
Airbag – Driver’s	●	●	●	●
Airbag – Outer front passenger’s	○	○	○	○
Airbag – Side airbags (only available with fabric or leather (DCIV) single passenger seat and with power door locks)	○	○	○	○
Seat belts – 3-point diagonal inertia reel (all seats)	●	●	●	●
Seat belts – Height-adjustable seat belt mount (driver only)	●	●	●	●
*Includes Electronic Brake Force Distribution (EBD), Hydraulic Brake Assist (HBA) and Brake Traction Control System (BTCS)				
Security				
Alarm – Perimeter and trailer coupling, when fitted	○	○	○	○
Alarm – Cab interior sensing and trailer coupling, when fitted. (Includes remote locking with 2 key fobs) (Only available on FWD Vans with full steel bulkhead or full bulkhead with fixed window and either unglazed rear doors or heated rear windows) (Insurance-approved Category 1 alarm) (not available Double Cab-in-Van or 2nd row glazed doors)	○	○	○	
Audio – Enhanced "Keycode" anti-theft coding	●	●	●	●
Door mirrors – Enhanced rear vision	●	●	●	●
Doors – Unglazed rear	●	●	●	●
Fuel cap – Locking	●	●	●	●
Immobiliser – Safeguard Passive Anti-Theft System (PATS) (Insurance-approved Category 2 immobiliser)	●	●	●	●
Locks – High security lock-in-latch system, shielded with strengthened mountings	●	●	●	●
Locks – Power door dead-locks	●	●	●	●
Locks – Remote control locking with 1 key fob	●	●	●	●
Locks – Remote control central locking with configurable unlocking (see separate table for unlocking configurations)*	○	○	○	○
Locks – Auto re-locking, doors re-lock after 45 seconds if no door is opened (only available with remote locking)	●	●	●	●
Locks – Audio mis-lock feedback, audible signal if a door is ajar when locking activated (only available with remote locking)	●	●	●	●
Locks – Auto locking on drive-away, doors automatically lock at 5 mph	●	●	●	●
Locks – Key-operated bonnet release	●	●	●	●
Vehicle Identification Number – Visible	●	●	●	●
Second Remote control key fob (not available on DCIV until February 2007)	○	○	○	○
Slam locking	○	○	○	○

● = Standard, ○ = Option, at extra cost. *For details of the configurations available please consult your Ford Dealer. **Please Note:** Configurable locking must be defined at the time of order, it cannot be ordered as a Dealer-fitted option or accessory.

Exterior features

	SWB	MWB	LWB	Jumbo
Exterior appearance and styling				
Body – Low roof (280/300/330/350 MWB)	●	○		
Body – Medium roof (includes header-mounted package tray)	○	●	●	
Body – High roof (includes header-mounted package tray) (260/280/300 MWB and 280/300 LWB)		○	○	●
Bodyside mouldings (not available on Jumbo EL models)	○	○	○	
Bumpers – Full width, front and rear	●	●	●	●
Bumper – Front, bodycolour grille and front bumper centre piece (includes front fog lights and integrated step trim plates) (Frozen White and metallic body colours only) (LX and GLX Packs)	□	□	□	□
Bumper – Rear step (standard on High Roof models)	○	○	○	○
Paint – Metallic (no charge option when ordered with LX or GLX Packs)	○	○	○	○
Tyres – Goodyear (Mud and snow)	○	○	○	○
Tyres – Michelin (all-weather)	○	○	○	○

Exterior features

	SWB	MWB	LWB	Jumbo
Wheels – 5½x15" steel wheels with centre hub covers and 195/70R 15C LI 100/98 BSW tyres (260 SWB and 260 MWB models only)	●			
Wheels – 5½x15" steel wheels with centre hub covers and 195/70R 15C LI 104/102 BSW tyres (FWD 280 SWB, 280 MWB, 280 LWB, 300 SWB, 300 MWB and 300 LWB models only)	●	●	●	
Wheels – 5½x16" steel wheels with centre hub covers and 215/75R 16C BSW 113/111 tyres (330 SWB, 330 MWB, 330 LWB, 350 MWB and 350 LWB models only)	●	●	●	
Wheels – 5½x16" steel wheels with centre hub covers and 215/75R 16C 116/114 tyres (350 EL models only)				●
Wheels – 5x16" steel wheels with dual rear wheels, partial wheel cover on front wheels and 185/75R 16C BSW tyres				●
Wheels – 5½x16" 5-spoke alloy wheels with locking wheel nuts and 185/75R 16 tyres (not available on 430 EL)	○	○	○	○
Wheelcovers – Full	□	□	□	□
Exterior functional				
Doors – With drop window and assist handle	●	●	●	●
Doors – Driver’s (Dual) sliding side load door and step (standard on MWB Low Roof models)	○	○	○	○
Doors – Passenger’s sliding side load door and, on RWD models only, step	●	●	●	●
Doors – Delete passenger’s sliding side load door and step (not available when driver’s side sliding load door is specified)		○	○	○
Doors – Unglazed hinged rear doors, 180° opening, positive stop at 90°	●	●	●	
Doors – Glazed hinged rear doors	○	○	○	
Doors – Unglazed hinged rear doors, magnetic door retentioner, 256° opening				●
Doors– Glazed rear tailgate (in lieu of rear doors) (Low Roof models only)	○	○		
Door mirrors – Blind spot eliminator	●	●	●	●
Door mirrors – Electrically-operated and heated (short arm)	□	□	□	□
Door mirrors – Electrically-operated and heated (short arm)	○	○	○	○
Glass – Windscreen, driver’s and front passenger’s glass – Light tint (Standard with optional air conditioning)	○	○	○	○
Heated windscreen – ‘Quickclear’	□	□	□	□
Heated rear windows (only available with glazed rear doors/tailgate)	○	○	○	○
Mudflaps – Front	●	●	●	●
Mudflaps – Rear	○	○	○	○
Parking distance sensor, rear (includes integrated bumper step) (not available with optional tow bar or rear centre step)	○	○	○	○
Rear step (standard on High Roof models) (not available with optional tow bar)	○	○	○	○
Rear step – Integrated in bumper (not available with optional tow bar)	○	○	○	○
Tow bar (not available with optional rear step or rear parking distance sensor) with 13-pin electrics (tachograph may be required)	○	○	○	○
Towing eyes – Front and rear	●	●	●	●
Windows – Front, electrically-operated	□	□	□	□
Windows – Front, electrically-operated	○	○	○	○
Side windows, Van – 2nd row, driver’s side, fixed	○	○	○	○
Side windows, Van – 2nd row, passenger’s side, fixed	○	○	○	○
Side windows, Van – 2nd row, driver’s side, sliding	○	○	○	○
Side windows, Van – 2nd row, passenger’s side, sliding		○	○	○
Side windows, Double Cab-in-Van – 2nd row, driver’s side, sliding	●	●	●	●
Side windows, Double Cab-in-Van – 2nd row, passenger’s side, sliding		●	●	●
Side windows, Double Cab-in-Van – 2nd row, driver’s side, fixed	○	○	○	○
Side windows, Double Cab-in-Van – 2nd row, passenger’s side, fixed	●	○	○	○
Wipers – Front, two-speed with electric wash	●	●	●	●
Wipers – Rear with electric wash (includes heated rear windows and rear glazing)	○	○	○	
Exterior lighting				
Halogen headlights, side lights, rear fog lights, reversing lights	●	●	●	●
Front fog lights	○	○	○	○
Headlight levelling	●	●	●	●
High-mounted rear brake light	●	●	●	●
Side marker lights				●
Headlights – “Home Safe” facility, 30 seconds duration	●	●	●	●

● = Standard, ○ = Option, at extra cost, □ = Part of an Option Pack, at extra cost.

Audio and communications

	SWB	MWB	LWB	Jumbo
Stereo radio/single CD player – Model 6000 RDS	●	●	●	●
Stereo radio/single CD player – Model 6000 RDS with 24 radio station pre-sets, 2x17 watts power output and remote steering column-mounted contols	□	□	□	□
Stereo radio/6-disc CD player – Model 6006 RDS	○	○	○	○
Stereo radio/6-disc CD player – Model 6006 RDS with 24 radio station pre-sets, 2x17 watts power output and remote steering column-mounted contols	□	□	□	□
Satellite Navigation system – Stereo radio/single CD player with 24 radio station pre-sets, 2x20 watts power output and MP3 capability and remote steering column-mounted contols	○	○	○	○
Telephone Pack A – Factory-fitted integrated hands-free kit with cradle, enables phone charging for non-Bluetooth® compatible phones, routes phone output through vehicle speakers and includes an external phone antenna	○	○	○	○
Telephone Pack B – Bluetooth® module with wireless integration between phone and audio system and voice dialling	○	○	○	○
Telephone Pack C – Integrated hands-free kit with cradle and Bluetooth® module with wireless integration between phone and audio system, voice dialling, phone charging, phone output routing through vehicle speakers, external phone aerial	○	○	○	○

● = Standard, ○ = Option, at extra cost, □ = Part of an Option Pack, at extra cost. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ford Motor Company is under license. Other trademarks and trade names are those of their respective owners.

Interior features

	SWB	MWB	LWB	Jumbo
Carpet and trim				
Door trim – Front, moulded with pull handles and storage pockets	●	●	●	●
Floor covering – Cab, rubber	●	●	●	●
Floor covering – Loadspace, rubber (standard Double Cab-in-Van)	○	○	○	○
Headlining – Cab, moulded	●	●	●	●
Interior lighting				
Courtesy lights – Header-mounted, front door-operated	●	●	●	●
Load compartment lights	●	●	●	●
Floorwell lights (Double Cab-in-Van only)	●	●	●	●
Interior lighting/battery saver – 30 minutes	●	●	●	●
Instruments and controls				
Instruments – Speedometer, tachometer, odometer, trip recorder, fuel gauge, water temperature gauge and digital clock	●	●	●	●
Warning lights for oil pressure, direction indicator, high beam, lights on, ignition/alternator, brake failure, loadspace light on (where fitted), airbag(s) (where fitted)	●	●	●	●
Illuminated heater controls – 3-speed fan. Four vents with temperature and direction control, two dedicated side window demisters	●	●	●	●
Trip computer	□	□	□	□
Water in fuel filter	●	●	●	●
Water in fuel filter with sensor	○	○	○	○
Battery – Single (260, 280 & 300 FWD models only)	●	●	●	●
Battery – Twin (260, 280 & 300 FWD models only)	○	○	○	○
Battery – Twin (330 & 350 FWD models only)	●	●	●	●
Battery – Twin (RWD models only)	●	●	●	●
Cold start (-20°C)	●	●	●	●
Cold start (-29°C) includes twin heavy duty batteries (730 cold cranking amps per battery) (twin batteries are supplied at extra cost on 260, 280, 300 FWD models)	○	○	○	○
Tachograph – Digital, electronic, 24-hour (mandatory option for 430 models)*	○	○	○	○
Cruise control (includes leather-wrapped steering wheel with silver effect spokes and leather gear knob with silver acrylic insert) (only available with 2.2 Duratorq TDCi 110 PS and 130 PS diesel engines on FWD models and 2.4 Duratorq TDCi 115 PS and 140 PS diesel engines on RWD models)	○	○	○	○
Control stalks – Column-mounted for indicators and wash/wipe functions	●	●	●	●
Seats				
Seat trim – Tomy fabric	●	●	●	●
Seat trim – Kado velour (GLX Pack and Double Cab-in-Van only seat pack 26)	□	□	□	□
Seat trim – Verona leather (Double Cab-in-Van only)	○	○	○	○
Seat trim – York weave vinyl (Van only)	○	○	○	○

Interior features

	SWB	MWB	LWB	Jumbo
Front seats – Driver’s 6-way (Fore/aft; seat back rake and seat height) manual adjustment with fixed armrest and dual fixed passengers’ seat; height-adjustable head restraints; Tomy (administrative use - seat pack 22 - BVFAY)	●	●	●	●
Front seats – Driver’s 6-way (Fore/aft; seat back rake and seat height) manual adjustment with fixed armrest and single passenger’s 4-way (Fore/aft and seat back rake) manual adjustment with fixed armrest; height-adjustable head restraints; Tomy (administrative use - seat pack 21 - BVFAX)	○	○	○	○
Front seats – Driver’s heated 8-way (Fore/aft; seat back rake; seat height, cushion tilt and lumbar support) manual adjustment with fixed armrest; dual fixed passengers’ seat; height-adjustable head restraints; Tomy (administrative use - seat pack 23 - BVFAZ)	○	○	○	○
Front seats – Driver’s 6-way (Fore/aft; seat back rake and seat height) manual adjustment with fixed armrest and dual fixed passengers’ seat; height-adjustable head restraints; York (administrative use - seat pack 27 - BVFA4) (Van only)	○	○	○	○
Front seats – Driver’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support and heated) manual adjustment with fixed armrest and single passenger’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support and heated) manual adjustment with fixed armrest; height-adjustable head restraints; Tomy (administrative use - seat pack 24 - BVFA1)	○	○	○	○
Front seats – Driver’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support and heated) manual adjustment with fixed armrest and single passenger’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support and heated) manual adjustment with fixed armrest; height-adjustable head restraints; Kado (administrative use - seat pack 26 - BVFA3) (Double Cab-in-Van only)	○	○	○	○
Front seats – Driver’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support, heated and side airbag) manual adjustment with fixed armrest and single passenger’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support, heated and side airbag) manual adjustment with fixed armrest; height-adjustable head restraints; Verona (administrative use - seat pack 29 - BVFA6) (Double Cab-in-Van only)	○	○	○	○
Front seats – Driver’s 6-way (Fore/aft; seat back rake, seat height and side airbag) manual adjustment with fixed armrest and single passenger’s 4-way (Fore/aft, seat back rake and side airbag) manual adjustment with fixed armrest; height-adjustable head restraints; Tomy (administrative use - seat pack 30 - BVFA7)	○	○	○	○
Front seats – Driver’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support, heated and side airbag) manual adjustment with fixed armrest and single passenger’s 8-way (Fore/aft; seat back rake, seat height, cushion tilt, lumbar support, heated and side airbag) manual adjustment with fixed armrest; height-adjustable head restraints; Tomy (administrative use - seat pack 31 - BVFA8)	○	○	○	○
Rear seats – 2nd row; 3-passenger bench (Double Cab-in-Van only)	○	○	○	○
Seat belts – Height-adjustable mount, driver’s side	●	●	●	●
Seat belts – Height-adjustable mount, passenger’s side	○	○	○	○
Passenger side ‘A’ pillar grab handle	○	○	○	○
Comfort and convenience				
Air conditioning – Front, CFC-free (includes tinted glass)	○	○	○	○
Air conditioning - Rear (only available with front air conditioning) (not available on Jumbo models or Double Cab-in-Van)	○	○	○	
Bottle holder – Twin, 2 litre bottle capacity, facia-mounted	●	●	●	●
Cup holder – Twin, facia-mounted, drop-down	●	●	●	●
Glovebox – With lid and A4 hanging file storage capability, moulded hook in lid	●	●	●	●
Heater – Recirculation	●	●	●	●
Package tray – Header-mounted (Medium roof only)	●	●	●	●
Package tray – Header-mounted (High roof only)		●	●	●
Power point socket (located in driver’s top stowage bin)	●	●	●	●
Rear auxiliary power point socket (260, 280 300 FWD models supplied with extra battery at extra cost)	○	○	○	○
Storage – Front door map pockets (not available on Double Cab-in-Van models)	●	●	●	●
Storage – Driver’s and passenger’s side, storage compartments on facia top with lift up lids	●	●	●	●
Storage – Central slot for 1" A4 binder or clipboard storage	●	●	●	●
Storage – Passenger’s side open storage area (not available with front passenger’s airbag)	●	●	●	●
Storage – Centre stack-mounted car park/toll ticket holder	●	●	●	●
Sunvisors – Two, swivelling	●	●	●	●
Tray – Centre facia-mounted, swivelling with two cupholders and a pen groove	●	●	●	●
Load compartment				
Bulkhead – Full width steel (only available with unglazed rear doors)	●	●	●	●
Bulkhead – Full width steel with window	○	○	○	○
Bulkhead – Half horizontal	○	○	○	○
Bulkhead – Vertical, Half width mesh	○	○	○	○
Bulkhead – L-shaped Vertical mesh/horizontal solid	○	○	○	○

Interior features

	SWB	MWB	LWB	Jumbo
Cargo stowage rail, mid-position (includes complete rear trim (not Jumbo) and load compartment tie-down loops) (Van only)	○	○	○	○
Floor covering – Rubber (standard Double Cab-in-Van)	○	○	○	○
Load area protection kit – MDF rear trim (not Jumbo), full-length rubber mat, load compartment tie-down loops (not available in Double Cab-in-Van models)	○	○	○	○
Tie-down loops – Load compartment	●	●	●	●

● = Standard, ○ = Option, at extra cost, □ = Part of an Option Pack, at extra cost. ***Tachograph** - When a vehicle is fitted with a trailer towing attachment it is recommended that a tachograph is fitted, since the ability to tow a trailer giving a GTM of over 3500kg without a tachograph could be considered to be contrary to EU and UK road traffic law. (Please note that a digital tachograph cannot be retrofitted to stock FWD vehicles - factory order only).

Option packs

	SWB	MWB	LWB	Jumbo
Smoker’s Pack – Front ashtray and cigar lighter	○	○	○	○
Visibility Pack – Tinted glass; rain-sensing front wipers; screen wash drip; auto headlights; front fog lamps; 'Quickclear' heated windscreen (also includes reverse gear-activated rear wipe if glazed rear doors/tailgate are specified)	○	○	○	○
Power Pack – Visibility Pack plus electrically-operated front windows; electrically-operated and heated door mirrors; remote steering column-mounted audio controls	○	○	○	○
Security Pack – Perimeter alarm; cab interior sensing and trailer coupling (when fitted) alarm (Insurance-approved Category 1 alarm); electrically-operated and heated door mirrors; rear parking distance sensor (not available with optional tow bar or rear centre step)	○	○	○	○
Courier Pack – Full-length bonded rubber load mat; heavy duty load compartment trim boards (not available on Jumbo); cargo stowage rails; integrated rear bumper step (step not available with optional tow bar)	○	○	○	○
LX Pack – Visibility Pack plus front fog lights; full wheelcovers (not DRW Jumbo); front and rear mudflaps; body-coloured grille and front bumper centre piece (Frozen White and metallic body colours only); second key fob; electrically-operated and heated door mirrors; electrically-operated front windows; trip computer; remote steering column-mounted audio controls; metallic paint: LX badge	○	○	○	○
LX Pack + Alloys - as LX Pack less full wheel covers (not DRW Jumbo)	○	○	○	○
LX Pack + 6-disc CD player*	○	○	○	○
LX Pack + Satellite Navigation*	○	○	○	○
GLX Pack – LX Pack plus stereo radio/6-disc CD player – Model 6006 RDS; CFC-free air conditioning; 'silver' air vent direction knobs; Kado velour seat trim (no charge Option); GLX badge	○	○	○	○
GLX Pack + Alloys - as LX Pack less full wheel covers (not DRW Jumbo)	○	○	○	○
GLX Pack + Satellite Navigation*	○	○	○	○


○ = Option, at extra cost; *available November 2006

Configurable locking options – Unlocking configurations


	‘Unlock’ Button Press Once	Button Press Twice	‘Cargo’ Unlock Press Once	Unlock Press Twice
Configuration 2				
Driver’s door		●		
Passenger’s door	●	●		
Driver’s side load door		●		●
Passenger’s side load door		●	●	●
Rear doors/tailgate		●		●
Configuration 3				
Driver’s door	●	●		
Passenger’s door		●		
Driver’s side load door		●		●
Passenger’s side load door		●		●
Rear doors/tailgate		●	●	●
Configuration 5				
Driver’s door	●	●		●
Passenger’s door		●	●	●
Driver’s side load door	●	●		●
Passenger’s side load door		●	●	●
Rear doors/tailgate		●		●

Note: All locking configurations are optional, at extra cost, and the contents of each configuration are as shown above. Configurable locking must be defined at the time of order, it cannot be ordered as a Dealer-fitted option or accessory.

Ford Transit Connect Van SWB Low Roof



Ford Transit Connect Van LWB High Roof



Dimensions (mm)

		Transit Connect SWB		Transit Connect LWB	
		Low Roof Van	Low Roof Crew Van	High Roof Van	High Roof Crew Van
A	Overall length	4308	4308	4555	4555
B	Overall width without mirrors	1795	1795	1795	1795
B	Overall width with mirrors	2044	2044	2044	2044
C	Overall height (laden/unladen)	1739/1814	1739/1814	1906/1981	1906/1981
D	Front overhang	894	894	894	894
E	Wheelbase	2664	2664	2912	2912
F	Rear overhang	749	749	749	749
G	Side door entry width	606	606	809	809
H	Rear door opening width below belt	1293	1293	1293	1293
I	Load width between wheel arches	1226	1219	1226	1219
J	Rear door opening height	1145	1145	1316	1313
K	Load width	1490	1490	1490	1490
L	Side door opening height	1040	1040	1181	1181
M	Load floor to roof	1193	1152	1364	1320
N	Load length (max) (passenger's seat folded)	2467	–	2714	–
O1	Load length (laden to belt line)	1583	–	1830	–
O2	Load length (back of front seat)	1739	–	1986	–
O3	Load length (front passenger's fold flat seat up)	1760	–	2007	–
O4	Load length (2nd row seat to rear)	–	909	–	1172
O4	Load length (2nd row seat folded)	–	1266	–	1529
P	Loading height (laden/unladen)	496/598	496/598	496/601	496/601
Q	Front track	1505	1505	1505	1505
R	Rear track	1552	1552	1552	1552
S	Ground clearance	166	166	166	166
W1	Cargo volume	2.8 (cu.m) [†]	–	3.7 (cu.m) [†]	–
W2	Cargo volume (front passenger seat folded)	3.4 (cu.m) [†]	–	4.4 (cu.m) [†]	–
W3	Cargo volume (2nd row seat up)	–	1.1 cu.m ³	–	1.72 cu.m ³
W4	Cargo volume (2nd row seat folded)	–	2.26 cu.m ³	–	3.07 cu.m ³

Additional information

Interior – Front

Effective headroom	1147	1147	1304	1304
Maximum effective legroom	1008	1008	1008	1008
Shoulder room	1382	1382	1382	1382
Hip room	1284	1284	1284	1284

Interior – Rear (Crew Van only)

Effective headroom	–	1099	–	1270
Maximum effective legroom	–	979	–	979
Shoulder room	–	1536	–	1536
Hip Room	–	1553	–	1553
Load length (2nd row seat to rear)	–	909	–	1172

Key: All dimensions (shown in mm) are subject to manufacturing tolerances and refer to minimum specification models and do not include additional equipment. These illustrations are for guidance only. [†]Loadspace measured using the VDA method. Dimensions may vary dependent on the model and equipment fitted. All dimensional figures and cargo volumes may be affected by the fitment of bulkheads. You should always discuss the final details with your Ford Transit Specialist Dealer.

Model availability

	SWB Van	L	LX	LWB L	LX
Transit Connect					
1.8 Duratorq TDCi Diesel 75 PS	●	●			
1.8 Duratorq TDCi Diesel 90 PS		●	●	●	●
1.8 Duratorq TDCi Diesel 110 PS		●	●	●	●
Transit Connect Crew Van					
1.8 Duratorq TDCi Diesel 75 PS		●			
1.8 Duratorq TDCi Diesel 90 PS		●	●	●	●
1.8 Duratorq TDCi Diesel 110 PS			●		●

● = Standard. **Note:** All Transit Connect engines are Stage IV emissions level.

Weights and loads

	Gross vehicle mass (kg)	Kerb mass (kg)	Payload (Gross) (kg) ^o	Axle ratio	Max. GTM (kg) with quoted axle ratio
T200 SWB Low Roof Van					
1.8 Duratorq TDCi Diesel 75 PS	2030	1392	638	4.06	2825
T200 SWB L Low Roof Van					
1.8 Duratorq TDCi Diesel 75 PS	2030	1392	638	4.06	2825
1.8 Duratorq TDCi Diesel 90 PS	2035	1398	637	4.06	2835
1.8 Duratorq TDCi Diesel 110 PS	2040	1402	638	3.80	2835
T200 SWB LX Low Roof Van					
1.8 Duratorq TDCi Diesel 90 PS	2035	1398	637	4.06	2835
1.8 Duratorq TDCi Diesel 110 PS	2040	1402	638	3.80	2835
T220 SWB L Low Roof Van					
1.8 Duratorq TDCi Diesel 75 PS	2230	1397	833	4.06	3030
1.8 Duratorq TDCi Diesel 90 PS	2240	1403	837	4.06	3040
1.8 Duratorq TDCi Diesel 110 PS	2240	1407	833	3.80	3040
T220 SWB LX Low Roof Van					
1.8 Duratorq TDCi Diesel 90 PS	2240	1403	837	4.06	3040
1.8 Duratorq TDCi Diesel 110 PS	2240	1407	833	3.80	3040
T210 SWB L Low Roof Crew Van					
1.8 Duratorq TDCi Diesel 75 PS	2170	1466	704	4.06	2900
1.8 Duratorq TDCi Diesel 90 PS	2175	1472	703	4.06	2910
T210 SWB LX Low Roof Crew Van					
1.8 Duratorq TDCi Diesel 90 PS	2175	1472	703	4.06	2910
1.8 Duratorq TDCi Diesel 110 PS	2180	1476	704	3.80	2910
T230 LWB L High Roof Van					
1.8 Duratorq TDCi Diesel 90PS	2340	1399	941	4.06	3140
1.8 Duratorq TDCi Diesel 110PS	2340	1402	938	3.80	3140
T230 LWB LX High Roof Van					
1.8 Duratorq TDCi Diesel 90 PS	2340	1399	941	4.06	3140
1.8 Duratorq TDCi Diesel 110 PS	2340	1402	938	3.80	3140
T230 LWB L High Roof Crew Van					
1.8 Duratorq TDCi Diesel 90 PS	2330	1521	809	4.06	3140
T230 LWB LX High Roof Crew Van					
1.8 Duratorq TDCi Diesel 90 PS	2330	1521	809	4.06	3140
1.8 Duratorq TDCi Diesel 110 PS	2330	1525	805	3.80	3140

^oMaximum 12% gradeability at full GTM, 20% at full GVM. Gross Payload = Gross vehicle mass, less kerb mass. **Kerb mass** = The weight of the complete vehicle and all equipment including fuel and water, but without payload, driver or any crew. **Plated mass** = The maximum weight allowed to be imposed on the axle (GVM must not be exceeded). **GTM** = Gross train mass. The total permissible all-up weight of a rigid vehicle (see GVM) together with its load. All kerb masses quoted in this brochure are subject to manufacturing tolerances and are for vehicles with minimum equipment, the additional weight of any options or accessories should be taken into account when calculating the final payload of the vehicle.

Engine data

	Engine technical features	Maximum power ^o	Maximum torque ^o
1.8 Duratorq TDCi Diesel 55 kW (75PS) 1753 cc	4 cylinders in line; SOHC; 8 valves; direct injection with high pressure, common rail, multipoint fuel injection system;variable nozzle turbocharger with intercooler; electronic throttle; dual mass flywheel	55 kW (75 PS) at 4000 min ⁻¹ (rpm)	175 Nm at 1800 min ⁻¹ (rpm)
1.8 Duratorq TDCi Diesel 66 kW (90PS) 1753 cc	4 cylinders in line; SOHC; 8 valves; direct injection with high-pressure, common-rail, multipoint fuel injection system; variable nozzle turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	66 kW (90 PS) at 4000 min ⁻¹ (rpm)	220/240* Nm at 1750 min ⁻¹ (rpm)
1.8 Duratorq TDCi Diesel 81 kW (110PS) 1753 cc	4 cylinders in line; SOHC; 8 valves; direct injection with high-pressure, common-rail, multipoint fuel injection system; variable nozzle turbocharger with intercooler and transient torque overboost function; electronic throttle; dual-mass flywheel	81 kW (110 PS) at 3500 min ⁻¹ (rpm)	250/280* Nm at 1500-3200 min ⁻¹ (rpm)

^oTested in accordance with ISO 1585. *With transient overboost. **Note:** All Transit Connect engines are Stage IV emissions level

Mechanical features

	SWB Van	L	LX	LWB L	LX
Brakes					
Diagonally-split, with dual-line servo-assistance. Front discs, rear drums	●	●	●	●	●
Anti-lock brakes (includes electronic brake-force distribution)	○	●	●	●	●
Anti-lock brakes (includes electronic brake-force distribution) with Traction Assist and rear discs	○	○	○	○	○
Fuel tank					
Capacity – 60 litres	●	●	●	●	●
Steering					
Power-assisted	●	●	●	●	●
Suspension and body					
Front – Independent with MacPherson struts, variable-rate coil springs, gas-pressurised shock absorbers, and anti-roll bar	●	●	●	●	●
Rear – Single leaf springs and gas-pressurised shock absorbers (T200 models only) (Not available on Crew Van)	●	●	●		
Rear – Single leaf springs, gas-pressurised shock absorbers, and anti-roll bar		●	●	●	●
Side impact door beams, front. Collapsible steering column. Energy absorbing crumple zones, front and rear	●	●	●	●	●
Towing eyes – Front and rear	●	●	●	●	●
Turning circle					
Kerb to kerb – 11.0 m	●	●	●		
Kerb to kerb – 11.9 m				●	●

● = Standard, ○ = Option, at extra cost.

Safety and security features

	SWB Van	L	LX	LWB L	LX
Safety					
Anti-lock brakes (includes Electronic Brake Distribution)	○	●	●	●	●
Anti-lock brakes (includes Electronic Brake Distribution) with traction assist and rear disc brakes	○	○	○	○	○
Side impact door beams, front. Collapsible steering column. Energy absorbing crumple zones, front and rear	●	●	●	●	●
Airbag – Driver’s	●	●	●	●	●
Airbag – Front passenger’s*	○	○	○	○	○
Airbags – Front side impact (not available with fold-flat passenger’s seat)*		○	○	○	○
Security					
Alarm – Perimeter		○	○	○	○
Immobiliser – Passive Anti-Theft System (PATS)	●	●	●	●	●
Locks – High-security, lock-in-latch system, shielded with strengthened mountings	●	●	●	●	●
Locks – Remote keyless entry with rolling codes		●	●	●	●
Locks – Central/double locking	●	●	●	●	●
Locks – Key-operated bonnet release	●	●	●	●	●
Fuel cap – Locking with body colour flap	●	●	●	●	●
Vehicle Identification Number (VIN) – Visible	●	●	●	●	●

● = Standard, ○ = Option, at extra cost. ***Note: A rear-facing child seat should never be placed in the front passenger seat when the Ford vehicle is equipped with front passenger’s or side airbags.**

Wheel availability

	SWB Van	L	LX	LWB L	LX
Wheels – 6x15" steel with centre cap (full-size spare) and 195/65 R15 tyres	●	●		●	
Wheels – 6x15" steel with partial wheelcover (full-size spare) and 195/65 R15 tyres			●		●
Wheels – 15" 7-spoke alloy wheels with locking wheel nuts (full-size steel spare) and 195/65 R15 tyres		○	○	○	○

● = Standard, ○ = Option, at extra cost.

Exterior features

	SWB Van	L	LX	LWB L	LX
Exterior appearance and styling					
Bodyside mouldings – One-piece, torque grey		●	●	●	●
Bodyside mouldings - Delete		○	○	○	○
Bumpers – Torque grey	●	●	●	●	●
Paint – Metallic	○	○	○	○	○
Wheel-lip mouldings – Torque grey	●	●	●	●	●
Exterior functional					
Door mirrors – Manual, flat folding, black housings	●	●		●	
Door mirrors – Electrically-operated and heated, black housings ⁹		□	●	□	●
Door mirrors – Enhanced rear vision	●	●	●	●	●
Doors – Tailgate, glazed	○	○	○		
Doors – Hinged rear doors, unglazed	●	●	●	●	●
Doors – Hinged rear doors, glazed	○	○	○	○	○
Doors – Passenger side sliding load door, unglazed (Not available on Crew Van)	○	●	●	●	●
Doors – Passenger side sliding load door, glazed (Not available on Crew Van)	○	○	○	○	○
Doors – Passenger side sliding load door, delete (Not available on Crew Van)		○	○	○	○
Doors – Driver and passenger side sliding load doors, unglazed (Available on Crew Van)	○	○	○	○	○
Doors – Driver and passenger side sliding load doors, driver side unglazed, passenger side glazed (Not available on Crew Van)	○	○	○	○	○
Doors – Driver and passenger side sliding load doors, glazed (Available on Crew Van)	○	○	○	○	○
Heated rear window(s) [‡]	□	□	□	□	□
Parking distance sensor – Rear		○	○	○	○
Roof flap (Not available on Crew Van)		○	○		
Roof height – Low	●	●	●		
Roof height – High				●	●
Tinted glass – Front door windows and windscreen only	●	●	●	●	●
Towing eyes – Front and rear	●	●	●	●	●
Windscreen – Laminated	●	●	●	●	●
Windscreen – ‘Quickclear’ heated front (includes heated washer jets) ⁹		□	●	□	●
Wipers – Front, 2-speed, with intermittent wipe and electric wash	●	●	●	●	●
Wiper(s) – Rear, with fixed intermittent wipe and electric wash [‡] (Not available on Crew Van)	□	□	□	□	□
Exterior lighting					
Halogen headlights, side lights, rear fog light, reversing light	●	●	●	●	●
High-mounted rear brake light	●	●	●	●	●
Fog lights – Front		○	●	○	●

● = Standard, ○ = Option, at extra cost, □ = Part of an option pack, at extra cost. **⁹Winter Pack** – Electrically-operated and heated door mirrors, ‘Quickclear’ heated front windscreen (includes heated washer jets). **‡Rear Vision Pack** – Rear wiper(s) with fixed intermittent wipe and electric wash, heated rear window(s).

Interior features

	SWB Van	L	LX	LWB L	LX
Audio					
Stereo AM/FM radio/CD – Model 6000 RDS with 24 station pre-sets, 4x17 watts power output, enhanced ‘Keycode’ anti-theft coding and 2 speakers	●	●		●	
Stereo AM/FM radio/CD – Model 6000 RDS with 24 station pre-sets, 4x17 watts power output, enhanced ‘Keycode’ anti-theft coding, steering column-mounted remote audio controls and 2 speakers [‡]		○	●	○	●
Stereo AM/FM radio/CD – Model 6006 RDS EON, with 6-disc in-dash CD autochanger, 24 station pre-sets, 4x17 watts power output, enhanced ‘Keycode’ anti-theft coding, 2 speakers ^{**}		○	○	○	○
Steering column-mounted remote audio controls ⁹		□	□	□	□
Carpet and trim					
Rubber floor mat (Not available on Crew Van)	●	●	●	●	●
Door trim – Moulded panel with pull handles and, on front doors only, door bins	●	●	●	●	●
Gear lever gaiter – Black	●	●	●	●	●
Gear knob – Black with acrylic insert	●	●	●	●	●
Interior lighting					
Courtesy light – Header-mounted, front door-operated	●	●		●	
Map reading light in lieu of courtesy light			●		●
Load compartment light – One, roof-mounted	●	●	●	●	●
Instruments and controls					
Control stalks – Column-mounted for master lights, indicators and wash/wipe functions	●	●	●	●	●
Illuminated heater controls – 4-speed fan. Four vents with temperature and direction control	●	●	●	●	●
Instruments – Speedometer, engine temperature, fuel level gauges, tachometer and trip recorder	●	●	●	●	●
Warning indicators for oil pressure, direction indicators, glow plugs, main beam, ignition/alternator, brake failure, handbrake on, airbag(s), low fuel level, ‘lights on’ audible warning, ABS, traction control, check engine	●	●	●	●	●
Steering column – Rake/reach-adjustable	●	●	●	●	●
Seats and seat belts					
Front seat – Driver’s 4-way manual adjustment	●	●		●	
Front seat – Driver’s 6-way manual adjustment		○	●	○	●
Front seat – Passenger’s fold-flat seat for loadbox extension (Not available on Crew Van)	●	●	●	●	●
Front seat – Passenger’s 4-way manual adjustment (includes under seat storage)	●+	●+	●+	●+	●+
Front seat – Driver’s armrest and adjustable lumbar support		○	●	○	●
Front seats – Anti-submarining, fully reclining with height-adjustable head restraints	●	●	●	●	●
Storage pocket – Front passenger’s seat back (not available on fold-flat seat)	●	●	●	●	●
Seat trim – Fabric	●	●	●	●	●
Seat trim – Prima grain vinyl (Not available on Crew Van)		○		○	
Seat belts – Front, inertia reel, with grabbers, static buckle and roto pre-tensioner (driver’s seat only) and height-adjustable mounts	●	●	●	●	●
Comfort and convenience					
Accessory socket	●	●	●	●	●
Air conditioning – CFC-free with air recirculation		○	○	○	○
Centre console – Includes coin tray, pen holder and two cup holders	●	●	●	●	●
Clock – Digital	●	●	●	●	●
Glovebox	●	●	●	●	●
Heater – Recirculation	●	●	●	●	●
Mirror – Dipping rear-view (not available on unglazed rear doors)	●	●	●	●	●
Smokers’ Pack – Cigar lighter and ashtray	○	○	○	○	○
Storage – Centre facia-mounted clipboard holder	●	●	●	●	●
Storage – Overhead full-width shelf		○	○	●	●
Storage – Under passenger’s seat, (included with 4-way manual adjustment passenger seat) (Not Crew Van)	●+	●+	●+	●+	●+
Sunvisor – Driver’s with ticket strap	●	●	●	●	●
Sunvisor – Passenger’s	●	●	●	●	●
Windows – Front, electrically-operated with ‘one touch’ lowering on driver’s side		○	●	○	●

Interior features

	SWB Van	L	LX	LWB L	LX
Load compartment					
Bulkhead – Vertical 2-bar, steel (not available with Crew Van)	○	○	○	○	○
Bulkhead – Full-width steel, half-height (not available with Crew Van)	○	○	○	○	○
Bulkhead – Full-width, full-height mesh with folding facility (only available with fold-flat passenger seat) (not available with Crew Van)	○	○	○	○	○
Bulkhead – Full-width steel, full-height (not available with Crew Van)	○	○	○	○	○
Bulkhead – Full-width steel, full-height with window (not available with Crew Van)	○	○	○	○	○
Load liner – Floor	●	●	●	●	●
Storage – Door stowage bin and net (not available with tailgate)		●	●	●	●
Tie-down rings – Four (not available with Crew Van)		●	●	●	●



● = Standard, ○ = Option, at extra cost, □ = Part of an option pack, at extra cost, ●+ = Option, at no cost. *Audio Upgrade Pack 26. **Audio Upgrade Pack 29, °

Special vehicle options

	SWB Van	L	LX	LWB L	LX
Tyres – Positive tyre selection (Goodyear, Pirelli or Bridgestone) (A)		○	○	○	○
Tyres – Mud and snow tyres (B)		○	○	○	○
Attitude/ride height pack (Hi-Payload Vans) (Not available on T200 models or Crew Van)		○	○	○	○
250° rear cargo doors (Not available on Crew Van)	○	○	○	○	○
Unglazed tailgate	○	○	○		
SVO paint package	○	○	○	○	○

○ = Option, at extra cost. (A) Available only on 200 models. (B) Tyres specially selected for use in mud and snow conditions. They give good traction in hard-packed snow, especially when moving from standstill.

Ford Fiesta Van



Dimensions (mm)

		Fiesta Van	Fiesta SportVan
A	Overall length	3918	3922
B	Overall width (with mirrors/mirrors folded)	1907/1721	1907/1721
C	Overall height (kerb ground)	1468	1468
E	Wheelbase	2486	2486
I	Load width between wheel arches	980	980
K	Maximum interior load width	1366	1366
M	Loadspace height	835 (max 957)	835 (max 957)
O	Loadspace length	1320	1320
P	Loading height	647	647
T	Shoulder room	1345	1345
U	Effective headroom	995	995
V	Maximum effective leg room	1058	1058
W	Loadspace	1.013 (cu.m)*	1.013 (cu.m)*

*Measured using the VDA method. This is the method used by the Verbund die Automobil Industrie (VDA) in Germany. A VDA figure is determined by filling the loadspace with 'litre' blocks, each measuring 200x100x50 mm. The blocks are then counted, and the numerical result is converted into cubic metres. **Note:** All dimensions (shown in mm) are subject to manufacturing tolerances and refer to minimum specification models and do not include additional equipment. These illustrations are for guidance only.

Model availability, weights and loads

	Gross vehicle mass (kg)	Kerb mass (kg)	Payload (gross) (kg)	Max. GTM (kg)
Ford Fiesta Van				
1.3 Duratec Petrol 70 PS	1540	1028	512	1640
1.4 Duratorq TDCi Diesel 68 PS	1585	1044	541	2335
Fiesta SportVan				
1.6 Duratorq TDCi 90 PS	1605	1062	543	2335

Note: All vehicles are 5-speed manual. **Payload** = Gross vehicle mass, less kerb mass. **Gross vehicle mass** = The total permissible all-up weight of a rigid vehicle – i.e. with body, payload, ancillaries, fuel, oil, water and driver. **Kerb Mass** = The weight of the complete vehicle and all equipment including fuel and water, but without the payload and driver. All kerb masses quoted are subject to manufacturing tolerances and are for vehicles with minimum equipment. GTM = Gross train mass. The total permissible all-up weight of a rigid vehicle (see GVM) together with its trailer and load. **Note:** All Fiesta Van engines are Stage IV emissions level.

Engine data

	Engine technical features	Maximum power ^o	Maximum torque ^o
1.3 Duratec Petrol 51 kW (70PS) 1299 cc	4 cylinders in line; SOHC; 8 valves; electronic multipoint fuel injection	51 kW (70 PS) at 5600 min ⁻¹ (rpm)	105 Nm at 2800 min ⁻¹ (rpm)
1.4 Duratorq TDCi Diesel 50 kW (68 PS) 1399 cc	4 cylinders in line; SOHC; 8 valves; alloy cylinder head and block; direct injection with high pressure, common-rail, multipoint fuel injection system; turbocharger; electronic throttle	50 kW (68 PS) at 4000 min ⁻¹ (rpm)	160 Nm at 2000 min ⁻¹ (rpm)
1.6 Duratorq TDCi Diesel 66 kW (90 PS) 1560 cc	4 cylinders in line; DOHC; 16 valves; alloy cylinder head and block; direct injection with high pressure, common-rail, multipoint fuel injection system; turbocharger with intercooler; electronic throttle	66 kW (90 PS) at 4000 min ⁻¹ (rpm)	204 Nm at 1750 min ⁻¹ (rpm)

^oTested in accordance with ISO 1585.Note: All Fiesta Van engines are Stage IV emissions level.

Mechanical features

	Fiesta Van	Fiesta SportVan
Brakes		
Diagonally-split, with dual-line servo-assistance. Front discs, rear drums	●	●
Anti-lock brakes	●	●
Fuel tank		
Usable capacity – Petrol – 45 litres, Diesel – 43 litres	●	●
Steering		
Rack-and-pinion	●	●
Power-assisted	●	●
Steering column – Tilt-adjustable	●	●
Suspension and body		
Front – Independent with MacPherson struts, and subframe-mounted 'L' arm. Anti-roll bar	●	●
Rear – Twist-beam with coil springs	●	●
Turning circle		
Kerb to kerb – 9.3 m	●	●

● = Standard

Safety and security

	Fiesta Van	Fiesta SportVan
Safety		
Anti-lock brakes	●	●
Fuel cut-off – Inertia switch (petrol only)	●	●
Side impact door beams, front and rear. Steel safety cage with engine compartment cross beam. Energy absorbing crumple zones, front and rear	●	●
Steering column – Additional bracing	●	●
Locks – Anti-burst	●	●
Seat belts – Front, inertia reel, with grabbers, pre-tensioners and height-adjustable mounts	●	●
Airbags – Driver's	●	●
Airbags – Front passenger's*	●	●
Airbags – Front side impact airbags*	○	○
Security		
Alarm – Perimeter	○	●
Fuel cap – Locking with body colour flap	●	●
Immobiliser – 'Safeguard' Passive Anti-Theft System	●	●
Locks – High security, shielded with strengthened mountings	●	●
Locks – Remote central/double locking	●	●
Drive away locking – Activated at 4.35 mph (standard with side airbags and central locking)	○	○
'Keycode' anti-theft coded audio equipment	●	●
Vehicle Identification Number (VIN) – Visible	●	●

● = Standard, ○ = Option, at extra cost.

***Note: A child seat should never be placed in the front passenger seat when the Ford vehicle is equipped with an operational front passenger's airbag.^o** A front passenger airbag deactivation is available as a Dealer-fitted accessory.

Exterior features

	Fiesta Van	Fiesta SportVan
Styling		
Bodyside mouldings – Tapered, greySelf colour	●	●
Bumpers – Body colour upper with grey self colour lower	●	●
Bumpers - Sports-styled, body-coloured, mesh grille and surround		●
Paint – Metallic	○	○
Radiator grille – Grey self-colour mesh upper and lower front grille	●	
Side indicators - Clear glass		●
Spoiler - Tailgate		●
Functional		
Door mirrors – Manual internal control, black housings	●	●
Door mirrors – Electrically-operated and heated, black housings	□	□
Heated rear window	●	●
Heated windscreen	○	□
Tinted glass	●	●
Wheel arch liners – Front and rear	●	●
Wheels - 5½x14" steel (full-size spare) with full wheelcovers and 175/65 R14 Low Rolling Resistance (LRR) tyres	●	●
Wheels - 5½x15" 8-spoke alloy wheels (full size steel spare) and 195/50 R15 tyres	○	
16" 12-Spoke alloy wheels (14" 'temporary' steel spare" with 175/65 R14 Low Rolling Resistance (LRR) tyre) and 195/45 R16 tyres		●
Wipers – Front, 2-speed, with programmable interval intermittent wipe and electric wash	●	●
Wipers – Front, delayed wipe after wash/wipe function	●	●
Wipers – Front with rain sensors	□	□
Wipers – Tailgate wiper, intermittent with electric wash	●	●
Lights		
Halogen headlights, side lights, rear fog light, reversing light	●	●
Headlight levelling	●	●
Automatic headlights	□	□
Front fog lights	○	●
Greeting lights – Side light illumination on remote unlocking (standard with remote locking)	●	●
'Guide me home' headlights	●	●
High-mounted rear brake light	●	●

● = Standard, ○ = Option, at extra cost, □ = Part of an option pack, at extra cost.

Interior features

	Fiesta Van	Fiesta SportVan
Audio and communication systems		
Stereo AM/FM radio - Model 1500RDS 'Keycode' anti-theft coding, 2 speakers	●	
Stereo AM/FM radio/CD - Model 6000CD RDS EON, 'Keycode' anti-theft coding, 2 speakers	○	●
Bluetooth® Hands-Free Technology and Voice Control System (system without cradle) (does not include mobile phone)	○	○
Comfort and convenience		
Accessory socket	●	●
Air conditioning – CFC-free with air recirculation	○	□
Centre console – Long with cup holder	●	●
Clock – Digital, 12- or 24-hour function	●	●
Glovebox with lid incorporating pen, cup and ticket holders	●	●
Mirror – Dipping rear-view	●	●
Smoker's Pack – Front ashtray and cigar lighter	○	○
Sunvisor – Driver's with covered mirror and ticket strap	●	●
Sunvisor – Passenger's with covered mirror	●	●
Windows – Front, electrically-operated (part of Convenience Pack)	□	●
Seats and seat belts		
Front seat – Driver's seat manual height adjustment	●	
Front seat – Driver's seat manual 4-way adjustment		●
Front seats - Sport		●
Front seats – Anti-submarining, with height adjustable head restraints	●	●
Carpet and trim		
Carpet – Non-woven velour	●	●
Door trim – Fabric insert, moulded panel with pull handle/armrest, front door bins and integrated speaker grilles	●	●
Gear lever gaiter – Black	●	●
Gear knob – Black with acrylic insert	●	
Gear knob - Sports, leather covered		●
Instrument cluster, radio and heater control surrounds – Ebony and Black colour finish	●	●
Instruments and controls		
Instruments – Speedometer, engine temperature and fuel level gauges, tachometer and trip recorder	●	●
Warning indicators for oil pressure, direction indicators, glow plugs (diesel only), high beam, ignition/alternator, brake failure, handbrake on, airbag(s), low fuel level, door ajar, 'lights on' audible warning	●	●
Illuminated heater controls – 4-speed fan. Four vents with temperature and direction control	●	●
Control stalks – Column-mounted for indicators and wash/wipe functions	●	●
Vehicle Personalisation with Trip Computer		●
Steering wheel – 3-spoke incorporating blue Ford oval and horn function	●	
Steering wheel - 3-spoke, leather wrapped with silver spoke shell incorporating blue Ford oval and horn function		●
Lighting		
Courtesy light – Header-mounted, front door and tailgate-operated	●	●
Courtesy light - 'Theatre' style dimming		●
Load compartment light	●	●

Interior features

	Fiesta Van	Fiesta SportVan
Load compartment		
Bulkhead – Half-height horizontal	●	●
Bulkhead – Steel mesh upper	○	○
Cargo tie-down hooks	●	●
Rubber mat – Full length	●	●
First Aid kit retaining strap	●	●
Warning triangle – Reflective	●	●

● = Standard, ○ = Option, at extra cost, □ = Part of an option pack, at extra cost. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ford Motor Company is under license. Other trademarks and trade names are those of their respective owners.

Option packs

	Fiesta Van	Fiesta SportVan
Convenience Pack – Electrically-operated and heated door mirrors, electrically-operated front windows	○	
Technology Pack - CFC free manual air conditioning; 'Quickclear' heated windscreen; electrically-operated and heated door mirrors; Bluetooth module with wireless integration between phone and audio system; portable music connection socket		○
Smoker's Pack – Front ashtray and cigar lighter	○	○
Rain sensitive front wipers and automatic headlights	○	○

○ = Option, at extra cost

Special Vehicle Options

	Fiesta Van	Fiesta SportVan
SVO paint	○	

○ = Option, at extra cost