The New Hyundai Coupe Sin







features

Model	1.6	2.0	2.7 V6
Safety and security			
2 x 3 Point Rear Seatbelts	•	•	•
Adjustable Head Restraints - Front	•	•	•
Adjustable Steering Column - Height		•	•
Airbags - Side		•	•
Airbags - Driver and Front Passenger		•	•
Anti-lock Brakes (ABS) with Electronic Brake force Distribution (EBD)	•	•	•
Electronic Stability Programme (ESP)			•
Engine Immobiliser	•	•	•
Height Adjustable Seatbelts - Front	•	•	•
ISOfix Child Seat Anchorage - Rear Only	•	•	•
Locking Wheel Nuts	•	•	-
Power Assisted Steering	•	•	•
	•	•	
Remote Central Locking with Alarm			
Remote Central Locking with Thatcham Category 1 Alarm			•
Seatbelt Pre-tensioners with Load Limiters	•	•	•
Traction Control System			•
Interior			
Centre Console - Metal Grain Effect	•	•	•
Cigarette Lighter and Ashtray - Illuminated		_	_
Cloth Upholstery with Leather Trim	•		
Cup Holders - Front	•	•	•
Door Pockets - Front	•	•	•
Front Armrest - with Storage Compartment	•	•	•
Leather Gear Knob	•	•	•
Leather Seat Facings and Door Trim		•	•
Leather Steering Wheel	•	•	•
Map Reading Lights	•	•	•
Metal Trimmed Pedals and Foot Rest		•	•
Overhead Console with Sunglasses Holder	•	•	•
Rear Seat - 50/50 Split	•	•	•
Seat Back Pockets - Front	•	•	•
Tinted Glass	•	•	•
Exterior			
16" Alloy Wheels - Temporary Spare	•		
17" Alloy Wheels - Temporary Spare		•	•
Body Coloured Bumpers	•	•	•
Body Coloured Door Handles and Mirrors	•	•	•
Front Fog Lights	•	•	•
Rear Fog Light	•	•	•
Rear Spoiler with Integral Brake Light		•	•

Model	1.6	2.0	2.7 V6
Exterior continued			
Solid Paint	•	•	•
Twin Exhaust Pipes		•	•
Functional			
3 Way Catalytic Converter	•	•	•
4 Speed H-matic Automatic Transmission			
5 Speed Manual Transmission	•	•	
6 Speed Manual Transmission			•
6 Speakers	•	•	•
Adjustable Intermittent Front Wipers	•	•	•
Aerial - Integral Glass Element	•	•	•
Air Conditioning	•		
Automatic Dimming Rear View Mirror			•
Climate Control		•	•
Cruise Control		•	•
Electric Door Mirrors	•	•	•
Electric Headlight Beam Levelling	•	•	•
Electric Tilt and Slide Sunroof		•	•
Electric Windows	•	•	•
Heated Door Mirrors		•	•
Heated Rear Window	•	•	•
Heated Front Seats		•	•
Instrument Panel Brightness Control	•	•	•
Luggage Compartment Light	•	•	•
Luggage Net	•	•	•
Multi-gauge Instrument Panel		•	•
Remote Boot Release	•	•	•
Remote Fuel Filler Flap Release	•	•	•
Seat Height Adjustment - Driver	•	•	•
Seat Lumbar Adjustment - Driver	•	•	•
Speed Sensitive Front Wipers	•	•	•
Stereo RDS Radio/CD Player/iPod compatible	•	•	•
Trip Computer	•	•	
Gauges - Speedometer, Rev Counter,	•	•	•
Fuel Level, Water Temperature, Trip Odometer			
Warning lights - ABS, Oil Pressure,			
Door/Tailgate Ajar, Battery Charge, Full Beam,		•	•
Low Fuel, Airbag, Hazard, Rear Fog Light			
Customer options			
4 Speed H-matic Automatic Transmission			
Leather Seat Facings and Door Trim			
Metallic Paint			
Mica Paint			
Satellite Navigation (Smartnav™)			

[●] Standard equipment □ Available at extra cost



Model	1.6 Manual	2.0 Manual	2.0 Automatic	2.7 V6 Manual	2.7 V6 Automatic
Engine					
Туре	4 Cylinder DOHC	4 Cylinder DOHC	4 Cylinder DOHC	6 Cylinder DOHC	6 Cylinder DOHC
	16 valve	16 valve	16 valve	24 valve	24 valve
Displacement cc	1599	1975	1975	2656	2656
Bore & Stroke mm	76.5 x 87	82 x 93.5	82 x 93.5	86.7 x 75	86.7 x 75
Compression Ratio	10.0:1	10.1:1	10.1:1	10.0:1	10.0:1
Max Power kW/BHP	77/103 @ 5800rpm	105/141 @ 6000rpm	105/141 @ 6000rpm	121/162 @ 6000rpm	121/162 @ 6000rpn
Torque Nm/lbs ft	143/106 @ 4500rpm	186/137 @ 4500rpm	186/137 @ 4500rpm	245/181 @ 4000rpm	245/181 @ 4000rpm
0-62mph in seconds	11.9	9.3	10.6	8.4	8.6
Top Speed MPH	115	129	124	137	135
Suspension					
Front		Macpherson s	trut with coil spring		
Rear		Dual link typ	e with coil spring		
Steering					
System	Power assisted	rack and pinion steering.	Energy absorbing, collaps	sible steering column	
Steering wheel lock to lock turns			2.57		
Brakes					
			D -1 (ADO) El1	ania Dualia fausa Diatribud	ion (ERD)
System Dual of	diagonal split circuit, pov	ver assisted with Anti-lock	K Brakes (ABS) and Electr	onic Brake force distribut	IOH (LDD)
System Dual of Front	<u> </u>		calipers with pad wear wa		ion (LBD)
Front	11" vent	tilated discs with floating		arning device	IOIT (LDD)
Front Rear	11" vent	tilated discs with floating	calipers with pad wear wa	arning device	ion (Lbb)
Front Rear Tyres	11" vent	tilated discs with floating	calipers with pad wear wa	arning device	215/45 ZR17
Front Rear Tyres Radial Ply	11" vent	tilated discs with floating old discs with floating cal	calipers with pad wear warn	arning device ing device	
Front Rear Tyres Radial Ply Wheels	11" vent	tilated discs with floating old discs with floating cal	calipers with pad wear warn	arning device ing device	
Front Rear Tyres Radial Ply Wheels Alloy	11" vent 10" so 205/55 R16	tilated discs with floating coloild discs with floating cal	calipers with pad wear warn lipers with pad wear warn 215/45 ZR17	arning device ing device 215/45 ZR17	215/45 ZR17
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities	11" vent 10" so 205/55 R16	tilated discs with floating coloild discs with floating cal	calipers with pad wear warn lipers with pad wear warn 215/45 ZR17	arning device ing device 215/45 ZR17	215/45 ZR17
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft)	11" vent 10" sc 205/55 R16	tilated discs with floating of olid discs with floating cal 215/45 ZR17 7.0J x 17	calipers with pad wear warn lipers with pad wear warn 215/45 ZR17	arning device ing device 215/45 ZR17 7.0J x 17	215/45 ZR17 7.0J x 17
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs)	11" vent 10" sc 205/55 R16 6.5J x 16 418 (14.8)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8)	calipers with pad wear warn lipers with pad wear warn 215/45 ZR17 7.0J x 17 418 (14.8)	arning device ing device 215/45 ZR17 7.0J x 17 418 (14.8)	215/45 ZR17 7.0J x 17 418 (14.8)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs)	11" vent 10" sc 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892)	calipers with pad wear warning person with pa	arning device ing device 215/45 ZR17 7.0J x 17 418 (14.8) 1353 (2983)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked**	11" vent 10" sc 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836)	calipers with pad wear warning person with pa	215/45 ZR17 7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked** Unbraked	11" vent 10" sc 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) * 1200 (2646)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086)	calipers with pad wear warning person with pa	7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked** Unbraked	11" vent 10" sc 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) 1200 (2646) 1550 (1213)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086) 550 (1213) 60 (132)	calipers with pad wear warning person with pa	7.0J x 17 7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086) 550 (1213) 60 (132)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086) 550 (1213) 60 (132)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked** Unbraked Noseweight kg (lbs) Max roof weight kg (lbs)	11" vent 10" sc 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) 1200 (2646) 1550 (1213) 50 (110)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086) 550 (1213)	calipers with pad wear warning person with pa	7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086) 550 (1213)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086) 550 (1213)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked**	11" vent 10" so 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) 1200 (2646) 1550 (1213) 50 (110) 40 (88) 55	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086) 550 (1213) 60 (132) 40 (88)	calipers with pad wear warning person with pa	7.0J x 17 7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked** Unbrakec Noseweight kg (lbs) Max roof weight kg (lbs) Fuel tank capacity (litres)	11" vent 10" so 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) 1200 (2646) 1550 (1213) 50 (110) 40 (88) 55	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086) 550 (1213) 60 (132) 40 (88)	calipers with pad wear warning person with pa	7.0J x 17 7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked** Unbraked Noseweight kg (lbs) Max roof weight kg (lbs) Fuel tank capacity (litres) Fuel consumption I/100km (Urban)	11" vent 10" so 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) 1200 (2646) 1500 (1213) 50 (110) 40 (88) 55 mpg) and emissions	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55	calipers with pad wear warn lipers with pad wear warn 215/45 ZR17 7.0J x 17 418 (14.8) 1342 (2959) 1740 (3836) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55	arning device 215/45 ZR17 7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55 14.0 (20.2)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked** Unbraked Noseweight kg (lbs) Fuel tank capacity (litres) Fuel consumption I/100km (Urban Extra urban	11" vent 10" so 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) * 1200 (2646) 1 550 (1213) 50 (110) 40 (88) 55 (mpg) and emissions 9.8 (28.8) 6.3 (44.9)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55	calipers with pad wear warnipers with pad wear warnipe	arning device 215/45 ZR17 7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55 14.0 (20.2) 7.6 (37.2)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55 14.2 (19.9) 8.0 (35.3)
Front Rear Tyres Radial Ply Wheels Alloy Weights and capacities Luggage capacity litres (cu ft) Kerb weight kg (lbs) Gross vehicle weight kg (lbs) Max tow weight kg (lbs) Braked** Unbraked Noseweight kg (lbs) Max roof weight kg (lbs) Fuel tank capacity (litres) Fuel consumption I/100km (Urban)	11" vent 10" so 205/55 R16 6.5J x 16 418 (14.8) 1256 (2769) 1700 (3748) * 1200 (2646) # 550 (1213) 50 (110) 40 (88) 55 mpg) and emissions 9.8 (28.8)	tilated discs with floating cal olid discs with floating cal 215/45 ZR17 7.0J x 17 418 (14.8) 1312 (2892) 1740 (3836) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55	calipers with pad wear warn lipers with pad wear warn 215/45 ZR17 7.0J x 17 418 (14.8) 1342 (2959) 1740 (3836) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55	arning device 215/45 ZR17 7.0J x 17 418 (14.8) 1353 (2983) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55 14.0 (20.2)	215/45 ZR17 7.0J x 17 418 (14.8) 1364 (3007) 1760 (3880) 1400 (3086) 550 (1213) 60 (132) 40 (88) 55

†The results given above do not express or imply any guarantee of fuel consumption of any model to which this brochure refers. The driver's style and road traffic conditions, as well as the extent to which the vehicle has been driven and the standard of maintenance, will all affect its fuel consumption.

**Applies to fully laden vehicle. For driver only weight please consult your Hyundia dealer.

 $^*g/km = grams$ of emitted substance per kilometre travelled. $CO_2 = carbon$ dioxide; HC = hydrocarbons; NOx = nitrogen oxide; $_* = Common$ Rail Turbo Diesel;

^{• =} Auto available in 5 door version only.