



This is the part where you design your new Micra. With three or five doors, five different engines, manual or automatic transmissions, nine different exterior colours and three different trim patterns, you'll create a Micra that's emphatically original and satisfyingly personal.

3 or 5 door 1.0 litre only 5-speed manual only

Ε

TECHNOLOGY

- Friendly Lighting System
- · Battery Save

COMFORT AND CONVENIENCE

- Electric Speed Sensitive Power Steering
- Front power windows
- · Tilt steering wheel adjustment
- Logic cabin lighting
- Front map reading lights 12v power socket
- Front ashtrav
- Interior fuel flap control
- Door ajar warning lamp
- · Low fuel warning lamp
- · Driver's side vanity mirror
- Take away convenience hook

HEATING, VENTILATION & VISIBILITY

- Two-speed wiper with variable intermittent
- Rear tailgate wiper
- INSTRUMENTATION
- Digital clock
- Tachometer
- · Digital trip meter
- · Headlamp leveller SEATING. TRIM & STORAGE
- URBAN seat trim
- Driver's and passenger's seat recline
- Passenger seat rear map pocket • Front and rear door pockets
- Front cupholders with secret tray
- Rear cupholders
- 13L multi functional glove box · Centre console storage area

SAFETY

- ABS with Brake Assist (BA)
- Electronic Brakeforce Distribution (EBD)
- Driver and passenger airbags 3-point ELR seatbelts front and rear
- 3-point ELR rear centre seatbelt Front seatbelts with load limiter and
- pretensioner
- Front seatbelts with height adjustment (5dr)
- Audible Driver's seatbelt reminder
- Front headrests with height adjust
- Halogen clear lens headlamps
- Panoramic driver's door mirror
- · ISOFIX childseat anchorage points
- Passenger side front grab handle • Child safety locks on the rear doors (5dr)

SECURITY

- · Engine immobiliser
- Keyless entry with superlocking
- · Central locking with anti hijack feature
- Internal central locking switch
- Security indicator lamp

STYLING

bumpers

- 14" steel wheels with wheel covers Fully body coloured front and rear
- Black door handles and mirrors
- Front spoiler

IN-CAR ENTERTAINMENT

• Single play CD / Radio with 4 speakers

OPTIONS AT EXTRA COST

· Metallic, pearlescent and black paint

s

3 or 5 door 1.2 litre or 1.5 dCi 65 5-speed manual or 4-speed auto (petrol only)

Additional to E grade

COMFORT AND CONVENIENCE

- Rear sliding seat with 60:40 split
- Luggage area lamp
- Rear grab handle with convenience hook (5dr only)

SEATING, TRIM & STORAGE

- Driver's seat height adjustment
- Front seat mounted side airbags
- Three adjustable rear headrests

STYLING

• 15" steel wheels with wheel covers (diesel only)

OPTIONS AT EXTRA COST

- Metallic, pearlescent and black
- · Air conditioning*
- Electric sunroof*
- Clever Pack (Intelligent Key / Automatic rain sensing wipers)

* Air conditioning and Electric sunroof options are not available together on S grade

SE

3 or 5 door 1.2 litre or 1.4 litre or 1.5 dCi 65 or 1.5 dCi 82 5-speed manual or 4-speed auto (petrol only)

Additional to S grade

TECHNOLOGY

- Intelligent Key
- Drive computer in lieu of centre console storage area

COMFORT AND CONVENIENCE

- · Leather steering wheel with drive computer and audio controls
- Electric door mirrors
- Passenger's side vanity mirror
- HEATING, VENTILATION & VISIBILITY
- Air conditioning
- Pollen filter
- Automatic rain sensing wipers
- · Automatic rear wiper

SEATING, TRIM & STORAGE

- DOMAIN seat trim
- Driver's seat lumbar support
- 13L multi functional glovebox with A4 slide out tray
- Under seat secret storage area (passengers side)

STYLING

- 15" steel wheels with wheel covers • Body coloured door mirrors and handles
- IN-CAR ENTERTAINMENT
- 6 speakers in lieu of 4

OPTIONS AT EXTRA COST

- · Metallic, pearlescent and black paint
- Electric sunroof

SVE

3 or 5 door 1.2 litre or 1.4 litre or 1.5 dCi 82 5-speed manual only

Additional to SE grade

HEATING, VENTILATION & VISIBILITY

· Climate control air conditioning

SEATING. TRIM & STORAGE

 METROPOLIS seat trim with part leather finish

SAFETY • Front fog lamps (petrol only)

- STYLING
- 15" alloy wheels
- Tinted front headlamp covers
- Black rear roof spoiler

OPTIONS AT EXTRA COST

- · Metallic, pearlescent and black paint
- Electric sunroof
- · Leather trim with heated front seats

3 or 5 door 1.4 litre or 1.5 dCi 82 5-speed manual or 4-speed auto (petrol only)


Additional to SE grade

- **TECHNOLOGY** Ultrasonic rear park system
- HEATING, VENTILATION & VISIBILITY Climate control air conditioning
- STYLING • 15" alloy wheels

OPTIONS AT EXTRA COST

- · Metallic, pearlescent and black paint
- Electric sunroof


.02



.04

P Pearl Metallic

Aruba Blue



UPHOLSTERY

		E URBAN		S URBAN		S E DOMAIN		sx	SVE	
Body Colour	Trim Name							METROPOLIS		
	Trim Colours	Carbon	Sand	Carbon	Sand	Carbon	Sand	Graphite	Carbon	Sand
	Codes	G	J	G	J	G	J	G	G	J
Arctic White	326	•	•	•	•	•	•	•	•	•
Flame Red S	Z10	•		•		•		•	•	
Vanilla	J11	•		•		•			•	
Coral Blue	T12			•	•	•	•	•	•	•
Blade	KY0	•	•	•	•	•	•	•	•	•
Techno Grey M	KY5			•	•	•	•	•	•	•
Pearl Black	Z11	•	•	•	•	•	•	•	•	•
Silica	EY2		•		•		•			•
Aruba Blue	BW6	•	•	•	•	•	•	•	•	•

E & S - URBAN



SX - METROPOLIS



SE & SVE - DOMAIN



.06

TECHNICAL SPECIFICATIONS

Model		1.0 litre petrol engine		1.2 litre petrol engine		1.4 litre petrol engine		1.5 litre dCi 65 diesel engine		1.5 litre dCi 82 diesel engine		
Model			3 door hatchback	5 door hatchback	3 door hatchback	5 door hatchback	3 door hatchback	5 door hatchback	3 door hatchback	5 door hatchback	3 door hatchback	5 door hatchback
Available grades			E (M/T	only)	S, SE, SX	(M/T only)	SE, SX (M	/T only), SVE	S (M/T only),	S (M/T only), SE (M/T only)		/T only), SVE (M/T only)
Seating capacity		persons	5		5		5		5		5	
ENGINE					•						•	
No. cylinders, configuration			4, in li	ine	4, in line		4, in line		4, in line		4, in line	
Valves per cylinder / eng	ine		4		4		4		2		2	
Engine capacity		cm ³	998		1240		1386		1461		1461	
Bore x stroke mm			71.0 x 63.0		71.0 x 78.3		73.0 x 82.8		76.0 x 80.5		76.0 x 80.5	
Max. engine power 1)		kW(PS)/rpm	48(65)/5600		59(80)/5200		65(88)/5200		48(65)/4000		60(82)/4000	
		Nm(lb.ft)/rpm	90(66)/3600		110(81)/3600		128(94)/3200		160(118)/2000		185(136)/2000	
Fuel type			Unleaded Petrol RON 95		Unleaded Petrol RON 95		Unleaded Petrol RON 95		Diesel		Diesel	
Fuel supply			Multi point injector		Multi point injector		Multi point injector		Common Rail Direct Injection		Common Rail Direct Injection	
Emission control system			3-way catalyst EU3		3-way catalyst EU4		3-way catalyst		Oxidation catalyst		Oxidation catalyst	
Emission level			EU3	3	E	U4	EU4		EU3		EU3	
DRIVE TRAIN									I			
Transmission (auto)		Front wheel driver					5-speed manual (4-speed electronic automatic)				5-speed manual	
Gear ratio	1st (auto)		3.727		3.727 (2.861)		3.727 (2.861)			364	3.727	
	2nd (auto)		2.048		2.048 (1.562)		2.048 (1.562)		1.864		2.048	
	3rd (auto) 4th (auto)		1.393		1.393 (1.000)		1.393 (1.000) 1.029 (0.697)		1.321		1.321 0.971	
	5th (auto)		1.029		1.029 (0.697)				0.967 0.738		0.971	
	Reverse		0.821 3.546		0.821 3.546 (2.310)		0.821 3.546 (2.310)		0.738 3.546		3.546	
Final drive ratio			4.5		4.067 (4.072)		4.214 (4.072)		3.867		3.733	
Driven wheels			4.5 Front		4.067 (4.072) Front		4.214 (4.072) Front		5.867 Front		5.755 Front	
CHASSIS			1101	IL		OIIL	ı	OIIL	11	TOTIL		TOTIL
Suspension front			Indopendent Mac Phor	con strut coil enrings	Indopendent Mac Dh	orcon etrut coil enringe	Indopondent Mac Dh	orcon etrut coil enringe	Indopondent Mac Ph	erson strut, coil springs	Indopondent Mac Ph	erson strut, coil springs
Suspension rear			Independent Mac Pherson strut, coil springs Torsion beam axle, coil springs		Independent Mac Pherson strut, coil springs Torsion beam axle, coil springs		Independent Mac Pherson strut, coil springs Torsion beam axle, coil springs		Torsion beam axle, coil springs		Torsion beam axle, coil springs	
Steering			Electric power assisted rack & pinion		Electric power assisted rack & pinion		Electric power assisted rack & pinion		Electric power assisted rack & pinion		Electric power assisted rack & pinion	
Braking system			Disc front, drum rear, diagonal circuit,		Disc front, drum rear, diagonal circuit,		Disc front, drum rear, diagonal circuit,		Disc front, drum rear, diagonal circuit,		Disc front, drum rear, diagonal circuit,	
			power assisted with ABS, EBD and brake assist		power assisted with ABS, EBD and brake assist		power assisted with ABS, EBD and brake assist		power assisted with ABS, EBD and brake assist		power assisted with ABS, EBD and brake assist	
Wheel size			14" Steel		14" Steel (S), 15" Steel (SE), 15" Alloy (SX)		15" Steel (SE), 15" Alloy (SX, SVE)		15" Steel		15" Steel (SE), 15" Alloy (SX, SVE)	
Tyre size			165/70R14		165/70R14 (S), 175/60R15 (SE, SX)		175/60R15		175/65R15		175/65R15	
WEIGHTS AND DIMENSI	ONS											
Kerb weight min. (auto) 2		kg	940	940	975 (965)	980 (995)	979 (970)	990 (1010)	979	1030	979	1030
Kerb weight max. (auto) 2)		kg	1005	1010	1035 (1050)	1040 (1055)	1026 (1040)	1040 (1060)	1080	1085	1080	1085
Gross Vehicle Weight (auto)		kg	1430	1430	1475 (1475)	1475 (1475)	1475 (1475)	1475 (1475)	1510	1510	1510	1510
Max. axle weight front / i		kg	840 /	780	840 / 780		840 / 780		860 / 780		860 / 780	
Max. trailer weight braked (auto) / unbraked (auto) 4)		kg	655 / 490		800 (350) / 510 (350)		800 (730) / 510 (510)		790 / 510		900 / 510	
Max. roof load		kg	50		50		50		50		50	
Overall length		mm	371	5	3715		3715		3715		3715	
Overall width		mm	166		1660		1660		1660		1660	
Overall height		mm	1540		1540		1540		1540		1540	
Wheelbase		2430				430	2430			430	_	430
Luggage space	max. length	mm	580		780		780		780		780	
	max. width	mm	1011		1011		1011		1011		1011	
Luggage capacity (VDA)			251		251 - 371		251 - 371		251 - 371		251 - 371	
max. with folded seats (VDA) Fuel tank capacity			584 46		584 46		584 46		584 46		584 46	
PERFORMANCE			46			AUTO		AUTO	1	40	1	40
PERFURIWANCE	111	1,4001 - ()	E4 (00	00	E4 (00 0)	1	FO (05.0)		I	(FO 4)		(50.0)
Fuel consumption 3)	Urban cycle	I/100 km (mpg)	7.1 (39.8)		7.4 (38.2) 8.2 (34.4) 5.1 (55.4) 5.7 (49.6)		7.9 (35.8) 8.6 (32.8) 5.4 (52.3) 5.8 (48.7)		5.6 (50.4) 4.0 (70.6)		5.4 (52.3) 4.0 (70.6)	
	Extra-urban	1/100 km (mpg)	5.1 (55.4) 5.8 (48.7)		5.1 (55.4) 5.7 (49.6) 5.9 (47.9) 6.6 (42.8)			6.3 (44.8) 5.8 (48.7) 6.8 (41.5)		4.0 (70.6)		
Combined		1/100 km (mpg)	5.8 (48	- /	(/		154	163	4.6 (61.4) 122		4.5 (62.3) 119	
CO mass emissies					143 161				155 (96)		119	
CO ₂ mass emission		Irm /b (m-b)	1F A //	16)	167 (10.4)	1/5 (00)	170 (107)	150 (00)	455	(06)	400	(106)
CO ₂ mass emission Max. speed Acceleration 0-62 mph		km/h (mph) sec	154 (9 15.7		167 (104) 13.9	145 (90) 17.9	172 (107) 11.9	158 (98) 15.0		5 (96) 7.0		2.9


¹⁾ In accordance with 1999/99/EC.

²⁾ Figures in accordance with EC Directive. Kerb weight condition is without driver and including coolant, oils, fuel, spare wheel & tools.

Pay load will be reduced depending on the options and / or accessories installed.

³⁾ In accordance with 1999/100/EC. (Optional equipment, maintenance, driving technique, road and weather conditions may affect the official results).

Figures shown are with driver + 4 passengers and luggages and max. kerb weight.



Ownership

The Nissan philosophy of continuous improvement means we have a different approach to building cars. To make sure that every Nissan meets the real-life needs of its owner, we ask current Nissan drivers what they think of their cars before we start designing. Then there's our tough testing programme. To maintain our excellent reputation for reliability, dependability and safety, we test every single component to destruction. Finally, as the car is assembled, every worker checks his own job as well as that of the person before, ensuring our renowned standards of build quality and attention to detail.

KEEPING THINGS LOCAL

Nissan is committed to keeping its European operations on a local basis. There's a design centre in UK. Technology Centres in UK, Spain and Belgium. Manufacturing plants in the UK and Spain. Parts and vehicle distribution in the Netherlands. And our European headquarters in France. Because only through this structure can we continue to produce vehicles to suit the requirements of the people who'll actually drive them. And guarantee that somewhere, within our wide range of models available in Europe, there is one perfect for you.

AFTER-SALES SUPPORT

Our rigorous testing programme gives us the confidence to offer a comprehensive range of after-sales guarantees. The Micra is covered by a 3-year or 60,000 miles warranty (whichever comes first), 3-year paint warranty and 12-year anti-corrosion warranty. For extra peace of mind, we also offer a 12-month RAC roadside assistance package.

.10