

Mazda3

Vehicle specifications



Mechanical Features and Model Availability.

Engines:

Engines.	
1.4 MZR Petrol	 1349cc in-line 4-cylinder, 16-valve, DOHC, front-mounted, developing 84ps (62kW) at 6000rpm and 122Nm at 4000rpm. CO₂ emissions of 169g/km (EC Stage IV). Powertrain Control Module (PCM). Sequential electronic multi-point fuel injection. Sequential Valve Timing System (SV-T).
1.6 MZR Petrol	 1598cc in-line 4-cylinder, 16-valve, DOHC, front-mounted, developing 105ps (77kW) at 6000rpm and 145Nm at 4000rpm. CO₂ emissions of 172g/km (5-speed manual, hatchback and saloon), 191g/km (Activematic hatchback) and 186g/km (Activematic saloon) (EC Stage IV). Powertrain Control Module (PCM). Sequential electronic multi-point fuel injection. Sequential Valve Timing System (SV-T). Variable Induction System.
2.0 MZR Petrol	 1999cc in-line 4-cylinder, 16-valve, DOHC, front-mounted, developing 150ps (110kW) at 6000rpm and 187Nm at 4500rpm. CO₂ emissions of 196g/km (EC Stage IV). Powertrain Control Module (PCM). Sequential electronic multi-point fuel injection. Variable Induction System.
1.6 MZ-CD Diesel	 1560cc in-line 4-cylinder, 16-valve, DOHC, front-mounted, developing 109ps (80kW) at 4000rpm and 240Nm at 1750rpm. CO₂ emissions of 135g/km (EC Stage IV).

CO₂ emissions of 135g/km (EC Stage IV).

- Powertrain Control Module (PCM).
- Common-rail fuel injection.
- Diesel Particulate Filter.

Transmissions:

- 11 5-speed manual – Giving precise, positive shift feel to provide a feeling of unity between driver and vehicle.
- 11 4-speed Activematic (optional on 1.6 MZR) – Choice between automatic or manual shifting.

Body:

- Self-supporting rigid and torsion-resistant all-steel body with defined crumple zones for the front and rear sections, stable passenger safety cell with side impact reinforcement in the doors.
- Mazda Advanced Impact Distribution and Absorption System designed to secure the critical interior space in the event of an accident.
- Supplementary Restraint System (SRS) comprising central control unit and crush sensors, seatbelt pre-tensioners, loadlimiters and driver and front passenger airbags.

Chassis and Suspension:

- Front: Independent suspension with MacPherson struts, 4-point rubber mounting system and liquid-filled bushings.
- Rear: E-type multi-link suspension with angled dampers and low-mounted springs to maximise load compartment space.

Brake System:

- 11 Hydraulic, diagonally divided dual-circuit system with power brake unit.
- Anti-lock Braking System (ABS) with Electronic Brake-force 11 Distribution (EBD) and Emergency Brake Assistance (EBA).

- Front: 278mm (300mm on 2.0 MZR) ventilated disc brakes.
- Rear: 265mm (280mm on 2.0 MZR) disc brakes.

Model Availability	1.4 MZR	1.6 MZR	1.6 MZR Activematic	2.0 MZR	1.6 MZ-CD
Hatchback			Activemente		
S	•	•	-	-	•
TS	•	•	-	-	•
TS AT	-	-	•	-	-
TS ²	-	•	-	•	•
Sport	-	-	-	•	-
Saloon					
TS	-	•	-	-	•
TS AT	-	-	•	-	-
TS ²	-	•	-	•	•
Sport	-	-	-	•	-

• = Standard Not available

Technical Data.

Engine Type		1.4 MZR	1.6 MZR	1.6 MZR Activematic	2.0 MZR	1.6 MZ-CD
Displacement (cc)		1349	1598	1598	1999	1560
Bore x stroke (mm)		74.0 x 78.4	78.0 x 83.6	78.0 x 83.6	87.5 x 83.1	75.0 x 88.3
Valves per cylinder		4	4	4	4	4
Maximum output [p	os (kW) / rpm]	84 (62) / 6000	105 (77) / 6000	105 (77) / 6000	150 (110) / 6000	109 (80) / 4000
Maximum torque (N	lm / rpm)	122 / 4000	145 / 4000	145 / 4000	187 / 4500	240 / 1750
Compression ratio		10.0:1	10.0:1	10.0:1	10.8:1	18.0:1
Transmission						
Туре		Manual	Manual	Automatic	Manual	Manual
Gear ratios:	1st	3.416	3.416	2.816	3.666	3.666
	2nd	1.842	1.842	1.497	2.059	2.047
	3rd	1.290	1.290	1.000	1.392	1.344
	4th	0.972	0.972	0.725	0.970	0.921
	5th	0.820	0.820	-	0.795	0.704
	Reverse	3.214	3.214	2.648	3.166	3.727
Final gear ratio		4.388	4.388	4.416	4.388	3.411
Steering						
Steering gear			P	ower-assisted rack and p	nion ———	
Minimum turning circle (kerb-to-kerb) (m)		10.3	10.3	10.3	10.3	10.3
Performance and Hatchback Acceleration [0-62m	nph (0-100km/h) in sec]	14.3	11.0	12.4	9.0	11.5
Top speed [mph (kn	• •	106 (169)	114 (182)	109 (174)	125 (200)	113 (182)
Fuel consumption ¹⁾	Urban	31.7 (8.9)	30.4 (9.3)	28.0 (10.1)	24.6 (11.5)	45.6 (6.2)
[mpg (I/100km)]:	Extra Urban	46.3 (6.1)	47.1 (6.0)	41.5 (6.8)	44.8 (6.3)	65.7 (4.3)
	Combined	39.8 (7.1)	39.2 (7.2)	35.3 (8.0)	34.5 (8.2)	56.5 (5.0)
CO ₂ emissions ¹⁾ (g/k		169	172	191	196	135
EC emission level	,	EC Stage IV	EC Stage IV	EC Stage IV	EC Stage IV	EC Stage IV
Recommended fuel				ed 95 RON		Diesel
Fuel tank capacity (I	itres)	55	55	55	55	55
Saloon						
	nph (0-100km/h) in sec]		11.0	12.4	9.0	11.3
Top speed [mph (kn	• •		116 (185)	111 (177)	130 (208)	116 (185)
Fuel consumption ¹⁾			30.4 (9.3)	27.7 (10.2)	24.6 (11.5)	45.6 (6.2)
[mpg (l/100km)]:	Extra Urban		47.1 (6.0)	44.1 (6.4)	44.8 (6.3)	65.7 (4.3)
	Combined		39.2 (7.2)	36.2 (7.8)	34.5 (8.2)	56.5 (5.0)
CO ₂ emissions ¹⁾ (g/k			172	186	196	135
EC emission level			EC Stage IV	EC Stage IV	EC Stage IV	EC Stage IV
Recommended fuel				 Unleaded 95 RON 		Diesel
Fuel tank capacity (I	itres)		55	55	55	55
i doi tank capacity (i	1100)		55	55	00	00

 $^{\scriptscriptstyle 1)}$ Fuel consumption and CO $_2$ emissions values according to 80/1268 EWG (1999/100/EC).


3

Technical Data.

Dimensions and Weights	1.4 MZR	1.6 MZR	1.6 MZR Activematic	2.0 MZR	1.6 MZ-CD
Hatchback					
Overall length / width / height (mm)	4420 / 1755 / 1465	4420 / 1755 / 1465	4420 / 1755 / 1465	4420 / 1755 / 1465 (4490 / 1755 / 1465)	4420 / 1755 / 1465
Ground clearance between the axles – unladen (mm)	160	160	160	160	160
Front track / Rear track (mm)	1530 / 1515	1530 / 1515	1530 / 1515	1530 / 1515	1530 / 1515
Wheelbase (mm)	2640	2640	2640	2640	2640
Front headroom / leg room / shoulder room (mm)	994 / 1065 / 1394	994 / 1065 / 1394	994 / 1065 / 1394	994 / 1065 / 1394	994 / 1065 / 1394
Rear headroom / leg room / shoulder room (mm)	976 / 922 / 1371	976 / 922 / 1371	976 / 922 / 1371	976 / 922 / 1371	976 / 922 / 1371
Cargo volume, 5-seat mode (to belt line)	300	300	300	300	300
acc. to VDA (I): 2-seat mode	635	635	635	635	635
Brake discs: Ventilated front disc diameter (mm)	278	278	278	300	278
Rear disc diameter (mm)	265	265	265	280	265
Kerb weight (kg) min. / max. incl. driver (75kg)	1180 / 1237	1260 / 1320	1285 / 1345	1310 / 1369	1275 / 1331
Permitted gross vehicle weight (kg)	1695	1695	1720	1745	1785
Permitted axle load, front / rear (kg)	885 / 840	885 / 890	915 / 885	935 / 890	945 / 840
Towing limit (kg): Unbraked	550	550	550	550	600
Braked (12% gradient)	900	1200	1200	1300	1300
Maximum roof load (kg)	75	75	75	75	75
Saloon					
		4490 / 1755 / 1465	4490 / 1755 / 1465	4490 / 1755 / 1465	4490 / 1755 / 1465
Overall length / width / height (mm)				(4545 / 1755 / 1465)	
Ground clearance between the axles - unlader	ו (mm)	160	160	160	160
Front track / Rear track (mm)		1530 / 1515	1530 / 1515	1530 / 1515	1530 / 1515
Wheelbase (mm)		2640	2640	2640	2640
Front headroom / leg room / shoulder room (m	nm)	994 / 1065 / 1394	994 / 1065 / 1394	994 / 1065 / 1394	994 / 1065 / 1394
Rear headroom / leg room / shoulder room (m	m)	951 / 922 / 1371	951 / 922 / 1371	951 / 922 / 1371	951 / 922 / 1371
Cargo volume, acc. to VDA (I) – 5-seat mode (to belt line)	413	413	413	413
Ventilated front disc diameter (mm)		278	278	300	278
Rear disc diameter (mm)		265	265	280	265
Kerb weight (kg) min. / max. incl. driver (75kg)		1240 / 1298	1265 / 1323	1290 / 1346	1260 / 1313
Permitted gross vehicle weight (kg)		1675	1700	1725	1770
Permitted axle load, front / rear (kg)		885 / 865	915 / 860	930 / 870	945 / 825
Towing limit (kg): Unbraked		550	550	550	600
Braked (12% gradient)		1200	1200	1300	1300
Maximum roof load (kg)		75	75	75	75

Hatchback

Saloon



(Figures in brackets relate to Sport model with Sports Appearance Package.)

Equipment.

Safety and Securi	ty	S	TS	TS^2	Sport
Mazda Advanced Im structure to help pro	pact Distribution and Absorption System (MAIDAS) engineered 'triple H' body tect occupants from impact forces	•	•	•	•
	aint System (SRS) – Central control unit and crush sensors, front seatbelt limiters and dual front airbags	•	•	•	•
Anti-lock Braking Sys	tem (ABS) with Electronic Brake-force Distribution (EBD)	•	•	•	•
Emergency Brake Ass	ist (EBA)	•	•	•	•
Dynamic Stability Co	ntrol (DSC)	-	-	•	•
Traction Control Syst	em (TCS)	-	-	•	•
Power steering:	Engine rev sensing	•	•	•	-
	Electric, speed sensing	-	-	-	•
High-mounted stop	ight	•	•	•	•
Wipers:	Front, 3-speed with intermittent wipe and electric wash	•	•	•	-
	Front, automatic with rain sensor	-	-	-	•
	Rear, with intermittent (hatchback only)	•	•	•	•
Headlights:	Halogen	•	•	•	-
	Xenon	-	-	-	•
	Light sensor (auto lights on)	-	-	-	•
Headlight cleaning (I	nigh-pressure water)	-	-	-	•
Headlight levelling:	Manual	•	•	•	-
	Automatic	-	-	-	•
Driver and front pass	enger airbags	•	•	•	•
Side airbags (front)		•	•	•	•
Curtain airbags (fron	t and rear)	0	•	•	•
Seatbelt reminder (d	river seat)	•	•	•	•
Seatbelts:	Front, 3-point with pre-tensioner and load-limiters	•	•	•	•
	Rear, 3-point x 3	•	•	•	•
Intrusion minimising	collapsible safety brake pedals	•	•	•	•
Collapsible steering	column	•	•	•	•
ISOFIX child seat and		•	•	•	•
Central door locking		•	•	•	•
0	/ system (with 'jack-knife' type retractable key)	•	•	•	•
Deadlocking		•	•	•	•
Immobiliser system		•	•	•	•
Thatcham Cat.1 alar	m	•	•	•	•

Exterior

Tyres and wheels:	195/65 R15 steel wheels with wheelcovers (standard on 1.4 S)	•	-	-	-
	195/65 R15 alloy wheels	•*	•	-	-
	205/55 R16 alloy wheels	-	-	•	-
	205/50 R17 alloy wheels	-	-	-	•
Body-coloured – Bum	per, front and rear	•	•	•	•
Bodyside mouldings:	Black	•	-	-	-
	Body-coloured	-	•	•	•
Door handles:	Black	•	-	-	-
	Body-coloured	-	•	•	•
Rear heated glass wir	dow	•	•	•	•
Roof aerial		•	•	•	•
Front fog lamps		-	-	-	•
Rear fog lamps		•	•	•	•
Door mirrors:	Electrically adjustable and heated, black housings, driver's wide angle	•	-	-	-
	Electrically adjustable and heated, body colour housings, driver's wide angle	-	•	•	•
Electric tilt and slide s	-	O**	0	0	
	Sports Appearance Package with sports grille, sports front and rear bumpers, side skirts, rear spoiler (hatchback: roof spoiler; saloon: lip spoiler), sports front fog lamps). All body parts are body-coloured			-	•
Mica / Metallic paint		0	0	0	0

= Standard
 O = Option
 = Not available
 * Standard on 1.6 S only (petrol)
 ** Not available on 1.4 TS petrol models or 1.6 TS diesel models

5

Equipment.

Interior Features		S	TS	TS^2	Sport
Seats and integral	Driver's, dial reclining and height adjustment	•	•	•	•
head restraint:	Driver's, lumbar adjustment	-	•	•	•
Rear seats:	60/40 fold down	•	•	•	•
	Centre armrest	-	•	•	•
Steering wheel:	Leather-covered	-	-	•	•
	Tilt adjustment	•	•	•	•
Shift knob:	Leather-covered	-	-	•	•
Grab handle, front p	bassenger's and two rear with coat hooks	•	•	•	•
Audio:	AM/FM modular radio, four speakers	•	•	•	-
	Steering wheel-mounted remote audio controls	-	•	•	•
	Single CD	•	•	-	-
	6-disc CD autochanger	-	-	•	-
	Bose [®] premium audio system with radio, 6-disc CD autochanger, six speakers, Richbass woofer and digital amplifier with five channels of customised equalisation	_	-	_	•
	DVD Satellite Navigation system	-	-	0	0
Air conditioning:	Manual	0	•	-	-
	Automatic climate control	-	-	•	•
Leather seats		-	-	-	0
Meter set:	Tachometer	•	•	•	•
	Fuel gauge	•	•	•	•
	Water temperature gauge	•	•	•	•
	Trip computer	-	-	•	•
Auto electric	Front	•	•	•	•
power windows:	Rear	-	-	•	•
Digital clock		•	•	•	•
Cigar lighter		•	•	•	•
Panel light control w	vith dimmer	•	•	•	•
Headlight on remind	ler (sound warning)	•	•	•	•
Front centre console	with storage box; hinged storage tray and lid; two lidded cup holders	•	•	•	•
Further storage space	es: Glovebox, lockable with illumination	•	•	•	•
	Seat-back pocket (passenger side)	•	•	•	•
	Door pockets (four)	•	•	•	•
Front ashtray, illumir	nated	•	•	•	•
Interior light, with m	nap reading lights	-	•	•	•
Luggage compartme	ent light	•	•	•	•
Pollen filter		•	•	•	•
Sunvisors:	Driver's with covered vanity mirror and ticket holder	•	•	•	•
	Passenger's with vanity mirror	•	•	•	•

= Standard
O = Option
- = Not available

Colours and Seat Trims.

Model		S	TS and TS^2		Sport		
Seat trim colour		Grey / Light Grey BP4	Black and Blue BP5	Black and Red BP6	Black and Blue BP7	Black and Red BP8	Leather* BP9
Solid Body Colour							
Arctic White	(A4D)	•	-	•	-	•	•
Mica and Metallic Body	r Colours*						
Velocity Red Mica	(27A)	-	-	•	-	•	•
Winning Blue Metallic	(27B)	•	•	-	•	-	•
Nordic Green Mica	(27C)	-	•	-	•	-	•
Titanium Grey II Mica	(29Y)	•	•	-	•	-	•
Sunlight Silver Metallic	(22V)	•	•	-	•	-	•
Black Mica	(16W)	-	-	•	-	•	•

*Option at extra cost.







Black and Red in Medium Flint

Grey / Light Grey in Medium Flint



Arctic White (A4D)

Titanium Grey II Mica (29Y)

Black and Red in Ebony



Velocity Red Mica (27A)



Sunlight Silver Metallic (22V)



Leather in Black

Winning Blue Metallic (27B)



Black Mica (16W)



Nordic Green Mica (27C)

7



Mazda Products and Services.

Warranty Plus – 3-Year Cover.

Every Mazda is designed and built to the highest standards of performance, comfort and reliability. For your further reassurance, Mazda also provides a full 3-year / 60,000-mile¹ warranty cover including Mazda European Assistance and a 12-year anti-perforation warranty. ¹ There is no mileage limit during the first year of the warranty.

Mazda Momentum – New Vehicle Extended Warranty.

At any time during the manufacturer's warranty period you may purchase a Mazda Momentum extended warranty package.

Three options are available. Your Mazda dealer will be pleased to provide you with details.

Accessories.

There is a full range of Mazda genuine accessories for each Mazda model. For more information, contact your Mazda dealer.

Mazda Credit.

Mazda Credit* provides a comprehensive range of finance plans which include: Mazda MultiOption – A flexible and cost-effective method of funding a Mazda. Mazda Hire Purchase – A simple, straightforward and traditional funding plan. Mazda Business Partner – A range of finance solutions for business customers.

Mazda Insurance.

Mazda Insurance offers a range of motor-related insurance products to protect you and your car. For total motoring peace of mind, please ask your Mazda dealer for details.

Tax-Free Personal Export, Diplomatic and Military Sales.

Significant savings are available for those who qualify, with schemes tailored to suit individual needs. For further information, contact your Mazda dealer or contact Mazda Tax Free Sales on 01932 335132.

Motability.

For all Motability enquiries, please contact Mazda on 08457 48 48 48.

Your Mazda dealer:

Mazda Motors UK Limited reserves the right to introduce changes in specification and equipment due to its ongoing product development. Colour and trim samples shown in this brochure may vary from the actual colours because of the limitations of the printing process. It is recommended that you consult your Mazda dealer when referring to these.

*Finance subject to status. Guarantees / Indemnities may be required. Written quotations: Mazda Credit UK, Central Office, Eagle Way, Brentwood, Essex CM13 3AR.

Authorised and regulated by the Financial Services Authority.

October 2005.

Internet: www.mazda.co.uk Mazda Helpline: 08457 48 48 48