

SHIFT_ is an English word from a Japanese car company that best embraces our values and the mission of this corporation. No matter where you are in the world, SHIFT_ is the way we express who we are, how we work and what we are trying to accomplish.

Everything we touch, we SHIFT_. And everything we SHIFT_ we try to make better and uniquely Nissan.

Dealer stamp:

Visit our websites at:

www.nissan.co.uk

www.nissan-qashqai.co.uk

www.nissan-qashqaiplus2.co.uk



SHIFT_the way you move

Every effort has been made to ensure that the content of this publication is correct at the time of going to press (August 2009). In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. All rights reserved. Reproduction in whole or part of this brochure without the written permission of Nissan Europe is forbidden.


Part Number 99999-53925. Printed in the UK.



All four QASHQAI grades feature a level of specification that is far from 'standard'. Whatever the grade, it has the power, performance and equipment to take on - and win in - the modern world; the urban world.







QASHQAI GRADES

VISIA

TECHNOLOGY

- Drive computer
- · Audio with Bluetooth compatibility
- Diesel Particulate Filter (2.0 dCi only)

COMFORT AND CONVENIENCE

- Front and rear power windows with one-touch and anti-trap device (driver's side only)
- Electrically adjustable and heated door mirrors
- · Tilt and telescopic steering wheel adjustment
- Electric speed-sensitive power steering
- · Seatbelt warning lamp (driver, passenger and rear)
- Door ajar warning lamp
- Oil level indicator
- Headlamp on warning buzzer
- Interior lamp with delay
- Front 12v power socket
- Remote audio control

HEATING, VENTILATION AND VISIBILITY

- Manual air conditioning
- Pollen filter
- 2 Speed wiper with variable intermittent
- Rear wiper with intermittent

SEATING. TRIM AND STORAGE

- Charcoal trim with black trim hiahliahts
- · Height adjustable driver seat
- 14-Litre glove box with lamp and damped opening
- Front centre console and armrest
- Front cupholders x2
- Asymmetrical rear bench (60:40)
- 410 Litre boot space (VDA)

SAFETY

- ESP (2.0 petrol and 2.0 dCi only)
- ABS with Brake Assist and EBD
- · Driver, passenger, side and curtain airbags
- · Active front headrests with height adjustment
- · Front seat belts with load limiter and pretensioner
- · Front seat belt height adjustment
- 3 Rear headrests
- 3 x 3 point rear seatbelts with ELR Isofix childseat anchorage points
- Rear door child locks

SECURITY

(rear)

· Remote central locking with superlocking

*The 2.0dCi engine fitted to QASHQAl includes a diesel particulate filter (DPF) to reduce emissions and help protect the environment. The functionality of a DPF may not be suitable for all customers. If your journeys are predominantly urban or low speed, a model without a DPF may be a more suitable alternative.

- Speed-sensitive autolock function
- Engine immobiliser
- Ultrasonic alarm system (2.0 petrol and 2.0 dCi only)

STYLING

- 16" Alloy wheels
- · Body-coloured front and rear bumpers with black protective cladding
- Black door mirrors and handles
- Black front grille

IN-CAR ENTERTAINMENT

- CD radio with 4 speakers
- Aux socket for MP3 players

OPTIONS AT EXTRA COST

- Metallic paint
- ESP (1.6 petrol and 1.5 dCi)

ACENTA

ADDITIONAL TO VISIA GRADE

TECHNOLOGY

- Rain-sensing wipers
- Auto lighting system
- Cruise control

COMFORT AND

- Electric folding door mirrors
- Ultrasonic rear park system
- · Rear reading lamp

conditioning with glove box cooler

SEATING. TRIM AND STORAGE

- · 4-Litre storage tray under front
- · Driver's seat lumbar support
- seatback pockets

Rear seat armrest

Front fog lamps

• 17" Alloy wheels

and mirrors

Metallic paint

• Ultrasonic alarm system

(1.6 petrol and 1.5 dCi)

Body-coloured door handles

IN-CAR ENTERTAINMENT

• 6 CD in-dash auto-changer

• Audio system with 6 speakers

OPTIONS AT EXTRA COST

• ESP (1.6 petrol and 1.5dCi)

Silver painted front grille

SAFETY

SECURITY

STYLING

• Rear cupholders (in armrest) x2

Leather gear knob (manual only)

CONVENIENCE

- Map reading lamp

HEATING. VENTILATION AND VISIBILITY

· Dual zone climate control air

- Graphite trim with technical foil highlights
- passenger seat
- Driver and passenger front
- Leather steering wheel

n-tec

ADDITIONAL TO ACENTA GRADE

TECHNOLOGY

- Nissan Connect (in lieu of 6CD in-dash auto-changer)
- · Colour reversing camera (in lieu of ultrasonic rear park system)

STYLING

- 18" Allov wheels
- · Panoramic glass roof with one touch shade
- Rear privacy glass
- Satin silver roof rails
- Satin silver door handles (n-tec only)
- Aluminium pedals (n-tec only)

OPTIONS AT EXTRA COST

- Metallic paint
- ESP (1.6 petrol and 1.5dCi)

TEKNA

ADDITIONAL TO n-tec GRADE

SEATING, TRIM AND STORAGE

- · Graphite leather upholstery with contrasting stitching and technical foil highlights
- Heated front seats

SAFETY

- Xenon clear lens headlamps
- Headlamp washers
- ESP (1.6 petrol and 1.5dCi)

SECURITY

Intelligent key

OPTIONS AT EXTRA COST

Metallic paint

912004 QASHQAI+2 Techspec AW.indd 2-3 1/10/09 11:48:16

Λ	Ш	1	\wedge	1
$/\!$			$/\!$	

()A5F	$\exists ($											
		Ç/ \11	1.6 litre petrol engine		2.0 litre	e petrol engine		1.5 litre diesel engine		2.0 litre diesel engine*		
MODEL												
Seating capacity		persons					5	•				
ENGINE		_	UDIADE			4DeeD.F		K9K-1.5				
Engine code			HR16DE			MR20DE	M1D-2.0					
No. of cylinders, configuration			4, in line			4, in line		4, in line		4, in line		
Valves per cylinder	-		4			4		2		4		
Engine capacity		cm ³	1598			1997		1461	1995			
Bore x stroke	-	mm	78x83.6			84x90.1		76x80.5	84x90			
Max. engine power 1)	-	kW(PS)/rpm	84(115)/6000			(140)/6000		78(106)/4000	110(150)/4000			
Max. torque 1)		Nm/rpm	156/4400			96/4800		240/2000	320/2000			
Compression ratio			10.7			10.2		15.3	15.6			
Fuel type			Petrol			Petrol		Diesel	Diesel			
Ignition system/ Intake system (Diesel)			Electronic distributor - less			istributor - less type		Turbo-Charger + Intercooler	Turbo-Charger + Intercooler			
Fuel supply			Multi Point Injection			Point Injection		Common Rail Direct Injection	Common Rail Direct Injection			
Emission control system			3-Way catalyst	3-Way catalyst Oxidation catalyst Oxidation catalyst							Filter	
Emissions level							EU					
DRIVE TRAIN			2WD	2WD	4WD	2WD	4WD	2WD	2WD	4WD	4WD	
Clutch type	Manual		Dry plate mechanical	Dry plate	mechanical			Dry plate mechanical	Dry plate mechanical	Dry plate mechanical		
	Auto						converter with lock-up				Torque converter with lock-up	
Transmission type			5-Speed manual	6-Speed manual	6-Speed manual	CVT	CVT	6-Speed manual	6-Speed manual	6-Speed manual	6-Speed automatic	
Gear ratio	1st		3.727	3.727	3.727	2.349	2.349	3.727	3.727	3.727	4.199	
	2nd		2.048	2.105	2.043	^	↑	1.947	2.043	2.043	2.405	
	3rd		1.393	1.519	1.392			1.322	1.322	1.322	1.583	
	4th		1.097	1.171	1.055			0.975	0.947	0.947	1.161	
	5th		0.892	0.914	0.865	V	₩	0.763	0.723	0.723	0.855	
	6th			0.767	0.732	0.394	0.394	0.638	0.596	0.596	0.685	
	Reverse		3.545	3.687	3.641	1.750	1.750	3.687	3.641	3.641	3.457	
Final drive ratio (Fr/Rr 4WD only)			4.500	4.438	4.687/2.466	6.466	6.466/2.466	4.438	4.266	4.266/2.466	3.360/2.466	
Driven wheels			2WD	2WD	4WD (full time)/2WD	2WD	4WD (full time)/2WD	2WD	2WD	4WD (full time)/2WD	4WD (full time)/2WD	
CHASSIS	_											
Suspension	front						McPhers					
	rear						Independen	t Multi-link				
Steering							Rack and Pinion,	power assisted				
Braking system							ront and rear (Ventilated Discs front), po	wer assisted, ABS incl EBD and Brake Assi	ist			
Stability control system (option)			(ESP)			ESP		(ESP)		ESP		
Wheel size							16x6.5JJ, 17x6	.5JJ, 18x6.5JJ				
Tyre size							215/65R16, 215/6	0R17, 215/55R18				

912004 QASHQAI+2 Techspec AW.indd 4-5 1/10/09 11:48:16

¹⁾ In accordance with 1999/99/EC.
*The 2.0 dCi engine fitted to QASHQAI includes a diesel particulate filter (DPF) to reduce emissions and help protect the environment. The functionality of a DPF may not be suitable for all customers. If your journeys are predominantly urban or low speed, a model without a DPF may be a more suitable alternative.

OASH	40	Δ											
		,/_\	1.6 litre petrol engine		2.0 lit	re petrol engine		1.5 litre diesel engine		2.0 litre diesel engine*			
MODEL													
Seating capacity		persons					5						
WEIGHTS & DIMENSION			2WD	2WD	4WD	2WD	4WD	2WD	2WD	4WD	4WD		
ransmission type			5-Speed manual	6-Speed manual	6-Speed manual	CVT	CVT	6-Speed manual	6-Speed manual	6-Speed manual	6-Speed automatic		
erb weight min./max. ²⁾		kg	1297/1392	1356/1437	1415/1509	1378/1459	1454/1535	1407/1471	1503/1573	1568/1639	1604/1674		
Gross Vehicle Weight		kg	1830	19	960		1960	1930	2	085	2085		
Max. pay load 2)		kg	415	4	15		415	415	4	15	415		
fax. axle weight (PAW)	front	kg	1150	11	50		1150	1150	1	150	1150		
	rear	kg	1000	11	00		1100	1100	1	100	1100		
lax. trailer weight	braked	kg	1200	14	100		1200	1200	1	400	1350		
	unbraked	kg	685	685	740	685	740	740	7	'50	750		
Max. vert. load on coupling point		kg					75						
Max. roof Load		kg		75									
Overall length		mm		4315									
Vidth excluding mirrors		mm		1780									
Vidth including mirrors		mm		2120									
Overall height (with roof rails)		mm		1615 (1622)									
Vheelbase		mm		2630									
rack	front	mm		1540									
	rear	mm					1550						
uggage space	max. length	mm					900						
	max. width	mm					1100						
	max. height to p/shelf	mm											
uggage capacity	VDA	1					410						
	max. width- folded seats (VDA)	1		860									
Cd .	(757)						0.35						
uel tank capacity		ı					65						
PERFORMANCE													
	Urban cycle	mpg (l/100 km)	33.6 (8.4)	26.4 (10.7)	25.7 (11)	27.2 (10.4)	26.4 (10.7)	47.1 (6.0)	32.8 (8.6)	32.5 (8.7)	28.0 (10.1)		
iuel consumption 3)	Extra-urban	mpg (l/100 km)	49.6 (5.7)	42.8 (6.6)	40.9 (6.9)	44.1 (6.4)	40.9 (6.9)	58.9 (4.8)	51.4 (5.5)	47.9 (5.9)	43.5 (6.5)		
	Combined	mpg (l/100 km)	42.2 (6.7)	34.9 (8.1)	33.6 (8.4)	35.8 (7.9)	34.0 (8.3)	54.3 (5.2)	42.8 (6.6)	40.9 (6.9)	36.2 (7.8)		
CO2 mass emission (combined)		g/km	159	192	199	189	198	139	174	184	208		
Max. speed		mph (km/h)	109 (175)	119 (192)	118 (190)	112 (180)	111 (178)	108 (174)	119 (191)	118 (190)	115 (185)		

²⁾ Figures in accordance with EC Directive. Kerb weight condition is without driver and including coolant, oils, fuel, spare wheel and tools. Payload will be reduced depending on the options and/or accessories installed.

10.1

10.6

12

10.6

sec

m

Acceleration 0-62mph (0 - 100 km/h)

Min. turning circle (kerb to kerb)

10.9

10.6

12

10.5

912004 QASHQAI+2 Techspec AW.indd 6-7 1/10/09 11:48:17

11.3

12.2

10.6

10.7

³⁾ In accordance with 1999/100/EC. (Optional equipment, maintenance, driving behaviour, road and weather conditions may affect the official results)

^{*}The 2.0 dCi engine fitted to QASHQAI includes a diesel particulate filter (DPF) to reduce emissions and help protect the environment. The functionality of a DPF may not be suitable for all customers. If your journeys are predominantly urban or low speed, a model without a DPF may be a more suitable alternative.

All four QASHQAI+2 grades feature a level of specification that is far from 'standard'. Whatever the grade, it has the power, performance and equipment to take on – and win in – the modern world; the urban world.





SAFETY

STYLING

mirrors

Metallic paint

Front fog lamps

• 17" Allov wheels

Body colour door handles and

IN-CAR ENTERTAINMENT

• 6 CD in-dash auto-changer

Audio system with 6 speakers

OPTIONS AT EXTRA COST

• ESP (1.6 petrol and 1.5 dCi)



QASHQAI+2 GRADES

VISIA

TECHNOLOGY

- Drive computer
- Audio with Bluetooth compatibility
- Diesel Particulate Filter (dCi only)

COMFORT AND CONVENIENCE

- Front and rear power windows with one touch and anti-trap device (driver's side only)
- Electrically adjustable and heated door mirrors
- Tilt and telescopic steering wheel adjustment
- Electric speed-sensitive power steering
- Seatbelt warning lamp (driver, passenger and rear)
- Door ajar warning lamp
- Oil level indicator
- Headlamp on warning buzzer
- Interior lamp with delay
- Interior lamp with delay
- Front 12v power socket
- Remote audio control

HEATING, VENTILATION AND VISIBILITY

- Manual air conditioning
- Pollen filter
- 2 Speed wiper with variable intermittent
- Rear wiper with intermittent

SEATING, TRIM AND STORAGE

- Charcoal trim with black trim highlights
- Height adjustable driver's seat
- 14-Litre glove box with lamp and damped opening
- Front centre console and armrest
- Front cupholders x2
- Asymmetrical sliding 2nd row bench (60:40 split)
- Middle row seat backs with 40:20:40 split
- Middle row armrest with storage, cup holders and power socket
- 450-550 Litre boot space (VDA)
- Flat Fold rear seats with 50:50 split
- Underfloor storage / cargo divider

SAFETY

- ESP (2.0 petrol and 2.0 dCi only)
- ABS with Brake Assist and EBD
- Driver, passenger, side and curtain airbags
- Active front headrests with height adjustment
- Front seat belts with load limiter and pretensioner
- Front seat belt height adjustment
- 3 rear headrests
- 5 x 3 point rear seatbelts with ELR
 Isofix childseat anchorage points
- Rear door child locks

SECURITY

(middle row)

- Remote central locking with superlocking
- Speed sensitive autolock function
- Engine immobiliser
- Ultrasonic alarm system

STYLING

- 17" Alloy wheels on 2.0 engines
- 16" Alloy wheels on 1.6 and 1.5 dCi engines
- Panoramic glass roof with one touch shade
- Body coloured front and rear bumpers with black protective cladding
- Black door mirrors and handles
- Silver painted front grille
- Satin silver roof rails
- Rear privacy glass

IN-CAR ENTERTAINMENT

- CD radio with 4 speakers
- Aux socket for MP3 players

OPTIONS AT EXTRA COST

- Metallic paint
- ESP (1.6 petrol and 1.5 dCi)

ACENTA

ADDITIONAL TO VISIA GRADE

TECHNOLOGY

- Rain-sensing wipers
- Auto lighting system
- Cruise control

COMFORT AND CONVENIENCE

- Electric folding door mirrors
- Ultrasonic rear park system
- Map reading lamp
- Rear reading lamp

HEATING, VENTILATION AND VISIBILITY

 Dual zone climate control air conditioning with glove box cooler

SEATING, TRIM AND STORAGE

- Graphite trim with technical foil highlights
- Driver's seat lumbar support
- Driver and passenger front seat-back pockets
- Leather steering wheel
- Leather gear knob (manual only)

n-tec

ADDITIONAL TO ACENTA GRADE ADD

TECHNOLOGY

- Nissan Connect (in lieu of 6CD in-dash auto-changer)
- Colour reversing camera (in lieu of ultrasonic rear park system)

STYLING

- 18" Allov wheels
- Satin silver door handles (n-tec only)
- Aluminium pedals (n-tec only)

OPTIONS AT EXTRA COST

- Metallic paint
- ESP (1.6 petrol and 1.5dCi)

TEKNA

ADDITIONAL TO n-tec GRADE

SEATING, TRIM AND STORAGE

- Graphite leather upholstery with contrasting stitching and technical foil highlights
- Heated front seats

SAFETY

- Xenon clear lens headlamps
- Headlamp washers
- ESP (1.6 petrol and 1.5 dCi)

SECURITY

Intelligent key

OPTIONS AT EXTRA COST

Metallic paint

912004 QASHQAI+2 Techspec AW.indd 8-9

QASHQAI+2

QAOI I			1.6 litre petrol engine		2.0 litre petrol engine		1.5 litre diesel engine* 2.0 litre diesel engine*					
MODEL												
Seating capacity		persons	7		7		7		7			
ENGINE												
Engine code			HR16DE		MR20DE		K9K DPF-1.5		M1D-2.0			
No. of cylinders, configuration			4, in line		4, in line		4, in line		4, in line			
Valves per cylinder			4		4		2	4				
Engine capacity		cm ³	1598		1997		1461	1995				
Bore x stroke		mm	78x83.6		84x90.1		76x80.5	84x90				
Max. engine power 1)		kW(PS)/min-1	84 (115ps)/6000		104 (140ps)/6000		76 (103ps)/4000	110 (150ps)/4000				
Max. torque 1)		Nm/min-1	156/4400		196/4800		240/2000	320/2000				
Compression ratio			10.7		10.2		15.3	15.6				
Fuel type			Petrol		Petrol		Diesel	Diesel				
Fuel tank capacity		I	65		65		65	65				
DRIVE TRAIN			2WD	2WD	4WD	4WD	2WD	2WD	4WD	4WD		
Transmission type			5-speed manual	6-speed manual	6-speed manual	6-speed CVT	6-speed manual	6-speed manual	6-speed manual	6-speed automatic		
Gear ratio	1st		3.727	3.727	3.727	2.349	3.727	3.727	3.727	4.199		
	2nd		2.048	2.105	2.043	٨	1.947	2.043	2.043	2.405		
	3rd		1.393	1.519	1.392		1.322	1.322	1.322	1.583		
	4th		1.097	1.171	1.055		0.975	0.947	0.947	1.161		
	5th		0.892	0.914	0.865	٧	0.763	0.723	0.723	0.855		
	6th			0.767	0.732	0.394	0.638	0.596	0.596	0.685		
	Reverse		3.545	3.687	3.641	1.750	3.687	3.641	3.641	3.457		
	Final Drive		4.500	4.438	4.687	6.466	4.438	4.266	4.266	3.360		
Driven wheels			2WD	2WD	4WD (full time) / 2WD	4WD (full time) / 2WD	2WD	2WD	4WD (full time) / 2WD	4WD (full time) / 2WD		
CHASSIS												
Suspension front							McPherson Strut					
Suspension	rear					Ir	ndependent Multi-link					
Steering			Rack and Pinion, power assisted									
Braking system						Ventilated discs front and rea	r, power assisted, ABS incl EBD ar	nd Brake Assist				
Stability control system (option)			(ESP)		ESP		(ESP)		ESP			
Wheel size						16x6.	5JJ, 17x6.5JJ, 18x6.5JJ					
Tyre size						215/65R	216, 215/60R17, 215/55R18					

^{*}The 1.5 dCi and 2.0 dCi engines fitted to QASHQAI+2 include a diesel particulate filter (DPF) to reduce emissions and help protect the environment. The functionality of a DPF may not be suitable for all customers. If your journeys are predominantly urban or low speed, a model without a DPF may be a more suitable alternative.

912004 QASHQAI+2 Techspec AW.indd 10-11 1/10/09 11:48:22

CAOIICANIZ	QA	S	Н		Д	+	2
------------	----	---	---	--	---	---	---

QAOI IC	ノハコ		1.6 litre petrol engine		2.0 litre petrol engine		1.5 litre diesel engine*		2.0 litre diesel engine*				
MODEL													
Seating capacity		persons	7		7		7		7				
WEIGHTS & DIMENSIONS													
Kerb weight min./max. 2)		kg	1404 / 1508	1476 / 1543	1529 / 1623	1583 / 1650	1511 / 1604	1631 / 1666	1696 / 1755	1732 / 1791			
Gross Vehicle Weight		kg	2072	2108	2189	2215	2170	2255	2320	2356			
Max. pay load 2)		kg	565	565	565	565	565	565	565	565			
Max. axle weight (PAW) Max. trailer weight Max. vert. load on coupling point	front	kg	1175	1175	1230	1175	1175	1175	1230	1230			
	rear	kg	1215	1215	1260	1215	1215	1215	1260	1260			
Manufaction of the	braked	kg	1200	1400	1400	1200	1200	1400	1400	1350			
Max. trailer weight	unbraked	kg	735	750	750	750	750	750	750	750			
Max. vert. load on coupling point		kg					75						
Overall length		mm					4525						
Overall width		mm		1780									
Overall height		mm		1645									
Wheelbase		mm	2765										
Luggage space	max. length	mm	1040 - 1230										
	max. width	mm	1100										
	max. height	mm		430									
	3rd Row seat folded (VDA)	1	450 - 550										
Luggage capacity	2nd & 3rd Row seats folded (VDA)	I	1520										
Trools	front	mm		1540									
Track	rear	mm	1550										
Min. turning circle (kerb to kerb)		m		11.0									
PERFORMANCE													
	Urban cycle	I/100 km / mpg	8.9 / 31.8	11.1 / 25.4	11.4 / 24.8	10.9 / 25.9	6.8 / 41.5	8.5 / 33.2	8.9 / 31.7	10 / 28.2			
Fuel consumption 3)	Extra-urban	I/100 km / mpg	5.9 / 47.9	6.7 / 42.2	7.0 / 40.4	7.0 / 40.4	5.0 / 56.5	5.6 / 50.4	5.9 / 47.9	6.6 / 42.8			
	Combined	I/100 km / mpg	7.0 / 40.4	8.4 / 33.6	8.6 / 32.8	8.5 / 33.2	5.7 / 49.6	6.7 / 42.2	7.0 / 40.4	7.9 / 35.8			
CO2 mass emission (combined)		g/km	165	197	205	199	149	177	188	209			
Max. speed		km/h / mph	174 / 108	190 / 118	188 / 117	177 / 110	170 / 106	190 / 118	189 / 117	183 / 114			
Acceleration 0 - 100 km/h		sec	12.9	10.5	10.9	11.7	13.3	10.9	11.3	12.4			

¹⁾ In accordance with 1999/99/EC.

*The 1.5 dCi and 2.0 dCi engines fitted to QASHQAI+2 include a diesel particulate filter (DPF) to reduce emissions and help protect the environment. The functionality of a DPF may not be suitable for all customers. If your journeys are predominantly urban or low speed, a model without a DPF may be a more suitable alternative.

912004 QASHQAI+2 Techspec AW.indd 12-13 1/10/09 11:48:22

²⁾ Figures in accordance with EC Directive. Kerb weight condition is without driver and including coolant, oils, fuel, spare wheel and tools. Pay load will be reduced depending on the options and/or accessories installed.

3) In accordance with 1999/100/EC. (Optional equipment, maintenance, driving behaviour, road and weather conditions may affect the official results)

