

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments







LOOK & FEEL

PRESENTATION	4
EXTERIOR DESIGN	6
INTERIOR DESIGN	8

TECHNOLOGY & PERFORMANCE

ENGINE EFFICIENCY	10
SAFETY & SECURITY	12
COST MANAGEMENT	14
LOAD SPACE	16
MINIBUS	20

STYLE & ACCESSORIES

FEATURES & OPTIONS	22
BODY STYLES	30
DIMENSIONS	32
COLOURS/TRIMS/WHEELS	34
ACCESSORIES	36
ALL ABOUT NISSAN	38

INTRODUCING NISSAN PRIMASTAR

CHOOSE A MOBILE BUSINESS SOLUTION THAT'S SIZED AROUND YOU. NISSAN PRIMASTAR MULTI-OPTION LCVS DELIVER ALL THE SPACE, COMFORT AND COST-EFFICIENCY YOU NEED TO DRIVE YOUR INTITATIVES FORWARD.

www.nissan.co.uk and www.nissan-lcv.co.uk

CONTENTS

INTRODUCING NISSAN PRIMASTAR







The PRIMASTAR range offers such an extensive choice that it's easy to create a vehicle that exactly suits your needs. The Van is available in two lengths and two heights, to match your daily cargo needs. The Good to Go conversion programme gives you further options with a six seat Crew van and Freezer or Chiller van.



BUILT AROUND YOU

The Minibus, also available in two lengths, takes loads plus workmates or passengers with ease. With a choice of engines, up to three grades and numerous options, you can see how PRIMASTAR is the ultimate made-to-measure business vehicle.



8.4 M³
MAXIMUM FLEXIBLE LOAD SPACE

115 HP 3-YEAR



Print | Close

LOOK & FEEL

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Page 1 | Page 2





IMPRESSIVE





ENHANCE YOUR STATUS

Driving a PRIMASTAR immediately conveys a powerful, positive impression. Its thoroughly modern design and attractive yet practical features, conveys a message of strength and efficiency to the outside world. With even greater attention to detail and quality, choosing PRIMASTAR proves your shrewd judgement.

The new front design incorporates combined headlamps and indicators that ensure you can see and be seen more easily – a benefit that also applies to the new rear lights. A larger rear bumper provides increased protection against every day knocks. With different paint treatments for the bumpers and body mouldings, the Van and Minibus have clearly individual identities that set them – and you – apart on the road and in the car park.





Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Page 1 | Page 2









USER-FRIENDLY

THE COMFORT ZONE

Inside, PRIMASTAR feels more like a car than a van. The high quality trim is smart and inviting, again with three distinct finishes for the Van, and Minibus. Even more impressive is the level of equipment available to make driving easy and more comfortable.

The dashboard design features extra, practical storage spaces and a new range of audio systems featuring Bluetooth® for hands-free phone use, remote controls and convenient auxiliary input for your iPod and MP3 players.







Driver-friendly technology available for PRIMASTAR includes automatic wipers with speed adaptive function, automatic lighting with friendly lighting function, rear parking sensors, air conditioning, cruise control. You can also have a 3-button key, which lets you lock and unlock the front and cargo doors separately

Climate control replaced by Manual air conditioning in UK

INTERIOR DESIGN

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments







HIGHER EFFICIENCY

PRIMASTAR's wide range of engines ensure easy load hauling ability, quiet cruising and responsive acceleration. All versions are equipped with a 6 speed manual gearbox and as an option you can specify the 6 speed semi-automoatic transmission which helps to reduce wear on you transmission as well as giving you an easier drive in congested stop-start conditions.



LOWER ENVIRONMENTAL IMPACT

With long maintenance intervals for lower running costs, and improved environmental responsibility, the new engine range makes driving PRIMASTAR feel even better.

2 TYPES OF TRANSMISSION 115HP

ENGINE EFFICIENCY

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Print | Close







AGILE AND TOUGH


Accidents and incidents happen suddenly and without warning. Fortunately, PRIMASTAR is designed to respond rapidly and decisively to your control. With all-wheel disc brakes, EBD (Electronic Brake force Distribution) and standard ABS and EBA (Emergency Brake Assistance), PRIMASTAR has one of the shortest stopping distances in its class. The optional ESP (Electronic Stability Program) further supplements PRIMASTAR's agile handling during routine driving and in the event of emergencies.







PRIMASTAR





_____1

SAFETY & SECURITY

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments


Print Close







A TRUSTED WORKER





With its renowned Nissan reliability, it might seem that all you have to do with PRIMASTAR is keep it clean. You can certainly drive a long way between service appointments, with up to 18,000 between services.

The latest PRIMASTAR has a 3-year, 100,000 mile warranty, 6-year paint warranty and 12-year anti-corrosion warranty, PRIMASTAR is designed for easy repair - keeping your maintenance and insurance costs low. So it's just as well that this dependable, desirable vehicle is protected by an alarm system and immobiliser..





LOW COST

LONG SERVICE

COST MANAGEMENT

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Print | Close





Load space is understandably one of the vital considerations when you're choosing a van. PRIMASTAR takes an impressive amount of cargo: up to 1,240kg payload for the SWB van in either height, with 5m³ of usable volume, up to 7.1m³ for the taller version.



VAN L1H1 The shorter PRIMASTAR can load 2 Euro-pallets

EASY TO LOAD, HARD TO FILL












Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments


Print | Close







VAN L2H2
The bigger PRIMASTAR
was designed to load up to
3 Furn-pallets



Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments
Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7





TAKE ON MORE

Long loads can be awkward to carry – unless, of course, you have a long wheelbase PRIMASTAR. 2.8m internal length and a 1,200kg payload means you can accommodate carpets, timber, pipes – whatever the day's challenging load might be. That's 5.9m³ of usable space or a vast 8.4m³ for the taller van.



With the long version PRIMASTAR, in either height, you can specify rear doors that open 250°, folding flat right against the sides of the van to give you totally unimpeded loading access.



2,800MM LONG



TECHNOLOGY & PERFORMANCE

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Print | Close





MINBUS: YOU WIN AGAIN







With the PRIMASTAR Minibus you win both ways, with space to carry your workmates and their tools or your sports team and their kit. Entry and exit is easy with sliding doors on both sides. The Minibus is well appointed and comfortable; all seats have headrests and 3-point seatbelts and with optional air conditioning, you can maintain your preferred temperature throughout your journey. Yet it's still practical and durable enough to withstand the knocks that inevitably come from carrying equipment everyday.

PRIMASTAR is also available as a 6 seat Crew van with a secure load space separated from the cabin by a full bulkhead.

The Minibus is available in two lengths. The standard version (L1) seats nine people with nearly 0.45m for loads, or if you fold down the rear seat, six people with over 1.5m of load space length. Choose the long wheelbase version (L2), and those cargo lengths increase to nearly 1.2m and over 1.9m respectively, while the load volume goes up from 1.2m³ to 4m³. And you can completely remove the third row and fold the second row for maximum load carrying when you need it. The load space incorporates four anchorage points, ready for attaching an optional cargo net.

SEATS

4 M³
FLEXIBLE LOAD SPACE

MINIBUS

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Print | Close

Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7



TECHNOLOGY & PERFORMANCE



REDUCE YOUR WORK LOAD

With an exceptional choice of driver-friendly equipment available, PRIMASTAR leaves you free to concentrate on the road and on your business.





SPEED LIMITER AND CRUISE CONTROL

This feature on SE+ models helps you comply with the law, avoid speeding tickets and make light work of long journeys, by maintaining any speed you choose above 20 mph. Press the + or - buttons on the steering wheel to set your chosen speed (displayed on the dashboard). PRIMASTAR stays at this speed and won't exceed it, unless you push hard on the accelerator. Using the accelerator or the brake immediately overrides the system, making sure you always retain full control.

THREE-BUTTON KEY


This remote central locking key lets you lock and unlock doors selectively. You can choose to lock or unlock the front doors only, or the loading area separately, including side and rear doors. For optimum convenience, you can also lock or unlock all doors at a time.



RAIN SENSING AND SPEED ADAPTIVE WIPERS

The wipers are automatically activated by rain on the windscreen, and adapt to the amount of rain and to PRIMASTAR's speed. Below 3mph, the wipers revert to the next lowest setting, e.g. from continuous to intermittent. This is especially helpful in stop-start city driving, leaving you free to keep your hands on the wheel.





AUTOMATIC LIGHTING

As long as the engine is running (and you've switched on the function), dipped headlights will switch on automatically when the sensor detects that the ambient light requires them. Another innovation that reduces your workload, particularly when conditions are deteriorating.





FRIENDLY LIGHTING

This feature is really helpful if you're making deliveries at night. When the engine's turned off, pull the headlamp stalk briefly to the flash setting, and the headlights will stay on for 30 seconds. You can pull the stalk up to four times, giving you as long as 2 minutes – usually plenty of time to find your way.

Print | Close

FEATURES & OPTIONS

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9





REDUCE YOUR WORK LOAD



REAR PARKING SENSOR

On all PRIMASTAR SE and SE+ models, this feature means you can be confident that you won't damage your PRIMASTAR or any person or object behind it. Operating automatically when you engage reverse, the system emits a beep which becomes more frequent the closer you are to the object behind. When the beep is continuous, it's time to stop! The sensors are specially designed for PRIMASTAR's low loading sill and can be turned off if you're towing a trailer.

AIR CONDITIONING

The manual air conditioning system is an option on SE models and is standard on SE+ versions, helping you to enjoy a comfortable drive.





ONE TOUCH POWER WINDOWS

The electric windows will raise or lower with only one firm touch of the button – useful at barriers as your hand can go straight back to the steering wheel.



REINFORCED ANTITHEFT SYSTEM

To safeguard your goods, tools and personal items, PRIMASTAR offers a well-designed security system with protected keyholes and reinforced door looks. The security encoded key makes it virtually impossible to unlock the vehicle using any other key, and the optional built-in alarm will sound if any attempt is made to force a way in.



AUDIO RANGE

The audio range includes CD radio with an aux input jack for you MP3 player as standard equipment on all models. To make you life easier the remote audio controls allow you to operate the audio system without taking your hands off the wheel.



AUTOMATIC DOOR LOCK WHILE DRIVING

To keep you and your loads secure, all the doors lock automatically when PRIMASTAR goes above 8km/hr.



Hang up Private number Pause ValiOrange 000 : 02



BLUETOOTH®

Bluetooth* is a pratical, convenient way to link your mobile phone wirelessly to PRIMASTAR's audio system, so you can stay in touch at all times. You can take and make calls hands free*, and browse your phonebook contacts via the audio system's display. Bluetooth* can also play music from your compatible MP3 player or MP3 phore via streaming audio.

*For greater safety, we recommend you stop to make phone calls.



AUDIO AND PHONE REMOTE CONTROL

For extra convenience and safety you can control the main functions of the audio system, such as volume, source and track selection, using this steering column-mounted switch. If you have a Bluetooth*—enabled phone, you can use the same switch to start and stop calls. All without taking your hands from the steering wheel.

TACHOGRAPH

To help you comply with legislation, an advanced digital tachograph is available as an option separate smart card readers for two drivers and the ability to use a company smart card to transfer data between the tachograph and a PC. The comprehensive information display includes driver activity, time and distance, and the integrated printer can produce reports for instant checking.

FEATURES & OPTIONS

STYLE & ACCESSORIES

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Print | Close

Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9





THE PERFECT FIT

PRIMASTAR's many features and options have been designed with real business needs in mind. So if you have special requirements it's most likely that PRIMASTAR can satisfy them.



TUBULAR BULKHEAD

COAT HANGER This useful coat hanger is ideally located on the bulkhead.



STYLE & ACCESSORIES



GLAZED BULKHEAD

BULKHEADS

A tubular bulkhead is standard on E grade vans and provides protection for the driver from sliding loads, while still allowing access from the front passenger seats to the load space. For your safety and the security of your goods SE and SE+ models have a full steel bulkhead for optimum load protection and increased comfort for everyday use by effectively reducing noise.

SOLID BULKHEAD





SECOND BATTERY

If you frequently need a power supply when the engine's not running (for example, if you want to run a refrigeration unit) a second battery rack is available to house an independent power supply. This option provides the rack only, allowing you to choose the battery based on your particular application.



TWO SLIDING DOORS

Sliding doors help you access your loads more easily. They are available for both sides of the PRIMASTAR Van and are offered for the standard and long wheelbase Minibus, greatly increasing your passengers' comfort and your loading options.



ADDITIONAL ANCHORAGE POINTS

Two anchorage points on the load space floor help keep your cargo safe and secure, complementing the anchorage points on the body sides. The hooks have been designed to withstand loads of up to 625kg.



12 V MULTI-

PURPOSE SOCKET A 12V socket is conveniently located on the central dashboard so you can recharge your mobile phone, your PDA or your laptop (using the special adapters required by your device). In the Minibus, passengers can benefit from a second 12V socket located on the side wall between the second and third row of seats.



HEATING SYSTEM

The heating system now distributes warm air directly to your feet and can supply considerably more heat to the rear of the vehicle. This is particularly useful for keeping all the passengers comfortable and happy in your PRIMASTAR Minibus.

26

FEATURES & OPTIONS

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Print | Close



Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9





FEATURES & OPTIONS

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments


Print | Close

Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9







BODY STYLES




Choose which PRIMASTAR your business needs: Van or Minibus. Then you can choose from two lengths, two heights and details such as glazed or panel side doors, hinged solid or glazed rear doors or glazed tailgate.







*270° rear doors only available on L2 vans




L1 = SWB, L2 = LWBBODY STYLES


Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Print | Close Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9






DIMENSIONS









PRIMASTAR's compact external dimensions make it manoeuvrable for busy streets and let you slip into parking spaces other vans have to drive past. Yet highly efficient design ensures that, inside, PRIMASTAR offers a great deal of space.

			VAN				MINIBUS			
Dimensions (mm)	Dimensions (mm)			L1H1 L1H2 L2H1 L2H2		L1	L1H1		L2H1	
					6 seats	9 seats	6 seats	9 seats		
Wheelbase	Α	3,098 3,498			3,098		3,4	3,498		
Overall Length	В	4,78	82	5,1	82	4,7	782	5,1	5,182	
Overall Height	С	1,955 */1,963 **	2,465	1,962	2,464	1,952		1,956		
Load platform Height	D	534	527	533	525	540	535	538	532	
Overall Width	E		1,9	904			1,9	004		
Cargo Length	F	2,4	00	2,8	300	1,548	790	1,948	1,190	
Cargo Height	G	1,387	1,913	1,387	1,913		1,369			
Cargo Width	н		1,6	90		1,678				
Width between wheel arches	I		1,2	268		1,234				

^{* 1,000} kg payload models;

DIMENSIONS

Print | Close

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9





^{**1,200} kg payload models.

COLOURS UPHOLSTERY

METALLIC / M SOLID / S



Polar White **Z36/S**



Furmace Red **Z35/S**



Delta Blue Z39/S



Solar Yellow Z37 / S



Universe Black **Z41 / M**



Steel Grey ARO/M

Z34/M



Hydra Green **Z42/M**



Ocean Blue **ZT4/M**



Panorama Blue **ZW6/M**



Storm Blue **ZBH/M**



WHEELS







Full wheel trim - SE+

33 STYLE & ACCESSORIES

COLOURS/TRIMS/WHEELS

Print | Close

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9









Our range of genuine accessories is the logical extension of PRIMASTAR's versatility. With these special accessories, you can precisely equip your vehicle for its intended role, knowing that the extras you choose are strongly made and specifically designed to enhance your PRIMASTAR.

Featured accessories:

02: Mudguards

03: Removable towbar

04: Microline window protection



Featured accessories:

01: The PRIMASTAR van accessorised with roof rack, roof rack platform and rear ladder.

STYLE & ACCESSORIES

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9







AT NISSAN, YOU BRING OUT THE BEST IN US.

You spark our imagination. You provoke our ingenuity. You inspire us to change the rules and innovate. And at Nissan, innovation is not just about additions and extensions; it's about crossing the line to reinvent the status quo. It's about developing unexpected solutions to satisfy your wildest and most pragmatic desires. At Nissan, we design cars, accessories and services that break the mould - making the practical exciting and the exciting practical to offer you a more exhilarating driving experience everyday.



ALL ABOUT NISSAN

ALL ABOUT NISS

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Print | Close

Page 1 | Page 2 | Page 3 | Page 4 | Page 5 | Page 6 | Page 7 | Page 8 | Page 9



ALL ABOUT NISSAN





Visit our website at: www.nissan.co.uk www.nissan-lcv.co.uk

Every effort has been made to ensure that the content of this publication is correct at the time of going to press June 2012. This brochure has been produced featuring prototype vehicles exhibited at motor shows. In accordance with the company's policy of continuously improving its products, Nissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Because of the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written permission of Nissan Europe is forbidden.

This brochure is made from chlorinefree paper - X83 GEB - 06/2012 - Printed in E.U. - PART NUMBER 99999-53146
Created by NEW Robinson Creapress, France - Tel.: +33 1 49 09 25 35.



SHIFT_the way you move

Dealer stamp:

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments













PRIMASTAR GRADES

Primastar's car-like smoothness. precise steering and good visibility give excellent driver control under all conditions. Now with three grades to choose from Primastar offers the ideal van to suit your needs, whether you need a basic workhorse or comfortable cab loaded with car like features.

E GRADE

CARGO AREA ACCESSIBILITY

- Unglazed 180° opening rear doors
- Unglazed nearside (left) sliding door
- Side and rear door-activated loading lamps
- 6 x Floor mounted lashing rings

SAFETY AND SECURITY

- ABS
- Driver airbag
- 3-Point seatbelts (x2)
- · Seatbelt pre-tensioners
- · High mounted rear brake lamp
- 4 Disc brakes (ventilated front)
- Side-impact door bars
- 1/3 Tubular bulkhead behind driver
- · Engine immobiliser and alarm
- · Remote central locking Deadlocking
- 2-Button key

COMFORT AND CONVENIENCE

- Single CD player with steering wheel controls
- Aux input socket for MP3 players
- 3-Way adjustable driver's seat with height adjust
- · Adjustable single passenger seat
- Tinted windows
- · Power assisted steering
- Manual mirrors
- Manual windows
- Tachometer
- Intermittent wash-wipe (windscreen)
- Map lamp
- · Dash-mounted gear lever
- Driver and passenger cup holders
- · Door pocket with large bottle holder
- · Glovebox with CD and sunglasses holder
- · Bulkhead coats hooks in cabin

OPTIONS

Metallic paint

SE GRADE ADDITIONAL TO E GRADE

SAFETY AND SECURITY

• Twin passenger seat with additional 3-point seatbelt

COMFORT AND CONVENIENCE

- 3-Button key with opening/locking of selective doors
- · Full steel bulkhead
- Power windows
- · Power and heated door mirrors
- Nissan Rear Park System (RPS)
- Trip computer
- Bluetooth

OPTIONS

- Metallic paint
- Power take-off
- · Digital tachograph
- · Off-side (right) unglazed sliding loading door

OPTION PACKS

- Comfort Pack
- Safety Pack
- · Glazed Tailgate Pack
- · Glazed Rear Doors Pack

SE+ GRADE **ADDITIONAL TO SE GRADE**

SAFETY AND SECURITY

- ESP
- Fog lamps
- Passenger airbag

COMFORT AND CONVENIENCE

- · Air conditioning with pollen filter
- · Automatic wipers and lights
- Full wheel trims
- · Wooden floor liner
- · Leather steering wheel
- Cruise control

OPTIONS

Metallic paint

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Print | Close Page 1 | Page 2 | Page 3 | Page 4 | Page 5





primastar Length Short Wheelbase Long Wheelbase Roof height High High M9R 115 Engine 1000 1200 1200 1200 Payload manual manual semi-auto manual Transmission semi-auto semi-auto manual semi-auto ENGINE No.of cylinders 4 Valves per cylinder 1995 Engine capacity Bore x Stroke mm 84x90 115 Maximum engine power 3500 300 Maximum torque rpm 1500 15.19:1 Compression ratio Fuel type Diesel Direct Common Rail DRIVE TRAIN 6 Speed manual/6 Speed semi-automatic Transmission Drive wheels CHASSIS Front Independent, McPherson strut, coil springs, anti-roll bar Suspension Rear Torsion beam axle, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Steering Rack and pinion, power assisted Ventilated discs front: 305mm/28mm, plain discs rear: 280mm/12mm, Braking system Hydraulic braking and two independent circuits in "X", power assisted (EBD, 4 sensor ABS) Wheel size 6 J 16 Standard 205/65 215/65 PERFORMANCE 160 km/h Maximum speed mph 99.4 Min. turning circle (kerb to kerb) 11.84 13.17

9.1/ 31.04 | 7.6/ 37.17 | 9.1/ 31.04 | 7.6/ 37.17 | 9.2/30.70 | 8.1/34.87

6.3/ 44.84

6.8/41.54

178

6.5/43.46

7.5/ 37.66

7.1/ 39.79

7.9/35.76

207

7.4 /38.17

7.7 /36.69

202

MODEL													
Length			Short Wheelbase					Long Wheelbase					
Roof height				Low High				gh	Low		High		
Engine					M9R 115								
Payload				10	000	12	200	12	00		12	100	
Transmission				manual	semi-auto	manual	semi-auto	manual	semi-auto	manual	semi-auto	manual	semi-auto
WEIGHTS													
Kerb weight	erb weight Min. kg			1710	1710	1710	1710	1781	1781	1748	1748	1833	1833
Gross vehicle weight		kg		2790	2790	2950	2950	2940	2940	3030	3030	3030	3030
Maximum payload*		kg		1080	1080	1240	1240	1159	1159	1282	1282	1197	1197
Max trailer weight (1)	Braked	kg						20	00				
wax trailer weight (1)	Unbraked	kg						7	50				
OVERALL DIMENS	IONS												
Length			mm			47	782				51	82	
Width			mm					19	04				
Height (unladen)		Min.	mm	1955	1955	1963	1963	2465	2465	1962	1962	2464	2464
Wheelbase			mm	3098 3498									
Overhang	Front		mm		833								
Overnang		Rear	mm	851									
Track		Front	mm	1615									
ITACK		Rear	mm	1630									
Ground clearance (unlader	n)		mm	168	68 177 178		1	77	1	78	177		
CARGO AREA DIM	ENSIONS												
Maximum length			mm			24	100				28	800	
Maximum width			mm					16	90				
Maximum height			mm		13	887		19	13	13	387	19	113
Maximum width between w	vheel arches		mm					12	68				
Maximum load platform hei	ght		mm		5	34		5:	27	5	33	5	25
Cargo volume			m ³		5.	02		7.	09	5.	.94	8	36
Side door		Width	mm					10	00				
	Height mm							12	85				
Back door		mm					13	90					
		mm	1335 1818				18	1335 1818					
FUEL TANK													
Capacity			1					9	0				

^{*}GVW minus unladen weight (driver and crew weight must be subtracted).

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Print | Close |
Page 1 | Page 2 | Page 3 | Page 4 | Page 5

9.1/31.04 7.6/37.17 9.2/30.70 8.1/34.87

7.1/39.79

7.9/35.76

207

7.4/ 38.17

7.7/ 36.69

202

6.3/ 44.84

6.8/ 41.54

6.5/43.46

7.5/ 37.66



FUEL CONSUMPTION & EMISSIONS

Fuel Consumption

CO₂ mas Emission (Combined)

Urban Cycle

Extra Urban

Conbined

I/100 Km / MPG

I/100 Km / MPG

I/100 Km / MPG

6.5/43.46

7.5/37.66

6.3/ 44.84


6.8/41.54

178





⁽¹⁾ When a vehicle is fitted with a towbar, it is recommended that a tachograph is fitted, since the ability to tow a trailer giving a Gross Train Weight (GVW + Trailer Weight) of over 3,500Kg without a tachograph could be considered to be contrary to EU and UK road traffic legislation.

PRIMASTA	₹							
Dimensions (mn	-)	Van						
Dimensions (mr	Differsions (fillif)		SWB High	LWB Low	LWB High			
Wheelbase	A	30	98	34	98			
Overall length	В	47	51	82				
Overall height	С	1955* 1963**	2465	1962	2464			
Sill height	D	534	527	533	525			
Overall width	E		19	004				
Cargo length	F	24	00	28	00			
Cargo height	G	1387	1913	1387	1913			
Cargo width	Н		16	90				
Width between wheel arches	ı	1268						









Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Page 1 | Page 2 | Page 3 | Page 4 | Page 5







MINIBUS GRADES

The Primastar Minibus is the stylish way to transport up to eight passengers. With the responsiveness of a car and a highly effective braking system of all round disc brakes with ABS and EBD, driver or passenger, everybody can enjoy the ride of the Primastar Minibus. With the availability of several optional extras, it's easy to make the most of the Primastar Minibus, whatever your business; whatever your needs.

SE GRADE

CARGO AREA ACCESSIBILITY

- Rear glazed tailgate
- No bulkhead
- Side and rear door-activated loading lamps
- · Rear load area rubber floor covering
- Double sliding doors with opening windows
- · Rear wiper
- · Heated rear window

SAFETY AND SECURITY

- Driver airbag
- Passenger airbag
- Seatbelt pre-tensioners
- · High mounted rear brake lamp
- · ABS with EBD and EBA
- · Panoramic door mirrors
- Side impact door bars
- 4 Disc brakes (ventilated front) • Nissan Rear Park System (RPS)
- · Immobiliser and alarm
- Remote central locking
- Deadlocking
- 3-Button key

COMFORT AND CONVENIENCE

- Single CD player with steering wheel controls
- Aux input socket for MP3 players
- 3-Way adjustable driver seat and height adjust
- Twin passenger seat-bench with additional 3-point seatbelt
- Removable 2nd row of seats (bench 3 seats)
- · Foldable and removable 3rd row of seats (bench - 3 seats)
- · Power assisted steering
- Reach adjustable steering wheel
- One-touch power windows
- · Power and heated door mirrors
- Front body coloured bumper partly coloured
- 3rd Row area with windows
- Trip computer
- Bluetooth

OPTIONS

- Metallic paint
- · Digital tachograph and towbar

OPTION PACKS

- Comfort Pack
- Safety Pack
- Combi Cargo

PRIMASTAI	R MINIBU	S					
D:	`	Min	ibus				
Dimensions (mr	n)	SWB Low	LWB Low				
Wheelbase	А	3098	3498				
Overall length	В	4782	5182				
Overall height	С	1952 - 1956					
Sill height	D	6 seat: 540 / 9 seat: 535	6 seat: 538 / 9 seat 532				
Overall width	Е	1904					
Cargo length	F	2360/1548	2760/1948				
Cargo height	G	13	69				
Cargo width	Н	1678					
Width between wheel arches	1	12	34				





Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Page 1 | Page 2 | Page 3 | Page 4 | Page 5





Langth	mir	ihi								
Engine	1 1 111		15	MODEL						
Mark 115 Mark 115 Mark 115	Length			Short Wheelbase	Long Wheelbase					
Seeth Foot Seeth Seet	Roof height			Lo)W					
Seats	Engine			M9R 115	M9R 115					
Transmission	Gross vehicle weight	t		29	00					
No. of cylinders 4 No. of cylinders 4	Seats			9 / 6 Seats						
Note sylinders 4 Valves per cylinder 4 Engine capacity on3 1995 1996 Bore x Stoke mm 84x90 84x90 Maainum engine power pn 115 115 Maainum torque Nm 300 300 Maainum torque Nm 300 300 Compression ratio 150,191 150,191 150,191 Foul type 5 151,191 151,191 Foul type 6 speed manual 6 speed manual Direct Tallor The speed of the speed manual 6 speed manual Speem Speed of the speed manual 6 speed manual The speed of the speed manual 6 speed manual The speed of the speed manual 6 speed manual The speed of the speed manual 6 speed manual The speed of the speed manual 6 speed manual The speed of the	Transmission			manual	manual					
Valves per cylinder Image: Compact property per cylinder Image: Compact per cylinder	ENGINE									
Engine capacity cm3 1995 1995 Box x Stroke mm 84x90 84x90 Maximum engine power hp 115 115 Maximum engine power pm 3300 300 Maximum torque Nm 3300 300 Compression ratio 150.19:1 150.19:1 Fuel type 5 75 15.19:1 Fuel type 5 75 15.19:1 15.19:1 Fuel type 5 75	No.of cylinders				1					
Bore x Stroke mm 84x90 84x90 Maximum engine power hp 115 115 Maximum torque hp 115 115 Maximum torque Mm 300 300 Compression ratio 1500 300 Compression ratio 1500 1500 Compression ratio 1500 <	Valves per cylinder				4					
Maximum engine power hp 115 115 Maximum torque Nm 300 300 Compression ratio To specific power Fuel type To specific power DRIVE TRAIN Transmission Fort Sepeed manual Front CHASSIS CHASSIS Steering Front Independent, McPherson strut, coil springs, anti-roil bar Steering Front Rear Torsion beam ade, coil springs with progressive action, shock absorbers with variable damping and anti-roil bar Steering Front Independent, McPherson strut, coil springs, anti-roil bar Steering Front Independent, McPherson strut, coil springs, anti-roil bar Steering Front Independent, McPherson strut, coil springs, anti-roil bar Steering Front Independent, McPherson strut, coil springs, anti-roil bar Steering Front Independent, McPherson strut, coil springs, anti-roil bar Steering Front Independent, McPherson strut, coi	Engine capacity		cm3	1995	1995					
Maximum engine power Typm 3500 Maximum torque Nm 300 300 Typm 1500 1500 Compression ratio 15.19:1 15.19:1 15.19:1 Fuel type Direct Common Rail Fuel supply Fuel Type Fuel Type Type Type Fuel Type Fuel Type Type Type Type Type Fuel Type Type Type Type Type Type Type Type	Bore x Stroke		mm	84x90	84x90					
Maximum torque rpm 300 300 Maximum torque Nm 300 300 Compression ratio 15.00 15.00 Fuel type	Manimum		hp	115	115					
Maximum torque region for the construction of the constructio	Maximum engine pov	ver	rpm	35	00					
Type	Mariana		Nm	300	300					
Fuel type Fuel supply Direct Common Rail Front Gespeed manual 6 speed manual 6 speed manual 6 speed manual Front CHASSIS Suspension Front Front Independent, McPherson strut, coil springs, anti-roll bar Rear Torsion beam axle, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Steering Rack and pinion, power assisted Braking system Ventilated discs front : 305mm/28mm, plain discs rear : 280mm/12mm, Hydraulic braking and two independent circuits in "X", power assisted (EBO, 4 sensor ABS) Wheel size 6 J 16 Tyre size 2 15/65 PERFORMANCE Maximum speed Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Maximum torque		rpm	1500	1500					
Fuel supply Direct Common Rail	Compression ratio			15.19:1	15.19:1					
DRIVE TRAIN Transmission 6 speed manual 6 speed manual Drive wheels Front Front Independent, McPherson strut, coil springs, anti-roll bar Suspension Front Independent, McPherson strut, coil springs, anti-roll bar Steering Rear Torsion beam axle, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Steering Rear Asc and pinion, power assisted Braking system Ventilated dises front: 305mm/28mm, plain discs rear: 280mm/12mm, Plain d	Fuel type			Die	esel					
Transmission 6 speed manual 6 speed manual Drive wheels Front CHASSIS Suspension Front Independent, McPherson strut, coil springs, anti-roll bar Rear Torsion beam axle, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Steering Rack and pinion, power assisted Braking system Ventilated discs front : 305mm/28mm, plain discs rear : 280mm/12mm, Hydraulic braking and two independent circuits in "X", power assisted (EBD, 4 sensor ABS) Wheel size 6 J 16 Tyre size 9 15/65 215/65 PERFORMANCE Maximum speed km/h 160 160 mph 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Fuel supply			Direct Co	mmon Rail					
Drive wheels CHASSIS Suspension Front Independent, McPherson strut, coil springs, anti-roll bar Rear Torsion beam axle, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Steering Rack and pinion, power assisted Braking system Ventilated discs front: 305mm/28mm, plain discs rear: 280mm/12mm, Hydraulic braking and two independent circuits in "X", power assisted (EBD, 4 sensor ABS) Wheel size FURTION STATES STA	DRIVE TRAIN									
CHASSIS Enoted To sive peam and enoted the	Transmission			6 speed manual	6 speed manual					
Suspension Front Independent, McPherson stut, coil springs, anti-roll bar Steering Fack and pinion, beam ade, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Braking system Fack and pinion, power assisted Wheel size Fyre size <th r<="" td=""><td>Drive wheels</td><td></td><td></td><td colspan="5">Front</td></th>	<td>Drive wheels</td> <td></td> <td></td> <td colspan="5">Front</td>	Drive wheels			Front					
Suspension Rear Torsion beam axle, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Steering Rack and pinion, power assisted Braking system Ventilated disset prat : 305mm/28mm, plain discs rear : 280mm/12mm, Play and two independent circuits in "X"; power assisted (EBD, 4 sensor ABS) Wheel size 6 J ± Tyre size 5 215/65 215/65 PERFORMANCE PERFORMANCE Image: Windows and two independent circuits in "X"; power assisted (EBD, 4 sensor ABS) PERFORMANCE PERFORMANCE PERFORMANCE Image: Windows and two independent circuits in "X"; power assisted (EBD, 4 sensor ABS) PERFORMANCE	CHASSIS									
Rear Torsion beam axle, coil springs with progressive action, shock absorbers with variable damping and anti-roll bar Steering Rack and pinion, power assisted	S		Front	Independent, McPherson st	rut, coil springs, anti-roll bar					
Braking system Ventilated discs front : 305mm/28mm, plain discs rear : 280mm/12mm, Hydraulic braking and two independent circuits in "X", power assisted (EBD, 4 sensor ABS) Wheel size 6 J 16 Tyre size 215/65 215/65 PERFORMANCE Maximum speed km/h 160 160 mph 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Suspension		Rear	Torsion beam axle, coil springs with progressive action,	shock absorbers with variable damping and anti-roll bar					
Hydraulic braking and two independent circuits in "X", power assisted (EBD, 4 sensor ABS) Wheel size 6 J 16 Tyre size 215/65 215/65 PERFORMANCE Maximum speed km/h 160 160 mph 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Steering			Rack and pinion	, power assisted					
Tyre size 215/65 215/65 PERFORMANCE Maximum speed km/h 160 160 mph 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Braking system			Ventilated discs front : 305mm/28m Hydraulic braking and two independent circuit	m, plain discs rear : 280mm/12mm, s in "X", power assisted (EBD, 4 sensor ABS)					
PERFORMANCE Maximum speed km/h 160 160 mph 99.4 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Wheel size			6 J	16					
Maximum speed km/h 160 160 mph 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Tyre size			215/65	215/65					
Maximum speed mph 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	PERFORMANC	Έ								
mph 99.4 99.4 Min. turning circle (kerb to kerb) m 11.84 13.17 FUEL CONSUMPTION & EMISSIONS	Maximum		km/h	160	160					
FUEL CONSUMPTION & EMISSIONS	waximum speed		mph	99.4	99.4					
	Min. turning circle (ke	erb to kerb)	m	11.84	13.17					
Urban Cycle 1/100 Km / MPG 9.2/30.70 9.2/30.70	FUEL CONSUMPTION & EMISSIONS									
		Urban Cycle I/100 Km / MPG		9.2/30.70	9.2/30.70					
Fuel Consumption Extra-Urban 1/100 Km / MPG 6.7/42.16 6.7/42.16	Fuel Consumption	Extra-Urban	I/100 Km / MPG	6.7/42.16	6.7/42.16					
Combined I/100 Km / MPG 7.6/37.17 7.6/37.17	Combined I/100 Km / MPG		I/100 Km / MPG	7.6/37.17	7.6/37.17					
CO2 mas Emission (Combined) gr/Km 200 200	CO2 mas Emission (Combined)	gr/Km	200	200					

MODEL								
Length			Short Wheelbase	Long Wheelbase				
Roof height			Lo	w				
Engine			M9R 115	M9R 115				
Gross vehicle weight			29	00				
Seats			9/6:	Seats				
Engine capacity			manual	manual				
WEIGHTS*								
Kerb weight	Min.	kg	1901	1907				
Gross vehicle weight			2940	3055				
Maximum payload*			1039	1148				
	Braked	kg	20	00				
Max trailer weight (1)	Unbraked	kg	75	50				
OVERALL DIMENSIONS	;							
Length		mm	4782	5182				
Width (Excluding side mirrors) mm			1904					
Height (unladen) Min. mm		mm	1954 / 1956	1952 / 1954				
Wheelbase mm		mm	3098	3498				
Front mm		mm	83	13				
Overhang	Rear	mm	88	i1				
	Front	mm	1615					
Track	Rear	mm	1630					
Ground clearance (unladen)		mm	180	179 / 178				
CARGO AREA DIMENSI	ons							
Maximum length		mm	2360 / 1548	2760 / 1948				
Maximum width		mm	16	78				
Maximum height		mm	13	69				
Maximum width between wheel ar	rches	mm	12	34				
Maximum load platform height		mm	534 / 539	532 / 538				
Cargo volume		m3	0.94 / 2.19	1.55 / 2.81				
	Width	mm	10	00				
Side door	Height	mm	12	85				
Width mm		mm	13	90				
Back door Height mm		mm	1306					
FUEL TANK								
Capacity		I	9	0				
*Weights and dimensions for 3 s	seats/6 se	ats/9 seats version	ons without options, driver and passengers, including coolant, oils, spare wheel, t	ools and 90% full fuel.				

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Print | Close

Page 1 | Page 2 | Page 3 | Page 4 | Page 5





^{*}Weights and dimensions for 3 seats/6 seats/9 seats versions without options, driver and passengers, including coolant, oils, spare wheel, tools and 90% full fuel.

*GVW minus unladen weight (driver and crew weight must be subtracted).

(1) When a vehicle is fitted with a toolwar, it is recommended that a tachograph is fitted, since the ability to tow a trailer giving a Gross Train Weight (GVW + Trailer Weight) of over 3,500Kg without a tachograph could be considered to be contrary to EU and UK road traffic legislation.



SHIFT_ is an English word from a Japanese car company that best embraces our values and the mission of this corporation. No matter where you are in the world, SHIFT_ is the way to express who we are, how we work and what we are trying to accomplish.

Everything we touch, we SHIFT_ and everything we SHIFT_ we try to make better and uniquely Nissan.

Visit our websites at: www.nissan.co.uk www.nissan-lcv.co.uk

Dealer stam



SHIFT_the way you move

We take all our environmental responsibilities very seriously – innovation today comes with a deep respect for the environment. Our engines are now much more unobtrusive and their emissions have been considerably reduced. All our vehicles are designed with recycling in mind and are on target to reach 95% recyclability. This brochure is for general guidance only and its concentrated on its ray our constitute an offer or representation from Nissan. Every effort has been made to ensure the content of this publication is correct at the time of going to press (November 2011). In accordance with the company's policy of continuously improving its products, Nissan necessives the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Authorised Nissan Dealer to receive the most up-to-date information. Because of the limitations of the printing processes used, the colours shown in this brocklead and the properties of the story of this brocknew entities.

Benefits and services are provided by RAC Motoring Services and/or RAC Insurance Limited. RAC Motoring Services (Company No. 0.1424399, Head Office: 8 Surrey Street, Norwich, NR1 3NG) in respect of insurance mediation activities only and RAC Insurance Limited (Company No. 2355834, Head Office: 8 Surrey Street, Norwich, NR1 3NG) are authorised and regulated by the Financial Services Authority within the jurisdiction of the Financial Ombudsman Service and the Financial Services Compensation Scheme. Calls may be monitored and/or recorded. Roadside Assistance has been arranged for you by Nissan and is provided by RAC free of charge. Details of the contractual arrangements under which RAC Services are provided to you are available by calling 0870 366 5603.

Part number 99999-53141

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Print | Close











PRIMASTAR VAN

Wheelbase	Engine	Roof	GVW (kg)	Grade	Power (PS)	Payload (kg)	Transmission	Basic Delivered	VED + 1st Reg	Basic On The Road
	2.0 dCi	Low	2,700	E	115	1,000	6 manual	16,980	270	17,250
	2.0 dCi	Low	2,700	SE	115	1,000	6 manual	17,480	270	17,750
	2.0 dCi	Low	2,700	SE+	115	1,000	6 manual	18,580	270	18,850
	2.0 dCi	Low	2,700	SE	115	1,000	6 Semi-auto	18,280	270	18,550
	2.0 dCi	Low	2,700	SE+	115	1,000	6 Semi-auto	19,380	270	19,650
	2.0 dCi	Low	2,900	Е	115	1,200	6 manual	17,380	270	17,650
	2.0 dCi	Low	2,900	SE	115	1,200	6 manual	17,880	270	18,150
Short	2.0 dCi	Low	2,900	SE+	115	1,200	6 manual	18,980	270	19,250
	2.0 dCi	Low	2,900	SE	115	1,200	6 Semi-auto	18,680	270	18,950
	2.0 dCi	Low	2,900	SE+	115	1,200	6 Semi-auto	19,780	270	20,050
	2.0 dCi	High	2,900	E	115	1,200	6 manual	18,080	270	18,350
	2.0 dCi	High	2,900	SE	115	1,200	6 manual	18,580	270	18,850
	2.0 dCi	High	2,900	SE+	115	1,200	6 manual	19,680	270	19,950
	2.0 dCi	High	2,900	SE	115	1,200	6 Semi-auto	19,380	270	19,650
	2.0 dCi	High	2,900	SE+	115	1,200	6 Semi-auto	20,480	270	20,750

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Primastar Model and option prices | Further Information





Wheelbase	Engine	Roof	GVW (kg)	Grade	Power (PS)	Payload (kg)	Transmission	Basic Delivered	VED + 1st Reg	Basic On The Road
	2.0 dC	Low	2,900	E	115	1,200	6 manual	18,180	270	18,450
	2.0 dCi	Low	2,900	SE	115	1,200	6 manual	18,680	270	18,950
	2.0 dCi	Low	2,900	SE+	115	1,200	6 manual	19,780	270	20,050
	2.0 dCi	Low	2,900	SE	115	1,200	6 Semi-auto	19,480	270	19,750
1	2.0 dCi	Low	2,900	SE+	115	1,200	6 Semi-auto	20,580	270	20,850
Long	2.0 dCi	High	2,900	E	115	1,200	6 manual	18,880	270	19,150
	2.0 dCi	High	2,900	SE	115	1,200	6 manual	19,380	270	19,650
	2.0 dCi	High	2,900	SE+	115	1,200	6 manual	20,480	270	20,750
	2.0 dCi	High	2,900	SE	115	1,200	6 Semi-auto	20,180	270	20,450
	2.0 dCi	High	2,900	SE+	115	1,200	6 Semi-auto	21,280	270	21,550

PRIMASTAR CREW VAN*

Wheelbase	Engine	Roof	GVW (kg)	Grade	Power (PS)	Payload (kg)	Transmission	Basic Delivered	VED + 1st Reg	Basic On The Road
Short	2.0 dCi	Low	2,900	SE	115	1,100	6 manual	19,980	270	20,250
Long	2.0 dCi	Low	2,900	SE	115	1,100	6 manual	20,780	270	21,050

The Basic Delivered price excludes VAT but includes delivery to the dealership and number plates. The Basic On The Road price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£215) and Government First Registration Fee of £55.

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Print | Close

Primastar Model and option prices | Further Information





^{*} Special build conversions may be subject to extended delivery.

PRIMASTAR OPTIONS

	E	SE	SE+	Crew Van SE	Basic Price
Metallic paint	0	0	0	0	350
Power Take-Off (not compatible with air con or semi auto transmission)		0	0		120
Digital Tachograph		0	0		500
Offside (right) Sliding Door		0	0	•	250
Loading ladder (prices from)					115.88
Roof rack (prices from)					517.98
Single roof bar					98.72
Towbar (fixed) and single electrics					306.25
OPTION PACKS					
Comfort Pack		0	•	0	675
- Air Conditioning with Pollen Filter					
- Driver Seat Armrest					
- Front Fog Lamps					
- Intelligent Wipers					
- Automatic Lighting System					
Safety Pack		0	•	0	500
- Front Fog Lamps					
- Passenger Airbag					
- ESP					
Glazed Tailgate Pack		0	0		250
- Rear Glazed Tailgate with Wiper					
- Heated Rear Windows					
- Glazed Bulkhead with Rearview Mirror					
Glazed Rear Doors Pack - with Glazed Bulkhead		0	0		200
- Glazed Rear Doors 180° Opening with Wiper					
- Glazed Bulkhead and Interior Rearview Mirror					
- Heated Rear Windows					

For latest information on options that can be combined together, please contact your local Nissan Dealer.

Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices.

Optional - O Standard - ● Optional Dealer Fit - □

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Primastar Model and option prices | Further Information







PRIMASTAR MINIBUS

Wheelbase	Engine	Roof	GVW (kg)	Grade	Power (PS)	Transmission	Basic Delivered	VAT	Total Retail	On The Road
Short	2.0 dCi	Low	2,900	SE	115	6 manual	20,150	4,030	24,180	24,695
Long	2.0 dCi	Low	2,900	SE	115	6 manual	20,950	4,190	25,140	25,655

Basic and Total Retail prices include delivery to the Dealership and number plates. On The Road price includes VAT and 12 months Government Vehicle Excise Duty (£460) and Government First Registration fee of £55.

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Print | Close

Primastar Model and option prices | Further Information





PRIMASTAR MINIBUS OPTIONS

	SE	Basic Price	VAT	Total
Metallic paint	0	350	70	420
Digital Tachograph and Towbar	0	825	165	990
Loading Ladder		115.88	23.18	139.06
Roof Rack		517.98	103.60	621.58
Single roof bar		103.10	20.62	123.72
OPTIONS PACKS				
Comfort Pack	0	1,250	250	1500
- Air Conditioning (front & rear) + Pollen Filter				
- Front Armrest				
- Intelligent Wipers				
- Automatic Lighting System				
- Front Fog Lamps				
Safety Pack	0	750	150	900
- Rear Airbag				
- Front Side Airbags				
- Front Fog Lamps				
- ESP				
- Intelligent Wipers				
- Automatic Lighting System				

Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices


Optional - O Optional Dealer Fit -

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Primastar Model and option prices | Further Information











REFRIGERATED RANGE*

Model	Body	Wheelbase	Engine	Power (PS)	Grade	GVW (kg)	Payload (kg)	Transmission	Basic Delivered	VED + 1st Reg	Basic On The Road
NV200	Freezer	Standard	1.5 dCi	89	Е	2,000	650	5 Manual	18,415	270	18,685
	Freezer	Standard	1.5 dCi	89	SE	2,000	650	5 Manual	19,100	270	19,370
	Freezer	Standard	1.5 dCi	110	SE	2,000	631	6 Manual	19,450	270	19,720
Primastar	Chiller	Short	2.0 dCi	115	SE	2,950	1,040	6 Manual	22,600	270	22,870
	Freezer	Short	2.0 dCi	115	SE	2,950	1,040	6 Manual	23,500	270	23,770
Cabstar	Chiller	Short	2.5 dCi	140	Basic+	3,500	1,188	5 Manual	30,200	270	30,470
	Freezer	Short	2.5 dCi	140	Basic+	3,500	1,188	5 Manual	30,550	270	30,820
	Chiller	Medium	2.5 dCi	140	Pro	3,500	1,091	6 Manual	31,650	270	31,920
	Freezer	Medium	2.5 dCi	140	Pro	3,500	1,091	6 Manual	32,000	270	32,270

^{*}Special build vehicles may be subject to extended delivery. The Basic Delivered prices excludes VAT but includes delivery to the dealership and number plates. The Basic On The Road price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£215) and Government First Registration Fee of £55.

REFRIGERATED RANGE OPTIONS

ONE STANDARD COLOUR: WHITE

Van Specification

One piece high thermal efficient GRP panels throughout body construction High impact fibreglass, wood free construction 75mm upturn on floor for leak free bath 80mm insulation pods Freezer -20°C

Cabstar Specification as above plus:

Twin rear doors closed with external stainless steel brace on both doors One set stainless steel load lock control system to side panels at 1000mm Alloy kick strip protection on side walls and bulkhead to 150mm 63mm insulation side panels freezer 25mm insulation side panels chiller K factor to 0.34W/°C

Additional cost items (refer to dealer)

Side door Curtains at rear Curtains at side door Power standby Rear step Folding step (Cabstar) Lock load rails Temp recorder

Dual temp compartments (Restricted to certain vehicles)

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Primastar Model and option prices | Further Information





NISSAN VAN INSURANCE

Did you know you can insure your van through Nissan Insurance?

With Nissan Van Insurance, you can be sure that you'll get the right cover at a great price. You'll also be dealing with people who really understand the way your business works. We know you want to save money, so our premiums are price-matched against the UK's leading insurers to give you great value.

Benefits include:

- Fully comprehensive cover available for virtually any type of business use
- 24/7 accident recovery helpline
- Discounts for branded vans and fixtures such as ladder holders
- Windscreen cover included as standard
- All repairs carried out in a Nissan dealership/Nissan approved repair centre
- All repairs carried out using Nissan Genuine Parts
- Like-for-like replacement provided if your vehicle is written off in the first 12 months

Call for a quote today on 0800 011 3528 and find out just how much money you could save with Nissan Van Insurance.

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

All quotes are based on individual circumstances and are subject to insurer's underwriting criteria. Terms and conditions apply, Nissan Insurance is arranged and administered by Equity Insurance Brokers Limited, which is authorised and regulated by the Financial Services Authority. Registered Office: Library House, New Road, Brentwood, Essex CM 14 4GD. Registered in England No. 258414. Nissan Motor (GB) Limited is authorised and regulated by the Financial Services Authority.

Print | Close

REQUEST A TEST DRIVE

FURTHER INFORMATION

Price Protection Plan. Order a new Nissan for delivery no more than 4 weeks in advance and the price you are quoted is the price you pay. This is irrespective of any subsequent price rises between placing your order and delivery of your new vehicle. Nissan Motor (GB) is not liable for price adjustments caused by Government changes in the rate of VAT or by any other applicable legislation or regulation or Vehicle Excise Duty.

Navara - Three year/60,000 miles manufacturer's warranty - Nissan's comprehensive warranty provides cover for your new Nissan from defects in materials or workmanship. Your vehicle is covered in all European Countries where Authorised Nissan Dealers are located. If your vehicle becomes inoperative due to warrantable defects, a towing service, when necessary, to the Authorised Dealer is covered. If a warrantable defect abroad takes more than six hours to repair, the Touring Assistance Programme will pay for a hotel or rental car to a certain maximum. The paint warranty covers painted body parts (excluding the underbody) for three years regardless of mileage driven. For further details please contact you local Authorised Nissan Dealer.

LCV model (including NV200, Primastar, NV400 and Cabstar) - New Vehicle Warranty is issued by Nissan International SA is valid for 3 years from the warranty start date or 60,000 miles, whichever comes first. In addition, for each new LCV model (including NV200, Primastar, NV400 and Cabstar) sold by an authorised UK Nissan dealer, Nissan Motor (GB) Limited (NMGB) will issue an extension to the New Vehicle Warranty. This warranty extension will cover your vehicle from 60,000 miles up to 100,000 miles or 3 years from the warranty start date, whichever comes first. Please note that audio and navigation units will not be covered by the warranty extension.

Special build conversions may be subject to extended delivery.

The conversions in this price list are from Nissan Motor GB-appointed converters and have warranty terms in line with the Nissan Pan European Warranty. The converter is responsible for all aspects of the conversion.

Nissan European Roadside Assistance is provided for the first three years of your van's life. Please see www.nissan-aftersales.co.uk for full details including terms and conditions.

Recyclability - we take our environmental responsibilities very seriously - innovation today comes with a deep respect for the environment. Our engines are now much more unobtrusive and their emissions have been considerably reduced. All our vehicles are designed with recycling in mind.

All prices in this list are quoted in pounds sterling. Value Added Tax (VAT) has been calculated at 20%. Accessory prices are subject to change, please see your nearest dealership for the most up to date prices.

While all reasonable effort has been made to ensure the accuracy of the information provided, due to Nissan's policy of continuous product improvement, all particulars contained are subject to constant revision and Nissan reserves the right to change, alter or modify among other things, specifications, colours and prices of models without notice at any time.

Accordingly you should consult your local Nissan Dealer for the exact introduction dates of all models and for the most up-to-date information.

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments Print | Close

Primastar Model and option prices | Further Information









YOU + NISSAN

CARE

You care about the car you drive. So do we. That's why we're making a commitment to providing the best customer service in the market.

Find out more nissan.co.uk/care

+ + + + + + + + + +

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments

Print | Close

Page 1 | Page 2





Nissan cares for you because you care about your Nissan. That's why we'll make the following commitment:

YOU care about staying on the road when your Nissan is in for service or repair.

YOU care about quality enough to have your Nissan serviced at a Nissan dealership.

YOU care about getting the best value for money when it comes to service and repair.

YOU care about having your problems resolved quickly.

YOU care about getting the right Nissan model, engine & gear box to test drive.


NISSAN will keep you mobile free of charge.

NISSAN says thanks by giving you continuous Nissan roadside assistance for free.

NISSAN will price match like for like competitor written quotes within 10 miles of your local dealer.

NISSAN will propose how to resolve any problem within 2 working days.

NISSAN will guarantee that's what you'll get when you pre-book your test drive either online or through our customer service centre.





Find out more nissan.co.uk/care

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments | Close

Page 1 | Page 2







SHIFT_ is an English word from a Japanese car company that best embraces our values and the mission of this corporation. No matter where you are in the world, SHIFT_ is the way we express who we are, how we work and what we are trying to accomplish.

Everything we touch, we SHIFT_. And everything we SHIFT_ we try to make better and uniquely Nissan.

Dealer stamp:

NISSAN MOTOR (GB) LIMITED

The Rivers Office Park

Denham Way

Maple Cross

Rickmansworth

Hertfordshire

WD3 9YS

Visit our website at: www.nissan.co.uk



Part Number: 99999-53153

Prices effective from 1st February 2013 unless otherwise stated.

Contents | Exterior design | Interior design | Technology & Performance | Style & Accessories | Technical specifications | Price List | Commitments



