

New Dacia Duster Commercial

DAC IIO



Introducing New Dacia Duster Commercial

Dacia has been a real breath of fresh air since we launched in the UK. We've won rave reviews from customers and a whole host of awards from motoring journalists with our range of well-equipped and 'shockingly affordable' vehicles. Leading the charge has been the impressive Dacia Duster. Which is why we've developed a new commercial vehicle version with practicality and functionality at its heart. And it won't break the bank either.

Introducing the New Duster Commercial: rugged, robust and ready for business. It's got everything you need: a payload of 550kg, a long, roomy load area and all the tax advantages of a light commercial vehicle, without any of that frivolous nonsense. Bring on a hard day's graft. We've built our range, which comes in a choice of two trim levels, Ambiance and Lauréate, around the proven dCi 110 diesel engine.

All versions come with ABS and ESC (Electronic Stability Control) amongst a host of standard safety features, and equipment that includes electric front windows, front fog lights and roof bars.

And if you want to take it up a notch, the Lauréate comes with a host of additional equipment including alloy wheels, cruise control and speed limiter, leather steering wheel and manual air-conditioning.

But what if you hanker after some off-road prowess? Not a problem. There's a choice between a two-wheel drive and selectable 4-wheel-drive system designed, using Nissan's expertise, to give you grip and performance in all conditions.

Whatever your trade: florist, plumber, farmer, the New Duster Commercial has it covered. Prices start from a shockingly affordable £9,595 (ex. VAT).





Equipment

CORE FEATURES - Available on all

versions of Dacia Duster Commercial

Exterior Features

- Body-coloured front and rear bumpers
- Double optic headlights
- Chrome front grille
- Longitudinal roof bars with 'Duster' inscription
- Black number plate surround with satin chrome 'Duster' inscription
- Film covered non-operational rear windows (white film for white vehicles, black film for all others)

Interior Features

- Chrome instrument dial surrounds
- Chrome air vent surrounds
- Chrome gear lever cap insert
- Full length toughened plastic floor with two anchorage points

Safety

- ABS and Emergency Brake Assist
- ESC / ASR (Electronic Stability Control and Traction Control)
- Driver's airbag
- Passenger airbag with deactivation function
- Front side airbags
- Driver and passenger seatbelt not fastened audible and visual warning
- Door open visual and audible warning
- Front seatbelt pretensioners
- Height-adjustable front seatbelts
- Height-adjustable front headrests
- Emergency spare wheel (4x4 versions only)
- Tyre inflation kit (2x4 versions only)
- Tyre Pressure Monitor
- High-level third rear brake light

Security

- Thatcham-approved engine immobiliser
- Remote central locking

Driving and Controls

- Power-assisted steering
- Gear shift indicator
- ECO mode
- Rev counter
- Centre differential lock with selectable 2WD, Auto and Lock modes (4x4 versions only)

Visibility and Exterior Lighting

- 3-speed front windscreen wipers
- Front fog lights
- Rear wash/wipe
- Heated rear window

Comfort and Convenience

- Electric front windows
- Height-adjustable steering wheel
- Height-adjustable driver's seat
- 4-speed heating and ventilation with air recirculation
- Front passenger reading light

Communication and Connectivity

- 4 x 20W Radio with CD player including MP3 CD reader with steeringcolumn mounted fingertip controls
- Bluetooth connectivity
- AUX input
- USB connection for MP3 players

AMBIANCE - additional equipment over core features

Exterior Features

- 16" 'Matterhorn' steel wheels
- Black door handles
- Black door mirrors
- Black roof bars with 'Duster' inscription
- Black side sills

Interior Features

- Satin chrome door handles
- Satin chrome central console surround
- 'Osmium' cloth upholstery

Visibility and Exterior Lighting

Manually adjustable door mirrors

LAUREATE - additional equipment

over Ambiance

Exterior Features

- 16" 'Tyrol' alloy wheels
- Dark metal door mirrors
- Body-coloured door handles
- Satin chrome roof bars with 'Duster' inscription
- Satin chrome side sills
- Satin chrome scuff plates front and rear

Interior Features

- Piano black door handles
- Piano black central console surround
- Piano black decorative inserts on door panels
- Fabric decorative insert on door panels (front)
- Satin chrome logo surround on steering wheel
- Piano black lower steering wheel insert
- Black doorsill protection strip
- Map pockets on both front seatbacks
- Leather steering wheel
- 'Rhodium' cloth upholstery with 'Duster' inscription

Driving and Controls

- 7-Function on-board computer: odometer, trip computer, fuel used/average fuel consumption, fuel range, average speed, next service indicated, outside temperature guage
- Cruise control and speed limiter

Visibility and Exterior Lighting

Heated and electrically-adjustable door mirrors

Comfort and Convenience

- Manual air conditioning
- Glovebox light
- Passenger vanity mirror in sunvisor





Colours

SOLID

METALLIC













Glacier White (369)

Mercury (D69)

Khaki* (C67)

Pearl Black (676)

Slate Grey (KNA)

Cosmos Blue (RPR)

| Colour Code | Commercial Name | Ambiance | Lauréate |
|-------------|-----------------|----------|----------|
| SOLID | | | |
| 369 | Glacier White | • | • |
| METALLIC | | | |
| D69 | Mercury | 0 | 0 |
| C67 | Khaki* | 0 | 0 |
| 676 | Pearl Black | 0 | 0 |
| KNA | Slate Grey | 0 | 0 |
| RPR | Cosmos Blue | 0 | 0 |

* No longer available to order (stock vehicles only)

Wheels



| | Ambiance | Lauréate |
|-------------------------------|----------|----------|
| 16" 'Matterhorn' steel wheels | • | - |
| 16" 'Tyrol' alloy wheels | - | • |

 \bullet = Standard O = Optional - = Not available

Interiors and Upholstery

AMBIANCE



'Osmium' cloth upholstery

LAUREATE



'Rhodium' cloth upholstery

Lauréate interior image includes MediaNav 7" touchscreen multimedia system, optional at £300.

Range Overview and Pricing

| Version Name | Engines | Euro Status | HP | CO ₂ g/km | CO ₂ Band | Combined Fuel Consumption (mpg) | Insurance Group | Basic Price (£) | VAT 20% (£) | Total Retail (£) | Manufacturer's "on the road" R.R.P |
|--------------|-------------|-------------|-----|----------------------|----------------------|------------------------------------|--------------------|--------------------|----------------|---------------------|---------------------------------------|
| Ambiance | dCi 110 4x2 | 5 | 107 | 130 | D | 56.5 | 1A | 9,595.00 | 1,919.00 | 11,514.00 | £12,389.00 |
| | dCi 110 4x4 | 5 | 107 | 137 | E | 54.3 | 1A | 11,295.00 | 2,259.00 | 13,554.00 | £14,429.00 |
| Lauréate | dCi 110 4x2 | 5 | 107 | 130 | D | 56.4 | 1A | 10,845.00 | 2,169.00 | 13,014.00 | £13,889.00 |
| | dCi 110 4x4 | 5 | 107 | 137 | E | 54.3 | 1A | 12,545.00 | 2,509.00 | 15,054.00 | £15,929.00 |

Manufacturer's "on the road" R.R.P. includes delivery to the dealer premises, number plates, 12 months government road fund licence (cost dependent on CO₂ emissions) and First Registration Fee at £55. Other goods or services supplied by agreement between the customer and the Dealer are not included.

Options and Accessories

| OPTIONS | Ambiance | Lauréate | Total Retail Price |
|--|----------|----------|--------------------|
| Metallic paint | 0 | 0 | £495.00 |
| MediaNav 7" touchscreen multimedia system including ^(1.) : - Satellite navigation (GB and Northern Ireland mapping) - USB and AUX connection points - Bluetooth connectivity for handsfree telephony - Steering column-mounted fingertip controls | - | 0 | £300.00 |
| European mapping upgrade ⁽²⁾ | - | 0 | £90.00 |
| 4X2 Emergency spare wheel | 0 | 0 | £150.00 |

(1) Replaces standard fit radio with CD Player system. (2) Can only be ordered in conjunction with MediaNav 7" touchscreen multimedia system.

| ACCESSORY PACKS [†] | Ambiance | Lauréate | Total Retail Price |
|------------------------------|----------|----------|--------------------|
| Mesh Bulkhead | 0 | 0 | £360.00 |
| Full steel Bulkhead | 0 | 0 | £360.00 |
| Tailgate Privacy Film | 0 | 0 | £114.00 |
| Leather Pack (Front) | - | 0 | £660.00 |
| Protection Pack | 0 | 0 | £595.00 |
| Styling Pack | 0 | 0 | £655.00 |
| Tailgate Strip | 0 | 0 | £65.00 |
| Chrome Exhaust Finisher | 0 | 0 | £65.00 |
| Mudguards | 0 | 0 | £114.00 |

tAccessories pricing includes fitting.

To find out about our full range of available accessories, please consult your local Dacia dealer.

Technical Specifications

| | | dCi 110 4x2 | dCi 110 4x4 |
|---|--|--|--|
| | Engine type | K9K R8 | K9K R8 |
| | Cubic capacity (cm ³) | 1,461 | 1,461 |
| | Number of cylinders/valves | 4 in line / 8 | 4 in line / 8 |
| | Fuel | Diesel | Diesel |
| | 5 11 1 11 1 | Commonrail direct + | Commonrail direct + |
| | Fuel injection type | multipoint injection | multipoint injection |
| ENGINE | Aspiration | Turbocharged | Turbocharged |
| | Particulate filter (PF) | Standard | Standard |
| | Bore x Stroke | 76 x 80.5 | 76 x 80.5 |
| | Compression ratio | 15.2 | 15.2 |
| | Peak power KW (HP) @ RPM | 80 (107) @ 4,000 | 80 (107) @ 4,000 |
| | Peak torque (Nm) @ RPM | 240@1,750 | 240@1,750 |
| | Maximum Speed mph (km/h) | 105 (169) | 104 (168) |
| | 0- 62 mph - secs (0-100 km/h) | 12.2 | 12.9 |
| PERFORMANCE | 400 m stopping distance (secs) | 18.3 | 19.0 |
| | 1000 m stopping distance (secs) | 34.6 | 34.9 |
| | CO_2 (a/km) | 130 | 137 |
| FUEL CONSUMPTION * | | 50.4 (5.6) | 49.6 (5.7) |
| AND EMISSIONS | Extra-urban cycle - mpg (I/100 km) | 60.1 (4.7) | 55.4 (5.1) |
| | Combined cycle - mpg (I/100km) | 56.5 (5.0) | 54.3 (5.2) |
| | Drive type | Front-wheel drive | All-wheel drive (selectable) |
| | Gearbox tupe/index | TL4 / 043 | TL8 / 000 |
| | Number of forward gears | 6 | 6 |
| | Vehicle speeds (mph) per 1000 rpm: in 1st gear | 4.96 | 3.60 |
| | Vehicle speeds (mph) per 1000 rpm: in 1st gea | 9,49 | |
| GEARBOX | Vehicle speeds (mph) per 1000 rpm: in 2nd gear | 13.97 | <u> </u> |
| | Vehicle speeds (mph) per 1000 rpm: in 3rd gear | 18.95 | 14.39 |
| | Vehicle speeds (mph) per 1000 rpm: in 4th gear | | |
| | Vehicle speeds (mph) per 1000 rpm: in 5th gear | 24.21 | 19.78 |
| | Vehicle speeds (mph) per 1000 rpm: in 6th gear | 28.96 | 25.99 |
| TECONIC | Steering type | Power-assisted (Hydraulic) | Power-assisted (Hydraulic) |
| STEERING | | | 1044/1070 |
| | Turning circle between pavements / walls (m) | 10.44/10.76 | 10.44/10.76 |
| | Number of turns (lock-to-lock) | 3.3 | 10.44 / 10.76 3.3 |
| | | 3.3 McPherson-type with rectangu | 10.44 / 10.76 3.3 |
| SUSPENSION | Number of turns (lock-to-lock) Front suspension type | 3.3 McPherson-type with rectangu Flexible axle with programmed | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar |
| SUSPENSION | Number of turns (lock-to-lock) Front suspension type Rear suspension type | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link |
| | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 |
| SUSPENSION WHEELS / TYRES | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S |
| | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Ture specification Front: Ventilated discs - diameter (mm) / thickness (mm) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 |
| | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 |
| VHEELS / TYRES | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) |
| WHEELS / TYRES | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard | 10.44 / 10.76 3.3 Jar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard |
| WHEELS / TYRES | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard |
| WHEELS / TYRES | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard Standard | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard |
| WHEELS / TYRES | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) Fuel tank capacity (litres) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 |
| WHEELS / TYRES | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) Fuel tank capacity (litres) Kerb Weight (Excluding Driver) (kg) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,235 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,329 |
| WHEELS / TYRES BRAKING FUEL TANK CAPACITY | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) Fuel tank capacity (litres) Kerb Weight (Excluding Driver) (kg) Unladen weight on front axle (kg) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard 50 1,235 767 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,329 799 |
| WHEELS / TYRES BRAKING FUEL TANK CAPACITY | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) Fuel tank capacity (litres) Kerb Weight (Excluding Driver) (kg) Unladen weight on front axle (kg) Unladen weight on rear axle (kg) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard 50 1,235 767 468 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,329 799 530 |
| WHEELS / TYRES BRAKING FUEL TANK CAPACITY | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) Fuel tank capacity (litres) Kerb Weight (Excluding Driver) (kg) Unladen weight on rear axle (kg) Total authorised laden weight (kg) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,235 767 468 1,785 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,329 799 530 1,879 |
| | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) Fuel tank capacity (litres) Kerb Weight (Excluding Driver) (kg) Unladen weight on rear axle (kg) Total authorised laden weight (kg) Max payload (kg) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,235 767 468 1,785 550 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard Standard 50 1,329 799 530 1,879 550 |
| WHEELS / TYRES BRAKING FUEL TANK CAPACITY | Number of turns (lock-to-lock) Front suspension type Rear suspension type Wheel size Tyre specification Front: Ventilated discs - diameter (mm) / thickness (mm) Rear: Drum - diameter (inches) Anti-lock Braking System (ABS) Electronic Brakeforce Distribution (EBD) Emergency Brake Assist (EBA) ESC (Electronic Stability Control) Fuel tank capacity (litres) Kerb Weight (Excluding Driver) (kg) Unladen weight on rear axle (kg) Total authorised laden weight (kg) | 3.3 McPherson-type with rectangu Flexible axle with programmed deflection and coil springs 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,235 767 468 1,785 | 10.44 / 10.76 3.3 Jlar lower arm and anti-roll bar McPherson-type multi-link 6.5 J 16 215/65 R 16 98H M+S 280 / 24 229 Standard (Bosch 8.1) Standard Standard Standard 50 1,329 799 530 1,879 |

* Official Fuel consumption figures are produced for comparison purpose and are measured according to the European Directive 80/1268/EEC. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk

Dimensions



| 2,6 4,3 | | |
|------------|--|--|
| 4,3 | 1 - | |
| | 15 | |
| 82 | 22 | |
| 82 | 20 | |
| 1,5 | 60 | |
| 1,5 | 67 | |
| 2,000 / | 1,822 | |
| 1,625/ | 1,695 | |
| 205 | 210 | |
| 1,4 | 11 | |
| 1,3 | 87 | |
| 90 |)7 | |
| 92 | ?6 | |
| 1,3 | 95 | |
| 4x2 | 4x4 | |
| 1,150 | 1,000 | |
| 4x2 | 4x4 | |
| 30° | | |
| 23 | 3° | |
| 36 | 5° | |
| | 1,4 1,3 90 92 1,3 4x2 1,150 4x2 | |

New Dacia Duster Commercial



Network

To find your nearest Dacia dealer, please consult the dealer locator on our website at **www.dacia.co.uk**. Alternatively, you can call our Dacia Customer Services helpline on 0344 3351111.

Servicing

The service interval on all versions of New Dacia Duster is 1 year or 12,000 miles, whichever limit is reached first. Your local Dacia dealer is fully equipped to service your New Dacia Duster.

Warranty

Your new Dacia is covered by a standard 3 year / 60,000 mile* Warranty package. Under the terms of this Warranty, your Dacia dealer is able to repair or replace, without charge, parts that are found to have a material or assembly defect that is recognised by Dacia. Your new Dacia also comes with a 2 year paintwork warranty, as well as a 6 year anti-corrosion warranty.

Extended Warranty

At Dacia, we don't force you to pay a premium for a longer warranty if you don't want one, but we'll offer you the opportunity to purchase one if you do. By extending your warranty, you'll benefit from ongoing protection from mechanical and electrical failure after the standard manufacturer's warranty has expired. You can choose to extend your Warranty to the following levels:

- 5 years / 60,000 miles*
- 7 years / 100,000 miles*

Roadside Assistance

We don't expect it to happen, but we'll ensure help is on hand if it does. In the event of a breakdown, help is just a phone call away with Dacia Assistance. This service is provided 24 hours a day, 365 days a year. We'll provide prompt roadside assistance in the UK and Northern Ireland for the first 3 years / 60,000 miles*, in line with the terms of the standard manufacturer's Warranty.

 \star From first date of registration. Warranty expires on the first of the two limits reached.

Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Dacia UK reserves the right to modify its models without notice, including their characteristics, specifications, equipment, and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications, equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given. It is therefore necessary to check with your Dacia Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised. Publication date September 2015.

CHARTERHOUSE - ONLINE ONLY - SEPTEMBER 2015 Dacia UK Customer Relations, The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth. Hertfordshire, WD3 9YS - Tel: 0344 3351111

