


A CONCEPT CAR BY BRITAIN'S LEADING STYLING COMPANY





## SPECIFICATIONS

Fixed seat, in soft leather. Air bag support, consisting of a multichamber diaphram. It is intended to provide extra support on cornering and also adapt to body weights by a pressure sensitive system. The provision of a pulse system between diaphrams could aid driver alertness and relieve pressure points on long journeys.

Pedals moulded to secondary floor section, adjustable fore/aft.


Adjustable steering unit tilts upwards for access and is linked with doors for automatic closing.

Ergonomic steering control unit substitutes conventional steering wheel. Progressive action power steering linked to road speed, giving full control in various driving conditions. All minor controls (lights, heater, wiper, radio, etc) are sited on the steering unit at finger tip reach. Other features include: full-roll-over cage; full side-impact protection; facelevel vents.

Doors locked and unlocked and engine started by means of an infra-red 'key', which clips to vehicle when in use, de-activating steering/gearbox lock and alarms.

Storage under seat, glove box and also under moulded tonneau which lifts with rear glass hatch.

Automatic heating/ventilating system with manual override.



Driver's door control panel. This features a full range of controls for ignition, instrument display and seat contour. It also incorporates an on-board computer and compact disc



FATBELT FITTINGS LEATHER COVERTIEDDO RRIPSTOP MYLON FORM KEVLAR WELL SEPARATE BAGS CONNECTED TO DIR DISTRIBUTION SHELL MOULDED A

3690mm

2390mm

Exploded view of seating configuration.


Overall length

Wheelbase

Fuel tank

Simple instrumentation, offering driver selection of analogue or digital display, using the latest flat-screen





mounted either side of engine, ahead of rear wheels. Ducted Centrally mounted foam filled

145.5"

94"

63"

42"


rubberised bag tank.

Access to engine compartment and rear wheels by removeable panels.

Engine and suspension mounted to easily-removeable chassis sub-frame (modular system). Major services/repairs may be comfortably completed and different engine units fitted as required.

Front wheel cover fixed to hub centre. Non-rotational and ducts air through brakes.

Concealed single screen wiper.



## International Automotive Design

Consultant design engineers, stylists and prototype builders.

LA D. House, Dominion Way, Worthing, Sussex, BN14 BLU, England, Tel: (0903) 210131. Telex: 877602

