Volkswagen Information Service. Telephone 0800 333 666

Internet: www.volkswagen.co.uk

© Volkswagen Group United Kingdom Limited 2002.


Issue: 1 August 2002. Printed in UK. PVW049BO

The Bora


and the second states of


2003 Model Year













If you're about to choose a new car, what would your list of requirements include? A powerful engine? Dynamic performance? A perfectly weighted chassis for agile roadholding? Quality build and a high level of safety and security? Such features, and more, are captured in the Bora. Why not follow us through this brochure to discover more about Ergonomic perfection:

The key to absolute

driving pleasure.

-----

Sec.

Model shown is the Bora ST with optional cruise control.





For added convenience, the petrol flap can be opened from the driver's seat.



A fully adjustable driver's seat will help you achieve the most comfortable driving position.



For greater protection, front seat side airbags are standard on all Bora models.

At Volkswagen our designers and engineers are obsessed with detail. And the Bora is a perfect example of their deliberations. Every switch has been carefully considered before being positioned for easy reach. The blue illuminated instrument display is not only clearly visible,

itself. The driver's seat can be adjusted for height, length and rake which, in combination with a height and reach adjustable steering wheel, allows you to achieve the optimum driving position. With such supportive

seats, even long motorway

Model shown is the Bora Sport 2.0 litre manual. Cruise control and leather upholstery are optional at extra cost.

it's truly distinctive, like the Bora

journeys become a more comfortable proposition. Take a close look around the interior and you'll find more evidence of the detailed design, such as flush closing air vents and chrome-plated door release handles.

# Safety features

you can *rely* on.





The Electronic Stabilisation Programme constantly monitors driving situations.

By assessing the steering wheel lock...

...ESP ascertains the desired driving direction.

In a critical situation..

...ESP intervenes to help maintain directional control.

For every frequent road user, the one thing that counts above all, besides comfort and performance, is safety. That's why, on the latest Bora, you'll find every model fitted with ESP, an Electronic Stabilisation Programme. This intelligent system monitors the steering angle and compares it with the actual vehicle movement. If the system recognises a major variation it reacts in milliseconds by applying the brakes to individual wheels and automatically adjusting the engine's power output helping to correct oversteer, understeer and loss of stability of the vehicle. However, this additional safety feature should not lead to carelessness because, despite its proven quality, ESP cannot dispense with the laws of physics. The ESP feature is also supported by Electronic Differential Lock (EDL) and Anti-Slip Regulation (ASR). In combination, these exceptional innovations help maximise driver and passenger safety.



ABS is standard on all models to provide the highest level of active safety.

The exceptional protection offered by the Bora is achieved through both passive and active safety features.

Active safety features will help you avoid an accident in the first place. So, in addition to ESP, you'll find every Bora equipped

with disc brakes both front and rear. The front discs are also ventilated to deliver the most efficient braking. Regardless of your driving experience, you can never account for other road users or unforeseeable driving situations. It's unfortunate, but accidents do happen, so it's comforting to know you can rely on Volkswagen's passive safety features to help protect both you and your passengers.



At night-time, the door-mounted 'puddle' lights illuminate the ground when opening the front doors.



Driver and front passenger airbags are standard on all Bora models.



For greater protection, front seat side airbags are standard on all Bora models.

During the design process, advanced computer technology was employed to simulate collisions from probable angles. The information gathered was fully utilised in the Bora's chassis construction that has an inner survival zone guarded by crumple zones both front and rear. These crumple zones are designed to absorb energy following a collision, thereby helping to protect the survival zone and minimise occupant injury.



Two additional curtain airbags are available as an optional extra.

accident involves side impact. The Bora is, therefore, equipped with side airbags in the front seats, a reinforced chassis, energy absorbing protection padding and side impact bars. In addition, there is the innovative Isofix child seat mounting system. This allows children's seats equipped with the Isofix system to be fitted securely to the Bora's body via eyes between the rear seat backrest and seat base.

The second most common



The Isofix system can quickly accommodate a child seat with an extremely secure fitting.

Volkswagen approved children's seats with the Isofix system can be purchased from your Volkswagen retailer. As an optional extra, two curtain airbags are available to cushion both front and rear seated occupants. These airbags

are situated overhead and cover the side windows to provide added protection around the head.

Whether you choose a petrol or diesel,

each engine shares the

Bora's unique character.





Model shown is the Bora ST.



The V5 is a development of the unique Volkswagen VR6 engine.



The V6 4MOTION features an intelligent four wheel drive system.

Once you've decided upon a Bora, you'll be faced with an enviable choice – which one of the nine highly efficient engines do you prefer? Will it be one of the six petrol engines? Such as the economical 1.6 litre 105 bhp manual, also available as a 102 bhp automatic version?

Perhaps the 2.0 litre 115 bhp or the V5 2.3 litre 170 bhp are more to your liking? If it's performance you're seeking, consider two 1.8 litre Turbo units, developing 150 bhp and 180 bhp or the powerful 2.8 litre V6 4MOTION producing 204 bhp and capable of 146 mph (where law permits).

Or would a diesel be more appropriate? There are three available, all 1.9 litre TDI versions; they produce 100 bhp, 130 bhp or 150 bhp. To complement the engine range there are manual, automatic or tiptronic gearboxes available.

Whichever power supply you choose, you'll find engine noise has been suppressed to an absolute minimum, helping you arrive at your destination in a more relaxed state.

If you desire performance, easy maintenance and fuel efficiency from your engine, why not consider one of Volkswagen's exceptional TDI diesel units? Diesel technology has advanced rapidly over the last few years and we're proud to have been at the leading edge. The TDI PD 130 bhp (PD stands for 'Pumpe Düse') features a new high pressure fuel injection system resulting in increased torque whilst maintaining exceptional fuel economy. When you consider that the 1.9 litre TDI PD 130 bhp can accelerate the Bora from 0 - 62 mph in just 10.1 seconds, reach 127 mph (where law permits) and still return 51.4 mpg\* over the Combined fuel cycle, it's easy to see why the new generation of diesels is such an appealing option.

> \* According to EU Directive 99/94. Please see page 70 for diesel fuel consumption figures.

Two further diesel engines are available for the Bora; both are 1.9 litre units. The TDI PD 100 bhp and 150 bhp also benefit from 'Pumpe Düse' technology. The mark of quality.

A 12-year anti-corrosion warranty.






The precise fit of the panels is evidence of the Bora's high quality of construction.

Because of the way the front and rear windscreens are bonded, body rigidity is increased, thereby helping to improve safety. Critical points on the bodyshell are bonded, using laser-welding, to maintain the highest quality and the chassis is zinc coated to prevent rust.


Our high standards enable us to offer a class-leading 12-year anti-corrosion warranty.



With the Bora S



### Model shown is the Bora S with 'Line' cloth upholstery.



The multifunction computer allows you to monitor such information as journey time and fuel consumption.



An alarm with interior protection, with the added convenience of remote central locking, is standard on all models.

Front and rear electric windows are standard on all models.

The Bora S.

The Bora S impresses in many respects – from its stylish design and outstanding quality to its dynamic performance.

But when you consider the list of standard equipment, you'll also

appreciate why the Bora represents superb value for money.

with interior protection and remote central locking, Electronic Stabilisation Programme (ESP), ABS, driver and front passengerairbags, front seat side airbags, electrically heated and adjustable

door mirrors, front and rear electric windows, manual air conditioning

All Boras are fitted with a and, on the S, ST and SE models, multifunction computer, alarm the centre console, ashtray lid and interior door handles are trimmed in stylish aluminium. There is also a height and reach adjustable steering wheel, an electronic engine immobiliser, 'Line' cloth upholstery and split folding rear seat with lockable backrest.

Where performance meets affordability.

The Bora ST.





## The Bora ST.


The latest arrival to the Bora range is the ST. It's an exciting addition, proving that performance, quality and high specification can be achieved at an extremely affordable price. There are three engines available in the Bora ST – two petrol, one diesel. The two highly acclaimed 1.8 litre, turbocharged petrol units produce 150 bhp and 180 bhp, the latter capable of taking the Bora from 0 - 62 mph in 8.2 seconds and onto 142 mph, where law permits. The 1.9 litre TDI PD 130 bhp is the diesel alternative and is equally

Sporty 15" 'Jarama' alloy wheels with 195/65 tyres are standard on ST models<sup>†</sup>.

impressive, combining good acceleration and top speed with the exceptional economy associated with a diesel. Such diesel efficiency has been achieved through 'Pumpe Düse' technology – a high pressure fuel injection system. It's the reason why the 1.9 litre TDI PD 130 bhp can reach 127 mph (where law permits), yet still return 51.4 mpg\* over the Combined fuel cycle. The equipment level of the ST shares the same high standards of the S plus body-coloured side



A rain sensor regulates the speed of the wipers depending on the weather conditions.





and bumper strips, a 'Gamma' radio/cassette, a single CD player, rain sensitive windscreen wipers, automatic dimming interior rear-view mirror and 15 inch 'Jarama' alloy wheels with 195/65 tyres<sup>†</sup>.

\* According to EU Directive 99/94. Please see pages 66, 67 and 70 for fuel consumption figures.

32

33

<sup>†</sup> 16 inch 'Le Castellet' alloy wheels with 205/55 tyres are standard on ST 1.8T 180 bhp.



The automatic dimming interior rear-view mirror darkens if a following car's lights are too high. For the discerning driver.

The Bora SE.





# The Bora SE.

The Bora has been designed to deliver driving excitement, but not at the expense of comfort and convenience. Therefore, choose the Bora SE and you'll benefit from an extensive list of standard equipment that includes a multifunction steering wheel including cruise control, front cup holders and 16 inch 'Le Castellet' alloy wheels with 205/55 tyres and anti-theft wheel bolts. Comfort is

further enhanced with 'Motion' velour upholstery, driver and front passenger seat height and lumbar adjustment and driver's seat centre armrest.




Elegant 16" 'Le Castellet' alloy wheels with 205/55 tyres are standard on SE models.

The multifunction steering wheel allows you to operate the cruise and radio controls without taking your hands off the wheel.

Model shown is the Bora SE automatic with 'Motion' velour upholstery. Front-loading single CD player is optional at extra cost.











# The Bora Sport.

The Bora Sport is available with three petrol and two diesel engines. You can choose from a 2.0 litre 115 bhp unit, two 20V 1.8 litre turbo units which develop 150 bhp and 180 bhp, or two 1.9 litre TDI PD units which develop 130 bhp and 150 bhp.

The Sport also provides an air of exclusivity, thanks to the luxurious equipment fitted as standard. The exterior features elegant 6½J x 16 'Le Castellet' alloy wheels with 205/55 tyres and front fog lights mounted within the headlight units. On the inside, standard items include front

sports seats, with height and

lumbar support, upholstered in 'Tara' velour, front and rear carpet mats, walnut wood inserts in the centre console, gear knob\*, ashtray lid and interior door handles, and electronic climate control

\* Leather on automatics.

air conditioning.

The Bora V5.

Specify the Bora with a V5 engine and you get distinctive 6½J x 16 'Pau' alloy wheels with 205/55 tyres and an impressive

170 bhp.

...



Distinctive 16" 'Pau' alloy wheels with 205/55 tyres are standard on V5 models.

Model shown is the Bora Sport manual with 'Tara' velour upholstery.



A dash-mounted 6 CD autochanger is standard on the Sport, V5 and V6 4MOTION.

The powerful and smooth

Bora V6 4MOTION.





Please note that the headlight washers and sunroof are optional at extra cost.





# The Bora V6 4MOTION.

The standard specification is the same as the V5, but to make the V6 4MOTION unique it features sports suspension, exclusive 6½J x 16 'Brands Hatch' alloy wheels with 205/55 R16 tyres (steel temporary space-saver spare wheel), chrome twin exhaust tailpipe and a 4MOTION gear knob.



Electronic climate control is standard on the Sport, V5 and V6 4MOTION. The navigation/radio system is an option at extra cost.




deserves quality options.

### Alloy wheels

Whether you choose the 'Jarama' which is optional for the Bora S, or the BBS 'RS2' for the Sport, they are all designed and built for performance. Please note the optional alloy wheel packs contain four alloy wheels and a steel spare wheel.

### Sports pack

You can further enhance the appearance and handling of Sport and 'V' range by specifying the Sports pack with four 17 inch 'Longbeach' alloy wheels (plus a temporary steel spare wheel) complete with sports suspension.



Preparing your car to carry children needn't be a lengthy operation. Not available in conjunction with optional leather upholstery or leather 'Recaro' sports seats.



Four stylish 6J x 15 'Jarama' alloy wheels with 195/65 tyres and antitheft wheel bolts. Standard on ST (not 1.8T 180 bhp) and optional on S models.



Four sporty 7J x 17 'Longbeach' alloy wheels with 225/45 tyres feature as part of the Sports pack.

Integrated child seats

By simply folding back and raising the normal seat, a child can use the normal three-point seat belts. It provides effective protection and is positioned in seconds.

The integrated child seat is suitable for children classified by ECE-R<sup>1</sup> 44/03 standard in Group 1 (9-18 kg), Group 2 (15-25 kg) and Group 3 (22-36 kg).

We recommend, however, that the child seat only be used for children as of the age of 2 years.

Four classic 6½J x 16 BBS 'RS2' alloy

wheels with 205/55 tyres and anti-theft

wheel bolts. Optional on Sport models.

Please note that children in Group 1 require a special restraining table which has been approved for use with the integrated child seat and which is available from your Volkswagen retailer (see page 55).

<sup>1</sup>Economic Commission of Europe - Regulation.

### Cruise control

Ideal for long motorway journeys, cruise control allows a speed to be programmed that will be automatically maintained. Activating the brake or clutch will deactivate the cruise control, but the last stored speed will be held in the memory, allowing you to resume cruising speed at the touch of a button. Cruise control is standard on SE, in conjunction with the multifunction steering wheel, and optional on all others.

The multifunction steering wheel with cruise control allows

Multifunction steering wheel

you to operate the cruise control and radio controls without taking your hands off the wheel. For a comfortable grip, it is trimmed in leather. The multifunction steering wheel is standard on SE, and optional on Sport, V5 and

V6 4MOTION.

The Winter pack

When it's cold and wet

outside, the optional Winter

pack will help provide some

relief. The pack consists of

headlight washers, heated

front seats and low washer

fluid warning.

windscreen washer jets, heated



Cruise control provides a more relaxed drive on longer journeys.

parking in the smallest spaces so much easier. Sensors in the rear bumper operate by ultrasound and emit a bleep. As objects get closer the sound signal becomes more frequent.

Parking sensor



The powerful water jet from the headlight washers effectively clears dirt to maintain visibility.



As an optional extra, two curtain airbags can be fitted to provide added protection for both front and rear occupants.

Curtain airbags

This ingenious system makes

As an optional extra, two additional curtain airbags are available to cushion both front and rear seat occupants. These airbags are situated overhead and cover the front and rear side windows to provide added protection around the head.



Included in the Winter pack and standard with leather upholstery, heated front seats provide greater comfort through the coldest months.



Radio and satellite navigation system with colour screen.



Navigation, radio and CD player in one unit with monochrome screen.

### Navigation systems

The combined satellite navigation and radio unit, with colour screen, offers route guidance via the display of road maps, route information, spoken instructions and visual arrow symbols in the centre of the instrument panel. Radio functions and control of the 6 CD boot-mounted autochanger are also provided. The navigation CD reader is mounted in the top of the unit. Please note that the unit will only accept the navigation CDs and NOT audio CDs. Available as a factory-fitted option, at extra cost, on all models except the S, ST and SE.

the monochrome navigation system, radio and CD player in one unit. Route guidance is supplied via arrow symbols in both the unit and a display in the centre of the instrument panel, together with audible recommendations. The CD slot can be used for music CDs when the navigation system is not in use. In addition, this system will also operate the Volkswagen 6 CD boot-mounted autochanger. The monochrome navigation system is available as a factoryfitted option, at extra cost, on all models except the S, ST and SE.

Alternatively, you can choose

Please note the separate front-loading single CD player, dash-mounted 6 CD autochanger, DSP or navigation/radio system are not available in conjunction with each other.

## The Digital Sound Processor

The optional Digital Sound Processor (DSP) can transform the 'Gamma' hi-fi system. The system features an external 4 channel 70 watt amplifier and 8 high performance speakers. DSP is fitted in line with the radio unit and processes all signals from the radio, cassette or CD. The loudspeakers in a car

are set at different distances from

the listener. DSP smoothes out the

subsequent imbalance, giving the

impression of being 'in the heart

of the music'.

In addition, DSP offers five digital room simulations. Whether it be clearly audible spoken words, reproduction of modern pop music, classical music in a concert hall, rock music at an open air festival or jazz in a club, all can be selected by the push of a button. Available on SE models and above.



On S and SE models you can choose as an option the front-loading single CD player. Standard on ST models.



can be added to either the 'Beta' or 'Gamma' units. Standard on Sport and 'V' range.



Please note that DSP is only available in conjunction with the 'Gamma' radio/cassette, but not with dash-mounted 6 CD autochanger, front-loading single CD player or navigation systems.

The dash-mounted 6 CD autochanger

### In-car hi-fi

The sound systems in the Bora have been tailored specifically for Volkswagen. Typical of Volkswagen, we have chosen high specification units that deliver perfect sound.

For uninterrupted listening pleasure, both units can be linked to a dash-mounted 6 CD autochanger. Standard on Sport, V5 and V6 4MOTION.



your Bora and your lifestyle.

### Sports accessories

Whether for aesthetic appeal or greater practicality, the Volkswagen accessories range could have the answer for those who desire something extra.

All items are specifically designed for Volkswagen models to ensure a harmonious fit. If you seek maximum performance from your Volkswagen, the sports range

is sure to appeal.



5 Star Raceline 6J x 15. Part No. 1J9 071 496 666 5 Star Raceline 6½J x 16. Part No. 1J6 071 491 666



## Rear boot spoiler. Part No. 1J5 071 646 O 9AX

As a distinctive addition, you can choose from a range of alloy wheels, each one precision engineered to lightweight specifications. Our anti-theft wheel bolts (Part No. ZGB 1J0 071 591) will keep them securely in place. The sports range also includes wooden (1.6 - Part No. 1J0 064 225 A, 2.0/V5/TDI - Part No. 1J0 064 225 B)

or aluminium-look gear knobs\* (1.6 - Part No. 1J0 064 226 A, 2.0/V5/TDI - Part No. 1J0 064 226 B) to further personalise your Bora. All products in the range are manufactured to the highest quality assurance standards insisted on by Volkswagen.

\* Not suitable for 6 speed gearbox.



**Bobsy INTEGRAL.** (Used in conjunction with the integrated child seat.) Suitable for children of approximately 2 to 4 years or a weight of 13-18 kg. Part No. 000 019 919 B

## Safe and secure

Volkswagen is at the industry forefront when it comes to safety and security. We are amongst the first manufacturers to fit the Isofix child safety system that holds the ISOFIX DUO child safety seat, through 2 position fixing points, to the vehicle's chassis. This not only ensures greater rigidity, but reduces the time to fit a child seat because there's no need for threading seat belts.



Bobsy G1 ISOFIX DUO. The second generation of Isofix systems. The standardised fixing facility guarantees simple installation and ensures a firm connection between child seat and vehicle – your child is given optimum protection during every journey. Naturally the Isofix can be fastened with a three-point seat belt when changing vehicles. Suitable for children of approximately 8 months to 4 years or a weight of 9-18 kg. Part No. 00V 019 909

At Volkswagen protection for the y members of your fa the option of the fa integrated child sea INTEGRAL extends child safety system children with a wei For greater flexibilit used in either the left or right hand position.




Rave 6½J x 16. Part No. 1C0 071 491 666



Evolo 7J x 17. Part No. 1J6 071 492 666



Toccata 7J x 17. Part No. 1J0 071 492 666



ı we offer	There is also a complete
oungest	range of child safety seats for
mily, like	use in rear and forward facing
ctory-fitted	positions.
nt. The Bobsy	Security is also high on
the use of this	the priority list, with maximum
to younger	protection offered through
ight of 13-18 kg.	advanced alarm systems.
ity, it can be	





Should you be carrying a bike, the hydraulic bicycle lift is a useful asset. It effortlessly positions the bike in place and helps prevent any accidental damage to the bodywork. Suitable for 1 bike up to a weight of 20 kg. Part No. 4D0 071 128 D

### Practical travel solutions

For day-to-day needs or short-term travel requirements, there is an extensive range of touring accessories. The roof systems are typical of Volkswagen's attention to detail and have been wind tunnel tested to ensure handling and safety remain unaffected, whilst the quick release catches make fitment and removal a fast and simple process.

A unique feature of the roof bars (Part No. 1J5 071 126 A) is the method of attachment to the car itself. Underneath the standard rubber trim guttering are pre-fitted sockets into which the roof bars fix. This removes the need for any additional fixing holes or, indeed, the risk of scratching the paintwork from any external mountings.

There is a range of attachments for the roof bars including a luggage rack (Part No. 191 071 130 F). lockable bicycle holder (Part No. 600 071 128), two different size roof boxes, a surfboard holder and two ski/snowboard holders suitable either for 4 pairs skis/2 boards (Part No. 3B0 071 129) or 6 pairs skis/4 boards (Part No. 3B0 071 129 C).

When not in use the towbar is easily removed for safe storage; there is also a choice of electrics available. Please consult your Volkswagen retailer for details. *The roof box measures L1400 x* W970 x H370 mm and has a capacity of 350 litres while the Davos roof box is suitable for skis and luggage.



Ski/Snowboard holder. Maximum 6 pairs skis/4 snowboards. Part No. 3B0 071 129 C



Roof box - 350 litres. Part No. 00H 071 350 S Davos ski and luggage box is also available. Part No. 000 071 300 A



Detachable towbar (excludes electrics). Part No. 1J0 092 155\* Towbar electrics. 7-pin electrics. Part No. 1J0 055 203 GB 13-pin electrics. Part No. 1J0 055 204 GB

## Protection and car care

As a Volkswagen owner, we appreciate that you'll want to maintain your car in first-class condition.

So to help restrict dirt and damage, you'll find a wide selection of products that offer the highest level of protection. The contoured mudflaps (Front Part No. 1J0 075 111 A, Rear Part No. 1J5 075 101 A) designed for individual models to ensure the optimum position with ease of fitment.

In addition, the rubber mats (Front Part No. 1J2 061 501 A 041, Rear Part No. 1J0 061 511 041) carpet mats and loadliners are a fast and effective way to remove unwanted mud and stones from your car's interior and, in the process, prevent wear and tear to the original carpets.



Flexible loadliner. Part No. 1J5 061 160 (not 4MOTION) Part No. 1J5 061 161 (4MOTION only)


### Serious hi-fi

range for the Bora that includes a higher specification radio/cassette player for the S model. You can also choose additional speakers to enhance acoustics, CD autochangers for uninterrupted listening pleasure and a combination telephone/radio aerial (Part No. 3B0 051 506 A).



Boot-mounted 6 CD autochanger (For use with 'Beta' and 'Gamma' stereo audio units.) Part No. 1J5 057 111 A






Carpet mat sets. Standard. Part No. Depends upon colour Luxury. Part No. Depends upon colour

Volkswagen offers an audio

With increasingly sophisticated electronics, it's worth remembering that, when fitted by your Volkswagen retailer, you are assured of compatibility with vehicle systems and quality of instalment.



# Exterior paintwork.




Please note: The print process does not allow for exact reproduction of the paint colours. For further details, please contact your Volkswagen retailer.

\* Metallic and Pearl Effect paint are optional at extra cost.



Green Collection (6F)

# A choice of upholstery.



Sport, V5, V6 4MOTION **Optional Alcantara** 



Black (JJ)

Flannel Grey (FU) Beige (FZ) Flannel Grey (RX) Beige (RY) Grey (CR) Beige (CZ) Flannel Grey (HU)






Beige (VW)

Please note: The print process does not allow for exact reproduction of the upholstery colours. For further details, please contact your Volkswagen retailer.

# Colour combinations.



### S – 'Line' cloth

Seat upholstery

Black	FP	Black	Black	•	•	•	•	•	•	•	•	•	
Flannel Grey	FU	Flannel Grey	Black/Flannel Grey		•	•	•						
Beige	FZ	Beige	Beige/Black	•	•				•		•	•	
'Primero' flock													
Black	RW	Black	Black	•	•	•	•	•	•	•	•	•	
Flannel Grey	RX	Grey	Black/Grey	•	•	•	 •					•	
Beige	RY	Beige	Black/Beige	•	•	•	-	•	•		•	•	
· 'Motion' velour													
Black	CM	Black	Black	•	•	•	•	•	•	•	•	•	
Grey	CR	Grey	Black/Grey	•	•	•	•	•		•	•		
Beige	CZ	Beige	Black/Beige	•	•	•			•	_		•	
rt, V5, V6 4MOTION – 'Ta	ra' velour												
Black	HT	Black	Black	•	•	•	•	•	•	•	•	•	
Flannel Grey	HU	Flannel Grey	Black/Flannel Grey	•	•	•	٠	•	•	٠	٠	•	
Beige	HW	Beige	Beige/Black	•	•	•	-	•	•		•	•	
SE – Optional leather – Sp	orts seats												
Black	VA	Black	Black/Black	0	0	0	0	0	0	0	0	0	
Flannel Grey	VE	Flannel Grey	Black/Flannel Grey	0	0	0	 0	_	0	0	0	0	
Beige	VH	Beige	Black/Beige	0	0	0	_	0	0		0	0	
rt, V5, V6 4MOTION – Op	tional leathe	r – Sports seats/'Re	caro' sports seats										
Flannel Grey	VR	Flannel Grey	Black/Flannel Grey	0	0	0	0		0	0	0	0	
Black	VV	Black	Black/Black	0	0	0	 0	0	0	0	0	0	
Beige	VW	Beige	Black/Beige	0	0	0	 _	0	0		0	0	
												1.4	
rt, V5, V6 4MOTION – Op	itional Alcant JJ	ara Black	Black/Black	0	0	0	0		0	0	0	0	

Candy White B4

Black Al

Dashboard

Carpets

Ink Blue D<sub>3</sub>


• Standard  $\bigcirc$  Optional at extra cost – Not available


Please note:

\* Metallic and Pearl Effect paint are optional at extra cost.









# Technical specification.

	SE	S, SE	S, SE, Sport	ST, Sport	ST, Sport	V5		V6 4MOTION
	1.6 litre 102 bhp	1.6 litre 105 bhp	2.0 litre 115 bhp	1.8 litre Turbo 150 bhp	1.8 litre Turbo 180 bhp	2.3 litre 170	bhp	2.8 litre 204 bhp
9:	(Automatic only)							
		inted 4 cylinder in-line – pet			unted 4 cylinder in-line –		versely mounted 5/6 cyli	
		d cylinder head with single o			olock and cylinder head		iron cylinder block, allo	
		shaft on 1.6 litre 105 bhp eng		with double overhead			ingle overhead camshaf	
Number of valves	2 per cylinder	4 per cylinder	2 per cylinder	5 per cylinder	5 per cylinder	4 per cylind	er	4 per cylinder
Cubic capacity, ltrs/cc	1.6/1595	1.6/1598	2.0/1984	1.8/1781	1.8/1781	2.3/2324		2.8/2792
Bore/stroke, mm	81.0/77.4	76.5/86.9	82.5/92.8	81.0/86.4	81.0/86.4	81.0/90.2		81.0/90.2
Max. output, bhp/kw	102/75	105/77	115/85	150/110	180/132	170/125		204/150
at rpm	5600	5700	5200	5700	5500	6200		6200
Max. torque, lbs.ft/Nm	109/148	109/148	125/170	155/210	173/235	162/220		199/270
at rpm	3800	4500	2400	1750-4600	1950-5000	3200		3200
Compression ratio	10.3 : 1	11.5 : 1	10.5 : 1	9.5:1	9.5 : 1	10.8:1		10.5 : 1
Induction	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic n	nultipoint	Electronic multipoint
	multipoint	multipoint	multipoint	multipoint	multipoint	injection, ve	ariable	injection, variable
	injection, variable	injection, single	injection, single	injection, single	injection, single	inlet manif	old	inlet manifold
	inlet manifold	cylinder injection	cylinder injection	cylinder injection	cylinder injection			
Ignition	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic		Electronic
Exhaust emission control	Catalytic converter	Catalytic converter	Catalytic converter	Catalytic converter	Catalytic converter	Catalytic co	nverter	Catalytic converter
	lambda control	lambda control	lambda control	lambda control	lambda control	lambda con	trol	lambda control
Fuel grade, minimum	Premium 95 RON	Premium 95 RON	Premium 95 RON	Premium 95 RON	Premium 95 RON	Premium 95	5 RON	Premium 95 RON
	unleaded	unleaded	unleaded	unleaded	unleaded	unleaded		unleaded
Battery, V/A (Ah)	12/280 (60)	12/220 (44)	12/220 (44)	12/220 (44)	12/280 (60)	12/280 (60)		12/280 (60)
Alternator, amps	90	90	90	90	90	70		70
nission:								
	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel	drive	Four wheel drive
Gearbox	4 spd auto	5 spd man	5 spd man	5 spd man	6 spd man	5 spd man	5 spd auto tiptronic	6 spd man
mance:								
Top speed, mph (km/h)	115 (185)	119 (192)	121 (195)	134 (216)	142 (228)	139 (224)	137 (220)	146 (235)
(where law permits)								
Acceleration, secs 0 - 62 mph	12.8	11.3	11.0	8.9	8.2	8.5	9.2	7.4
ABI insurance group	6	6	7, 8, 8	13	TBA	16	16	17

\* Please see page 77 for further information on  $\rm CO_2$  emissions.

Specifications subject to change without notice. Information correct as at 1 August 2002. Please note: All data subject to manufacturer's tolerances.

t transversely mounted 5/6 cylin	der 15° 'V' –
l, cast iron cylinder block, alloy	r cylinder
with single overhead camshaft	per bank
cylinder	4 per cylinder
324	2.8/2792
90.2	81.0/90.2
25	204/150
	6200
20	199/270
	3200
1	10.5 : 1
ronic multipoint	Electronic multipoint
tion, variable	injection, variable
manifold	inlet manifold
ronic	Electronic
lytic converter	Catalytic converter
da control	lambda control
ium 95 RON	Premium 95 RON
nded	unleaded
0 (60)	12/280 (60)
	70

# Technical specification.

	SE	S, SE	S, SE, Sport	ST, Sport	ST, Sport	V5		V6 4MOTION	
	1.6 litre 102 bhp (Automatic only)	1.6 litre 105 bhp	2.0 litre 115 bhp	1.8 litre Turbo 150 bhp	1.8 litre Turbo 180 bhp	2.3 litre 170	bhp	2.8 litre 204 bhp	
Running gear:	(Automatic only)								
Front axle	Independent, McPhers	on struts and coil springs.	Anti-roll bar	Independent, McPher.	son struts and coil springs.	Anti-roll bar			
	Track stabilising steer			Track stabilising steer					
Rear axle		arm with track-correcting	bearings. Anti-roll bar		arm with track-correcting	bearings (multili	nk on V6 4MOTION onl	v). Anti-roll bar	
Steering			on. Safety steering column		tenance-free rack and pinio				
Brakes system		ally split circuits with ESI			nally split circuits with ESP.			ssure regulator	
Front	Ventilated discs	Ventilated discs	Ventilated discs	Ventilated discs	Ventilated discs	Ventilated a		Ventilated discs	
Rear	Discs	Discs	Discs	Discs	Discs	Discs		Discs	
Turning circle, ft/m	35.8/10.9	35.8/10.9	35.8/10.9	35.8/10.9	35.8/10.9	35.8/10.9		35.8/10.9	
Wheels and tyres:									
Wheel size	6½J x 16	6J x 15 <sup>1</sup>	$6J \times 15^{1}$	6J x 15 <sup>1</sup>	6½J x 16	6½J x 16		6½J x 16	
Wheel type	Alloy 'Le Castellet'	Steel <sup>1</sup>	Steel <sup>1</sup>	Alloy 'Jarama' <sup>1</sup>	Alloy 'Le Castellet'	Alloy 'Pau'		Alloy 'Brands Hatch'	
Tyre size	205/55 R16W	195/65 R15V <sup>1</sup>	195/65 R15V <sup>1</sup>	195/65 R15V <sup>1</sup>	205/55 R16W	205/55 R16W	/	205/55 R16W	
Spare wheel	Full size steel	Full size steel	Full size steel	Full size steel	Full size steel	Full size ste	el	Temporary space-sau	
Weights, Ibs/kgs:									
	4 spd auto	5 spd man	5 spd man	5 spd man	6 spd man	5 spd man	5 spd auto tiptronic	6 spd man	
Unladen weight <sup>†</sup>	3030/1374	2999/1360	3036/1377	3061/1388	3164/1435	3160/1433	3257/1477	3462/1570	
Gross vehicle weight	3925/1780	3881/1760	3925/1780	3947/1790	4057/1840	4057/1840	4145/1880	4344/1970	
Payload <sup>†</sup>	895/406	882/400	889/403	886/402	893/405	897/407	889/403	882/400	
Axle load limit: Front	2007/910	1962/890	2007/910	2051/930	2161/980	2161/980	2249/1020	2249/1020	
Rear	2051/930	2051/930	2051/930	2051/930	2051/930	2051/930	2051/930	2271/1030	
ſrailer load limits, lbs∕kgs:									
Braked 12% incline	2646/1200	2646/1200	3087/1400	2867/1300	2867/1300	3308/1500		3528/1600	
Unbraked	1323/600	1323/600	1323/600	1323/600	1323/600	1433/650		1544/700	
Towbar load limit	165/75	165/75	165/75	165/75	165/75	165/75		165/75	
Max. roof load	165/75	165/75	165/75	165/75	165/75	165/75		165/75	
Nax. luggage capacity, cu.ft (litres):	VDA measuring metho	d using 200 x 100 x 50 mm	blocks	VDA measuring metho	od using 200 x 100 x 50 mm	blocks			
With rear seat upright	16.1 (455)	16.1 (455)	16.1 (455)	16.1 (455)	16.1 (455)	16.1 (455)		12.0 (340)	
With rear seat folded	27.7 (785)	27.7 (785)	27.7 (785)	27.7 (785)	27.7 (785)	27.7 (785)		23.7 (670)	

<sup>1</sup> SE and Sport models have  $6\frac{3}{2} \times 16$  'Le Castellet' alloy wheels with 205/55 R16W tyres and anti-theft wheel bolts.

Specifications subject to change without notice. Information correct as at 1 August 2002. Please note: All data subject to manufacturer's tolerances.

<sup>†</sup> Figures are calculated in accordance with manufacturer's criteria.

# Technical specification.

	S, SE		ST, SE, Sp		Sport		S, SE	ST, SE, Sport	Sport
	1.9 TDI PD	100 bhp	1.9 TDI PD	130 bhp	1.9 TDI PD 150 bhp		1.9 TDI PD 100 bhp	1.9 TDI PD 130 bhp	1.9 TDI PD 150 b
e:						Running gear:			
				n-line – diesel, cast in	ron cylinder block,	Front axle		struts and coil springs. Anti-rol	l bar.
		ider head with si					Track stabilising steering		
Number of valves	2 per cylir	ıder	2 per cyli	nder	2 per cylinder	Rear axle		m with track-correcting bearings	
Cubic capacity, ltrs/cc	1.9/1896		1.9/1896		1.9/1896	Steering		ance-free rack and pinion. Safety	
Bore/stroke, mm	79.5/95.5		79.5/95.5		79.5/95.5	Brakes system		ly split circuits with ESP. Servo a	essisted.
Max. output, bhp/kw	100/74		130/96		150/110		Load sensitive brake pres	sure regulator	
at rpm	4000		4000		4000	Front	Ventilated discs	Ventilated discs	Ventilated disc.
Max. torque, lbs.ft/Nm	177/240		228/310		236/320	Rear	Discs	Discs	Discs
at rpm	1800		1900		1900	Turning circle, ft/m	35.8/10.9	35.8/10.9	35.8/10.9
Compression ratio	19.0:1		19.0:1		18.5 : 1				
Induction	Direct inj	ection –	Direct inj	ection –	Direct injection –	Wheels and tyres:			
	with unit	injectors,	with unit	injectors,	with unit injectors,	Wheel size	6J x 15 <sup>2</sup>	6J x 15 <sup>2</sup>	6½J x 16
	turbochar	ged	turbocha	rged	turbocharged	Wheel type	Steel <sup>2</sup>	Alloy 'Jarama' <sup>2</sup>	Alloy 'Le Castel
	with inter	cooler	with inter	rcooler	with intercooler	Tyre size	195/65 R15V <sup>2</sup>	195/65 R15V <sup>2</sup>	205/55 R16W
Exhaust emission control	Catalytic	converter	Catalytic	converter	Catalytic converter	Spare wheel	Full size steel	Full size steel	Full size steel
Fuel grade, minimum	Diesel		Diesel		Diesel				
Battery, V/A (Ah)	12/340 (70)	) 12/380 (80)	12/380 (80	) 12/380 (80)	12/340 (70)	Weights, lbs/kgs:			
Alternator, amps	120	70	120	70	120		5 spd man 5 spd auto	6 spd man 5 spd auto	6 spd man
							<i>tiptronic</i> <sup>1</sup>	tiptronic	
mission:						Unladen weight <sup><math>\dagger</math></sup>	3147/1427 3266/1481	3175/1440 3277/1486	3180/1442
	Front whe	el drive	Front wh	eel drive	Front wheel drive	Gross vehicle weight	4035/1830 4167/1890	4079/1850 4167/1890	4079/1850
Gearbox		eel drive 1 5 spd auto		eel drive n 5 spd auto	Front wheel drive 6 spd man	Gross vehicle weight Payload <sup>†</sup>			
Gearbox		n 5 spd auto		n 5 spd auto			4035/1830 4167/1890	4079/1850 4167/1890	4079/1850
Gearbox						Payload <sup>+</sup>	4035/1830 4167/1890 889/403 902/409	4079/1850 4167/1890 904/410 891/404	4079/1850 900/408
Gearbox		n 5 spd auto		n 5 spd auto		Payload <sup>†</sup> Axle load limit: Front	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020	4079/18504167/1890904/410891/4042161/9802249/1020	4079/1850 900/408 2161/980
		n 5 spd auto		n 5 spd auto		Payload <sup>†</sup> Axle load limit: Front	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020	4079/18504167/1890904/410891/4042161/9802249/1020	4079/1850 900/408 2161/980
mance:	5 spd man	a 5 spd auto tiptronic <sup>1</sup>	6 spd man	n 5 spd auto tiptronic	6 spd man	Payload <sup>†</sup> Axle load limit: Front Rear	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020	4079/18504167/1890904/410891/4042161/9802249/1020	4079/1850 900/408 2161/980
mance: Top speed, mph (km/h)	5 spd man	a 5 spd auto tiptronic <sup>1</sup>	6 spd man	n 5 spd auto tiptronic	6 spd man	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs:	4035/18304167/1890889/403902/4092117/9602249/10202051/9302051/930	4079/18504167/1890904/410891/4042161/9802249/10202051/9302051/930	4079/1850 900/408 2161/980 2051/930
mance: Top speed, mph (km/h) (where law permits)	5 spd man 117 (188)	1 5 spd auto tiptronic <sup>1</sup> 115 (185)	6 spd mar 127 (205)	n 5 spd auto tiptronic 126 (202)	6 spd man  134 (216)	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline	4035/18304167/1890889/403902/4092117/9602249/10202051/9302051/930	4079/18504167/1890904/410891/4042161/9802249/10202051/9302051/930	4079/1850 900/408 2161/980 2051/930 3087/1400
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph	5 spd mar 117 (188) 12.1	115 (185) 13.5	6 spd mar 127 (205) 10.1	n 5 spd auto tiptronic 126 (202) 10.9	6 spd man 134 (216) 9.0	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked	4035/18304167/1890889/403902/4092117/9602249/10202051/9302051/9302867/13001323/600	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph	5 spd mar 117 (188) 12.1	115 (185) 13.5	6 spd mar 127 (205) 10.1	n 5 spd auto tiptronic 126 (202) 10.9	6 spd man 134 (216) 9.0	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020 2051/930 2051/930 2051/930 1323/600 165/75	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph ABI insurance group	5 spd man 117 (188) 12.1 6, 8	a 5 spd auto tiptronic <sup>1</sup> 115 (185) 13.5 8	6 spd mar 127 (205) 10.1	n 5 spd auto tiptronic 126 (202) 10.9	6 spd man 134 (216) 9.0	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit Max. roof load	4035/18304167/1890889/403902/4092117/9602249/10202051/9302051/9302867/13001323/600165/75165/75	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph ABI insurance group mmental information: Official fuel consumption accord	5 spd man 117 (188) 12.1 6, 8	a 5 spd auto tiptronic <sup>1</sup> 115 (185) 13.5 8	6 spd mar 127 (205) 10.1	n 5 spd auto tiptronic 126 (202) 10.9	6 spd man 134 (216) 9.0	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit Max. roof load Max. luggage capacity, cu.ft (litres):	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020 2051/930 2051/930 2867/1300 1323/600 165/75 165/75 165/75	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75 165/75	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75 165/75
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph ABI insurance group	5 spd man 117 (188) 12.1 6, 8	a 5 spd auto tiptronic <sup>1</sup> 115 (185) 13.5 8	6 spd mar 127 (205) 10.1	n 5 spd auto tiptronic 126 (202) 10.9	6 spd man 134 (216) 9.0	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit Max. roof load	4035/18304167/1890889/403902/4092117/9602249/10202051/9302051/9302867/13001323/600165/75165/75	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75 165/75	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph ABI insurance group mmental information: Official fuel consumption accord mpg/ltr per 100 km	5 spd man 117 (188) 12.1 6, 8 ding to EU Din 41.5/6.8	a 5 spd auto tiptronic <sup>1</sup> 115 (185) 13.5 8 rective 99/94, 32.1/8.8	6 spd mar 127 (205) 10.1 8, 8, 13 39.2/7.2	n 5 spd auto tiptronic 126 (202) 10.9 8, 8, 13 31.0/9.1	6 spd man 134 (216) 9.0 13 38.7/7.3	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit Max. roof load Max. luggage capacity, cu.ft (litres): With rear seat upright	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020 2051/930 2051/930 2867/1300 1323/600 165/75 165/75 165/75 165/75	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75 165/75 165/75	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75 165/75 165/75
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph ABI insurance group mmental information: Official fuel consumption accord mpg/ltr per 100 km Urban Extra-urban	5 spd man 117 (188) 12.1 6, 8 ding to EU Din 41.5/6.8 64.2/4.4	a 5 spd auto tiptronic <sup>1</sup> 115 (185) 13.5 8 rective 99/94, 32.1/8.8 53.3/5.3	6 spd mar 127 (205) 10.1 8, 8, 13 39.2/7.2 61.4/4.6	n 5 spd auto tiptronic 126 (202) 10.9 8, 8, 13 31.0/9.1 54.3/5.2	6 spd man 134 (216) 9.0 13 38.7/7.3 62.8/4.5	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit Max. roof load Max. luggage capacity, cu.ft (litres): With rear seat upright With rear seat folded	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020 2051/930 2051/930 2867/1300 1323/600 165/75 165/75 165/75 VDA measuring method u 16.1 (455) 27.7 (785)	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75 165/75 165/75 165/75 27.7 (785)	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75 165/75 165/75
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph ABI insurance group mental information: Official fuel consumption accord mpg/ltr per 100 km Urban Extra-urban Combined	5 spd man 117 (188) 12.1 6, 8 ding to EU Din 41.5/6.8 64.2/4.4 53.3/5.3	a 5 spd auto tiptronic <sup>1</sup> 115 (185) 13.5 8 rective 99/94, 32.1/8.8 53.3/5.3 42.8/6.6	6 spd mar 127 (205) 10.1 8, 8, 13 39.2/7.2 61.4/4.6 51.4/5.5	n 5 spd auto tiptronic 126 (202) 10.9 8, 8, 13 31.0/9.1 54.3/5.2 42.8/6.6	6 spd man 134 (216) 9.0 13 38.7/7.3 62.8/4.5 51.4/5.5	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit Max. roof load Max. luggage capacity, cu.ft (litres): With rear seat upright With rear seat folded	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020 2051/930 2051/930 2867/1300 1323/600 165/75 165/75 165/75 VDA measuring method u 16.1 (455) 27.7 (785)	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75 165/75 165/75	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75 165/75 165/75
mance: Top speed, mph (km/h) (where law permits) Acceleration, secs 0 - 62 mph ABI insurance group mmental information: Official fuel consumption accord mpg/ltr per 100 km Urban Extra-urban	5 spd man 117 (188) 12.1 6, 8 ding to EU Din 41.5/6.8 64.2/4.4	a 5 spd auto tiptronic <sup>1</sup> 115 (185) 13.5 8 rective 99/94, 32.1/8.8 53.3/5.3	6 spd mar 127 (205) 10.1 8, 8, 13 39.2/7.2 61.4/4.6	n 5 spd auto tiptronic 126 (202) 10.9 8, 8, 13 31.0/9.1 54.3/5.2	6 spd man 134 (216) 9.0 13 38.7/7.3 62.8/4.5	Payload <sup>†</sup> Axle load limit: Front Rear Trailer load limits, lbs/kgs: Braked 12% incline Unbraked Towbar load limit Max. roof load Max. luggage capacity, cu.ft (litres): With rear seat upright With rear seat folded	4035/1830 4167/1890 889/403 902/409 2117/960 2249/1020 2051/930 2051/930 2867/1300 1323/600 165/75 165/75 165/75 VDA measuring method u 16.1 (455) 27.7 (785)	4079/1850 4167/1890 904/410 891/404 2161/980 2249/1020 2051/930 2051/930 3087/1400 1323/600 165/75 165/75 165/75 27.7 (785) se note: All data subject to manufacturer's tolerar	4079/1850 900/408 2161/980 2051/930 3087/1400 1323/600 165/75 165/75 165/75

<sup>1</sup>5 speed auto tiptronic is not available on S models.

 $^{2}$  SE and Sport models have 6½ x 16 'Le Castellet' alloy wheels with 205/55 R16W tyres and anti-theft wheel bolts.

\* Please see page 77 for further information on  $CO_2$  emissions.

<sup>†</sup>Figures are calculated in accordance with manufacturer's criteria.

# Standard equipment.

and Security:NameNote with the transmere 's and from sear site impact airbagesNote with the transmere's and from sear site impact airbages	dSecurity:       Anti-lock brakes       Image: Security:       Image	andard	equipment.		57	SE	Sport	V5	
Affs:       Anti-lock brakes       I       I       I       I         Airbag:       Diriver's, front parsenge's and front seat sile impact airbags       I       I       I         Badar:       With interlor parotection       I       I       I       I       I         Body:       Fully galvanised with 12-year anti-corrosion warranty       I<	SS:       Anti-lock brakes       I <tdi< td="">       I       I</tdi<>	and Security:		S	S	S	5		
Alarm::       With interior protection       Image protection       Image protection         Body:       Filly galvanised with 12-year anti-corrosion warranty       Image protection       Image protection         Rigit safety cell with front and rear crumple zones       Image protection       Image protection       Image protection         Badio wave emote control       Image protection       Image protection       Image protection       Image protection         Electronic engine       Image protection       Image protection       Image protection       Image protection         Electronic stabilisation Programme - includes EDL       Image protection       Image protection       Image protection         Had restraints:       Front adjustable and removable       Image protection       Image protection       Image protection         Sofix child rest Fight solutions for car seat. outer positions       Image protection       Image protection       Image protection         Sofix child rest protection is and belts       Image protection       Image protection       Image protection       Image protection         Sofix child rest protection is and belts       Image protection is and belts       Image protection       Image protection       Image protection         Sofix child rest protecting time, arearge fuel consumption, distance driven, arearge speed and external temperotuc       Image protuc       Image	arm:       With interior protection       Image: Second Se	ABS:	Anti-lock brakes	•	٠	•	•	•	
Alarm::       With interior protection       Image protection       Image protection         Body:       Filly galvanised with 12-year anti-corrosion warranty       Image protection       Image protection         Rigit safety cell with front and rear crumple zones       Image protection       Image protection       Image protection         Badio wave emote control       Image protection       Image protection       Image protection       Image protection         Electronic engine       Image protection       Image protection       Image protection       Image protection         Electronic stabilisation Programme - includes EDL       Image protection       Image protection       Image protection         Had restraints:       Front adjustable and removable       Image protection       Image protection       Image protection         Sofix child rest Fight solutions for car seat. outer positions       Image protection       Image protection       Image protection         Sofix child rest protection is and belts       Image protection       Image protection       Image protection       Image protection         Sofix child rest protection is and belts       Image protection is and belts       Image protection       Image protection       Image protection         Sofix child rest protecting time, arearge fuel consumption, distance driven, arearge speed and external temperotuc       Image protuc       Image	arm:       With interior protection       Image: Second Se	Airbags:	Driver's, front passenger's and front seat side impact airbags	•	•	•	•	•	
Body:       Full galvanised with 12-year anti-corrosion warranty       Image 1	add       Pully gaivanised with 12-year anti-corrosion warranty       □ <td>Alarm:</td> <td>With interior protection</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td></td>	Alarm:	With interior protection	•	•	•	•	•	
Door side impact protection       Note of the form and rear crample zones       Note of the form and rear crample zones       Note of the form of the fo	Door side impact protection       Nigl safety cell with front and rear crumple zones       Nigl safety cell with front and rear crumple zones         mtral locking:       With security protection       Nigl safety cell with front and rear crumple zones         Raflo wave remote control       Nigl safety cell with front and rear crumple zones       Nigl Safety cell with front and rear crumple zones         Readio wave remote control       Nigl Safety cell with front and rear crumple zones       Nigl Safety cell with front sone remote control         Rectrontic engine:       Immobiliser, coded transponder       Nigl Safety cell with front and rear cell sone remote control)         Rectrontic engine:       Immobiliser, coded transponder       Nigl Safety cell with front and removable         Glectrontic Differential Lock) and ASR (Traction Control)       Nigl Safety cell with front sone removable       Nigl Safety cell with front sone remote control         Glectrontic Track light       Outer rear adjustable and removable       Nigl Safety cell with front sone remote control       Nigl Safety cell with front sone remote control         Sockable rear set       Front three-point height-adjustable seat belts with tensioners       Nigl Safety cell with remote sone remote consumption, distance driven, average speed and external temperature       Nigl Safety cell with sone remote consumption, distance driven, average speed and external temperature       Nigl Safety cell with formation remote sone remotal consumption, distance driven, average speed and external warning buzzer for lights if lefty Nigl	Body:		•	•	•	•	•	
Rigid safety cell with front and rear crumple zones       Image: Second Se	Rigid sofety cell with front and rear crumple zones       • • • • • • • • • • • • • • • • • • •			•	•	•	•	•	
Central locking:       With security protection Radio wave remote control       Image: Security and Security Protection       Image: Security Securi	matrial locking:       With security protection       Note       Note       Note         Radio wave remote control       Note       Note       Note       Note         eetronnic engme       immobiliser, coded transponder       Note       Note       Note       Note         SP:       [Electronic Stabilisation Programme – includes EDI.       [Electronic Differential Lock) and ASR (Traction Control)       Note			•	•	•	•	•	
Radio wave remote control	Radio wave remote control       Image: Second transponder       Image: Second transponder         SP:       Electronic Stabilisation Programme - includes EDI: (Electronic Oifferential Lock) and ASR (Traction Control)       Image: Second transponder       Image: Second transponder         ead restraints:       Front adjustable and removable (Geter rear adjustable and removable)       Image: Second transponder       Image: Second transponder       Image: Second transponder         for child Second transponder       Image: Second tr	Central locking:		•	•	•	•	•	
ESP:       Electronic Stabilisation Programme - includes EDL (Electronic Differential Lock) and ASR (Traction Control)       I       I       I         Head restrains:       Form a djustable outer era djustable and removable       I       I       I       I         High level third ser adjustable and removable       I<	SP:       Electronic Stabilisation Programme – includes EDI: 			•	•	•	•	•	
ESP:       Electronic Stabilisation Programme - includes EDL (Electronic Differential Lock) and ASR (Traction Control)       I       I       I         Head restrains:       Form a djustable outer era djustable and removable       I       I       I       I         High level third ser adjustable and removable       I<	SP:       Electronic Stabilisation Programme – includes EDI: 	Electronic engin							
(Electronic Differential Lock and ASR (Traction Control)       1       1       1         Head restraints:       Front adjustable and removable       1       1       1         High level third:       Issain and the adjustable and removable       1 <td>(Electronic Differential Lock) and ASR (Traction Control)<!--</td--><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td>	(Electronic Differential Lock) and ASR (Traction Control) </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Head restraints:       Front adjustable and removable       Image: Second adjustable and removable       Image: Second adjustable and removable         High level third > rear adjustable and removable       Image: Second adjustable and removable       Image: Second adjustable and removable       Image: Second adjustable adjustable seat belts with tensioners       Image: Second adjustable seat belts       Image: Second adjustable seat belts with tensioners       Image: Second adjustable seat belts with tensioners       Image: Second adjustable seat belts with tensioners       Image: Second adjustable seat belts       Image: Second adjustable s	add restraints:       Front adjustable       Image: Second	.01.							
Outer rear adjustable and removable       Image: Second Seco	Outer rear adjustable and removable <ul> <li>igh level third brake light</li> <li>ight level third brake light</li> <l< td=""><td>Toad restraints:</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></l<></ul>	Toad restraints:							
High level third brack light <td>ight level third brake light  <td>1044 10311411113.</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td>	ight level third brake light <td>1044 10311411113.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	1044 10311411113.							
Is of ix child seat reparation for rear seat, outer positions       Image: Seat and the second of the seat belts with tensioners       Image: Seat and the second of the seat belts with tensioners       Image: Seat and the seat centre static lap belt         Seat belts:       Fornt three-point height-adjustable seat belts with tensioners       Image: Seat and the seat centre static lap belt       Image: Seat and the seat centre static lap belt         Warning triams       Image: Seat and total journey memories. Information given on: Driving time, average fuel consumption, distance driven, average speed and external temperature       Image: Seat and external temperature       Image: Seat and external temperature         Door mirrors:       Electrically heated and adjustable, housing painted in body colour       Image: Seat and external temperature       Image: Seat and external temperature         Door mirrors:       Electric height adjustment and warning buzzer for lights if left on Combined headlight and fog light suich       Image: Seat and Seat a	ofix child seat preparation for rear seat, outer positions<	Jigh lovel third							
Lockable rear subscreame       From three-point height-adjustable seat belts with tensioners       Note       Note <t< td=""><td>Ackable rear set backrests To not three-point height-adjustable seat belts with tensioners Rear outer three-point seat belts Rear outer three-point seat belts Rear centre static lap belt Rear lap lap lap lap lap lap lap lap lap lap</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Ackable rear set backrests To not three-point height-adjustable seat belts with tensioners Rear outer three-point seat belts Rear outer three-point seat belts Rear centre static lap belt Rear lap								
Seat belts:       Front three-point height-adjustable seat belts with tensioners Rear outer three-point seat belts Rear centre static lap belt	at belts: Rear outer three-point height-adjustable seat belts with tensioners Rear outer three-point seat belts Rear centre static lap belt <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
Rear outer three-point seat belts       Rear centre static lap belt       Image: Static lap belt         Warning triang:	Rear outler three-point seat belts Rear centre static lap belt•• <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Rar centre static lap belt       Naming triang!       Note:	Rear centre static lap beltTarning triangle, mounted in boot lid<	eui beils.							
Warning triangle, mounted in boot lid       • • • • • • • • • • • • • • • • • • •	Arring triangle, mounted in boot lid • <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
Sonal Equipment:       Multifunction, single and total journey memories. Information       •<	Al Equipment:         omputer:       Multifunction, single and total journey memories. Information given on: Driving time, average fuel consumption, distance driven, average speed and external temperature         oor mirrors:       Electrically heated and adjustable, housing painted in body colour         ust and pollen filter       •         ont fog lights, mounted in headlight units       •         eadlights:       Electric height adjustment and warning buzzer for lights if left on Combined headlight and fog light switch       •         eated rear window       •       •         -car       'Beta' radio/cassette with CD changer control       •         -car       'Beta' radio/cassette with flashing LED. 2 x 20 watt output with FM/MW manual/seek tuning, RDS. Auto reverse mechanical tape deck. 4 speakers, front and detachable roof aerial       •         'Gamma' radio/cassette with CD changer control       •       •         'digit security code with flashing LED. 2 x 20 watt output with FM/MW manual/seek tuning, RDS. Auto reverse mechanical tape deck. 4 speakers, front and detachable roof aerial         'Gamma' radio/cassette with CD changer control       •       •         'digit security code with flashing LED. 4 x 20 watt output with FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby' and MSS Music Search System. GALA adjustable vehicle speed-responsive volume control. 8 speakers, 4 front 4 rear and detachable roof aerial Front-loading single CD player       •       •       • <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
Door mirrors:       Electrically heated and adjustable, housing painted in body colour       Image: State S	oor mirrors:Electrically heated and adjustable, housing painted in body colour•• <th>computer:</th> <th>given on: Driving time, average fuel consumption, distance driven,</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	computer:	given on: Driving time, average fuel consumption, distance driven,						
Dust and poller filter       • <td>ust and pollen filter () () () () () () () () () () () () ()</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	ust and pollen filter () () () () () () () () () () () () ()								
Front fog lights, wunted in headlight units </td <td>ront fog lights, mounted in headlight units<t< td=""><td></td><td></td><td>•</td><td>•</td><td>•</td><td></td><td>•</td><td></td></t<></td>	ront fog lights, mounted in headlight units <t< td=""><td></td><td></td><td>•</td><td>•</td><td>•</td><td></td><td>•</td><td></td></t<>			•	•	•		•	
Headlights:Electric height adjustment and warning buzzer for lights if left on Combined headlight and fog light switchImage: Combined headlight switchImage: Combined headlight switchImage: Combined headlight switchImage: Combined headlight switchImage: Combined headl	eadlights: Electric height adjustment and warning buzzer for lights if left on Combined headlight and fog light switch eated rear window Combined headlight and fog light switch eated rear window Combined headlight and fog light switch Combined h			•	•	•	•	•	
Combined headlight and fog light switch•••<	Combined headlight and fog light switch•••<			0	0	0		•	
In-car'Beta' radio/cassette with CD changer controlImage: Control of the cont	'Beta' radio/cassette with CD changer control       Image: control       Imag	leadlights:		•	•	•	•	•	
entertainment:4 digit security code with flashing LED. 2 x 20 watt output with FM/MW manual/seek tuning, RDS. Auto reverse mechanical tape deck. 4 speakers, front and detachable roof aerial (Gamma' radio/cassette with CD changer control	attertainment:       4 digit security code with flashing LED. 2 x 20 watt output with FM/MW manual/seek tuning, RDS. Auto reverse mechanical tape deck. 4 speakers, front and detachable roof aerial 'Gamma' radio/cassette with CD changer control	leated rear win		•	٠	•	•	•	
with FM/MW manual/seek tuning, RDS. Auto reverse mechanical tape deck. 4 speakers, front and detachable roof aerial (Gamma' radio/cassette with CD changer controlImage: Control addition of the tape deck. 4 speakers, front and detachable roof aerial (Gamma' radio/cassette with CD changer controlImage: Control addition of tape deck with 'Dolby'4 digit security code with flashing LED. 4 x 20 watt output with FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby' and MSS Music Search System. GALA adjustable vehicle speed-responsive volume control. 8 speakers, 4 front 4 rear and detachable roof aerial Front-loading single CD player CD autochanger, 6 disc, dash-mountedImage: Control addition of tape deck with 'Dolby'Multifunction steering wheel including cruise controlImage: Control addition of tape deck with 'Dolby'Image: Control addition of tape deck addition of tap	with FM/MW manual/seek tuning, RDS. Auto reverse mechanical tape deck. 4 speakers, front and detachable roof aerial 'Gamma' radio/cassette with CD changer control<	n-car	'Beta' radio/cassette with CD changer control		-	-	-	-	
tape deck. 4 speakers, front and detachable roof aerial'Gamma' radio/cassette with CD changer control4 digit security code with flashing LED. 4 x 20 watt output withFM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby'and MSS Music Search System. GALA adjustable vehicle speed-responsivevolume control. 8 speakers, 4 front 4 rear and detachable roof aerialFront-loading single CD playerCD autochanger, 6 disc, dash-mountedMultifunction stering wheel including cruise controlPower-assisted steringSteering wheel:Height and reach adjustableWindows:Electric front and rearElectric front and rear<	tape deck. 4 speakers, front and detachable roof aerial 'Gamma' radio/cassette with CD changer controlImage: Colspan="2">Image: Colspan="2" Image: Colspan="2" Ima	ntertainment:							
'Gamma' radio/cassette with CD changer control<<<	'Gamma' radio/cassette with CD changer control4 digit security code with flashing LED. 4 x 20 watt output with FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby' and MSS Music Search System. GALA adjustable vehicle speed-responsive volume control. 8 speakers, 4 front 4 rear and detachable roof aerial Front-loading single CD playerCD autochanger, 6 disc, dash-mountedI'ultifunction steering wheel including cruise control-ower-assisted steering								
4 digit security code with flashing LED. 4 x 20 watt output with FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby' and MSS Music Search System. GALA adjustable vehicle speed-responsive volume control. 8 speakers, 4 front 4 rear and detachable roof aerialFront-loading single CD player CD autochanger, 6 disc, dash-mounted <td>4 digit security code with flashing LED. 4 x 20 watt output with         FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby'         and MSS Music Search System. GALA adjustable vehicle speed-responsive         volume control. 8 speakers, 4 front 4 rear and detachable roof aerial         Front-loading single CD player       0       •       •       -       -         CD autochanger, 6 disc, dash-mounted       •       &lt;</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	4 digit security code with flashing LED. 4 x 20 watt output with         FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby'         and MSS Music Search System. GALA adjustable vehicle speed-responsive         volume control. 8 speakers, 4 front 4 rear and detachable roof aerial         Front-loading single CD player       0       •       •       -       -         CD autochanger, 6 disc, dash-mounted       •       <								
FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby'         and MSS Music Search System. GALA adjustable vehicle speed-responsive         volume control. 8 speakers, 4 front 4 rear and detachable roof aerial         Front-loading single CD player       0       <	FM/MW manual/seek tuning, RDS/EON. Logic tape deck with 'Dolby'         and MSS Music Search System. GALA adjustable vehicle speed-responsive         volume control. 8 speakers, 4 front 4 rear and detachable roof aerial         Front-loading single CD player <ul> <li>CD autochanger, 6 disc, dash-mounted</li> <li>Meel including cruise control</li> <li>Meel including cruise control</li> <li>Meel including cruise control</li> </ul> ower-assisted steering <ul> <li>Meel including cruise control</li> <li>Meel including cruise control</li> <li>Meel including cruise control</li> <li>Meel including cruise control</li> </ul>		'Gamma' radio/cassette with CD changer control	$\bigcirc$	٠	•	•	•	
and MSS Music Search System. GALA adjustable vehicle speed-responsive volume control. 8 speakers, 4 front 4 rear and detachable roof aerialFront-loading single CD player<<	and MSS Music Search System. GALA adjustable vehicle speed-responsive volume control. 8 speakers, 4 front 4 rear and detachable roof aerial Front-loading single CD player CD autochanger, 6 disc, dash-mounted fultifunction steering wheel including cruise control ower-assisted steering the el including cruise control		4 digit security code with flashing LED. 4 x 20 watt output with						
Front-loading single CD player </td <td>Front-loading single CD playerOImage: -CD autochanger, 6 disc, dash-mountedOOImage: -cultifunction steering wheel including cruise controlImage: Oower-assisted steeringImage: OImage: OImage: Oower-assisted steeringImage: OImage: OImage: O</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Front-loading single CD playerOImage: -CD autochanger, 6 disc, dash-mountedOOImage: -cultifunction steering wheel including cruise controlImage: Oower-assisted steeringImage: OImage: OImage: Oower-assisted steeringImage: OImage: OImage: O								
CD autochanger, 6 disc, dash-mountedOOImage: Constraint of the second o	CD autochanger, 6 disc, dash-mountedOOImage: Constraint of the second constrai		volume control. 8 speakers, 4 front 4 rear and detachable roof aerial						
Multifunction steering wheel including cruise control00Power-assisted steering••<	ultifunction steering wheel including cruise control•••ower-assisted steering••••••		Front-loading single CD player	0	•	0	-	-	
Power-assisted steering•• <t< td=""><td>ower-assisted steering</td><td></td><td>CD autochanger, 6 disc, dash-mounted</td><td>0</td><td>0</td><td>0</td><td>•</td><td>•</td><td></td></t<>	ower-assisted steering		CD autochanger, 6 disc, dash-mounted	0	0	0	•	•	
Steering wheel:Height and reach adjustable•••		Aultifunction st	eering wheel including cruise control	-	-	•	0	0	
Windows:Electric front and rear• • • • •	coming wheels. Height and much adjusted 1.	ower-assisted s	teering			•	•		
	eering wheel: Height and reach aajustable	teering wheel:	Height and reach adjustable	•	•	•	•		
Wipers: 2 speed with wash/wipe and intermittent wipe with 4 position delay • • • •	indows:Electric front and rear $\bullet$	Vindows:	Electric front and rear						
	<i>ipers: 2 speed with wash/wipe and intermittent wipe with 4 position delay</i> • • • • •	Vipers:	2 speed with wash/wipe and intermittent wipe with 4 position delay						


<sup>1</sup>*Please see your retailer for details of retailer supplied accessories.* 

 $^{2}$  6½J x 16 'Le Castellet' alloy wheels with 205/55 R16W tyres are standard on ST 1.8T 180 bhp only.

Equipment and	Styling:
Carpet mats, fro	ont and rear <sup>1</sup>
Cup holder:	Front
	Rear
Driver and pass	enger illuminated sun visors, third centre
Entry/warning	light in front doors
Fuel filler flap:	Electrically operated via switch on centr
Heating:	Air conditioning, manual
	Air conditioning, electronic climate con
Instruments:	Speedo & rev counter, electronic odomet
	display, digital clock, fuel & temperatur
	light, blue adjustable panel illuminatio
Interior lighting	g: With time delay, front and rear passenge
	tion – stainless steel
	rtment light and load restraining hooks
Seating:	Front, driver's with height adjustment
, e	Front, Sports seats with driver's height a
	Front, Comfort seats with height and lu
	Front, Sports seats with height and lum
	Front, centre adjustable armrest with st
	Rear, backrest asymmetrically split with
	Rear seat centre armrest with storage co
Steering wheel:	Three-spoke
	Three-spoke, leather rimmed, leather ge
	V5 and V6) and handbrake grip
Storage:	Glovebox with illumination, lockable
01011180.	Front door pockets and front seat backre
Upholstery:	'Line' cloth
- p	'Primero' flock
	'Motion' velour
	'Tara' velour
Vanity mirrors	illuminated on driver's and passenger's si
	erts in centre console, ashtray lid and inte
	aserts in centre console, ashtray na ana inte aserts in centre console, gear knob, ashtray
12 v socket in tu	ggage compartment
r Equipment and	Styling:
	bumper strips and side bump strips
Heat insulating	
Wheels:	<i>6J x 15 steel with full size wheel trims an</i>
	6J x 15 'Jarama' alloy wheels with 195/65
	anti-theft wheel bolts
	6½J x 16 'Le Castellet' alloy wheels with 2
	on a to he custoner anoy wheels with 2

### • Standard O Optional – Not available

						0110	<b>∧</b>
	S	27	SE	Sport	5	V6 4MOTIO	
Styling:							
ont and rear <sup>1</sup>	-	-	-	•	•	•	
Front	-	•		٠	•	•	
Rear	-	0	0	•	•	•	
enger illuminated sun visors, third centre sun visor	•	•	•	•	•	•	
light in front doors	•	•	٠	•	•	•	
Electrically operated via switch on centre console	•	•	•	•	٠	•	
Air conditioning, manual	•	•	•	-	-	-	
Air conditioning, electronic climate control	2	0	0	٠	٠	•	
Speedo & rev counter, electronic odometer and trip, service interval	•	٠	•	•	•	•	
display, digital clock, fuel & temperature gauge, low fuel warning							
light, blue adjustable panel illumination							
g: With time delay, front and rear passenger reading lights	•	٠	٠	٠	•	•	
tion – stainless steel	•	٠	•	•	•	•	
rtment light and load restraining hooks	٠	•	•	•	•	•	
Front, driver's with height adjustment	•	-		-		-	
Front, Sports seats with driver's height adjustment	-	•	-		-		
Front, Comfort seats with height and lumbar adjustment	-	-	•	-	-		
Front, Sports seats with height and lumbar adjustment		-	-	•	•	•	
Front, centre adjustable armrest with storage compartment			•	•	•	•	
Rear, backrest asymmetrically split with individual fold down facility	•	•	•	•	•	•	
Rear seat centre armrest with storage compartment	•	•	•	•	•	•	
Three-spoke	•	-	_				
Three-spoke, leather rimmed, leather gear knob (wood on Sport,		•	•	•	•	•	72
V5 and V6) and handbrake grip							73
Glovebox with illumination, lockable		•	•		•		13
Front door pockets and front seat backrest storage pockets		•	•	•	•	•	
'Line' cloth		_	-	-	-	-	
'Primero' flock 'Motion' velour	_	•	_	-	-	-	
Tara' velour						-	
illuminated on driver's and passenger's side erts in centre console, ashtray lid and interior door handles							
eris in centre console, ashtray tia and interior door nanales eserts in centre console, gear knob, ashtray lid and interior door handles							
ggage compartment							
	-						
Styling:							
bumper strips and side bump strips						•	
tinted glass							
6J x 15 steel with full size wheel trims and 195/65 R15V tyres		_				_	
6J x 15 'Jarama' alloy wheels with 195/65 R15V tyres and	Ť						
anti-theft wheel bolts	0	2		_	_	_	
6/3 x 16 'Le Castellet' alloy wheels with 205/55 R16W tyres and	-	•					
anti-theft wheel bolts	_	•2	•	•	_	_	
6½J x 16 'Pau' alloy wheels with 205/55 R16W tyres and							
anti-theft wheel bolts	_	_	_	_	•	_	
6½J x 16 'Brands Hatch' alloy wheels with 205/55 R16W tyres and							
anti-theft wheel bolts	_	_	_	_	_	•	
Full size steel spare wheel	•	•	•	•	•	_	
Temporary space-saver spare wheel	_	_	_	_	_	•	
. , , ,							



Specifications subject to change without notice. Information correct as at 1 August 2002. Please note: All data subject to manufacturer's tolerances.

# Glossary.

### ABS (Anti-lock Braking System)

The ABS system prevents the wheels from locking during heavy or emergency braking, enabling the vehicle to remain steerable. When braking, wheel speed sensors measure the road wheel speed and, should one or more wheels start to lock, the system reduces brake pressure to that wheel.

## ASR (Anti-Slip Regulation)

ASR is a switchable traction control system that prevents the driven wheels from spinning under acceleration by reducing engine torque. It is active at all speeds.

### EDL (Electronic Differential Lock)

EDL improves driving and steering characteristics when accelerating on road surfaces where each wheel has a different degree of traction. The system operates automatically and is combined with the ABS system. Using the ABS wheel sensors, EDL monitors the speed of the individual driving wheels.

When a difference in driving wheel speed is detected (i.e. when one wheel starts to spin due to differences in road surfaces, e.g. due to water or ice), the system brakes the spinning wheel, transferring engine power to the wheel with the best traction. EDL is active in forward and reverse.

Electronic Engine Immobiliser Each car has a unique 'code transponder' fitted within the ignition key. When an attempt is made to start the engine, the engine management system interrogates the transponder and *if the incorrect code is received* (i.e. the wrong key is used), the engine will not run.

EON (Enhanced information concerning Other Networks) Ensures that all traffic announcements within a traffic programme area are put through.

# ESP (Electronic Stabilisation Programme)

ESP is designed to stabilise the dynamic handling response of the vehicle by counteracting any tendency towards oversteer

or understeer. The ESP constantly compares the actual movement of the vehicle with predetermined values and, according to the situation, ESP reacts by braking the outer front or inner rear wheel (according to direction of slip) and automatically adjusting the engine's output.

PD – 'Pumpe Düse' (Pump Injectors)

Very high pressure (max. = 2020 bar) injection system for new generation diesel engines. Significantly improves performance and economy due to better fuel atomisation.

# The radio receiver uses additional data sent by the station to display the name of the station you are listening to and, given poor reception, it will retune the selected station to an alternative frequency if available. The system can also provide local traffic reports, interrupting the current

RDS (Radio Data System) station, CD or cassette if required. 4MOTION with 'Haldex' Coupling 4MOTION is a new four wheel system which includes the 'Haldex' coupling mounted in the rear axle. This 'Haldex' coupling contains an electronically and hydraulically controlled multiplate clutch that allows the engine power to be transferred to the wheels with the best traction. The coupling constantly regulates distribution of the drive between the front and rear axles and, because the system is electronically controlled, it gives the optimum traction for most driving situations. The advantages of the 4MOTION system are as follows:-

Front wheel drive characteristics, very quick response, no drive train 'wind-up' when parking, compatible with different tyre sizes (e.g. space-saver temporary spare wheel). Allows car to be towed with the axle raised off the ground.

## Volkswagen service

## for your peace of mind.

### The Volkswagen Warranty.

### 3-year Warranty.

All Volkswagen Boras now come with a 3-year/60,000 miles warranty, which protects your car against the failure of most mechanical and electrical components due to manufacturing defects. This comprises a 2-year manufacturer's warranty with unlimited mileage plus a further 1-year/60,000 miles (whichever is soonest) Retailer Warranty. Should the mileage exceed 60,000 miles within the first two years, the manufacturer's 2-year warranty will still be valid. If an additional warranty for subsequent years or higher mileage is desired, it may be purchased from any authorised Volkswagen retailer; however, this additional warranty must be purchased before the mileage reaches 59,999. Cover is subject to the car being serviced and maintained at an authorised Volkswagen retailer according to the manufacturer's recommendations. Full details of the 3-year warranty are available from your Volkswagen retailer. This 3-year warranty is only available on vehicles purchased in the UK through an authorised Volkswagen retailer.

### 3-year Paint Warranty.

The paintwork of the Bora is covered against manufacturing defects for a period of 3 years. Naturally, the Bora must be cared for in compliance with the operating instructions which will be found in your vehicle handbook. Please consult your Volkswagen retailer for full warranty details.

### 12-year Body Protection Warranty.

The internal body sections and panels of the Boras are covered against rusting through from the inside for a period of 12 years. Naturally, the Bora must be cared for in compliance with the operating instructions. Please consult your Volkswagen retailer for full warranty details.

## Service Intervals for Petrol and **Diesel Engines.**

Volkswagen has always been dedicated to protecting the environment. That's why many Volkswagen Boras now come with a choice of service schedules -Extended and Variable Service regimes.

Your vehicle will be set to operate on Extended Service, which means an oil service is required at 10,000 miles or 12 months (whichever is sooner) with a main service required at 20,000 miles or 24 months (whichever is sooner).

Some engines can also be set to run on Variable Service regime. Please contact your Volkswagen retailer for further information.

### Approved Accessories.

A comprehensive range of accessories from alloy wheels to carpet mats is available to complement the factoryfitted option list. Volkswagen Approved accessories purchased from and fitted by your Volkswagen retailer at the point of vehicle sale will also benefit from the 3-year vehicle warranty.

### Volkswagen Insurance.

Competitive insurance premiums are available to Volkswagen owners through Volkswagen Insurance Service (Great Britain) Limited. Volkswagen Insurance guarantee that all repair work is undertaken by an authorised Volkswagen retailer using only genuine parts, thus ensuring that the manufacturer's warranties remain in force. For a quotation, telephone Linkline on 0845 600 8006.

### **Extended Warranty.**

You may purchase additional protection from your retailer or contact 0870 9000 115.

### Volkswagen Finance.

Volkswagen Finance offers a dedicated service to meet the needs of both the business user and the private motorist. We can help you choose the right type of finance and will tailor the package to meet your specific requirements. Please consult your Volkswagen retailer for details.

### Volkswagen Assistance.

Every new car is registered for Volkswagen Assistance for 1 year. This provides vehicle recovery in the years. For full details, please contact vour Volkswagen retailer.

### Tax Free Sales.

Volkswagen retailer.

### CO<sub>2</sub> Emission.

The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

The CO<sub>2</sub> figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO<sub>2</sub> emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

unlikely event of a breakdown (subject to conditions). Volkswagen Assistance can also be purchased for subsequent

For full details, please contact your

### **Please Note:**

Some illustrations in this brochure do not necessarily reflect UK specifications. Consequently, controls and some items of equipment are positioned differently for the UK.


The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your Volkswagen retailer prior to ordering.

All vehicles fitted with accessories in this brochure have been registered.

The TDI® is a registered trademark of VOLKSWAGEN AG.

### Note

We would like to advise you that telephone calls to Volkswagen Customer Care may be monitored and recorded as part of our training and quality assurance processes. All our monitoring and recording processes meet Oftel regulations.



for yourself, simply contact

your local Volkswagen retailer.

60

Bora