Volkswagen Information Service. Telephone 0800 333 666

Internet: www.volkswagen.co.uk

© Volkswagen Group United Kingdom Limited 2003.

Issue: 1 March 2003. Printed in UK.

PVW103PO

THE POLO.

2003 MODEL YEAR.



- Philosophy and Design
- Engines
- 8 Safety
- The Polo Model Range
- The Polo E
- The Polo S
- The Polo SE
- The Polo Sport
- Optional Equipment
- Colours and Upholstery
- Technical Specification
- Standard Equipment
- Volkswagen Service



THE TOUGH NEW POLO.

Model shown is Sport.




THE POLO. THE BENCHMARK FOR SMALL CAR DESIGN.

Owning and driving a small car used to have its advantages and disadvantages. With the arrival of the Polo, we've eradicated the disadvantages. From now on there's no need to accept lesser comfort, quality, technology and equipment than those driving larger cars. In fact, you don't need to make any compromises at all – just revel in the small car manoeuvrability, practicality and economy that complement the Polo's big car comforts.

Model shown is SE fitted with optional 16" 'Barcelona' alloy wheels.

From the moment you step inside the Polo, you'll notice how roomy it is for a small car. The reason is ergonomic design – the study of how efficient we are within an environment, in this case the driving environment. So as you notice the support of the firm, contoured driver's seat, you'll also discover how easy it is to read the dials. Likewise, all the switches and controls are positioned within easy reach. The benefit of this well thought out interior is not just the added comfort, but the ability to concentrate on the most important thing; the road ahead.

Quality is also clearly evident when appreciating the interior of the Polo. From the choice of quality fabrics to the solid feel of fitted components. A particular highlight of such quality is the stylish dashboard with its red needles and blue illumination at night-time.



LEADING EDGE TECHNOLOGY.

Through a wide choice of petrol and diesel engines, it's easy to find a Polo that feels just right for you and your budget. Whichever one you choose, you'll enjoy exceptional fuel economy^{*} and, increasingly important, you'll help reduce pollution. Our high-tech engines are epitomised by the new 1.4 litre FSI, which stands for Fuel Stratified Injection. This ingenious engine applies lean-burn technology and direct petrol injection through a precisely controlled spray action. The result is an 86 PS^{*} engine that combines miserly fuel consumption[†] with lower CO_2 emissions^{*}.

The enviable choice of petrol engines continues with two three cylinder and two four cylinder units. Choose one of the three cylinder engines and you'll benefit from a lightweight aluminium construction that helps reduce fuel consumption. Such weight savings also help deliver agile and responsive performance throughout its ample torque curve. The addition of a balancing shaft also ensures the engines run smoothly and quietly. The fuel consumption figures speak for themselves – on the Urban cycle* the 1.2 litre 55 PS* engine returns 35.8 mpg and the more powerful 1.2 litre 65 PS* engine returns 36.7 mpg.





Opt for one of the four cylinder engines – either 75 PS* or 100 PS* – and more sporty performance will be at your disposal. Whichever petrol engine you decide upon, you'll find a responsive transfer of power through a five speed gearbox. For greater convenience in city driving, the 1.4 litre 75 PS* petrol engine can be fitted with an optional four speed automatic transmission.

If it's a diesel you desire, the range starts with a 64 PS*, 1.9 litre SDI that returns 57.6 mpg on the Combined cycle*. If you're seeking added performance, yet require the exceptional economy of a diesel, then you'll be amazed by the three cylinder 75 PS* and four cylinder 100 PS* TDI engines. Both benefit from turbocharging and 'Pumpe Düse' (PD) direct fuel injection, one of Volkswagen's latest technological breakthroughs. PD's high pressure design allows fuel to be directed into the cylinder in ultra fast time and is the key to its superb efficiency and impressive performance.




The new three cylinder petrol engines: Low weight means greater fuel economy.

With a TDI 'Pumpe Düse' engine, performance and economy go hand in hand.

umption and CO₂ emissions figures. tra Low Sulphur Petrol (ULSP) must be used.

^{*} Please see pages 32, 33 and 36 for PS explanation, fuel consumption and CO_2 emissions figures.

[†] In order to achieve maximum fuel consumption benefits, Ultra Low Sulphur Petrol (ULSP) must be used.



Model shown is SE with optional rain sensor and automatic dimming interior rear-view mirror.

ABS: AN ELECTRONIC GUARDIAN ANGEL.

One of the basic needs of every human being is to feel protected. For this reason, not only is the Polo the largest ever produced, it's also the safest, with many unique features in its class. To begin with, its structure is designed to absorb energy during an accident and limit damage to its inner safety cell. Similarly, at the time of impact, the engine and gears are decoupled from the bodywork to avoid major penetration to the interior. To protect the driver's feet and legs, the pedals are designed to pull away in the event of frontal impact.

Every Polo is fitted with four airbags – two front airbags and two within the side of the front seats. When combined with three-point seat belts equipped with force limiters and pre-tensioners, these safety features provide exceptional protection for the driver and front seat passenger. Building on the strength of the previous Polo, crash testing has proven that, during side impact, the Polo is better than ever.

We've also paid special attention to the needs of the younger passengers, as they are often at greater risk during an accident. For example, Volkswagen's own Isofix system is pre-installed with fixing points on the chassis itself. So when you add an Isofix seat, it clicks into place in seconds without the need to thread any seat belts – it's also far more sturdy than a traditional system. There are two optional extras for those with a young family – an integrated child seat in the rear bench and the ability to deactivate the front passenger airbag so as to fit a rear facing child seat.

Across the range, ABS is fitted as standard. The ABS is activated under extreme braking, particularly on slippery road surfaces. This electronically controlled system helps to prevent the wheels from 'locking', thereby enabling the car to remain steerable in hazardous conditions. On 75 PS models and above, the ABS is further enhanced with disc brakes all round.


As an optional extra, Electronic Stabilisation Programme (ESP) with hydraulic brake assistance ('brake assist') provides additional safety. Brake assist recognises an emergency braking situation and applies maximum braking controlled by the ABS system, to ensure that the best possible braking is achieved.



MODERN AND TECHNOLOGICALLY ADVANCED WITH VISUAL PRESENCE.

Model shown is Sport fitted with optional 16" 'San Marino' alloy wheels.







are standard on all models.



is standard on E and S models.



after 15 minutes.

THE POLO E: SMALL CAR BENEFITS, BIG CAR COMFORT.


The Polo E impresses in many ways, but most importantly, it's the way it feels. It possesses such quality and charisma, you'd be forgiven for thinking you were in a much larger class of car. By increasing the wheelbase by 5.3 centimetres, not only has the headroom for rear passengers been increased, the whole interior has been redesigned with a more spacious layout. There's plenty of large car features like ABS, two rear head restraints, tinted glass, carpet in the luggage compartment, electrically-adjustable door mirrors, front cup holder, central locking and a 'Beta' radio/cassette with RDS, four speakers and a roof aerial.

The larger wheelbase also enhances the weight distribution, thereby helping to improve roadholding. Another factor that makes the Polo equally comfortable in town or on the open road is its speed sensitive power-assisted steering. Weave through twisty lanes and the steering resistance will be greater to facilitate more precise steering manoeuvres. Back in the city, where the Polo excels, at lower speeds the steering will become lighter to make parking child's play.

Front seat-mounted side airbags

A 'Beta' radio/cassette with four speakers

To conserve energy, the heated rear window automatically switches off







and above.



on S models and above.

THE POLO S: LUXURIOUSLY EQUIPPED.

The Polo S offers more by way of luxurious equipment. You'll find electric front windows, split folding rear seats, an anti-hijack central locking button and front cup holder. There's even a semi-automatic 'Climatic' control system that not only delivers cool comfort in the hot summer months, it also helps rapidly demist the windscreen in the winter.

This attractive specification also offers the widest choice of engines in the Polo range - three petrol and two diesel. The petrol engines include a 1.2 litre 55 PS, a 1.2 litre 65 PS or a 1.4 litre 75 PS (available with automatic gearbox). If you prefer the economy and low running costs of a diesel,* but don't wish to compromise on performance, why not consider one of Volkswagen's latest diesels? You can choose either a 1.9 litre SDI developing 64 PS or a 1.4 litre TDI 75 PS that benefits from 'Pumpe Düse' technology.

All models feature electrically-adjustable door mirrors and central locking (with anti-hijack on S models and above).

The luxury of semi-automatic 'Climatic' air conditioning is standard on S models

Front electric windows are standard





On SE and Sport models, the front vanity mirrors are illuminated when opened.



The deep rear seat centre armrest, standard on the SE, provides additional storage.



The top-of-the-range 'Gamma' radio/cassette features digital sound control.

THE POLO SE: THE SMALL CAR THAT LOVES TO IMPRESS.

The large car feel enjoyed by the Polo is taken to the extreme with the Polo SE. It boasts many luxury features that normally adorn the cars of the executive car park. Like semi-automatic 'Climatic' air conditioning, remote control central locking and alarm with interior protection, body-coloured door mirrors and door handles, split folding rear seats with a centre armrest, a 'Gamma' RDS radio/cassette with eight speakers, and luxurious 'Maxima' cloth upholstery.

When it comes to selecting an engine, there's an inspiring choice – three petrol and one diesel. The petrol engines are a 1.2 litre 65 PS, 1.4 litre 75 PS or a more powerful 1.4 litre 86 PS FSI. When you consider that the 1.4 litre 75 PS can reach 107 mph, where the law permits, yet return 43.5 mpg on the Combined cycle*, it really does offer all-round performance. The diesel option is the 1.4 litre TDI PD that develops 75 PS. In addition to fuel economy and good performance, its CO_2 emission is the lowest in the Polo range, just 124 g/km.*





A multifunction computer provides information about distance travelled, driving time, range, average speed, average fuel consumption, time and outside temperature. It is standard on the Sport.



on S and SE models.



A front cup holder is standard on all models.


THE POLO SPORT: PERFORMANCE ENGINEERED.

From the moment you set eyes on the Polo Sport, its intentions are clear – 15 inch 'Melbourne' alloy wheels with 195 tyres, front fog lights and uprated suspension give a feel for what's to come. Gaze inside and you'll find front sports seats, a dash-mounted six CD autochanger, multifunction computer and lively 'Scala' cloth upholstery.

But it's on the road where the Polo Sport will really impress thanks to the fine choice of engines combined with sports suspension. Choose one of the two diesel options and you'll soon become an admirer of the turbocharging and PD technology that delivers the perfect blend of performance with diesel economy. The 1.9 litre 100 PS TDI PD engine will take you to 62 mph from standstill in just 10.7 seconds on your way to a top speed of 117 mph, where the law permits. Alternatively there are two petrol engines, the 1.4 litre 16V 100 PS and the revolutionary new 1.4 litre 86 PS FSI.

The 'Melbourne' is standard on the Sport. This five-spoke 15" alloy wheel is optional

ONE THING UNITES POLO DRIVERS. GOOD TASTE.





Polo



The top-of-the-range 'Gamma' radio/cassette features digital sound control.



Standard on Sport models, a dash-mounted CD autochanger holds six discs.



With a state-of-the-art satellite navigation system, you can throw away your map books.

IN-CAR ENTERTAINMENT.

Every model in the Polo range includes a quality radio/cassette player. On the E and S it's the 'Beta' with RDS, four front speakers and a roof aerial. With RDS, not only does the radio retune to the best available signal, it also keeps you informed of any traffic information announcements. Other features include auto reverse on the cassette player and automatic volume control that adjusts depending upon the speed of the car.

The 'Gamma' radio/cassette is standard equipment on the SE and Sport, and optional on E and S models. This model outputs exceptional sound quality through eight speakers and also features RDS. An ingenious feature of the RDS is TIM (Traffic Information Memory) which stores traffic announcements which you can play back when you return to your car.

Both units can be linked to the optional dash-mounted CD autochanger that holds six discs for hours of uninterrupted music and is available for E, S and SE models.

SATELLITE NAVIGATION.

The radio navigation system is the very latest technology and is set to make the traditional road map a thing of the past. Route guidance is supplied via arrow symbols in both the unit and a display in the centre of the instrument panel, together with audible recommendations. The CD slot can be used for music CDs when the navigation system is not in use. In addition, this system will also operate the Volkswagen boot-mounted six CD autochanger. The monochrome navigation system is available as a factory-fitted option at extra cost, on SE and Sport.

Please note the dash-mounted six CD autochanger or radio navigation system are not available in conjunction with each other. If both systems are required, the dash-mounted six CD autochanger is replaced with a boot-mounted six CD autochanger.



Electronic Stabilisation Programme (ESP) provides an exceptional level of active safety.



An integrated child seat is the fast and simple way to accommodate children between three to six years.





Manual rear vent windows provide draught-free ventilation (three door models only).

The glass sunroof is electrically operated for ease of use.

SAFETY EQUIPMENT.

The Electronic Stabilisation Programme (ESP) provides an exceptional level of active safety. It works through a series of electronic sensors that constantly monitor the desired direction of the car and compare it with the actual movement. If a deviation is detected, the system activates in a fraction of a second to try to defuse any potentially dangerous situations. Despite the immense capability of ESP, it's worth remembering that it cannot defy the laws of physics. This option also includes hydraulic brake assistance that detects the amount of pressure on the brake pedal. If it recognises an emergency application, it automatically builds up the braking force to reduce the stopping distance. ESP is available as an option on all models.

At Volkswagen we've always viewed safety as a priority, particularly for the youngest members of a family who are often the most vulnerable. It's the reason why we developed the Isofix system - a method of attaching a seat to fixings on the chassis itself. Alternatively, as an option on all models, you can choose an integrated child seat which provides the neatest, quickest and most flexible way of accommodating children of around three to six years old. Please note, the integrated child seat is positioned behind the driver's seat.

COMFORT AND CONVENIENCE.

On all Polo models there is the option of a rain sensor. This detects the amount of water on the windscreen and adjusts the speed of the wipers accordingly. During the coldest months the optional Winter pack provides a touch more comfort as well as additional safety. It includes heated front seats with five preset temperature settings, powerful headlight washer jets and heated windscreen washer jets.



If you wish to fit a child seat in the front passenger seat, the passenger airbag must be deactivated. This option allows fast deactivation using the ignition key.



A rain sensor detects moisture and adjusts the speed of the windscreen wipers accordingly.



The 14" seven-spoke 'Sao Paulo' alloy wheel is available with 185 tyres on E, S and SE models.



The 'Melbourne' is standard on the Sport. This five-spoke 15" alloy wheel with 195 tyres is optional on S and SE models.



The 16" 'Barcelona' alloy wheel is available with 205 tyres on S (except 1.2 litre 55 PS), SE and Sport.




The luxury of semi-automatic 'Climatic' air conditioning is optional on E models.



'Climatronic' has the benefit of precise temperature control. Available as an option on all models except E.



The stylish 'San Marino' design 16" alloy wheel with 205 tyres is available for the Sport.



Stand out from the crowd with a Polo Colour Concept. Optional on SE.

LIGHT ALLOY WHEELS.

Glance at any car and its wheels will be one of the first things you notice. They complete a car's personality and are a simple way of expressing your individuality. There are several alloy wheels available for the Polo, ranging from 14 to 16 inches with 185 tyres up to broad 205 tyres. Each design is built to the highest standards using the finest materials, to ensure they retain their looks for many years to come. All alloy wheels include anti-theft locking wheel bolts.

COLOUR CONCEPT.

The Colour Concept option is available in three lively colours – blue, yellow or red. It starts with a gleaming, vibrant paintwork and continues inside with a quality leather interior. The interior seats combine side panels in anthracite with middle panels in your chosen colour. The bright coloured leather extends across the door inserts and gear lever gaiter. This option also includes front height-adjustable heated sports seats with five individual preset temperature controls.





Split folding rear seats provide greater practicality. Optional on E models.

The sumptuous feel of leather upholstery is available as an option on SE.

AIR CONDITIONING.

It's equipment like air conditioning, standard on all models except the E, that makes the Polo feel more like a larger executive car. Whilst the standard 'Climatic' system is semi-automatic, it is possible to upgrade to a full climate control package. This more advanced system allows precise control of the interior cabin to a preset temperature. You can either cool or warm the air and it also takes out the dampness, which is particularly useful in the winter for demisting the windscreen. As you'd expect from Volkswagen, our commitment to the environment ensures that no CFCs are used, be it during manufacture or when operating the system.

Across the Polo range, a glass sunroof is available as an optional extra. With electric operation, the sunroof is fast and simple to use - just twist the control to your desired setting and the roof will open or close in a matter of seconds. To avoid direct sunlight, the sunroof comes with a retractable blind.

COMFORT EQUIPMENT.

With split folding rear seats you have the ability to accommodate both rear passengers and bulky items of luggage. For greater flexibility, the seats are split one third to two thirds. This option includes an additional third head restraint and a full three-point seat belt in the middle position.

For an exclusive feel, you can't beat natural leather. It not only creates a classic and elegant ambience, it's highly practical too. It provides great comfort, is extremely hard-wearing and is easy to clean and maintain. This option also includes heated front seats which have five temperature settings with individual controls and on five door models includes electric rear windows.




Front heated seats have five separate preset temperature controls. Available as part of the Winter pack on all models.


EXTERIOR PAINTWORK.


Non-Metallic Paint

Black*

A1 Candy White B4 Flash Red








Grey Anthracite

Pearl Effect Paint*

D8



Please note: The print process does not allow for exact reproduction of the paint colours. For further details, please contact your Volkswagen retailer.

* Black, Yellow, Metallic and Pearl Effect paint are optional at extra cost.





R8 Diamond Black



Z4

26 27






7D Oceanic Green

8Z

A CHOICE OF UPHOLSTERY.

E, S 'Magic' cloth



SE 'Maxima' cloth

Anthracite	DB Flannel Grey	DC Cream	DD
Anthracite	BE Anthracite/Blue	BF Anthracite/Re	ed BG


Please note: The print process does not allow for exact reproduction of the upholstery colours. For further details, please contact your Volkswagen retailer.

* Optional at extra cost.
† Optional at extra cost as part of Colour Concept pack.

SE Leather sports seats*

Colour Concept

Leather sports seats[†]



Anthracite



Anthracite/Blue

Sport 'Scala' sports seats



VL








ZV Anthracite/Yellow

ZW

COLOUR COMBINATIONS.



■ Standard □ Optional at extra cost

* Black, Yellow, Metallic and Pearl Effect paint are optional at extra cost.

† Optional at extra cost as part of Colour Concept pack.

TECHNICAL SPECIFICATION.

	E, S	E, S, SE	S, SE		SE, Sport	Sport
	1.2 litre 55 PS	1.2 litre 65 PS	1.4 litre 16V 75 PS	5	1.4 litre FSI 86 PS	1.4 litre 16V 100 PS
ine:			-			
	Front transversely mounted	Front transversely mounted	Front transverse		Front transversely mounted	Front transversely mounte
	Three cylinder in-line – petrol,	Three cylinder in-line – petrol,	Four cylinder in-	-	Four cylinder in-line – petrol,	Four cylinder in-line – pet
	cast iron cylinder block,	cast iron cylinder block,	cast iron cylinde		aluminium/alloy cylinder block,	cast iron cylinder block,
	alloy cylinder head with	alloy cylinder head with	alloy cylinder he		aluminium cylinder head with	alloy cylinder head with
	single overhead camshaft	double overhead camshaft	double overhead	camshaft	double overhead camshaft	double overhead camshaft
Number of valves	Two per cylinder	Four per cylinder	Four per cylinde	r	Four per cylinder	Four per cylinder
Cubic capacity, ltrs/cc	1.2/1198	1.2/1198	1.4/1390		1.4/1390	1.4/1390
Bore/stroke, mm	76.5/86.9	76.5/86.9	76.5/75.6		76.5/75.6	76.5/75.6
Max. output, PS*/kW	55/40	65/47	75/55		86/63	100/74
at rpm	4750	5400	5000		5000	6000
Max. torque, lbs.ft/Nm	78/106	83/112	93/126		96/130	93/126
at rpm	3000	3000	3800		3500	4400
Compression ratio	10.8:1	10.5 : 1	10.5 : 1		12.0:1	10.5 : 1
Induction	Electronic multipoint	Electronic multipoint	Electronic multi	point	Direct petrol injection	Electronic multipoint
	injection, single	injection, single	injection, single		. ,	injection system, single
	cylinder injection	cylinder injection	cylinder injectio	n		cylinder injection
Exhaust emission control	Catalytic converter	Catalytic converter			Catalytic converter	Catalytic converter
	lambda control	lambda control	-		lambda control	lambda control
Fuel grade, minimum	Premium 95 RON unleaded	Premium 95 RON unleaded			Premium 95 RON unleaded	Premium 95 RON unleaded
Battery, A (Ah)	220 (44)	220 (44)			220 (44)	220 (44)
Alternator, amps	70	70	70	200 (00)	110	70
ismission:						
	Front wheel drive	Front wheel drive	Front wheel driv	e	Front wheel drive	Front wheel drive
Gearbox	Five speed manual	Five speed manual	Five speed manu	al Four speed auto	Five speed manual	Five speed manual
ormance (with half payload):						
(where law permits)	95 (152)	101 (162)	107 (172)	104 (168)	111 (178)	116 (188)
Acceleration, secs 0 - 62 mph	17.5	14.9	12.9	15.3	12.1	10.9
ABI insurance group	ТВА	2, 2, 3	3, 4	3, 4	ТВА	6
Abi insurance group	1 DA	2, 2, 5	5, 4	5,4	1 DA	0
ironmental information:						
Official fuel consumption accordi	ng to EU Directive 99/94,					
mpg/ltr per 100 km						
Urban	35.8/7.9	36.7/7.7	31.7/8.9	27.2/10.4	36.2/7.8	31.4/9.0
Extra-urban	58.9/4.8	55.4/5.1	53.3/5.3	47.1/6.0	58.9/4.8	52.3/5.4
Combined	47.1/6.0	47.1/6.0	43.5/6.5	37.2/7.6	47.9/5.9	42.2/6.7
Fuel tank capacity, galls/ltrs	10.0/45	10.0/45	10.0/45	10.0/45	10.0/45	10.0/45
Official CO ₂ emission, g/km^{\dagger}	144	144	156	182	142	161
-						
Noise, dB	72	72	72	69	71	71

* Please note: The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.

[†] Please see page 41 for further information on CO₂ emissions.

Specifications subject to change without notice. Information correct as at 1 March 2003. Please note: All data subject to manufacturer's tolerances.

TECHNICAL SPECIFICATION.

	E, S	E, S, SE	S, SE	DC	SE, Sport	Sport 1.4 litre 16V 100 PS	
Running gear:	1.2 litre 55 PS	1.2 litre 65 PS	1.4 litre 16V 75	r3	1.4 litre FSI 86 PS	1.4 lifre lov 100 PS	
Front axle	Independent with McPherson struts and coil springs	Independent with McPherson struts and coil springs	Independent w struts and coil		Independent with McPherson struts and coil springs	Independent with McPherson struts and coil springs	
Rear axle	Torsion beam with trailing arms	Torsion beam with trailing arms	Torsion beam	with trailing arms	Torsion beam with trailing arms	Torsion beam with trailing arms	
Steering	Power-assisted rack and pinion	Power-assisted rack and pinion	Power-assisted	rack and pinion	Power-assisted rack and pinion	Power-assisted rack and pinion	
Brake system	Servo assisted, diagonally split	Servo assisted, diagonally split	Servo assisted,	diagonally split	Servo assisted, diagonally split	Servo assisted, diagonally split	
	circuit with ABS	circuit with ABS	circuit with AB	S	circuit with ABS	circuit with ABS	
Front	Ventilated discs	Ventilated discs	Ventilated disc	s	Ventilated discs	Ventilated discs	
Rear	Self-adjusting drums	Self-adjusting drums	Discs		Discs	Discs	
Turning circle, ft/m	34.7/10.6	34.7/10.6	34.7/10.6		34.7/10.6	34.7/10.6	34 35
Wheels and tyres:							35
Wheel size	5J x 14	5J x 14	5J x 14		5J x 14 ¹	6J x 15	
Wheel type	Steel	Steel	Steel		Steel ¹	Alloy 'Melbourne'	
Tyre size	165/70 R14 81T	165/70 R14 81T	165/70 R14 81T		165/70 R14 81T ¹	195/55 R15V	
Spare wheel	Full size steel	Full size steel	Full size steel		Full size steel	Full size steel	
Weights, lbs/kgs:							
	Manual	Manual	Manual	Automatic	Manual	Manual	
Unladen weight [†]	2426/1100	2586/1173	2609/1183	2686/1218	2639/1197	2624/1190	
Gross vehicle weight	3330/1510	3418/1550	3440/1560	3528/1600	3484/1580	3462/1570	
Payload ⁺	904/410	831/377	831/377	842/382	845/383	838/380	
Axle load limit: Front	1676/760	1808/820	1830/830	1918/870	1874/850	1985/900	
Rear	1676/760	1720/780	1720/780	1720/780	1720/780	1720/780	
Trailer load limits, lbs/kgs:							
Braked 12% incline	1544/700	1764/800	2205/1000		2646/1200	2205/1000	
Unbraked	1103/500	1103/500	1103/500		1103/500	1103/500	
Towbar load	110/50	110/50	110/50		110/50	110/50	
Max. roof load	165/75	165/75	165/75		165/75	165/75	
Max. luggage capacity, cu.ft (litres):	VDA measuring method using 200 x 1	00 x 50 mm blocks	VDA measuring	g method using 200 x 1	00 x 50 mm blocks		
With rear seat upright	8.8 (250)	8.8 (250)	8.8 (250)	~	8.8 (250)	8.8 (250)	
With rear seat folded	36.3 (1030)	36.3 (1030)	36.3 (1030)		36.3 (1030)	36.3 (1030)	

† Figures are calculated in accordance with manufacturer's criteria.

 $^1\,$ Sport models have 6J x 15 'Melbourne' alloy wheels with 195/55 R15V tyres and anti-theft wheel bolts.

Specifications subject to change without notice. Information correct as at 1 March 2003. Please note: All data subject to manufacturer's tolerances.

TECHNICAL SPECIFICATION.

	E, S 1.9 litre SDI 64 PS	S, SE, Sport 1.4 litre TDI PD 75 PS	Sport 1.9 litre TDI PD 100 PS		E, S 1.9 litre SDI 64 PS	S, SE, Sport 1.4 litre TDI PD 75 PS	Sport 1.9 litre TDI PD 100 P
	1.9 lifre 5DI 64 PS	1.4 lifte 101 PD 75 PS	1.9 lifte 1DI PD 100 PS	Duration and an	1.9 lifre SDI 64 PS	1.4 liffe 1 DI PD 75 PS	1.9 lifre IDI PD 100 P
:	Event transversely mounted	Event transversely mounted	Event transversely mounted	Running gear:	Indonandant with MaD	horeon strute and soil and	200
	•	Front transversely mounted	•	Front axle Rear axle		herson struts and coil spri	ngs
	Four cylinder in-line –	Three cylinder in-line –	Four cylinder in-line –		Torsion beam with trai	•	
	diesel, cast iron cylinder	diesel, cast iron cylinder	diesel, cast iron cylinder	Steering	Power-assisted rack an	•	
	block, alloy cylinder	block, alloy cylinder	block, alloy cylinder	Brake system	-	Illy split circuit with ABS	XX
	head with single	head with single	head with single	Front	Ventilated discs	Ventilated discs	Ventilated discs
	overhead camshaft	overhead camshaft	overhead camshaft	Rear	Self-adjusting drums	Discs	Discs
Number of valves	Two per cylinder	Two per cylinder	Two per cylinder	Turning circle, ft/m	34.7/10.6	34.7/10.6	34.7/10.6
Cubic capacity, ltrs/cc	1.9/1896	1.4/1422	1.9/1896				
Bore/stroke, mm	79.5/95.5	79.5/95.5	79.5/95.5	Wheels and tyres:			
Max. output, PS*/kW	64/47	75/55	100/74	Wheel size	5J x 14	5J x 14 ¹	6J x 15
at rpm	4400	4000	4000	Wheel type	Steel	Steel ¹	Alloy 'Melbourne'
Max. torque, lbs.ft/Nm	92/125	144/195	177/240	Tyre size	165/70 R14 81T	165/70 R14 81T ¹	195/55 R15V
at rpm	1600	2200	1800	Spare wheel	Full size steel	Full size steel	Full size steel
Compression ratio	19.5 : 1	19.5 : 1	19.0 : 1	L			
Induction	Direct injection –	Direct injection –	Direct injection –	Weights, lbs/kgs:			
	distributor pump,	with unit injectors,	with unit injectors,		Manual	Manual	Manual
	naturally aspirated	turbocharged	turbocharged	Unladen weight [‡]	2752/1248	2774/1258	2822/1280
		with intercooler	with intercooler	Gross vehicle weight	3594/1630	3616/1640	3660/1660
Exhaust emission control	Catalytic converter	Catalytic converter	Catalytic converter	Payload [‡]	842/382	842/382	838/380
Fuel grade, minimum	Diesel	Diesel	Diesel	Axle load limit: Front	1985/900	2007/910	2051/930
Battery, A (Ah)	340 (70)	340 (70)	340 (70)	Rear	1720/780	1720/780	1720/780
Alternator, amps	70	70	70				
*				Trailer load limits, lbs/kgs:			
nission:				Braked 12% incline	1764/800	2205/1000	2646/1200
	Front wheel drive	Front wheel drive	Front wheel drive	Unbraked	1103/500	1103/500	1103/500
Gearbox	Five speed manual	Five speed manual	Five speed manual	Towbar load	110/50	110/50	110/50
	1	1	1	Max. roof load	165/75	165/75	165/75
mance (with half payload):							
Top speed, mph (km/h)				Max. luggage capacity, cu.ft (litres):	VDA measuring metho	d using 200 x 100 x 50 mm	blocks
(where law permits)	99 (160)	106 (170)	117 (188)	With rear seat upright	8.8 (250)	8.8 (250)	8.8 (250)
Acceleration, secs 0 - 62 mph		13.6	10.7	With rear seat folded	36.3 (1030)	36.3 (1030)	36.3 (1030)
ABI insurance group	2, 2	4, 5, 5	6			00.0 (1000)	00.0 (1000)
	2, 2	1, 0, 0	0	Exterior dimensions:			
nmental information:				Exterior dimensions:			
Official fuel consumption acc	ording to EII Directive 99/94					1	7
	Lording to EO Directive 99794	,					
mpg/ltr per 100 km		40.015.7				1h	
Urban	44.1/6.4	49.6/5.7	43.5/6.5			18	- COC
Extra-urban	68.9/4.1	68.9/4.1	68.9/4.1				
Combined	57.6/4.9	61.4/4.6	56.5/5.0		- ¹	8	
Fuel tank capacity, galls/ltrs		10.0/45	10.0/45			8	- DDY
Official CO $_{\rm 2}$ emission, g/km $^{\scriptscriptstyle +}$		124	135			1 - Di	1
Noise, dB	71	73	74	│ <mark>,</mark> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
				ા અન્ય કંસની			\
						ι	- \ /

‡ Figures are calculated in accordance with manufacturer's criteria.

¹ Sport models have 6J x 15 'Melbourne' alloy wheels with 195/55 R15V tyres and anti-theft wheel bolts.

STANDARD EQUIPMENT.

and Security:		4	S	SE	Ś	Interior Equipment and	Styling:
ABS:	Anti-lock brakes					Ashtray:	Illuminated, in centre console
Airbags:	Driver's airbag					Carpet:	In luggage area
0	Front passenger's airbag				•	Centre console	
	Front seat side impact airbags					Cup holder mo	unted in centre console
Alarm:	With interior protection and remote central locking	_				Heating:	Air blending and ventilation system
Body:	Fully galvanised with 12-year anti-corrosion warranty						Air conditioning – manual 'Climati
-	Door side impact protection					Instruments:	Speedo and rev counter, service int
	Rigid safety cell with front and rear crumple zones						fuel and temperature gauge, low fu
Central locking:	With security protection and key operation			_	_		blue instrument illumination
-	Anti-hijack internal central locking button	_				Interior lightin	g
Electronic engin	e immobiliser, coded transponder					Load sill prote	•
ESP:	Electronic Stabilisation Programme					-	artment load lashing points, four
Head restraints:	-				•	Luggage cover:	
High level third i					•	Seating:	Driver's and front passenger's heigh
	preparation (two outer in rear seat)						Easy entry (three door only)
Laminated winds							One third to two thirds split folding
Seat belts:	Front three-point height-adjustable seat belts with tensioners						Rear bench seat
	Rear outer three-point seat belts						Rear seat centre armrest
							Front sports seats
onal Equipment:						Storage:	Drawer under driver's and front pa
Door mirrors:	Electrically-adjustable with wide angle vision on driver's side			-		otoragoi	Front door side pockets
2001	Painted in body colour	_	_	-	-		Storage shelf on driver's side
Cigarette lighter			п	-	-	Sun visors:	Driver's and front passenger's
Computer:	Multifunction, single and total journey memories. Information			_	-		Third sun visor
Compater	given on: Driving time, average fuel consumption, distance driven,				-	Upholstery:	'Magic' cloth
	range, average speed and external temperature (with electronic					opholstory.	'Maxima' cloth
	air conditioning the external temperature is shown in the air						'Scala' cloth
	conditioning display)					Vanity mirrors	
Front fog lights	conditioning display,				-	vunity initiois	Driver's and front passenger's with
Headlights:	Halogen clear				-		Dirver 5 and none pussenger 5 with
incudingints.	Heated rear window	-	-	-	-	Exterior Equipment and	l Styling:
In-car	'Beta' radio/cassette with four speakers, four digit security code,	-	-	-	_	Bumpers:	Painted in body colour with black b
entertainment:	flashing LED and detachable roof aerial with two x 20 watt output	-	-	_	-	Door handles:	Black
entertainment.	FM/MW manual/seek tuning and RDS/EON					Door nandles.	Painted in body colour
	'Gamma' radio/cassette with eight speakers, four digit security code,	_	_	_	_	Fuel filler flap:	
				•	-		
	flashing LED and detachable roof aerial with four x 20 watt output					Green tinted g	
	FM/MW manual/seek tuning and RDS/EON CD autochanger, six disc, dash-mounted	_	_	_	_	Indicators:	Front, white lenses Rear, darkened lenses
Toursened on outs a					-	Cida mahhing a	
Lowered sports s		_	_			Side rubbing st	
Power-assisted s			•	•	•	Wheels:	5J x 14 steel wheels with full size wh
-	Height and reach adjustable			•			Four 6J x 15 'Melbourne' alloy whee
Steering wheel:				•	-		bolts with 195/55 R15V tyres
0	Four-spoke, leather rimmed						Full size steel spare wheel
Sunroof:	Glass electric slide and tilt						
	for lights if left on	•	•	•	•	■ Standard □	Optional – Not available
Windows:	Electric front with comfort closure and roll back safety system	-	•	•	•		
	Rear manual windows, five door models		•		•		
Wipers:	Front wash/wipe with four speeds and interval delay		•	•	•		
	Rear screen wiper with automatic wash/wipe and interval delay						

ystem with four speed fan matic' ce interval display, ow fuel warning light,		S = = = = = =		• • • • • • <i>Short</i>
	•	•	•	•
	•	•	•	•
	•	•	•	•
height adjustment	_		•	•
lding rear seat		٠	•	•
	-	-	-	_
at naccongen's costs	-	-	_	•
nt passenger's seats			•	•
		:	:	•
	-	-	-	•
	-	•	-	-
	-	-	-	•
with cover with illumination	-	-	•	•
ack bump strip	•	•	•	•
	-	-	-	•
		:	:	:
	•	•	-	•
		•		:
wheel trims with 165/70 R14 81T tyres	•	•	•	-
wheels including anti-theft wheel	-			•
				-

VOLKSWAGEN SERVICE FOR YOUR PEACE OF MIND.

The Volkswagen Warranty. Three-year Warranty. All Volkswagen Polos now come with a three-year/60,000 miles warranty, which protects your car against the failure of most mechanical and electrical components due to manufacturing defects. This comprises a two-year manufacturer's warranty with unlimited mileage plus a further one-year/60,000 miles (whichever is soonest) Retailer Warranty. Should the mileage exceed 60,000 miles within the first two years, the manufacturer's two-year warranty will still be valid. If an additional warranty for subsequent years or higher mileage is desired, it may be purchased from any authorised Volkswagen retailer; however, this additional warranty must be purchased before the mileage reaches 59,999. Cover is subject to the car being serviced and maintained according to the manufacturer's recommendations. Full details of the three-year warranty are available from your Volkswagen retailer. This three-year warranty is only available on vehicles purchased in the UK through an authorised Volkswagen retailer.

Three-year Paint Warranty. The paintwork of the Polo is covered against manufacturing defects for a period of three years. Naturally, the Polo must be cared for in compliance with the operating instructions which will be found in your vehicle handbook. Please consult your Volkswagen retailer for full warranty details.

12-year Body Protection Warranty. The internal body sections and panels of the Polos are covered against rusting through from the inside for a period of 12 years. Naturally, the Polo must be cared for in compliance with the operating instructions. Please consult your Volkswagen retailer for full warranty details.

Service Intervals for Petrol and Diesel Engines. Volkswagen has always been dedicated to protecting the environment. That's why all Polos now come with a Variable (LongLife) Service regime. As a result of more flexible service intervals the engine oil requirement can be significantly reduced over the vehicle's total life, which results in less waste oil to dispose of and reduces the burden on the environment.

With the Variable Service regime there is no predetermined time or mileage for a service. Technology fitted to the Polo will determine when a service is required, depending on your driving style, via the Service Interval Display in the instrument panel. This could be between 9,000* and 19,000* miles on petrol engines and even up to 30,000* on some diesel engines or between 12 and 24 months. Please ask your Volkswagen retailer for full details.

If you would like a more traditional service regime, the Polo can be adapted by your Volkswagen retailer, to an Extended (time/distance) Service regime. This can be done at the point of sale or at the time of a service. Please ask your Volkswagen retailer for full details.

* All mileages are approximate.

Approved Accessories. A comprehensive range of accessories from alloy wheels to carpet mats is available to complement the factory-fitted option list. Volkswagen Approved accessories purchased and fitted by your Volkswagen retailer at the point of vehicle sale will also benefit from the three-year vehicle warranty.

Volkswagen Insurance. Competitive insurance premiums are available to Volkswagen owners through Volkswagen Insurance Service (Great Britain) Limited. Volkswagen Insurance guarantee that all repair work is undertaken by an authorised Volkswagen retailer or repairer using only genuine parts. For a quotation, telephone Linkline: 0845 600 8006.

Extended Warranty. You may purchase additional protection from your retailer or contact 0870 9000 115.

Volkswagen Finance[†]. Volkswagen Finance offers a dedicated service to meet the needs of both the business user and the private motorist. We can help you choose the right type of finance and will tailor the package to meet your specific requirements. Please consult your Volkswagen retailer for details. [†] Volkswagen Finance is a trading name of Volkswagen Financial Services (UK) Limited.

Volkswagen Assistance. Every new car is registered for Volkswagen Assistance for one year. This provides vehicle recovery in the unlikely event of a breakdown (subject to conditions). Volkswagen Assistance can also be purchased for subsequent years. For full details, please contact your Volkswagen retailer.

Tax Free Sales. For full details, please contact your Volkswagen retailer.

CO, **Emission**. The weight of a vehicle will influence the level of CO₂ emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO₂.

The CO₂ figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO₂ emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

Please Note: Some illustrations in this brochure do not necessarily reflect UK specifications and may not be available. In particular, controls and some items of equipment are positioned differently for the UK.

The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your Volkswagen retailer prior to ordering.

The TDI® is a registered trademark of VOLKSWAGEN AG.

Note: We would like to advise you that telephone calls to Volkswagen Customer Care may be monitored and recorded as part of our training and quality assurance processes. All our monitoring and recording processes meet Oftel regulations.

