
Volkswagen Information Service, Telephone 0800 333 666 Internet: www.volkswagen.co.uk © Volkswagen Group United Kingdom Limited 2003. Issue: 1 March 2003. Printed in UK.

PVW000NSB

The Sharan

2003 Model Year





The Sharan.

With the Sharan, you enter a totally new world of driving. One in which travel itself becomes an experience to savour. Driving is no longer

a chore because all around

you are space, freedom and comfort. In fact, there's ample room for the driver and six adult passengers to sit back, relax and enjoy their individually formed 'business class' seats. But the

4 Philosophy6 Interior Design

- 10 Safety
- 14 Engines
- 16 The Sharan Model Range
- 18 The Sharan SE
- 20 The Sharan Sport
- 22 The Sharan Carat
- 24 Optional Equipment
- 28 Colours and Upholstery
- 32 Technical Specification
- 36 Standard Equipment
- 38 Dimensions and Glossary
- 40 Volkswagen Service

other beauty of the Sharan is its flexibility – by removing the rear seats you can open up a massive 2,610 cubic litres of storage space.

5

MUSEUM



The middle row of three seats folds down to allow easy access to the two rear seats. Model shown is the Sport fitted with optional front and rear electronic climate control and ESP.

As you climb aboard the Sharan, you'll immediately notice three things – space, comfort and quality. Every model in the Sharan range is equipped with five single seats in the rear. And with wide opening doors, it's extremely easy for your passengers to get in and out of the Sharan.

Choose a Sharan and you'll also gain great versatility. Because with a few simple steps you can transform your car from a spacious saloon to a vehicle capable of transporting large, bulky items. When the rear seats are folded down, a useful table is

formed which is ideal for a business meeting or a family picnic. You can even specify 180° rotating front seats* as an optional extra, allowing you to face your companions around a table.

* Not available on 4MOTION



Each of the five rear seats can be folded down to reveal a table top with integrated cup holder.




specify 180° rotating front seats. Not available on 4MOTION or automatic models.


and the second second second second or automatic models.

As an option at extra cost, you can



seats can either fold down or be removed altogether, creating a huge 2,610 cubic litres of Once removed, the seat sockets have their own covers to ensure that no luggage will get caught





in many different ways. Some look for top speed, others seek acceleration statistics. At Volkswagen we also include engine efficiency, roadholding and safety. We believe such a measurement is a more accurate reflection of the Sharan's superior engineering. The chassis, for example, is extremely rigid, so that in the event of an accident, damage is minimised and controlled around the inner survival zone. Its strength also helps create the kind of roadholding that sets the Sharan apart from the competition.



Electronic Stabilisation Programme (ESP) is standard on V6 models and optional on certain other engines.*

Performance can be viewed

The chassis works in harmony with the suspension by ironing out uneven road surfaces, providing a smooth ride along a straight road, but also perfect balance through a corner.

Braking is also a feature that we are justifiably proud of in the Sharan. Its short stopping distance is achieved through an advanced Anti-lock Braking System (ABS) that works in conjunction with Electronic Brake-pressure Distribution (EBD). This system regulates the front and rear brake pressure via the ABS system.

Volkswagen's Electronic Stabilisation Programme (ESP) is standard on V6 models and optional on certain other engines.* This intelligent system detects critical situations developing, such as understeer. It responds in milliseconds by applying the brakes to individual wheels and automatically adjusting the engine's power.

* Please refer to page 36 for details.

Whilst ABS and ESP are active safety features that help you avoid accidents in the first instance, the Sharan is also equipped with many passive safety features. Passive features are there to protect you in the unfortunate event of an accident.

The Sharan's great protection begins with the immense strength built into its design. The crash optimised bodywork was initially conceived by computer simulations to identify the most vulnerable areas. These areas then received added strength, like the vertical fixed supports and columns that are developed to absorb energy. After computer simulations, actual crash test scenarios were performed to verify effectiveness. The results are clear to see – the Sharan surpasses the strictest safety conditions with ease. When it comes to the highest equally important role. Airbags have been one of the most significant safety advancements in recent years and the Sharan not only benefits from driver's and front passenger's airbags, but also front seat side airbags to provide added protection for the driver and front passenger. Following an accident, airbags activate in milliseconds to cushion the front occupants and minimise any injuries.



Middle row, centre seat three-point seat belts are standard on all Sharan models.

The seat belts in the Sharan



The proven safety of ABS (Anti-lock Braking System) is standard on all Sharan models.



Front airbags are standard to protect the driver and front seat passenger.



Seat-mounted side airbags are also standard, protecting the driver and front passenger from side impact.

A REAL PROPERTY OF

are designed for maximum comfort and protection. The driver's and front passenger's seat belts are height-adjustable. All seven seats are equipped with three-point belts, with the outer belts on the middle row also being height-adjustable. Every seat is fitted with

an adjustable head restraint, not just for comfort, but as a safety measure in the event of a collision.

Protecting the youngest members of your family receives special attention with integrated child safety seats. These seats take away all the hassle of installing and removing a traditional child seat. Two are fitted as standard to the Sharan SE model (in the outer seats of the middle row) and up to two more can be fitted as an optional extra. On Sport and Carat models, up to four seats can be fitted as optional extras. There is also the innovative Isofix child seat mounting system which allows the Volkswagen approved

The integrated child seat has three settings suited to children between nine to 18 kg, 15-25 kg and 22-36 kg. The seat shown has been set up for children classified by ECE-R 44 in class one (nine to 18 kg). Please refer to the safety section of the Sharan Owner's Manual for operating instructions. 12

13

Isofix child safety seat to be fixed securely to the Sharan. Please note that the Isofix mounting system is not available with integrated child seats. In addition, all rear doors are fitted with child locks.

When you drive a Sharan, you'll experience a method of travel that's hugely different from your average saloon. Add a V6 engine and you have a unique mode of transport. One that can cruise effortlessly along a motorway in refined comfort, yet deliver impressive acceleration and speed when required.

The secret of the V6 engine is a powerful 2.8 litre capacity that develops an appetising 204 PS*. Its torque is equally exciting, delivering 265 Nm at just 3,400 rpm, thereby providing great flexibility throughout the range of the six speed gearbox.

As an alternative there are four further engines available two petrol and two diesel. As a choice of petrol engines, there's a 2.0 litre 115 PS* unit available for the SE, or a more powerful turbocharged 1.8 litre version, developing 150 PS*, for the SE and Sport.

Two diesels are available for the Sharan, both 1.9 litre, with a choice of 115 PS* or 130 PS* output, both featuring Volkswagen's new 'Pumpe Düse' (PD) technology that is capable of producing an injection pressure of over 2,000 bar.

Both TDI PD engines produce excellent torque, resulting in good pulling power and reduced exhaust emissions*.

For those who prefer the relaxed driving of an automatic transmission, there are two options available. A four speed automatic for the 2.0 litre petrol engine or a five speed automatic tiptronic available for the 1.8T, V6 or 1.9 litre TDI PD 115 PS*.

Our highly efficient 1.9 litre TDI PD 130 PS* engine benefits from turbocharging and 'Pumpe Düse' technology.

Diesels have long been associated with outstanding fuel economy, saving money through more miles per gallon. But have you ever considered a diesel because of its performance? Experience one of the latest generation diesels from Volkswagen and you'll be in for a pleasant surprise. We've patented a number of technological breakthroughs such as the 'Pumpe Düse' injection technique that injects fuel under extreme pressure direct into the combustion chamber. This results in a much more efficient combustion process, thereby combining low fuel

consumption with excellent

performance. For example, the 1.9 litre TDI PD 130 PS* can reach 117 mph, where the law permits, accelerate from 0 - 62 mph in 12.8 seconds, yet return 43.5 mpg* over the Combined fuel cycle. Air cooling and variable turbo geometry add to its performance capability, allowing a smooth supply of power even at low revolutions.




All manual Sharan models feature a six speed gearbox to obtain maximum efficiency from the available power.



A further advancement has been a 'pilot injection' system. This ignites a minuscule amount of fuel before the actual combustion and serves to reduce engine noise. It means that the quietness and smoothness of Volkswagen's latest generation diesels makes them hardly distinguishable from a petrol engine.

15

* Please see pages 32 and 33 for PS explanation, CO₂ emissions and fuel consumption figures.



Like a comprehensive range of

Sharan

16 17



The Sharan SE.

An MPV can provide the space, comfort and practicality required for business needs or the growing family. Decide upon the Sharan SE and you'll appreciate the many standard features others would class as extras, such as two

integrated child safety seats, four airbags, three-point seat belts and adjustable head restraints for all seven seats.

The standard equipment list continues with air conditioning, an alarm with interior protection and

remote central locking, heat insulated tinted glass, electric rear vent windows, and a multifunction computer. And to power your Sharan SE you can choose from two petrol and two diesel engines.



With central locking, all doors can be locked from the inside at the touch of a button.



Manual air conditioning, combined with a dust and pollen filter, gives a pleasant driving environment.



The electric rear vent windows can be operated from the comfort of the front seats. Standard on SE and optional on Sport and Carat models.



Model shown is the Sport fitted with optional parking sensor, front and rear electronic climate control and ESP.

The Sharan Sport.

The Sharan Sport epitomises engineering excellence. It manages to combine the practical side of owning an MPV with the style and performance that inspires

everyday driving. Its character stems from a choice of three highly capable engines – a 1.8 litre 20V Turbo or one of two 1.9 litre TDI PD diesel units which develop 115 PS and 130 PS.

Take one look at the Sharan Sport and its intentions are perfectly clear – 16 inch 'Magny-Cours' alloy wheels, sports suspension, heightadjustable front sports seats with lumbar support, rear

sports seats, front fog lights, dash-mounted six CD autochanger, 'Cosmo' cloth upholstery, and a leather rimmed steering wheel. But why not make up your own mind with a test drive at your local Volkswagen retailer?



'Magny-Cours' 16" alloy wheels with 215/55 tyres are standard on the Sport.

Front fog lights are standard on the Sport.



The Sharan Carat.

The Sharan Carat is a sophisticated traveller. It blends the latest technology with a luxurious specification. The signs are there when you view its gleaming paintwork and 16 inch 'Monaco' alloy wheels. But it's from the inside where you'll truly appreciate its limousine qualities. For example, you'll find sumptuous Leather/Alcantara trimmed seats complemented by walnut wood inserts around the dashboard, doors, gear knob and ashtray lid. In addition to the luxurious interior features, the 2.8 litre 204 PS V6 provides sumptuously smooth, powerful driving – also available with 4MOTION technology for additional reassurance in harsh driving conditions. If you prefer a diesel, you have the option of the 1.9 litre TDI PD 115 PS or 130 PS – the latter returning a considerable 43.5 mpg* over the Combined fuel cycle. If you are chauffeuring VIPs, you can remove one of the rear seats and fit comfortable armrests to the remaining four seats, creating an

Model shown is the Carat 1.9 litre TDI PD 115 PS with optional front and rear electronic climate control.



The walnut wood trim extends to the doors on the Carat.


Walnut wood inserts are typical of the exclusive finish throughout the Carat.

even more spacious and relaxing environment. This is made even more inviting by electronic climate control that even has its own temperature setting for the rear compartment.

Naturally, there are electrically-adjustable front and middle windows (the rear vent windows open manually), dash-mounted six CD autochanger, electrically-adjustable and heated door mirrors, heated front seats and carpet mats throughout. So next time, why not travel in style?

* Please see pages 32 and 33 for fuel consumption figures.

Choices are never easy,



Electric glass sunroof

This sunroof is easy to operate thanks to automatic pre-selection. Just turn the dial and let the sunroof open to your desired setting.

When the sunroof is open, a wind deflector automatically extends to reduce buffeting and a blind prevents dazzling from the sun. Please note that this option is not available in conjunction with 4MOTION or front and rear electronic climate control.

Automatic dimming rear-view mirror The automatic dimming rear-view mirror is designed to stop you becoming dazzled from behind. If light is judged excessive,

it will darken.



The automatic dimming interior rear-view mirror darkens if a following car's lights are too high.



A glass electric sunroof provides a refreshing atmosphere.

Climate control As an alternative to manual air conditioning, you can opt for electronic climate control on SE and Sport models. Climate control electronically monitors the temperature to your desired setting. Climate control is not only useful on warm summer days, it can also help rapidly demist a windscreen in damp conditions.



Electronic climate control consistently maintains your desired temperature.



Climate control – front and rear

appreciate that the rear passengers

may prefer a different temperature

With the Sharan, we

setting than the front. You can

specify front and rear electronic

climate control on Sport and Carat

models, giving the rear passengers

their own temperature control

and vents. Please note that

this option is not available

in conjunction with electric

rear vent windows or sunroof.

Front and rear electronic climate control accommodates the needs of the rear passengers.

Navigation/radio systems

The combined satellite navigation and radio unit with colour screen offers route guidance via the display of road maps, route information, spoken instructions and visual arrow symbols in the centre of the instrument panel. Radio functions and control of the optional six CD autochanger are also provided. The navigation CD reader is mounted in the top of the unit. Please note that the unit will only accept navigation CDs and NOT audio CDs. Available as a factory-fitted option at extra cost on Sport

and Carat models.

Alternatively you can choose the monochrome navigation system, radio and CD player in one unit. Route guidance is supplied via arrow symbols in both the unit and a display in the centre of the instrument panel together with audible recommendations. The CD slot can be used for music CDs when the navigation system is not in use. In addition, this system will also operate the Volkswagen optional six CD autochanger. The monochrome navigation system is available as a factory-fitted option at extra cost on Sport and Carat models.



Radio and satellite navigation system with colour screen.

front-loading single CD player, dash-mounted six CD autochanger or navigation/radio system are not available in conjunction with each other.



With a parking sensor you'll have more spaces to choose from.

Parking sensor This ingenious system makes parking in the smallest spaces so much easier. Sensors in the front and rear bumpers operate by ultrasound and emit a bleep. As objects get closer, the sound signal becomes more frequent.

Please note the separate



Navigation, radio and CD player in one unit with monochrome screen.



Cruise control helps take the strain out of long journeys.

Cruise control

For relaxed motorway driving, cruise control is the perfect answer. Operational at speeds above approximately 20 mph, the system can be set to maintain a constant speed.

Exterior paintwork.

A choice of upholstery.



Please note: The print processes do not allow exact reproduction of the paint and upholstery colours. For further details, please contact your Volkswagen retailer. * Metallic and Pearl Effect paint are optional at extra cost.



Blue/Anthracite (DV)



Beige (YP)

28 29

Colour combinations.

Seat upholstery	Carpets Dashboard	Black AI	Cool White B7	Tornado Red G2	Satin Silver Metallic

SE – 'Tools' cloth

Flannel Grey	BP	Flannel Grey	Anthracite/Flannel Grey	•	•	•	•
Anthracite	BQ	Anthracite	Anthracite/Anthracite	•	•		•

Sport – 'Cosmo' sports seats

Flannel Grey/Flannel Grey	DT	Flannel Grey	Anthracite/Flannel Grey	•	•	• •	
Anthracite/Anthracite	DU	Anthracite	Anthracite/Anthracite		•	•	5
Blue/Anthracite	DV	Anthracite	Anthracite/Anthracite	•	•	- •	
Red/Anthracite	DW	Anthracite	Anthracite/Anthracite	•	•	•	
Green/Anthracite	DX	Anthracite	Anthracite/Anthracite	•	•	•	

Carat – Leather/Alcantara sports seats¹

Flannel Grey	JV	Flannel Grey	Anthracite/Flannel Grey	•	•	•	•
Anthracite	JW	Anthracite	Anthracite/Anthracite	•	•	•	• - 335
Beige	JX	Beige	Anthracite/Beige	•		t nome	16663

Sport, Carat – Optional leather sports seats¹

, Flannel Grey	YM	Flannel Grey	Anthracite/Flannel Grey	0	0	0	0
Anthracite	YN	Anthracite	Anthracite/Anthracite	0	0	0	0
Beige	YP	Beige	Anthracite/Beige	0	- 8	0	

• Standard O Optional at extra cost – Not available


¹ Consists of: leather upper surface of seat base and backrest, leather door panel centre and door pull, front part of head restraints

and top part of front and rear armrests, leather rimmed steering wheel, handbrake grip and gear lever gaiter (not auto).

Please note:

* Metallic and Pearl Effect paint are optional at extra cost.

And the second s



Technical specification.

115 PS ansversely mounted inder in-line – petrol, cast inder block, alloy cylinder th single overhead ft cylinder 3 int injection ic ed catalyst n 95 RON unleaded 50)	Front trans four cylind iron cylind head with camshaft Five per cy 1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated	t injection ger with intercooler catalyst 95 RON unleaded	Front transix cylinder six cylinder b with one of valve timi Four per of 2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated	ylinder t injection, ılet manifold	d cast iron cylinder head k, variable	cast iron c overhead c Two per cy 1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i	sversely mounted four ylinder block, alloy cy camshaft dinder ction – injectors ger with intercooler	1.9 litre TDI PD 130 PS r cylinder in-line – diesel, elinder head with single Two per cylinder 1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst Diesel
inder in-line – petrol, cast inder block, alloy cylinder th single overhead ft cylinder 3 int injection ic ed catalyst n 95 RON unleaded	four cylind iron cylind head with camshaft Five per cy 1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated of Premium 9	ler in-line – petrol, cast ler block, alloy cylinder double overhead dinder dinder t injection ger with intercooler catalyst 25 RON unleaded	six cylinde cylinder b with one o valve timi Four per o 2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	er 15° 'V' – petrol, lock, single alloy amshaft per ban ng ylinder t injection, nlet manifold catalyst	cast iron cylinder head k, variable	cast iron c overhead c Two per cy 1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar –	ylinder block, alloy cy camshaft linder ction – injectors ger with intercooler	Vlinder head with single Two per cylinder 1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
inder in-line – petrol, cast inder block, alloy cylinder th single overhead ft cylinder 3 int injection ic ed catalyst n 95 RON unleaded	four cylind iron cylind head with camshaft Five per cy 1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated of Premium 9	ler in-line – petrol, cast ler block, alloy cylinder double overhead dinder dinder t injection ger with intercooler catalyst 25 RON unleaded	six cylinde cylinder b with one o valve timi Four per o 2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	er 15° 'V' – petrol, lock, single alloy amshaft per ban ng ylinder t injection, nlet manifold catalyst	cast iron cylinder head k, variable	cast iron c overhead c Two per cy 1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar –	ylinder block, alloy cy camshaft linder ction – injectors ger with intercooler	Vlinder head with single Two per cylinder 1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercood – Unregulated catalyst
inder block, alloy cylinder th single overhead ft cylinder 3 int injection ic ed catalyst n 95 RON unleaded	iron cylind head with camshaft Five per cy 1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated Premium 9	ler block, alloy cylinder double overhead linder t injection ger with intercooler catalyst 25 RON unleaded	cylinder b with one o valve timi Four per o 2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	lock, single alloy amshaft per ban ng ylinder t injection, ilet manifold catalyst	cylinder head k, variable	overhead c Two per cy 1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar –	amshaft linder ction – njectors ger with intercooler	Two per cylinder 1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercool –
th single overhead ft cylinder 3 int injection ic ed catalyst n 95 RON unleaded	head with camshaft Five per cy 1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated Premium 9	double overhead linder t injection ger with intercooler catalyst 95 RON unleaded	with one of valve timi Four per of 2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	amshaft per ban ng ylinder t injection, ilet manifold catalyst	k, variable	Two per cy 1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar – Unregulate	linder ction – injectors ger with intercooler	1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercood – Unregulated catalyst
ft cylinder 3 int injection ic ed catalyst n 95 RON unleaded	camshaft Five per cy. 1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated of Premium 9	linder t injection ger with intercooler catalyst 95 RON unleaded	valve timi Four per o 2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	ng ylinder t injection, ılet manifold catalyst		1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar –	ction – injectors ger with intercooler	1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
cylinder 3 int injection ic ed catalyst n 95 RON unleaded	Five per cy. 1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated of Premium 9	t injection ger with intercooler catalyst 95 RON unleaded	Four per o 2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	ylinder t injection, 1let manifold catalyst	1	1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar –	ction – injectors ger with intercooler	1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
3 int injection ic ed catalyst n 95 RON unleaded	1.8/1781 81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated Premium 9	t injection ger with intercooler catalyst 95 RON unleaded	2.8/2792 81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	t injection, ilet manifold catalyst		1.9/1896 79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar –	ction – injectors ger with intercooler	1.9/1896 79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
int injection ic ed catalyst n 95 RON unleaded	81.0/86.4 150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbochary Electronic Regulated of Premium 9	ger with intercooler catalyst 95 RON unleaded	81.0/90.3 204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	nlet manifold catalyst	1	79.5/95.5 115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar – Unregulate	injectors ger with intercooler	79.5/95.5 130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
int injection ic ed catalyst n 95 RON unleaded	150/110 5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated Premium 9	ger with intercooler catalyst 95 RON unleaded	204/150 6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	nlet manifold catalyst	1	115/85 4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar – Unregulate	injectors ger with intercooler	130/96 4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
ic ed catalyst n 95 RON unleaded	5500 162/220 1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated Premium 9	ger with intercooler catalyst 95 RON unleaded	6200 196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	nlet manifold catalyst	1	4000 229/310 1900 18.0 : 1 Direct inje with unit i Turbochar – Unregulate	injectors ger with intercooler	4000 229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
ic ed catalyst n 95 RON unleaded	162/220 1850 9.5 : 1 Multipoint Turbochary Electronic Regulated o Premium 9	ger with intercooler catalyst 95 RON unleaded	196/265 3400 10.5 : 1 Multipoin variable in Electronic Regulated Premium	nlet manifold catalyst	1	229/310 1900 18.0 : 1 Direct inje with unit i Turbochar – Unregulate	injectors ger with intercooler	229/310 1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
ic ed catalyst n 95 RON unleaded	1850 9.5 : 1 Multipoint Turbocharg Electronic Regulated Premium 9	ger with intercooler catalyst 95 RON unleaded	3400 10.5 : 1 Multipoin variable i Electronic Regulated Premium	nlet manifold catalyst	1	1900 18.0 : 1 Direct inje with unit i Turbochar – Unregulate	injectors ger with intercooler	1900 19.0 : 1 Direct injection – with unit injectors Turbocharger with intercoo – Unregulated catalyst
ic ed catalyst n 95 RON unleaded	9.5 : 1 Multipoint Turbochary Electronic Regulated o Premium 9	ger with intercooler catalyst 95 RON unleaded	10.5 : 1 Multipoin variable in Electronic Regulated Premium	nlet manifold catalyst	1	18.0 : 1 Direct inje with unit i Turbochar – Unregulate	injectors ger with intercooler	19.0 : 1 Direct injection – with unit injectors Turbocharger with intercood – Unregulated catalyst
ic ed catalyst n 95 RON unleaded	Multipoint Turbochary Electronic Regulated o Premium 9	ger with intercooler catalyst 95 RON unleaded	Multipoin variable i Electronic Regulated Premium	nlet manifold catalyst	1	Direct inje with unit i Turbochar – Unregulate	injectors ger with intercooler	Direct injection – with unit injectors Turbocharger with intercool – Unregulated catalyst
ic ed catalyst n 95 RON unleaded	Turbochary Electronic Regulated Premium 9	ger with intercooler catalyst 95 RON unleaded	variable i Electronic Regulated Premium	nlet manifold catalyst	1	with unit i Turbochar – Unregulate	injectors ger with intercooler	with unit injectors Turbocharger with intercoo – Unregulated catalyst
ed catalyst n 95 RON unleaded	Electronic Regulated Premium 9	catalyst 95 RON unleaded	Electronic Regulated Premium	catalyst	1	Turbochar – Unregulate	ger with intercooler	Turbocharger with intercoo - Unregulated catalyst
ed catalyst n 95 RON unleaded	Regulated o Premium 9	catalyst 95 RON unleaded	Regulated Premium	catalyst	1	– Unregulate		– Unregulated catalyst
ed catalyst n 95 RON unleaded	Regulated o Premium 9	catalyst 95 RON unleaded	Regulated Premium	catalyst	ł		ed catalyst	
n 95 RON unleaded	Premium 9	95 RON unleaded	Premium		ı		ed catalyst	
				95 RON unleaded	ł	Diesel		Diesel
50)	12/280 (60)		12/240 (70					
			12/340 (70)			12/340 (70)		12/340 (70)
	120		120			90		90
							1888-11885.09	
heel drive	Front whee		Front whe		Four wheel drive ¹	Front whee	el drive	Front wheel drive
d Four speed	Six speed		Six speed		Six speed	Six speed	Five speed	Six speed
auto	manual	auto tiptronic	manual	auto tiptronic	manual	manual	auto tiptronic	manual
107 (173)	124 (100)	121 (195)	135 (217)	132 (212)	133 (214)	112 (181)	110 (177)	117 (188)
								12.8
								12.0
	12	12	13D	15D			121	12
								100 C 100
94,								1. Sec.
,								(1) (1) (2) (2) (2)
19.1/14.8	21.2/13.3	19.2/14.7	19.1/14.8	16.8/16.8	18.2/15.5	32.8/8.6	28.5/9.9	34.0/8.3
								51.4/5.5
								43.5/6.5
								15.4/70
264		259		288	278		211	176
								70
		auto manual 107 (173) 124 (199) 17.2 10.9 11A 12 94, 19.1/14.8 21.2/13.3 32.5/8.7 37.2/7.6 25.7/11.0 29.1/9.7 15.4/70 264 233	auto manual auto tiptronic 107 (173) 124 (199) 121 (195) 17.2 10.9 12.1 11A 12 12 94, 19.1/14.8 21.2/13.3 19.2/14.7 32.5/8.7 37.2/7.6 32.8/8.6 25.7/11.0 29.1/9.7 26.2/10.8 15.4/70 233 259	auto manual auto tiptronic manual 107 (173) 124 (199) 121 (195) 135 (217) 17.2 10.9 12.1 9.9 11A 12 12 12 94, 19.1/14.8 21.2/13.3 19.2/14.7 19.1/14.8 32.5/8.7 37.2/7.6 32.8/8.6 33.2/8.5 25.7/11.0 291/9.7 26.2/10.8 15.4/70 264 233 259 259	auto manual auto tiptronic manual auto tiptronic 107 (173) 124 (199) 121 (195) 135 (217) 132 (212) 17.2 10.9 12.1 9.9 10.4 11A 12 12 12 15D 15D 94, 19.1/14.8 21.2/13.3 19.2/14.7 19.1/14.8 16.8/16.8 32.5/8.7 37.2/7.6 32.8/8.6 33.2/8.5 30.7/9.2 25.7/11.0 29.1/9.7 26.2/10.8 23.5/12.0 15.4/70 264 233 259 269 268	auto manual auto tiptronic manual auto tiptronic manual 107 (173) 124 (199) 121 (195) 135 (217) 132 (212) 133 (214) 17.2 10.9 12.1 9.9 10.4 10.3 11A 12 12 12 12 15D 15D 15D 94,	auto manual auto tiptronic manual auto tiptronic manual manual	auto manual auto tiptronic manual auto tiptronic manual auto tiptronic 107 (173) 124 (199) 121 (195) 135 (217) 132 (212) 133 (214) 112 (181) 110 (177) 17.2 10.9 12.1 9.9 10.4 10.3 13.7 15.1 11A 12 12 12 12 12 12 12 12 94,

¹ V6 4MOTION only.

* Please note: The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.

 † Please see page 41 for further information on CO_2 emissions.

Specifications subject to change without notice. Information correct as at 1 March 2003. Please note: All data subject to manufacturer's tolerances.

Technical specification.

	SE	SE, Sport	Carat	SE, Sport, Co	
	2.0 litre 115 PS	1.8 litre 20V Turbo 150 PS	2.8 litre V6, V6 4MOTION 204 PS	1.9 litre TDI	
Running gear:					
Front axle	McPherson suspension struts with	n lower wishbones. Anti-roll bar	McPherson suspension struts with lower wish	bones. Anti-rol	
Rear axle, two wheel drive	Coil springs with telescopic shock with subframe. Anti-roll bar	absorbers, semi-trailing arms	Coil springs with telescopic shock absorbers,	semi-trailing a	
four wheel drive			'Haldex' rear differential ¹		
Steering	Power-assisted rack and pinion	Power-assisted rack and pinion	Power-assisted rack and pinion	Power-assis	
Brake system	ABS with EBD	ABS with EBD	ABS with EBD	ABS with El	
	Diagonally split circuits	Diagonally split circuits	Diagonally split circuits	Diagonally	
	Servo assisted	Servo assisted	Servo assisted	Servo assist	
			ESP – Electronic Stabilisation Programme	_	
Front	Ventilated discs	Ventilated discs	Ventilated discs	Ventilated a	
Rear	Discs	Discs	Discs	Discs	
Turning circle, ft/m	39/11.9	39/11.9	39/11.9	39/11.9	
Wheels and tyres:					
Wheel size	6J x 16	6J x 16 ²	7J x 16	6J x 16 ^{2,3}	
Wheel type	Steel	Steel ²	Alloy 'Monaco'	Steel ^{2,3}	
Tyre size	195/60 R16 C99/97H	195/60 R16 C99/97H ²	215/55 R16 95W	195/60 R16 (
Spare wheel	Full size steel	Full size steel	Full size steel	Full size ste	
Weights, Ibs/kgs:					
	Front wheel drive	Front wheel drive	Front wheel drive Four wheel drive	Front wheel	
	Six speed Four speed	Six speed Five speed	Six speed Five speed Six speed	Six speed	
	manual auto	manual auto tiptronic	manual auto tiptronic manual	manual	
Unladen weight †	4185/1898 4229/1918	4231/1919 4304/1952	4275/1939 4289/1945 4348/1972	4251/1928	
Gross vehicle weight	5358/2430 5402/2450	5402/2450 5468/2480	5446/2470 5446/2470 5513/2500	5446/2470	
$Payload^{\dagger}$	1173/532 1195/542	1171/531 1164/528	1171/531 1158/525 1164/528	1195/542	
Axle load limit: Front	2668/1210 2734/1240	2734/1240 2734/1240	2734/1240 2734/1240 2734/1240	2734/1240	
Rear	2822/1280 2822/1280	2822/1280 2822/1280	2822/1280 2822/1280 2933/1330	2822/1280	
Trailer load limits, lbs/kgs:					
Braked 12% incline	3969/1800	4190/1900	4410/2000	4410/2000	
Unbraked	1544/700	1544/700	1544/700	1544/700	
Towbar load	187/85	187/85	187/85	187/85	
Max. roof load	165/75	165/75	165/75	165/75	
Max. luggage capacity, cu.ft (litres):	VDA measuring method using 200) x 100 x 50 mm blocks	VDA measuring method using 200 x 100 x 50 r	nm blocks	
Without rear seats, loaded to the roof	92 (2610)	92 (2610)	92 (2610)	92 (2610)	
Without third row of seats	30 (852)	30 (852)	30 (852)	30 (852)	
With third row of seats	9 (256)	9 (256)	9 (256)	9 (256)	

¹ V6 4MOTION only.

 2 7J x 16 'Magny-Cours' alloy wheels with 215/55 R16 95H tyres and full size steel spare wheel on Sport.

³ 7J x 16 'Monaco' alloy wheels with 215/55 R16 95H tyres and full size steel spare wheel on Carat.

[†] Figures are calculated in accordance with manufacturer's criteria.

Specifications subject to change without notice. Information correct as at 1 March 2003. Please note: All data subject to manufacturer's tolerances.

Carat DI PD 115 PS

SE, Sport, Carat 1.9 litre TDI PD 130 PS

roll bar arms with subframe. Anti-roll bar

EBD ly split circuits isted

sisted rack and pinion Power-assisted rack and pinion ABS with EBD Diagonally split circuits Servo assisted

d discs

Ventilated discs Discs 39/11.9

6 C99/97H^{2, 3} steel

 $6J \ x \ 16^{2,3}$ Steel^{2,3} 195/60 R16 C99/97H^{2, 3} Full size steel

eel drive Five speed auto tiptronic 4289/1945 5446/2470 1158/525 2734/1240 2822/1280

Front wheel drive Six speed manual 4251/1928 5446/2470 1195/542 2734/1240 2822/1280

4410/2000 1544/700 187/85 165/75

92 (2610) 30 (852) 9 (256)

34 35

		.44	400		Cara				44	400	
nd Security:		25	S	(G	Functional Equip	nent (co	ntinued):	5	5	-33
IBS:	Anti-lock brakes with EBD	•	•		•	Sports sus	pensior		-	•	
lirbags:	Driver's airbag	•	•		•	Windows:		Electric front with roll back safety system	•	•	23
	Front passenger's airbag	•	•	•	•			Electric middle	-	•	
	Front seat side impact airbags	•	•	•	•			Manual rear vent windows	-	•	
larm:	With interior protection	•	•	•	•			Electric rear vent windows ²	•	0	
Body:	Door side impact protection	•	•	•	•	Wipers:		Two speed with wash/wipe and intermittent wipe with adjustable delay	•	•	
	Rigid safety cell with front and rear crumple zones	•	•	•	•			Heated windscreen washer jets	•	•	
Central locking:	With security protection and radio wave remote control	•	•	•	•			Rear screen wash/wipe with intermittent delay	•	•	
Electronic engine	e immobiliser, coded transponder	•	•	•	•				E.		
ESP:	Electronic Stabilisation Programme ¹ (standard with V6)	0	0	(0	Interior Equipmen	t and S	tyling:			
Iead restraints:	Front and rear adjustable	•	•	•	•	Carpet me	its:	Front and middle	÷ -	•	
ligh level third l	brake light	•	•	•	•			Front, middle and rear	-		
ntegrated child .	seats, two child seats with slumber rolls, second row, outer	•	0	(0	Cup holde	r:	Front, two	•	•	
sofix child seat p	preparation (not available with integrated child seats)	•	•		•	Heating:		Air conditioning, manual – rear heater with separate control	•	۲	
eat belts:	Front height-adjustable three-point seat belts with tensioners	•	•		•			Air conditioning, electronic climate control – rear heater control	0	0	
	Second row, outer, individual height-adjustable three-point inertia reel	•	•		•	Instrumer	ets:	Speedo and rev counter, electronic odometer and trip, service	•	•	
	Second row, centre, individual three-point inertia reel	•	•		•			interval display, fuel and temperature gauge, low fuel warning			
	Third row, individual three-point inertia reel	•	•	(•			light, blue adjustable panel illumination			
						Interior li	ghting:	With time delay and front passenger reading light	•	٠	
al Equipment:								Rear reading lights, four		•	
oor mirrors:	Manually adjustable, black	•	-		-			Luggage compartment lights	•	•	
	Electrically heated and adjustable, black	0			-			Footwell illumination for driver and front passenger		•	
	Electrically heated and adjustable, housing painted in body colour	-	•	(•	Luggage c	over:	Removable	0	•	
oust and pollen	filter	٠	•		•	Luggage p	rotectio	on strips in chrome		•	
Computer:	Multifunction, single and total journey memories	•	•		•	Seating:		Front, with height adjustment	Driver'	s Both	1
	Information given on: Driving time, average fuel consumption,							Front, centre armrests	•	•	
	instantaneous fuel consumption, distance driven, average speed							Front, with lumbar adjustment	_	Both	E
	and external temperature							Front, sports seats	-	•	
Front fog lights		0	•		•			Front, heated (in conjunction with leather upholstery)	-	0	
leadlights:	Electric height adjustment	•	•	(•			Rear, removable, reclining backrests and fore and aft adjustment, five	•	_	
	Combined headlight and fog light switch	•	•		•			Rear, sports, removable, reclining backrests and fore and aft adjustment, five	_	•	
leated rear wind		•	•		•			Removable armrests ³	_	_	
n-car	'Beta' radio/cassette with four digit security code and flashing LED	•	11-211		_	Steering u	heel:	Height and reach adjustable	•	•	
ntertainment:	Two x 20 watt output with FM/MW manual/seek tuning, RDS/EON					0		Leather rimmed (in conjunction with leather pack)	0	•	
	Auto reverse mechanical tape deck					Storage:		Glovebox with illumination, lockable	•	•	
	GALA adjustable vehicle speed-responsive volume control							Centre dash-mounted storage area with lid, including sunglasses storage	•		•
	Eight speakers and rear side window aerial							Passenger's side storage area with lid, located above airbag	•		
	'Gamma' radio/cassette with four digit security code and flashing LED	0	•		•			Front door pockets			
	Four x 20 watt output with FM/MW manual/seek tuning, RDS/EON							Rear door pockets			
	Logic tape deck with 'Dolby' and MSS Music Search System							Rear storage areas		•	
	GALA adjustable vehicle speed-responsive volume control					Upholster	v.	'Tools' cloth		-	
	10 speakers and rear side window aerial					Sphoister	,.	'Cosmo' cloth	_		
ower-assisted st		•	•		•			Leather/Alcantara	_	_	
						Vanity mi	rrors.	Passenger's side		_	
Standard O	Optional – Not available						1013.	Driver's and passenger's side, illuminated	_		
	optional – Not available ole on 1.8 litre 20V Turbo and 1.9 TDI PD models with automatic tiptronic gearboxes.					Marning	lisnlaw	: Graphic display for door or tailgate open			
	on with front and rear electronic climate control air conditioning.							gage compartment			
							in iugg	gage compariment			24
	y be used with four rear seats and must be removed when using all five rear seats.										
								(a) A set of the se			
								Construction of the second			

Standard equipment.

or Equipment and	Styling:	SE	Spor	Corro
Bumpers:	Painted in body colour with black bump strip	•	•	•
Door handles:	Black	•	-	_
	Painted in body colour	-	•	•
Front grille pair	nted in body colour	•	•	•
Roof rails:	Black	•	•	•
Side rubbing str	rips, black	•	•	•
Tinted glass:	Heat insulating, green	•	•	•
	Heat insulating, 35% tinted from B pillar backwards	•	•	0
Wheels:	6J x 16 steel wheels with 195/60 R16 C99/97H tyres and			
	full size steel spare wheel	•	-	-
	7J x 16 'Magny-Cours' alloy wheels with 215/55 R16 95H tyres,			
	anti-theft wheel bolts and full size steel spare wheel	0	•	-
	7J x 16 'Monaco' alloy wheels with 215/55 R16 95W tyres,			
	anti-theft wheel bolts and full size steel spare wheel	_	-	• 4


• Standard O Optional – Not available

 4 Please note that the 1.9 litre TDI PD models are fitted with 215/55 R16 95H tyres.

Exterior dimensions.



Ext



Specifications subject to change without notice. Information correct as at 1 March 2003. Please note: All data subject to manufacturer's tolerances.

Glossary.

ABS (Anti-lock Braking System) The ABS system prevents the wheels from locking during heavy or emergency braking, enabling the vehicle to remain steerable. When braking, wheel speed sensors measure the road wheel speed and, should one or more wheels start to lock, the system reduces brake pressure to that wheel.

Engine Immobiliser

Each car has a unique 'code transponder' fitted within the ignition key. When an attempt is made to start the engine, the engine management system interrogates the transponder and if the incorrect code is received (i.e. the wrong key is used), the engine will not run.

RDS (Radio Data System) The radio receiver uses additional data sent by the station to display the name of the station you are listening to and, given poor reception, it will retune the selected station to an alternative frequency if available. The system can also provide local traffic reports, interrupting the current station, CD or cassette if required. 4MOTION with 'Haldex' coupling 4MOTION is a new four wheel system which includes the 'Haldex' coupling mounted in the rear axle. This 'Haldex' coupling contains an electronically and hydraulically controlled multiplate clutch that allows the engine power to be transferred to the wheels with the best traction. The coupling constantly regulates distribution of the drive between the front and rear axles and because the system is electronically controlled, it gives the optimum traction for all driving situations. The advantages of the 4MOTION system are as follows:-Front wheel drive characteristics, very quick response, no drive train 'wind-up' when parking, compatible with different tyre sizes (e.g. space-saver temporary spare wheel). Allows car to be towed with the axle raised off the ground.

ESP (Electronic St Programme)

ESP is designed to stabilise the dynamic handling response of the vehicle by counteracting any tendency towards oversteer or understeer. The ESP constantly compares the actual movement

ESP (Electronic Stabilisation

of the vehicle with predetermined values and, according to the situation, ESP reacts by braking the outer front or inner rear wheel (according to direction of slip) and automatically adjusting the engine's output.

EDL (Electronic Differential Lock) EDL improves driving and steering characteristics when accelerating on road surfaces where each wheel has a different degree of traction. The system operates automatically and is combined with the ABS system. Using the ABS wheel sensors, EDL monitors the speed of the individual driving wheels. When a difference in driving wheel speed is detected (i.e. when one wheel starts to spin due to differences in road surfaces, e.g. due to water or ice), the system brakes the spinning wheel, transferring engine power to the wheel with the best traction. EDL is active in forward and reverse.

EON (Enhanced information concerning Other Networks) Ensures that all traffic announcements within a traffic programme area are put through.

Volkswagen service

for your *peace* of mind.

The Volkswagen Warranty.

Three-year Warranty.

All Volkswagen Sharans come with a three-year/60,000 miles warranty, which protects your car against the failure of most mechanical and electrical components due to manufacturing defects. This comprises a two-year manufacturer's warranty with unlimited mileage plus a further one-year/60,000 miles (whichever is soonest) Retailer Warranty. Should the mileage exceed 60,000 miles within the first two years, the manufacturer's two-year warranty will still be valid. If an additional warranty for subsequent years or higher mileage is desired, it may be purchased from any authorised Volkswagen retailer; however, this additional warranty must be purchased before the mileage reaches 59,999. Cover is subject to the car being serviced and maintained according to the manufacturer's recommendations. Full details of the three-year warranty are available from your Volkswagen retailer. This three-year warranty is only available on vehicles purchased in the UK through an authorised Volkswagen retailer.

Three-year Paint Warranty.

The paintwork of the Sharan is covered against manufacturing defects for a period of three years. Naturally, the Sharan must be cared for in compliance with the operating instructions which will be found in your vehicle handbook. Please consult your Volkswagen retailer for full warranty details.

Six-year Body Protection Warranty.

The internal body sections and panels of the Sharan are covered against rusting through from the inside for a period of six years. Naturally, the Sharan must be cared for in compliance with the operating instructions. Please consult your Volkswagen retailer for full warranty details.

Service Intervals for Petrol and **Diesel Engines.**

Volkswagen has always been dedicated to protecting the environment. That's why all Sharans now come with a Variable (LongLife) Service regime. As a result of more flexible service intervals the engine oil requirement can be significantly reduced over the vehicle's total life. which results in less waste oil to dispose of and reduces the burden on the environment.

With the Variable Service regime there is no predetermined time or mileage for a service. Technology fitted to the Sharan will determine when a service is required, depending on your driving style, via the Service Interval Display in the instrument panel. This could be between 9,000* and 19,000* miles on petrol engines and even up to 30,000* on some diesel engines or between 12 and 24 months. Please ask your Volkswagen retailer for full details.

If you would like a more traditional service regime, the Sharan can be adapted by your Volkswagen retailer, to an Extended (time/distance) Service regime. This can be done at the point of sale or at the time of a service. Please ask your Volkswagen retailer for full details.

* All mileages are approximate.

Approved Accessories.

A comprehensive range of accessories from alloy wheels to carpet mats is available to complement the factoryfitted option list. Volkswagen Approved accessories purchased from and fitted by your Volkswagen retailer at the point of vehicle sale will also benefit from the three-year vehicle warranty.

Volkswagen Insurance.

Competitive insurance premiums are available to Volkswagen owners through Volkswagen Insurance Service (Great Britain) Limited. Volkswagen Insurance guarantee that all repair work is undertaken by an authorised Volkswagen retailer or repairer using only genuine parts. For a quotation, telephone Linkline: 0845 600 8006.

Extended Warranty.

You may purchase additional protection from your retailer or contact 0870 9000 115.

Volkswagen Finance[†].

Volkswagen Finance offers a dedicated service to meet the needs of both the business user and the private motorist. We can help you choose the right type of finance and will tailor the package to meet your specific requirements. Please consult your Volkswagen retailer for details.

† Volkswagen Finance is a trading name of Volkswagen Financial Services (UK) Limited.

Volkswagen Assistance.

Every new car is registered for Volkswagen Assistance for one year. This provides vehicle recovery in the unlikely event of a breakdown (subject to conditions). Volkswagen Assistance can also be purchased for subsequent years. For full details, please contact your Volkswagen retailer.

Tax Free Sales.

For full details, please contact your Volkswagen retailer.

CO₂ Emission.

The weight of a vehicle will influence the level of CO₂ emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO₂.

The CO₂ figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO₂ emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

Please Note:


Some illustrations in this brochure do not necessarily reflect UK specifications and may not be available. In particular, controls and some items of equipment are positioned differently for the UK.

The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your Volkswagen retailer prior to ordering.

The TDI® is a registered trademark of VOLKSWAGEN AG.

Note

We would like to advise you that telephone calls to Volkswagen Customer Care may be monitored and recorded as part of our training and quality assurance processes. All our monitoring and recording processes meet Oftel regulations.



At your local Volkswagen retailer.

