Volkswagen Information Service. Telephone 0800 333 666 Internet: www.volkswagen.co.uk © Volkswagen Group United Kingdom Limited 2007. Issue: 1 January 2007. PVW215EF



# The Eos







Model shown is Sport 2.0 TDI with optional metallic paint.

Imagine driving open-top through the darkness on a summer evening with the stars above you. Feeling the exhilaration of speed as the wind sweeps over you. Seeing, hearing, smelling the world around you with a fresh intensity. Enjoying the seasons as never

before. Being at one with the elements. Drive the Volkswagen Eos, and classic coupé combines with sporty cabriolet, giving you the best of both worlds. Never again will you have to choose between them. Never before has driving been such fun. Unique to the Eos – the large **slide/tilt glass sunroof** is integrated within the fully automatic **CSC roof system** and can be opened separately at any time. Interior shown is Sport 3.2 V6 with optional 'Nappa' leather\* upholstery and metallic paint.

### Seize the moment.

Stylish coupé one minute, open-top cabriolet the next – follow your heart and go from windproof luxury to windswept exhilaration at the touch of a button.
What better way to experience the world around you in all its glory?

The Eos. Sensational at sunrise, stunning at sunset – whatever the weather.



<sup>\*</sup> Some parts of leather interior will contain artificial leather.



Page 1 | Page 2 | Page 3

The optional Bi-Xenon headlights with dynamic corner lighting produce a much clearer, brighter light for both dipped and main beam, giving you a clearer view of the road ahead and helping you drive more safely, particularly on winding roads. Also included in this option are headlight washers which help keep headlights free from dirt, ensuring maximum visibility.

### From design, comes passion.

Excellent design combines more than just dynamic lines with practicality and functionality. It awakes the emotions within you. Which is why the moment you set your eyes upon the smooth silhouette of the Eos, your heart will skip a beat. The sleek body lines demand attention, with its distinctive front headlights and chrome-plated radiator grille surround capturing the eye, while the muscular rear end gives it a powerful sports appeal. As a coupé, the strong lines of the folding metal roof give the Eos a design that rivals that of any coupé on the road. While as a cabriolet, the style and charisma of the Eos really come to life, when both driver and passengers can enjoy an exhilarating driving experience.

Inside, the ergonomic design and attention to detail is exceptional. The brushed aluminium inserts in the centre console, the chrome surrounds of the air vents, the stylish instrument panel with blue illumination and the front sports seats with height and lumbar adjustment continue the sporty theme. So, whether you are admiring it from afar, or sitting behind the wheel, the Eos radiates style and delivers pure driving fun.



The body-coloured door mirrors with integrated indicators provide added safety and feature a one-touch operation for overtaking.



The rear lights utilise LED technology, which react faster than conventional bulbs, and provide clearer, brighter light.

Design | Roof system | Interior | Safety | Equipment | Wheels | Colours & Upholstery | Engines | Technology | Service

Print | Exit | |

# Be at one with the world around you.



and metallic paint, and Eos 2.0 TDI with optional 'Vienna' leather and metallic paint.



From coupé to cabriolet in 25 seconds.

closed, you can open the electric slide/tilt sunroof and fill your lungs with fresh air.

Sunshine or rain, you're ready for both. Thanks to an innovative CSC (Coupé Sunroof Cabriolet) folding steel roof system, you can change from coupé to cabriolet at the touch of a button – enjoying open-top exhilaration or hardtop comfort as the mood takes you. And what's unique about this system is that even with the roof


The folding hardtop combines the characteristics of a coupé, sliding glass sunroof and convertible roof, thereby


unifying three different car concepts to form a whole. The five-section folding CSC roof system can be lowered


automatically in just 25 seconds, transforming the hardtop coupé into a sporty cabriolet. Parking sensors with

acoustic warning signals and boot lid assistant, help prevent collisions with obstacles to the rear.
















An optional wind deflector offers protection from air turbulence to create an even more pleasurable driving experience.

All models shown feature optional 'Nappa' leather and metallic paint. Some parts of leather interior will contain artificial leather.

Design | Roof system | Interior | Safety | Equipment | Wheels | Colours & Upholstery | Engines | Technology | Service





Sporty yet elegant, the spacious interior of the Eos exudes first-class build quality down to the smallest detail. Model shown is Sport 3.2 V6 with optional 'Nappa' leather\*, multifunction steering wheel, radio system RCD 500 and metallic paint. Please note that the multifunction steering wheel features a telephone control button which will not work on UK models.



Leather trim on the handbrake grip, gear knob and three-spoke sports steering wheel gives a high quality feel, blending perfectly with the interior's fine tailoring. Standard on all models except Eos 1.6 FSI. Interior shown features optional 'Nappa' leather\*.



Electric front and rear windows feature a one-touch open and close facility. Additionally, all four windows can be operated with the touch of a single button.

### Share the open-top experience with those in the back.

Who says rear passengers shouldn't have as much fun? In the Eos, four generous seats accommodate four adults with ease, with plenty of legroom for those in the back. And thanks to 'easy entry' front seats that slide forwards automatically, it couldn't be easier for rear passengers to get in and out. Which means, wherever you're sitting, front or back, you can enjoy the unique experience of the Eos in total style and comfort.

<sup>\*</sup> Some parts of leather interior will contain artificial leather.



Design | Roof system | Interior | Safety | Equipment | Wheels | Colours & Upholstery | Engines | Technology | Service
Page 1 | Page 2

Print | Exit



Active rollover bars behind the rear seats activate at the slightest hint of a roll or impact, providing exceptional protection for passengers.

### Drive safely without a care in the world.

Not only does the Eos promise fun, excitement and adventure, but also the highest levels of safety and protection. A comprehensive range of intelligent safety features, including an Electronic Stabilisation Programme (ESP) and an Anti-lock Braking System (ABS) with Hydraulic Brake Assist (HBA) and automatic hazard light activation under emergency braking helps control the car in critical situations as well as warning other road users of the situation ahead. In addition, the rigid bodyshell, active rollover bar system, whiplash-optimised (WOKS) front head restraints, driver's and front passenger's airbags with passenger's airbag deactivation switch and combined curtain and side impact airbags offer maximum protection.

We cannot dispense with the laws of physics, but we can do everything possible to ensure your safety - leaving you free to enjoy the ride, without a care in the world. What greater freedom could you ask for?




The high level third brake light with LED technology is harmoniously integrated into the boot lid.

All interiors shown feature optional 'Nappa' leather and metallic paint. Some parts of leather interior will contain artificial leather.



The airbag system comprises driver's and front passenger's airbags with passenger's airbag deactivation switch, and combined curtain and side impact airbags for the driver and front seat passenger.



Following an impact from the rear, the new whiplash-optimised head restraints help minimise whiplash injuries to the neck and spine.



The Electronic Stabilisation Programme (ESP) reacts to critical driving situations within milliseconds, helping to maintain control by adjusting the engine's output and controlling the speed of individual wheels.



An Anti-lock Braking System (ABS) helps prevent the wheels from locking when braking severely and is fitted as standard.



Front fog lights are neatly mounted in the body-coloured front bumper and help provide clearer vision in bad weather.

Design | Roof system | Interior | Safety | Equipment | Wheels | Colours & Upholstery | Engines | Technology | Service Print | Exit





Interior shown is Eos 2.0 FSI 150 PS with 'High Spirit' cloth upholstery with optional radio system RCD 500 and metallic paint.

### Quality comes as standard.

This is a car that doesn't just look good, it feels good too – as you'll discover when you slip into the driving seat. Being a Volkswagen, the ergonomics and build quality speak for themselves – everything is exactly where you'd expect it to be, close at hand and immediately to view, creating a quality interior in which you'll feel immediately at home. A host of refinements include handy storage compartments in the doors, remote unlocking of the boot and fuel flap, a lockable glove compartment with cooling feature, and a lockable load-through provision on the back seat enabling you to transport longer items without affecting passengers. In short, this is a car as individual as it is irresistible.

Equally irresistible is the extensive range of options to further personalise your Eos. Sumptuous leather upholstery or stylish alloy wheels can create an individual look, while the Winter pack and Luxury pack provide everything you need for comfort and driving enjoyment.



Electric front and rear windows feature a one-touch open and close facility. Additionally, all four windows can be operated with the touch of a single button.



Elegant 16" 'Adelaide' alloy wheels with 215/55 R16 tyres complement the exterior styling of the Eos.



The combined curtain and side airbag system provide additional protection for the driver and front seat passenger.



Stylish range adjustable halogen clear headlights provide a clear bright light and blend effortlessly into the bodywork.



'Climatic' air conditioning with semiautomatic control produces a pleasant, consistent temperature all year round.



Front sport seats with height and lumbar adjustment will ensure you find the optimal driving position. Lumbar adjustment is not standard on Eos 1.6 FSI.



A multifunction computer keeps you up to date with useful information about your journey. Standard on Sport models.

Design | Roof system | Interior | Safety | Equipment | Wheels | Colours & Upholstery | Engines | Technology | Service

Print | Exit |

### Optional equipment.

We all enjoy different things in life, so why shouldn't your Eos reflect your own personal taste. With a wide range of optional equipment available, you now have the choice to create an individual specification to personalise your Eos. By choosing one of our Multipacks, sumptuous leather upholstery, navigation/radio system, in-car entertainment systems or cruise control, just imagine how you could build a car to your personal specification.

Gas discharge (Bi-Xenon) dipped and main beam headlights with automatic range adjustment improve visibility and the headlight washer system ensure they stay clean. Optional on all models.



The DVD navigation/radio system includes either a six CD autochanger or iPod preparation mounted in the front centre armrest. A 6½" colour screen displays a map of your route, and with audible instructions, it can guide you to your destination in any one of 24 European countries. Optional on all models.



The radio system RCD 500, including dash-mounted six CD autochanger, provides hours of listening pleasure. Optional on all models.

Please note: The DVD navigation/radio system and radio RCD 500 system cannot be specified in conjunction with each other.



The radio system RCD 500 'Dynaudio' Soundpack option provides exceptional sound quality, delivering a total output of 600 watts from ten speakers. Optional on all models.



The 2Zone electronic climate control system uses electronic temperature control to create an air conditioned environment individually suited to the front seat passengers. Optional on all models.



Design | Roof system | Interior | Safety | Equipment | Wheels | Colours & Upholstery | Engines | Technology | Service | Print | Page 1 | Page 2 | Page 3



iPod preparation - mounted in the front centre armrest allows you to link your iPod to the vehicle's audio system via iPod preparation. Controls are then provided through the radio keypad or optional multifunction steering wheel. Optional on all models.



Cruise control can maintain a constant speed from 20 mph upwards and automatically switches off when the brake or clutch is engaged. Optional on all models.



Front seats with electric 12-way adjustment include lumbar support and electrically operated 'easy entry' sliding seats. Optional on all models except Eos 1.6 FSI.



Luxurious 'Vienna' leather includes heated front sports seats that provide optimum lateral support on tight bends, ensuring maximum driving fun, while fully adjustable height and lumbar support ensures the best possible seating position. Optional on Eos and Sport and standard on Sport 3.2 V6 models.



Sumptuous 'Nappa' leather will create a distinctive look for your Eos. The front sports seats are heated to provide extra comfort, while firm supportive side bolsters and height and lumbar adjustment ensure you reach your destination feeling comfortable and relaxed. Optional on Sport and Sport 3.2 V6 models.

### Designed to inspire.

'Adelaide' 7J x 16 alloy wheels with 215/55 R16 tyres and anti-theft wheel bolts. Standard on Eos 1.6 FSI, 2.0 FSI and 2.0 TDI DPF.







'Solitude'  $7 \% J \times 17$  alloy wheels with 235/45 R17 tyres and anti-theft wheel bolts. Standard on Sport.



'Le Mans'  $7 \mbox{\sc l/L}$  x 17 alloy wheels with 235/45 R17 tyres and anti-theft wheel bolts. Optional on Eos 1.6 FSI, 2.0 FSI and 2.0 TDI DPF.



'Westwood' 7½J x 17 alloy wheels with 235/45 R17 tyres and anti-theft wheel bolts. Standard on Sport 3.2 V6 and optional on Sport.



'Avignon' by Individual 7½J x 17 with titanium silver finish, 235/45 R17 tyres and anti-theft wheel bolts. Optional on Sport and Sport 3.2 V6.




'Chicago' by Individual 8J x 18 with 235/40 R18 tyres and anti-theft wheel bolts, including sports suspension (not lowered). Optional on Sport and Sport 3.2 V6.



Design | Roof system | Interior | Safety | Equipment | Wheels | Colours & Upholstery | Engines | Technology | Service


### Paint.



Please note: Screen technology does not allow for exact reproduction of the paint colours. For further details, please contact your Volkswagen retailer.

 $<sup>\</sup>ensuremath{^*}$  Metallic and pearl effect paint are optional at extra cost.

# Upholstery.



Please note: Screen technology does not allow for exact reproduction of the upholstery colours. For further details, please contact your Volkswagen retailer.

**17** 

 $<sup>^*</sup>$  Leather upholstery is optional at extra cost. Some parts of leather interior will contain artificial leather.

### Colour combinations.

	Upholstery	Carpet	Dashboard – top/bottom	Black A1	Paprika Red H7	Silver Essence metallic 5H*	Wheat Beige metallic D1*	Shadow Blue metallic P6*	Midnight Blue metallic U1*	Leonie Blue metallic Y4*	Deep Black pearl effect 2T*	Island Grey pearl effect C9*
'High Spirit' cloth  Standard – Eos, Sport	Titanium Black (CA)	Titanium Black	Titanium Black/Titanium Black	•	•	•	•	•	•	•	•	•
'Vienna' leather sports seats† Standard – Sport 3.2 V6	Titanium Black (TW)  Cornsilk Beige (TY)	Titanium Black Dark Cornsilk	Titanium Black/Titanium Black Titanium Black/Cornsilk Beige	•	•	•	•	•	•	•	•	•
'Vienna' leather sports seats*†  Optional – Eos, Sport	Titanium Black (TW)  Cornsilk Beige (TY)	Titanium Black Dark Cornsilk	Titanium Black/Titanium Black Titanium Black/Cornsilk Beige	0	0	0	0	0	0	0	0	0
'Nappa' leather sports seats*†  Optional – Sport, Sport 3.2 V6	Deep Red (VK) Titanium Black (ZE) Cornsilk Beige (ZK)	Titanium Black Titanium Black Dark Cornsilk	Titanium Black/Titanium Black Titanium Black/Titanium Black Titanium Black/Cornsilk Beige	0 0	- 0 0	0 0	0 0	- O O	0	- O O	0 0	0 0

<sup>\*</sup> Metallic and pearl effect paints and leather upholstery are optional at extra cost.



<sup>†</sup> Some parts of leather interior will contain artificial leather.

<sup>●</sup> Standard ○ Optional – Not available



The 2.0 litre turbocharged FSI engine delivers an amazing 200 PS.



The DSG gearbox offers a genuine alternative to a manual gearbox because it is able to change gear faster than a manual gearbox and more smoothly than a conventional automatic.

### As spine-tingling as you like.

It's up to you to decide just how exhilarating you'd like your Eos to be – with a choice of engines to meet the most demanding driver. For a start, three petrol engines deliver an impressive 115 PS, 150 PS or 200 PS, using innovative FSI direct injection technology to produce dynamic power combined with economical fuel consumption\*. The 2.0 litre TDI DPF diesel engine offers equal smoothness, pulling power and economy, generating a healthy 140 PS. These engines are all linked to a six speed manual gearbox for added performance. Additionally, the 2.0 litre T-FSI 200 PS and 2.0 litre TDI DPF 140 PS are available with an automatic DSG gearbox.

If you're looking for a drive that's nothing short of exceptional, the powerful 3.2 litre V6 FSI petrol engine delivers a truly amazing 250 PS, 330 Nm of torque at 2,500-3,000 rpm, and uses a DSG double clutch transmission for spine-tingling acceleration.

Whichever engine you select, you can be sure that the pleasure will be all yours.

As part of Volkswagen's continued dedication to meet European emissions legislation, certain diesel engines are now available with an optional Diesel Particulate Filter (DPF). This is part of the exhaust system responsible for cleaning the exhaust gases before they enter the atmosphere. In addition to converting the harmful exhaust gases in the same way as a conventional catalytic converter, the DPF uses advanced technology to reduce the emission of black smoke and soot. It filters the exhaust gases and particles before they leave the vehicle exhaust system, resulting in a cleaner environment and less pollution entering the atmosphere. Please note, driving conditions within inner-cities and the Channel Islands do not provide optimum conditions for the use of DPF technology. Therefore, it is advised that you consider this before ordering your vehicle with DPF.

<sup>\*</sup> See the Engines section for CO<sub>2</sub> emissions and fuel consumption figures.

# Eos – 1.6 litre FSI 115 PS. Technical specification.

#### Manual **Engine** Engine type Four cylinder petrol Cubic capacity, ltrs/cc 1.6/1598 Max. output, PS (01)/kW 115/85 6000 at rpm Max. torque, lbs.ft/Nm 114/155 4000 at rpm Gearbox Six speed manual Weights, kgs Unladen weight (02) 1930 Gross vehicle weight Payload (02) 461 Axle load limit: Front 990 Rear 970 Trailer load Braked 12% incline 1300 limits, kgs (03) Unbraked 750 Towbar load limit 75 **Performance** Top speed†, mph (km/h) 119 (192) 11.9 Acceleration, secs 0 - 62 mph ABI insurance group **Environmental** Fuel grade, minimum Unleaded, 95 RON (04) information Fuel tank capacity, galls/ltrs 12.1/55 Official fuel consumption, mpg/ltr per 100 km (06) Urban 28.0/10.1 Extra-urban 45.6/6.2 Combined 37.2/7.6 Official CO<sub>2</sub> emission, g/km (07) 181 **Emission class** EURO 4

Noise, dB

### Notes.

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>. The CO<sub>2</sub> figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO<sub>2</sub> emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

74.0

<sup>†</sup> Where the law permits.

# Eos, Sport – 2.0 litre FSI 150 PS. Technical specification.

Engine	Engine type	Four cylinder petrol
	Cubic capacity, ltrs/cc	2.0/1984
	Max. output, PS <sup>(01)</sup> /kW	150/110
	at rpm	6000
	Max. torque, lbs.ft/Nm	148/200
	at rpm	3500
	Gearbox	Six speed manual
Weights, kgs	Unladen weight <sup>(02)</sup>	1481
	Gross vehicle weight	1950
	Payload (02)	469
	Axle load limit: Front	1020
	Rear	960
Trailer load	Braked 12% incline	1500
limits, kgs <sup>(03)</sup>	Unbraked	750
	Towbar load limit	75
Performance	Top speed†, mph (km/h)	130 (210)
	Acceleration, secs 0 - 62 mph	9.8
	ABI insurance group	12
Environmental	Fuel grade, minimum	Unleaded, 95 RON (04)
information	Fuel tank capacity, galls/ltrs	12.1/55
	Official fuel consumption, mpg/ltr per 100 km (06)	
	Urban	25.0/11.3
	Extra-urban	43.5/6.5
	Combined	34.0/8.3
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	198
	Emission class	EURO 4
	Noise, dB	72.0

Manual

### Notes.

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>. The CO<sub>2</sub> figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO<sub>2</sub> emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

<sup>†</sup> Where the law permits.

### Sport – 2.0 litre T-FSI 200 PS. Technical specification.

Engine	Engine type	Four cylinder petrol	Four cylinder petrol
	Cubic capacity, ltrs/cc	2.0/1984	2.0/1984
	Max. output, PS <sup>(01)</sup> /kW	200/147	200/147
	at rpm	5100-6000	5100-6000
	Max. torque, lbs.ft/Nm	207/280	207/280
	at rpm	1800-5000	1800-5000
	Gearbox	Six speed manual	Six speed auto DSG
Weights, kgs	Unladen weight <sup>(02)</sup>	1536	1557
	Gross vehicle weight	2000	2020
	Payload (02)	464	463
	Axle load limit: Front	1070	1090
	Rear	960	960
Trailer load	Braked 12% incline	1500	1500
limits, kgs (03)	Unbraked	750	750
	Towbar load limit	75	75
Performance	Top speed†, mph (km/h)	144 (232)	142 (229)
	Acceleration, secs 0 - 62 mph	7.8	7.9
	ABI insurance group	15	15
Environmental	Fuel grade, minimum	Unleaded, 95 RON (04)	Unleaded, 95 RON (04)
information	Fuel tank capacity, galls/ltrs	12.1/55	12.1/55
	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	25.2/11.2	25.0/11.3
	Extra-urban	43.5/6.5	43.5/6.5
	Combined	34.4/8.2	34.4/8.2
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	194	194
	Emission class	EURO 4	EURO 4
	Noise, dB	72.0	68.0

Manual

### Notes.

**Automatic** 

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>. The CO<sub>2</sub> figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO<sub>2</sub> emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

<sup>†</sup> Where the law permits.

# Sport 3.2 V6 – 3.2 litre V6 FSI 250 PS. Technical specification.

#### Automatic **Engine** Engine type Six cylinder petrol Cubic capacity, ltrs/cc 3.2/3189 Max. output, PS (01)/kW 250/184 6300 at rpm Max. torque, lbs.ft/Nm 244/330 2500-3000 at rpm Gearbox Six speed auto DSG Weights, kgs Unladen weight (02) 1627 2090 Gross vehicle weight Payload (02) 463 Axle load limit: Front 1110 Rear 1000 Trailer load Braked 12% incline 1500 limits, kgs (03) Unbraked 750 Towbar load limit 75 **Performance** Top speed†, mph (km/h) 153 (247) 7.3 Acceleration, secs 0 - 62 mph ABI insurance group 17 **Environmental** Fuel grade, minimum Unleaded, 95 RON (04) information Fuel tank capacity, galls/ltrs 12.1/55 Official fuel consumption, mpg/ltr per 100 km (06) Urban 21.1/13.4 Extra-urban 41.5/6.8 Combined 30.7/9.2 Official CO<sub>2</sub> emission, g/km (07) 219 **Emission class** EURO 4 73.0 Noise, dB

### Notes.

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>. The CO<sub>2</sub> figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO<sub>2</sub> emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

<sup>†</sup> Where the law permits.

# Eos, Sport – 2.0 litre TDI DPF 140 PS. Technical specification.

		Manda	Adiomane
Engine	Engine type	Four cylinder diesel	Four cylinder diesel
	Cubic capacity, ltrs/cc	2.0/1968	2.0/1968
	Max. output, PS (01)/kW	140/103	140/103
	at rpm	4000	4000
	Max. torque, lbs.ft/Nm	236/320	236/320
	at rpm	1800	1800
	Gearbox	Six speed manual	Six speed auto DSG
Weights, kgs	Unladen weight <sup>(02)</sup>	1548	1570
	Gross vehicle weight	2010	2040
	Payload (02)	462	470
	Axle load limit: Front	1070	1110
	Rear	970	970
Trailer load	Braked 12% incline	1500	1500
limits, kgs (03)	Unbraked	750	750
	Towbar load limit	75	75
Performance	Top speed†, mph (km/h)	127 (205)	126 (203)
	Acceleration, secs 0 - 62 mph	10.4	10.3
	ABI insurance group	11	11
Environmental	Fuel grade, minimum	Diesel (05)	Diesel (05)
information	Fuel tank capacity, galls/ltrs	12.1/55	12.1/55
	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	35.3/8.0	31.7/8.9
	Extra-urban	56.5/5.0	51.4/5.5
	Combined	47.1/6.0	42.2/6.7
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	158	177
	Emission class	EURO 4	EURO 4
	Noise, dB	72.0	69.0

Manual

### Notes.

**Automatic** 

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the FSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>. The CO<sub>2</sub> figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible CO<sub>2</sub> emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

<sup>†</sup> Where the law permits.

### The technology.

#### **Transmission**

- Six speed manual: 1.6 litre FSI 115 PS,2.0 litre FSI 150 PS, 2.0 litre T-FSI 200 PS,2.0 litre TDI DPF 140 PS
- Six speed automatic DSG: 2.0 litre T-FSI 200 PS,
   3.2 litre V6 FSI 250 PS, 2.0 litre TDI DPF 140 PS

#### **Brakes**

- Electronically controlled Anti-lock Braking
   System (ABS) with Electronic Brake-pressure
   Distribution (EBD)
- Hydraulic Brake Assist (HBA)

#### **Steering**

- Electro-mechanical steering rack, height and lengthways adjustable
- Collapsible safety steering column

#### Running gear

Electronic Stabilisation Programme (ESP)
 including Electronic Differential Lock (EDL)
 and Traction Control (ASR)

# cylinder-selective anti-knock control, four single spark ignition coils, longlife spark plugs, exhaust gas recirculation, three-way front catalyst

**Engines** 

- Front transverse-installed engine

- 1.6 litre/115 PS (01) (85 kW) petrol engine:

– 2.0 litre/150 PS (01) (110 kW) petrol engine:

four cylinder in-line engine, aluminium cylinder head, four valves per cylinder with roller valve lever drive, electronic direct injection (FSI), programmed ignition with cylinder-selective anti-knock control, four single spark ignition coils, longlife spark plugs, exhaust gas recirculation, three-way front catalyst

four cylinder in-line engine, aluminium cylinder head, four valves per cylinder with

roller valve lever drive, electronic direct injection (FSI), programmed ignition with

- 2.0 litre/200 PS (01) (147 kW) petrol engine: four cylinder in-line engine, aluminium cylinder head, four valves per cylinder with roller rocker finger valve drive, electronic direct injection (FSI), variable inlet valve timing, programmed ignition with cylinder-selective anti-knock control, four single spark ignition coils, longlife spark plugs, exhaust gas turbocharger, three-way closecoupled pre-catalyst and underbody catalyst, lambda control
- 3.2 litre/250 PS (01) (184 kW) petrol engine:
   six cylinder transverse engine in 'V' format, aluminium cylinder head, four valves
   per cylinder with roller rocker valve lever drive, electronic indirect injection, six
   single spark ignition coils, three-way catalyst, lambda control
- 2.0 litre/140 PS (01) (103 kW) diesel engine:
   four cylinder in-line engine, cast iron cylinder block four valves per cylinder,
   electronically controlled direct injection with pump injector unit ('Pumpe Düse'),
   oil cooler, intercooler, exhaust gas recirculation, turbocharger with variable turbine
   geometry, catalytic converter or catalytic coated diesel particulate filter
- 01 The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.

# Technical specification dimensions.


Maximum luggage capacity, litres VDA measuring method using 200 x 100 x 50 mm blocks As coupé (3.2 V6 FSI)
As cabriolet (3.2 V6 FSI)

380 (358) 205 (183)

**Exterior dimensions** 

Length, mm
Width – including door mirrors, mm
Width – excluding door mirrors, mm
Width - opened front doors, mm
Height, mm
Height – opened bonnet/floor, mm
Height – opened tailgate/floor, mm
Wheelbase, mm
Turning circle, metres

4407 2026 1791 4153 1437 1769 1935 2578



### Volkswagen service for your peace of mind.

#### The Volkswagen Warranty.

#### Three-year Warranty.

All Volkswagen Eos' come with a three-year/60,000 miles warranty, which protects your car against the failure of most mechanical and electrical components due to manufacturing defects. This comprises a two-year manufacturer's warranty with unlimited mileage plus a further one-year/60,000 miles (whichever is soonest) Retailer Warranty. Should the mileage exceed 60,000 miles within the first two years, the manufacturer's two-year warranty will still be valid. If an additional warranty for subsequent years or higher mileage is desired, it may be purchased from an authorised Volkswagen retailer or repairer; however, this additional warranty must be purchased before the mileage reaches 60,000\*. Full details of the three-year warranty are available from your authorised Volkswagen retailer or repairer.

\* All warranty work must be completed by an authorised Volkswagen retailer or repairer.

#### Three-year Paint Warranty.

The paintwork of the Eos is covered against manufacturing defects for a period of three years. Naturally, the Eos must be cared for in compliance with the operating instructions which will be found in your vehicle handbook. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

#### 12-year Body Protection Warranty.

The internal body sections and panels of the Eos' are covered against rusting through from the inside for 12 years. Naturally, the Eos must be cared for in compliance with the operating instructions. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

#### Service Intervals.

Volkswagen are pleased to offer you a choice on how your Eos is serviced. The appropriate selection is entirely dependent on how the car is likely to be driven and its general use. To help you identify which type of service would be most suitable, please refer to the following guide.

The Time and Distance Service is recommended for vehicles that will cover less than 10,000 miles in 12 months and if the vehicle is likely to be used in the following way:

- Predominantly urban driving, short journeys with frequent cold starts.
- Activities regularly producing high engine loading, e.g. frequent hill climbs, driving with vehicle fully loaded and towing.
- Uneconomical driving style using high rpms with heavy acceleration and heavy braking.

The service intervals for the Time and Distance Service are as follows:

- Oil change service
   Every 10,000 miles/1 year (whichever is soonest).
- Interval service
   Every 20,000 miles/2 years (whichever is soonest).
- Interval service inspection
  Every 40,000 miles/4 years (whichever is soonest).

The LongLife Service is recommended for vehicles with a daily mileage of more than 25 miles where the vehicle is driven regularly mainly on longer distance journeys. The vehicle is driven mainly at a constant speed with minimum vehicle and engine loading, minimal towing and driven in an economical manner.

With the LongLife Service the vehicle can cover anywhere between  $10,000^{\dagger}$  and a maximum of  $20,000^{\dagger}$  miles or 24 months (whichever is soonest).

† Please note that mileages are approximate as the service indicator system uses kilometres as the distance measurement. Please consult your authorised Volkswagen retailer or repairer for advice and full details.

#### Approved Accessories.

A comprehensive range of accessories from alloy wheels to carpet mats is available to complement the factory-fitted option list.

Volkswagen approved accessories purchased from and fitted by your authorised Volkswagen retailer at the point of vehicle sale will also benefit from the three-year vehicle warranty.

#### Extended Warranty.

You may purchase additional protection from your authorised Volkswagen retailer or repairer, or contact 0870 9000 115.

#### Volkswagen Finance<sup>‡</sup>.

Volkswagen Finance specialises in providing funding solutions for Volkswagen drivers. Whether your Volkswagen is for private or business use, you can choose from a range of funding options.

- Solutions a personal contract plan
- Hire purchase
- · Lease purchase
- · Finance lease
- · Contract hire

With all Volkswagen Finance products you can choose a fixed-cost maintenance plan to help you budget for your servicing and maintenance costs.

No matter what finance product you choose, your local Volkswagen retailer will be able to provide you with a personalised quote that could meet your budget and vehicle needs.

‡ Volkswagen Finance is a trading name of
Volkswagen Financial Services (UK) Limited.
An offer of finance depends on certain conditions.
Available to people over 18 in the UK only.

#### Volkswagen Insurance±.

Competitive and comprehensive motor insurance designed especially for Volkswagen drivers. All new and Approved Used Volkswagens come with complimentary seven-day cover upon request – we'll e-mail a cover note straight to your retailer, enabling them to tax your car easily. This way, you can drive straight out of the showroom. Taking out annual cover is easy and it can start when the seven-day cover expires. For more information contact your local Volkswagen retailer or call 0800 051 3136.

± Volkswagen Insurance is underwritten and administered by Zurich Insurance Company. Volkswagen Insurance is a trading name of Volkswagen Insurance Service (Great Britain) Limited which is an appointed representative of Volkswagen Financial Services (UK) Limited. Zurich Insurance Company and Volkswagen Financial Services (UK) Limited are both authorised and regulated by the Financial Services Authority.

#### Volkswagen Assistance.

Every new car is registered for Volkswagen Assistance for one year. This provides vehicle recovery in the unlikely event of a breakdown (subject to conditions). Volkswagen Assistance can also be purchased for subsequent years. For full details, please contact your authorised Volkswagen retailer.

#### Tax Free Sales.

For full details, please contact your authorised Volkswagen retailer.

#### CO<sub>2</sub> Emission.

The weight of a vehicle will influence the level of  $CO_2$  emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of  $CO_2$ .

The  $\rm CO_2$  figure quoted for each vehicle is the maximum possible. The unladen weight of the vehicle is calculated by range at the time of manufacture and the maximum possible  $\rm CO_2$  emission for that weight range is applied according to the Council Directive 80/1268EEC as amended by Commission Directive 1999/100/EC on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

#### Please Note

Some illustrations in this brochure do not necessarily reflect UK specifications and may not be available. In particular, controls and some items of equipment are positioned differently for the UK.

The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your authorised Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your authorised Volkswagen retailer prior to ordering.

Note: We would like to advise you that telephone calls to Volkswagen Customer Care may be monitored and recorded as part of our training and quality assurance processes. All our monitoring and recording processes meet Oftel regulations.

