Volkswagen Information Service. Telephone 0800 333 666 Internet: www.volkswagen.co.uk © Volkswagen Group United Kingdom Limited 2009. Issue: 1 July 2009. Printed in UK. PVW291NEWGF



# The new Golf











There's no mistaking the new Golf. Quite simply better than ever. New Gol



The stylish rear provides a powerful statement, with the tailgate's flush design adorned with the iconic Golf logo.

Engine badging will vary by model.



The newly shaped body-coloured door handles complement the new Golf's pronounced profile.



The GT's striking 'Cherry red' rear light clusters enhance the rear design and blend perfectly into the bodywork. Its powerful lines are further accentuated by the contours of the horizontally positioned lights.

## Design


With its strong bodylines, flowing contours and aerodynamic design, the new Golf is more refined and stylish than ever, while details such as the double radiator grille and sleek contoured headlights enhance its sporting appeal. Exuding quality and charisma from every angle, the new Golf has a character all of its own, its flawless exterior hinting at the superior workmanship within.



The radiator grille in high gloss black finish helps define the face of the new Golf, with chrome trimmed inserts on the grille louvres adding a sporty touch to SE, BlueMotion SE and GT models.



The body-coloured door mirrors with indicators not only draw attention to the body styling, but are also highly visible to other road users and help to reduce wind noise through improved



Range adjustable Halogen headlights with integrated indicators flow seamlessly into the radiator grille, giving the new Golf its distinctive appearance.



The twin exhaust tailpipe is a distinctive design feature of the new Golf, hinting at the power beneath the bonnet.

Excluding 1.4 litre 80 PS, 1.6 litre 102 PS, 1.6 litre TDI 90 PS and 1.6 litre TDI 105 PS engines.




The new rear design is both sporty and elegant, with the rear light clusters blending into the bodyshape, giving the new Golf its distinctive appearance, while the integrated rear spoiler optimises the aerodynamics. The Volkswagen badge functions as a tailgate release and also conceals the lens for the optional rear-view camera.



#### The new Golf S

The entry level S model is exceptionally well equipped with a wide range of features, including air conditioning with 'Climatic' semi-automatic control, electric front windows, driver's seat height adjustment and electrically heated and adjustable door mirrors. There is also a multifunction computer (Midline), power-assisted speed-sensitive steering and an RCD 210 radio/MP3 compatible CD player, with four front speakers. The seven airbag system includes a new knee airbag to help protect the driver, and practical storage compartments can be found in the roof console, centre console and doors, along with two cup holders in the front and one in the rear. The lockable glove compartment is conveniently illuminated and cooled, while 'Titanium' decorative inserts on the dash and door panels enhance the visual appeal. The parcel shelf and sill protector are removable should you need to transport bulky items and, on three-door models, the easy entry sliding seats makes it easier for passengers to get in and out.



'Spell' upholstery in 'Titan Black' gives the interior a classical elegance.



The newly designed 'Climatic' semi-automatic air conditioning system is extremely user-friendly, providing your required cabin temperature quickly and efficiently, while maintaining your selected temperature.



The RCD 210 radio/MP3 compatible CD player with four front speakers will ensure enjoyment on any journey.




Controls for the electric front windows, including one-touch opening and closing facility, and the electrically heated and adjustable door mirror switch are conveniently located in the driver's door.



15 inch steel wheels with full size wheel trims characterise the stylish look of the new Golf S.



The practical and durable interior of the new Golf S features 'Spell' cloth upholstery in 'Titan Black' and 'Titanium' decorative inserts in the dash and door panels.



The stylish interior of the new Golf SE features 'Pyramid Black' decorative inserts in the dash and door panels and front comfort seats upholstered in vibrant 'Merlin' cloth upholstery in 'Titan Black'.

Interior shown is SE DSG featuring optional leather trimmed steering wheel, gear knob and handbrake grip.

S | SE | BlueMotion SE | GT

#### The new Golf SE

Step up to the SE model and an impressive level of specification ensures you always reach your destination in a relaxed frame of mind. 16 inch 'Atlanta' alloy wheels with 205/55 R16 tyres and chrome trimmed radiator grille louvre inserts give the exterior a distinctly sporty appeal, while inside luxuries include a rain sensor and automatic dimming interior rear-view mirror, dusk sensor with automatic driving lights and an automatic coming/leaving home lighting function. Height adjustable front comfort seats with lumbar support help make your journey more comfortable, as does cruise control and an RCD 310 radio/MP3 compatible CD player. The RCD 310 also features a Multi Device Interface (MDI) with USB and iPod connection cables and an AUX-in socket for connection to an external multimedia source. New 'Merlin' upholstery, 'Pyramid Black' decorative inserts, and chrome-plated light switch surrounds gives the interior a luxurious feel, and the SE also features an alarm with interior protection and electric rear windows on five-door models. Additional comfort is provided by the front centre armrest featuring, two air vents and two cup holders, and the rear centre armrest offers a loadthrough provision for transporting longer or more bulky items.



The front centre armrest features both a Multi Device Interface (MDI) and an AUX-in socket and with the facility to connect, charge and store a compatible iPod or USB device. The rear passengers also benefit from two rear air vents and two cup holders.



of 4 x 20 watts and its large screen clearly displays radio station choices or the track listings of a compatible device connected to the Multi Device Interface (MDI).



The ergonomically designed chromeplated light switch surround combines function with aesthetics perfectly.



At speeds of over 19 mph, cruise control keeps your selected speed constant, enabling you to relax on longer journeys, without having to keep an eye on your speedometer.



16 inch 'Atlanta' alloy wheels make a lasting impression with their contemporary elegance.

#### The new BlueMotion Golf SE

The BlueMotion offers impressive environmental credentials by intelligently refining existing technology. These factors, as well as dynamic lines and good aerodynamics reduce the vehicle's air resistance and, combined with engineering refinements such as low rolling resistance tyres, help produce exceptional economy. A combination of all these refinements delivers a package that offers outstanding economy up to 68.9 mpg over the Combined fuel cycle, and the 1.6 litre TDI 105 PS engine with DPF (Diesel Particulate Filter) ensures  $CO_2$  emissions are from an impressively low 107 g/km, achieving a place in Vehicle Excise Duty band B. However, despite all the refinements to make the BlueMotion such an economical car, there really hasn't been any compromise on standard equipment. The BlueMotion SE builds over the already well equipped Golf SE, supplemented by innovative technology to help keep fuel consumption and emissions impressively low. The start/stop system momentarily switches off the engine when the vehicle is stationary, in neutral and the clutch disengaged. This is notified to the driver with 'Start Stop' displayed on the Highline multifunction computer, then disappears when driving is resumed. On manual models, the multifunction computer includes a visual gear change recommendation for optimum fuel consumption. Regenerative braking utilises energy during braking and deceleration boosting the alternator voltage which in turn recharges the battery, it is even possible to switch the alternator off entirely which reduces engine load and improves economy.



The multifunction computer (Highline) provides useful statistics about your journey, such as exterior temperature, average and current fuel consumption, average speed and estimated distance to refuelling. On manual models it also includes a visual gear change recommendation for optimum fuel consumption.



Comfort and convenience are ensured with **front footwell illumination**, **an automatic coming/leaving home lighting function**, ensuring your surroundings are well lit for additional security. The **dusk sensor** activates the vehicle's headlights when natural light levels diminish (i.e. night driving and underground car parks), while the **automatically dimming interior rear-view mirror and rain sensor** provide extra safety and comfort.



The unique BlueMotion badging symbolises excellent fuel consumption and class-leading economy.



16 inch 'Atlanta' alloy wheels with 205/55 R16 low rolling resistance tyres help to reduce the BlueMotion's fuel consumption.




The **stylish interior of the new BlueMotion Golf SE** features 'Pyramid Black' decorative inserts in the dash and door panels and front comfort seats upholstered in vibrant 'Merlin' cloth upholstery in 'Titan Black'.

Interior shown is BlueMotion SE featuring optional leather trimmed steering wheel, gear knob and handbrake grip.

#### The new Golf GT

The exclusive GT model features an extremely high level of specification, both inside and out, ensuring dynamic appeal and immense satisfaction. 17 inch 'Porto' alloy wheels with 225/45 R17 tyres, lowered sports suspension by approx. 15 mm and a chrome trimmed front air-intake surround, front fog light surrounds and radiator grille louvre inserts give the exterior its stylish, sporty look. The exterior is further enhanced by front fog lights with static cornering function and rear tinted windows from the B pillar back. Inside, front sports seats with height and lumbar adjustment are covered in high quality Alcantara upholstery on the seat centre sections and 'Microfibre' side bolsters, and the three-spoke steering wheel, gear knob and handbrake grip are all finished in luxurious leather trim. 'Matt Chrome' decorative inserts and chrome-plated door mirror switch surround, electric window switch and light switch surrounds further enhance the sumptuous interior, as do front and rear carpet mats. Superb acoustics are provided by the powerful eight speaker RCD 310 radio system, which features an MP3 compatible CD player, AUX-in socket and Multi Device Interface (MDI), allowing connection of an external multimedia source, such as an iPod or MP3 player; and both the radio system and multifunction computer (Highline) can be controlled via the intuitive new leather trimmed multifunction steering wheel. A tyre pressure indicator is also included, which will alert you of any loss in tyre pressure, while the front centre armrest with two rear air vents and cup holders adds an extra touch of comfort.



Radio systems, multifunction computer (Highline) and optional telephone preparation\* can be operated easily and comfortably via the newly designed leather trimmed multifunction steering wheel.

Phones must be compatible with rSAP (rSim Access profile), please contact your retailer for phone compatibility



Exclusive to the new Golf GT is the chrome-plated electric mirror adjustment switch surround.



The leather trimmed three-spoke steering wheel, gear knob and handbrake grip add an air of exclusivity.

Interior shown features DSG gearbox and optional leather upholstery. Some parts of leather interior will contain artificial leather



Front fog lights including static cornering function which illuminates when indicating or turning at low speed. Not only do they improve safety in the event of poor visibility, but with a chrome trimmed surround, they also provide a sporty finish.



17 inch 'Porto' alloy wheels complete with sports suspension, lowered by approx. 15 mm, combine to create a stylish and sporty exterior.



The dynamic and sporty interior of the new Golf GT features front sports seats upholstered in high quality Alcantara in the seat centre section and 'Microfibre' side bolsters. This exclusive interior is finished off with 'Matt Chrome' decorative inserts in the dash and door panels.

Interior shown features optional 2Zone electronic climate control and RCD 510 touch-screen radio system

#### Safety

With no one to beat but itself, the new Golf simply goes one better in improving the already high levels of safety offered by its predecessors. The result is a range of all-round safety precautions offering maximum protection in any eventuality, once more setting the standards for others to follow.



Both driver and passengers can rely on a **comprehensive airbag system** comprising driver's and front passenger's airbags with front passenger's deactivation switch and a curtain airbag system with front seat side impact airbags for the driver and front passenger. Also, for the first time on a Volkswagen, the new Golf is also fitted with a driver's knee airbag for added protection, particularly in the event of a head-on collision. Deployment of the airbags is activated by crash sensors. When an impact is registered, the airbag control unit ignites the gas generator, which then inflates the airbag within less than 40 milliseconds, helping to reduce injuries significantly.




The two whiplash-optimised front head restraints not only ensure additional comfort, but also provide particularly effective support for the head and spine in the event of a collision.



A rear-view camera, integrated behind the Volkswagen badge on the rear tailgate of the new Golf, provides a clear view to the rear of your vehicle, transmitting an undistorted live image to your radio or navigation system display, enabling you to manoeuvre quickly and easily into the most difficult parking space. Optional on all models.

Must be ordered in conjunction with RCD 510 or DVD touch-screen navigation/radio systems.





When driving past a parking space at up to 19 mph, the optional Park Assist system with ultrasonic front and rear parking sensors, compares the space available with the length of the new Golf. If the space is suitable, the Park Assist parallel parking assistant automatically controls the steering as soon as you engage reverse gear. All you have to do is operate the accelerator, clutch and brake, while keeping a good lookout. Parking sensors also assist in less challenging parking manoeuvres by emitting both audible and visual signals, alerting the driver to any obstacles in the way: the closer you are to an obstacle the faster the sound frequency. In addition an Optical Parking Display\* extends the functions of the parking sensors by indicating your position, either in monochrome on RCD 310 or colour on RCD 510 and DVD navigation system, on the vehicle's audio display during parking. Optional on all models.

\* The Optical Parking Display feature will not function with RCD 210 radio systems.



The Electronic Stabilisation
Programme (ESP) recognises
critical driving situations
and reacts in milliseconds by
targeting brake and management
systems, controlling the speed of
individual wheels and helping to
bring the vehicle under control.
As a result the vehicle achieves
maximum directional stability.



The rear seat side airbag system not only protects rear seat passengers, but includes an optical warning informing the driver when rear seat occupants have not fastened their seat belts or have not fastened them correctly. Optional on all models.

Rear seat side airbag system is only available on five-door models.



Front fog lights including static cornering function which illuminates when indicating or turning at low speed. It adds a striking look to the front of the vehicle and also provides additional safety in bad weather or where there is poor visibility. Standard on GT and optional on all other models.





#### **Optional equipment**

As you'd expect from such a technologically advanced and well thought out car, it also offers the very latest innovative options to help make every journey that little bit easier. For example, the DVD touch-screen navigation/radio system can guide you to your destination easily and efficiently, with its large colour touch-screen, 3D maps and split-screen functionality. And while your car takes care of planning the route, you can enjoy your favourite music from the DVD drive or 30 GB hard drive, or play your iPod or MP3 player through the Multi Device Interface (MDI). You can even enjoy a DVD film while the vehicle is stationary. Just one more way in which the new Golf raises the driving experience to exciting new levels.



Optional in conjunction with the RCD 510 or DVD navigation/radio system, the 'Dynaudio' soundpack offers phenomenal sound, delivering 300 watts through eight high performance speakers, perfectly distributing acoustics throughout the vehicle. Optional on SE, BlueMotion SE and GT models.



The RCD 310 radio/MP3 compatible CD player features eight speakers with an output of 4 x 20 watts. It also features an AUX-in socket for connection to an external multimedia source (e.g. iPod or MP3 player). Standard on SE, BlueMotion SE and GT and optional on S models.



The Multi Device Interface (MDI) with iPod and USB cables enables you to connect and charge a compatible device, while track selection is viewed and selected via the vehicle's radio\* system. Standard on SE, BlueMotion SE and GT and optional on S models.

\* Must be ordered in conjunction with RCD 310, RCD 510 or DVD touch-screen navigation/radio systems.




At speeds of over 19 mph, **cruise control** keeps your selected speed constant, enabling you to relax on longer journeys, without having to keep an eye on your speedometer. Standard on SE, BlueMotion SE and GT and optional on S models.



The RCD 510 touch-screen radio/dash-mounted MP3 compatible six CD autochanger features a large 6½ inch colour display, with intuitive menu navigation and touch-screen operation. It also features an AUX-in socket for connection to an external multimedia source (e.g. iPod or MP3 player) and an SD memory card slot. Optional on all models.




The DVD touch-screen navigation/radio system will guide you to your destination using all but the last two digits of a UK postcode and includes a 6½ inch colour display. It also plays DVDs (when the vehicle is stationary) and music from the DVD drive, 30 GB hard drive or via an SD card. Optional on SE, BlueMotion SE and GT models.



The newly designed **leather trimmed multifunction steering wheel** is fitted with ergonomically designed switches, making it easy to use the radio, multifunction computer (Highline) and optional telephone preparation\* functions. Thanks to the height and reach adjustment of the steering column, the position of the steering wheel can also be individually adapted to your requirements. Standard on GT and optional on all other models.

 $^{\ast}$  Phones must be compatible with rSAP (rSim Access profile), please contact your retailer for phone compatibility.





A rear-view camera, integrated behind the Volkswagen badge on the rear tailgate of the new Golf, provides a clear view to the rear of your vehicle, transmitting an undistorted live image to your radio or navigation system display, enabling you to manoeuvre quickly and easily into the most difficult parking space. Optional on all models.

Must be ordered in conjunction with RCD 510 or DVD touch-screen navigation/radio systems.



The newly designed 2Zone electronic climate control with automatic air recirculation system features dual zone temperature control for the driver and front passenger, allowing each to select their individual preferred temperature. Optional on SE, BlueMotion SE and GT models.

Interior shown features optional RCD 510 touch-screen radio system and Winter pack.



The Convenience pack comprises front footwell illumination, an automatic coming/leaving home lighting function, ensuring your surroundings are well lit for additional security. The dusk sensor activates the vehicle's headlights when natural light levels diminish (i.e. night driving and underground car parks), while the automatically dimming interior rear-view mirror and rain sensor provide extra safety and comfort. Standard on SE, BlueMotion SE and optional on all other models.

Convenience pack and Luxury pack cannot be specified in conjunction with each other.



In the event of a change in air pressure, the flat tyre indicator symbol appears in the multifunction display, advising the driver to rectify the situation. Standard on GT and optional on all models.



The **Storage pack** extends the new Golf's numerous storage facilities even further to include drawers beneath the front seats, a net beneath the rear parcel shelf and a net on the boot floor. Optional on SE, BlueMotion SE and GT models.



The Luxury pack not only includes the features of the Convenience pack, but also electrically folding exterior mirrors with reverse activated kerb-view adjustment on the passenger door mirror. Optional on all models.



Headlight washers form part of the Winter pack, along with heated front seats, a low washer fluid warning light and automatically heated windscreen washer jets. Optional on SE, BlueMotion SE and GT models.



Heat insulating rear tinted windows from the B pillar back are 65% light absorbing, and helps reduce exposure to the sun's rays whilst giving your new Golf a sporty look. Standard on GT and optional on all other models.

## Alloy wheels

Add a touch of style and personality with this great choice of alloys. Alloys add a distinctively sporty look to your car, carefully chosen to enhance the exterior styling of every model. These alloy wheel options give you plenty of opportunity to express your individuality and transform the appearance of your new Golf. As well as the styling, they also offer sporting performance which is all about feeling the road beneath the wheels while staying in control, enabling you to maintain the perfect balance between power and dynamics in any situation.



The dynamic look of the new Golf GT with optional 18 inch 'Bilbao' alloy wheels, Winter pack, parking sensors and metallic paint.



'Atlanta' 6½ x 16 light alloy wheels with 205/55 R16 tyres. Standard on SE and BlueMotion SE models. Please note: BlueMotion SE is fitted with 205/55 R16 low rolling resistance tyres as standard.



'Porto' 7J x 17 light alloy wheels with 225/45 R17 tyres. Standard on GT models.



'Wellington' 6½ x 15 light alloy wheels with 195/65 R15 tyres. Optional on S models.



'Seattle' 7J x 17 light alloy wheels with 225/45 R17 tyres. Optional on SE and GT models.



'Bilbao' 7½ J x 18 light alloy wheels with 225/40 R18 tyres. Optional on GT models.



'Vancouver' 71/2J x 18 light alloy wheels with 225/40 R18 tyres. Optional on GT models.





Black
Non-Metallic
A1



Candy White
Non-Metallic
B4



Tornado Red
Non-Metallic
G2



Passion Red Metallic 1U



Georgia Blue
Metallic
5R



Blue Graphite
Pearl Effect
W9

Please note: Screen technology does not allow for exact reproduction of the paint colours.

## Upholstery

Titan Black Truffle 'Spell' cloth 'Vienna' leather\* TL Standard on S Optional on SE, BlueMotion SE and GT Titan Black Titan Black 'Merlin' cloth 'Vienna' leather\* FW Standard on SE and BlueMotion SE Optional on SE, BlueMotion SE and GT Titan Black Corn Silk Beige Alcantara 'Vienna' leather\* XT Standard on GT Optional on SE, BlueMotion SE and GT Corn Silk Beige Alcantara ΧU \* Some parts of leather interior will contain artificial leather. Standard on GT Please note: Screen technology does not allow for exact reproduction of the upholstery colours. Standard Optional at extra cost



## **Combinations**

	Seat upholstery	Carpet	Dashboard	Black (A1)	Candy White (B4)	Tornado Red (G2)	Passion Red Metallic (1U) *	Georgia Blue Metallic (5R)*	Silver Leaf Metallic (7B) *	Reflex Silver Metallic (8E) *	Shadow Blue Metallic (P6)*	Steel Grey Metallic (X6)*	Deep Black Pearl Effect (2T)	Blue Graphite Pearl Effect (V
<b>'Spell' cloth</b> Standard on S	Titan Black (BB)	Black	Black/Black	•	•	•	•	•	•	•	•	•	•	•
<b>'Merlin' cloth</b> Standard on SE and BlueMotion SE	Titan Black (FW)	Black	Black/Black	•	•	•	•	•	•	•	•	•	•	•
Alcantara Standard on GT	Titan Black (XT) Corn Silk Beige (XU)	Black Black	Black/Black Black/Black	•	•	•	•	•	-	-	•	•	•	•
<b>'Vienna' leather *</b> † Optional on SE, BlueMotion SE and GT models	Truffle (TL) Titan Black (TW) Corn Silk Beige (YY)	Black Black	Black/Black Black/Black Black/Black	0 0	0 0	- 0 0	- 0 0	- 0 0	0 0 -	0 0 -	- 0 0	0 0	0 0	0 0

 $<sup>^{*}</sup>$  Metallic and pearl effect paints and 'Vienna' leather upholstery are optional at extra cost.

lack Pearl Effect (2T) \*

<sup>†</sup> Some parts of leather interior will contain artificial leather.

Standard.

Optional at extra cost.

<sup>-</sup> Not available.



#### **Engines and gearboxes**

Select the dual-clutch, Direct Shift Gearbox (DSG) and you'll enjoy gear changes faster than a manual, yet so smooth they're virtually imperceptible, giving maximum driving enjoyment whatever the conditions. The DSG gearbox features an auto hold function – which automatically holds the vehicle when you come to a stop on a hill and then releases as you pull away. It's details such as these that make the difference. Establishing the new Golf once more as a car that raises the bar.



The six speed manual gearbox transmits power with short, accurate shifts and very smooth handling, making it easy to drive at the right engine speed.



The **dual clutch Direct Shift Gearbox – DSG** shifts smoothly and imperceptibly into the pre-selected next gear, within a split second. Depending on engine specification, a six or seven speed gearbox is not only highly dynamic, but now also features an auto hold function which prevents your new Golf from rolling back when pulling away on a slope or during a hill start.

1.6 litre 102 PS, 1.4 litre TSI 122 PS, 1.4 litre TSI 160 PS, 1.6 litre TDI 105 PS and 2.0 litre TDI 140 PS models only.



The combination of direct fuel injection and intelligent turbocharging technology allows **petrol engines with TSI technology** to work particularly efficiently, offering such advantages as high performance, high torque and reduced fuel consumption. TSI technology is available as either a turbocharged 1.4 litre TSI 122 PS or a twincharged 1.4 litre TSI 160 PS version.



The **TDI diesel engine** with common rail technology is a highly efficient combustion engine. The 1.6 litre TDI 105 PS BlueMotion engine, fitted with a Diesel Particulate Filter (DPF), produces  ${\rm CO_2}$  emissions of as little as  $107~{\rm g/km^*}$ , enabling you to drive in an even more environmentally responsible manner.

\* Please see the Engines section for fuel consumption and CO<sub>2</sub> emissions figures.



The optional Adaptive Chassis Control (ACC) adapts the damping control and shock absorption rate to the road conditions and driving style you require within milliseconds. At the touch of a button, you decide how firm or comfortable you wish to set the suspension, with a choice of three settings: Sport, Comfort or Normal. In Normal mode, the principal advantage of the system is that the dampers are constantly adjusted to the road and the driving conditions. In Sport mode, the dampers are considerably stiffer and the steering becomes more responsive. A direct contrast is Comfort mode where the suspension is adjusted to maximise passenger comfort, particularly when travelling on poor road surfaces or long motorway journeys. Optional on SE and GT models.

#### S - 1.4 litre 80 PS

## **Technical specification**

Engine	Engine type	Four cylinder petrol
9	Cubic capacity, ltrs/cc	1.4/1390
	Max. output, PS (01)/kW	80/59
	at rpm	5000
	Max. torque, lbs.ft/Nm	97/132
	at rpm	3800
	Gearbox	Five speed manual
Weights, kgs	Unladen weight <sup>(02)</sup>	1217
weigilis, kgs	Gross vehicle weight	1750
	Payload (02)	608
	Axle load limit: Front	920
	Rear	880
	itear	000
Trailer load	Braked 12% incline	800
limits, kgs <sup>(03)</sup>	Unbraked	600
	Towbar load limit	75
	Max. roof load	75
Performance	Top speed (where the law permits), mph (km/h)	107 (172)
	Acceleration, secs 0 - 62 mph	13.9
	ABI insurance group, 1 - 20 (1 - 50) <sup>†</sup>	4E (8E)
Environmental	Fuel grade, minimum	Unleaded, 95 RON (04)
information	Fuel tank capacity, galls/ltrs	12.1/55
momanon	Official fuel consumption, mpg/ltr per 100 km (06)	12.1700
	Urban	33.2/8.5
	Extra-urban	55.4/5.1
	Combined	44.1/6.4
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	149
	Emission class	EURO 5
	Noise, dB	73.0

Manual

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

Notes.

<sup>†</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

## **S - 1.6 litre 102 PS**

## **Technical specification**

		Manual	Automatic D3G
Engine	Engine type	Four cylinder petrol	Four cylinder petrol
	Cubic capacity, ltrs/cc	1.6/1595	1.6/1595
	Max. output, PS (01)/kW	102/75	102/75
	at rpm	5600	5600
	Max. torque, lbs.ft/Nm	109/148	109/148
	at rpm	3800	3800
	Gearbox	Five speed manual	Seven speed auto DSG
Weights, kgs	Unladen weight <sup>(02)</sup>	1232	1265
	Gross vehicle weight	1780	1810
	Payload <sup>(02)</sup>	623	620
	Axle load limit: Front	950	980
	Rear	880	880
Trailer load	Braked 12% incline	1200	1200
limits, kgs (03)	Unbraked	610	630
	Towbar load limit	75	75
	Max. roof load	75	75
Performance	Top speed (where the law permits), mph (km/h)	117 (188)	117 (188)
	Acceleration, secs 0 - 62 mph	11.3	11.3
	ABI insurance group, 1 - 20 (1 - 50) <sup>†</sup>	5E (13E)	5E (13E)
Environmental	Fuel grade, minimum	Unleaded, 95 RON <sup>(04)</sup>	Unleaded, 95 RON <sup>(04)</sup>
information	Fuel tank capacity, galls/ltrs	12.1/55	12.1/55
	Official fuel consumption, mpg/ltr per 100 km $^{(06)}$		
	Urban	29.1/9.7	32.1/8.8
	Extra-urban	50.4/5.6	51.4/5.5
	Combined	39.8/7.1	42.2/6.7
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	166	157
	Emission class	EURO 5	EURO 5
	Noise, dB	72.0	70.0

Manual

## Notes.

Automatic DSG

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

<sup>†</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

#### S, SE - 1.4 litre TSI 122 PS

#### **Technical specification**

Engine	Engine type Cubic capacity, ltrs/cc Max. output, PS (01)/kW at rpm Max. torque, lbs.ft/Nm at rpm Gearbox	Four cylinder petrol 1.4/1390 122/90 5000 148/200 1500-4000 Six speed manual	Four cylinder petrol 1.4/1390 122/90 5000 148/200 1500-4000 Seven speed auto DSG
Weights, kgs	Unladen weight <sup>(02)</sup> Gross vehicle weight Payload <sup>(02)</sup> Axle load limit: Front Rear	1290 1820 605 990 880	1346 1850 609 1020 880
Trailer load limits, kgs <sup>(03)</sup>	Braked 12% incline Unbraked Towbar load limit Max. roof load	1300 640 75 75	1300 650 75 75
Performance	Top speed (where the law permits), mph (km/h) Acceleration, secs 0 - 62 mph ABI insurance group, 1 - 20 (1 - 50) <sup>†</sup>	124 (200) 9.5 7E (16E)	124 (200) 9.5 7E (16E)
Environmental information	Fuel grade, minimum Fuel tank capacity, galls/ltrs  Official fuel consumption, mpg/ltr per 100 km (06)  Urban  Extra-urban  Combined  Official CO <sub>2</sub> emission, g/km (07)  Emission class  Noise, dB	Unleaded, 95 RON <sup>(04)</sup> 12.1/55  34.4/8.2 55.4/5.1 45.6/6.2 144 EURO 5 72.0	Unleaded, 95 RON <sup>(04)</sup> 12.1/55  36.7/77 56.5/5.0 47.1/6.0 138 EURO 5 70.0

Manual

## Notes.

Automatic DSG

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

<sup>†</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

## **Technical specification**

		Manuai	Automatic D3G
Engine	Engine type	Four cylinder petrol	Four cylinder petrol
	Cubic capacity, ltrs/cc	1.4/1390	1.4/1390
	Max. output, PS (01)/kW	160/118	160/118
	at rpm	5800	5800
	Max. torque, lbs.ft/Nm	177/240	177/240
	at rpm	2000	2000
	Gearbox	Six speed manual	Seven speed auto DSG
Weights, kgs	Unladen weight <sup>(02)</sup>	1346	1361
	Gross vehicle weight	1840	1860
	Payload <sup>(02)</sup>	569	574
	Axle load limit: Front	1010	1030
	Rear	880	880
Trailer load	Braked 12% incline	1400	1400
limits, kgs (03)	Unbraked	670	680
	Towbar load limit	75	75
	Max. roof load	75	75
Performance	Top speed (where the law permits), mph (km/h)	137 (220)	137 (220)
	Acceleration, secs 0 - 62 mph	8.0	8.0
	ABI insurance group, 1 - 20 $(1 - 50)^{\dagger}$	15E (30E)	15E (30E)
Environmental	Fuel grade, minimum	Unleaded, 95 RON <sup>(04)</sup>	Unleaded, 95 RON <sup>(04)</sup>
information	Fuel tank capacity, galls/ltrs	12.1/55	12.1/55
	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	34.9/8.1	37.7/7.5
	Extra-urban	54.3/5.2	54.3/5.2
	Combined	44.8/6.3	47.1/6.0
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	145	139
	Emission class	EURO 5	EURO 5
	Noise, dB	71.0	68.0

Manual

Automatic DSG

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

Notes.

<sup>†</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

## **S - 1.6 litre TDI 90 PS**

## **Technical specification**

		Manual	
Engine	Engine type	Four cylinder diesel	
<b>3</b>	Cubic capacity, ltrs/cc	1.6/1598	
	Max. output, PS (01)/kW	90/66	
	at rpm	4200	
	Max. torque, lbs.ft/Nm	170/230	
	at rpm	1500-2500	
	Gearbox	Five speed manual	
Weights, kgs	Unladen weight <sup>(02)</sup>	1314	
	Gross vehicle weight	1860	
	Payload <sup>(02)</sup>	621	
	Axle load limit: Front	1030	
	Rear	880	
Trailer load	Braked 12% incline	1400	
limits, kgs <sup>(03)</sup>	Unbraked	650	
	Towbar load limit	75	
	Max. roof load	75	
Performance	Top speed (where the law permits), mph (km/h)	111 (178)	
	Acceleration, secs 0 - 62 mph	12.9	
	ABI insurance group, 1 - 20 (1 - 50) <sup>†</sup>	5E (13E)	
		- 1 (07)	
Environmental	Fuel grade, minimum	Diesel (05)	
information	Fuel tank capacity, galls/ltrs	12.1/55	
	Official fuel consumption, mpg/ltr per 100 km <sup>(06)</sup>		
	Urban	49.6/5.7	
	Extra-urban	74.3/3.8	
	Combined	62.8/4.5	
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	118	
	Emission class	EURO 5	
	Noise, dB	69.0	

Manual

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

Notes.

<sup>†</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

## S, SE<sup>†</sup> – 1.6 litre TDI 105 PS

#### **Technical specification**

Engine type			Manuai	Automatic D3G
Cubic capacity, ltrs/cc	agine	Engine type	Four cylinder diesel	Four cylinder diesel
Max. output, PS (01) /kW at rpm	3			
Auton			105/77	
Max. torque, lbs.ft/Nm at rpm       185/250 1500-2500       185/250 1500-2000         Gearbox       Five speed manual       Seven speed auto DSG <sup>†</sup> Weights, kgs       Unladen weight (02) (Gross vehicle weight Payload (03) (Gross vehicle weight Payload (04) (Gross			4400	4400
Trailer load   Braked 12% incline   1400   1400   1500-2000   1314   1337   1890		_	185/250	185/250
Weights, kgs			1500-2500	1500-2000
Gross vehicle weight   1870   1890			Five speed manual	Seven speed auto DSG <sup>†</sup>
Gross vehicle weight   1870   1890     Payload (02)   631   628     Axle load limit: Front   1040   1060     Rear   880   880     Trailer load   Braked 12% incline   1400   1400     Imits, kgs (03)   Unbraked   650   660     Towbar load limit   75   75				
Payload (02)   631   628     Axle load limit: Front   1040   1060     Rear   880   880     Trailer load   Braked 12% incline   1400   1400     Imits, kgs (03)   Unbraked   650   660     Towbar load limit   75   75	eights, kgs	Unladen weight <sup>(02)</sup>	1314	1337
Axle load limit: Front   1040   1060   880   880			1870	1890
Rear       880       880         Trailer load limits, kgs (03)       Braked 12% incline       1400       1400         Unbraked       650       660         Towbar load limit       75       75		Payload (02)	631	628
Trailer load limits, kgs (03)         Braked 12% incline         1400         1400           Unbraked         650         660           Towbar load limit         75         75		Axle load limit: Front	1040	1060
limits, kgs (03)         Unbraked         650         660           Towbar load limit         75         75		Rear	880	880
limits, kgs (03)         Unbraked         650         660           Towbar load limit         75         75				
Towbar load limit 75 75	ailer load	Braked 12% incline	1400	1400
	nits, kgs <sup>(03)</sup>	Unbraked	650	660
Max. roof load 75		Towbar load limit	75	75
		Max. roof load	75	75
Performance Top speed (where the law permits), mph (km/h) 117 (189)	rformance		117 (189)	117 (189)
Acceleration, secs 0 - 62 mph 11.3			11.3	11.2
ABI insurance group, 1 - 20 (1 - 50) <sup>‡</sup> 6E (15E) 6E (15E)		ABI insurance group, 1 - 20 $(1 - 50)^{\ddagger}$	6E (15E)	6E (15E)
Environmental Fuel grade, minimum Diesel (05)			Diesel (05)	Diesel (05)
information Fuel tank capacity, galls/ltrs 12.1/55	ormation		12.1/55	12.1/55
Official fuel consumption, mpg/ltr per 100 km <sup>(06)</sup>				
Urban 49.6/5.7 50.4/5.6		0.00 0.00		
Extra-urban 72.4/3.9 67.3/4.2				
Combined 62.8/4.5 60.1/4.7				
Official CO <sub>2</sub> emission, g/km <sup>(07)</sup> 119		· ·		
Emission class EURO 5			EURO 5	EURO 5
Noise, dB 70.0 69.0		Noise, dB	70.0	69.0

Manual

#### Notes.

Automatic DSG

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria.

  The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of  ${\rm CO_2}$  emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of  ${\rm CO_2}$ .

2.0 litre TDI 110 PS | 2.0 litre TDI 140 PS

<sup>†</sup> Seven speed automatic gearbox only available on SE models.

<sup>‡</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

## BlueMotion SE - 1.6 litre TDI 105 PS Technical specification

#### Manual

Engine	Engine type	Four cylinder diesel	
	Cubic capacity, ltrs/cc	1.6/1598	
	Max. output, PS (01)/kW	105/77	
	at rpm	4400	
	Max. torque, lbs.ft/Nm	185/250	
	at rpm	1500-2500	
	Gearbox	Five speed manual	
Weights, kgs	Unladen weight <sup>(02)</sup>	1318	
	Gross vehicle weight	1840	
	Payload <sup>(02)</sup>	597	
	Axle load limit: Front	1010	
	Rear	880	
Trailer load	Braked 12% incline	1400	
limits, kgs <sup>(03)</sup>	Unbraked	650	
	Towbar load limit	75	
	Max. roof load	75	
Performance	Top speed (where the law permits), mph (km/h)	118 (190)	
	Acceleration, secs 0 - 62 mph	11.3	
	ABI insurance group, 1 - 20 (1 - 50) <sup>†</sup>	6E (16E)	
Environmental	Fuel grade, minimum	Diesel (05)	
information	Fuel tank capacity, galls/ltrs	12.1/55	
	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	54.3/5.2	
	Extra-urban	80.7/3.5	
	Combined	68.9/4.1	
	Official CO <sub>2</sub> emission, g/km (07)	107	
	Emission class	EURO 5	
	Noise, dB	70.0	

Notes.

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

<sup>†</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

#### S, SE - 2.0 litre TDI 110 PS<sup>†</sup>

#### **Technical specification**

#### Manual **Engine** Engine type Four cylinder diesel Cubic capacity, ltrs/cc 2.0/1968 Max. output, PS (01)/kW 110/81 at rpm 4100 Max. torque, lbs.ft/Nm 185/250 at rpm 1750 Gearbox Five speed manual Weights, kgs Unladen weight (02) 1339 Gross vehicle weight 1870 Payload (02) 606 Axle load limit: Front 1040 Rear 880 **Trailer load** Braked 12% incline 1500 limits, kgs (03) Unbraked 660 Towbar load limit 75 Max. roof load 75 **Performance** 120 (193) Top speed (where the law permits), mph (km/h) 10.7 Acceleration, secs 0 - 62 mph ABI insurance group, $1 - 20 (1 - 50)^{\ddagger}$ 6E (16E) **Environmental** Fuel grade, minimum Diesel (05) information Fuel tank capacity, galls/ltrs 12.1/55 Official fuel consumption, mpg/ltr per 100 km (06) Urban 44.1/6.4 Extra-urban 70.6/4.0 Combined 57.6/4.9 Official CO<sub>2</sub> emission, g/km (07) 128 Emission class EURO 5

71.0

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

Noise, dB

Notes.

<sup>†</sup> Please note these models are only available from stock and are not available to factory order.

<sup>‡</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

## **SE, GT – 2.0 litre TDI 140 PS Technical specification**

		Manual	Automatic DSG
Engine	Engine type	Four cylinder diesel	Four cylinder diesel
	Cubic capacity, ltrs/cc	2.0/1968	2.0/1968
	Max. output, PS (01)/kW	140/103	140/103
	at rpm	4200	4200
	Max. torque, lbs.ft/Nm	236/320	236/320
	at rpm	1750-2500	1750-2500
	Gearbox	Six speed manual	Six speed auto DSG
Weights, kgs	Unladen weight (02)	1374	1397
	Gross vehicle weight	1910	1930
	Payload (02)	611	608
	Axle load limit: Front	1080	1100
	Rear	880	880
Trailer load	Braked 12% incline	1500	1500
limits, kgs <sup>(03)</sup>	Unbraked	680	690
	Towbar load limit	75	75
	Max. roof load	75	75
Performance	Top speed (where the law permits), mph (km/h)	130 (209)	129 (207)
	Acceleration, secs 0 - 62 mph	9.3	9.3
	ABI insurance group, 1 - 20 (1 - 50) <sup>†</sup>	12E (24E)	12E (24E)
Environmental	Fuel grade, minimum	Diesel (05)	Diesel (05)
information	Fuel tank capacity, galls/ltrs	12.1/55	12.1/55
	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	44.1/6.4	39.8/7.1
	Extra-urban	70.6/4.0	62.8/4.5
	Combined	57.6/4.9	52.3/5.4
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	129	142
	Emission class	EURO 5	EURO 5
	Noise, dB	73.0	69.0

Notes.

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of unleaded Super plus. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

<sup>†</sup> Please note, from December 2009 the insurance industry will switch from the current rating system of groups 1 - 20 to a new 1 - 50 insurance scale.

#### **Technology**

#### **Engines**

- Front transverse-installed engine
- 1.4 litre/80 PS <sup>(01)</sup> (59 kW) petrol engine: Four cylinder in-line engine, aluminium/alloy cylinder block, aluminium cylinder head with double overhead camshaft, four valves per cylinder
- 1.6 litre/102 PS (01) (75 kW) petrol engine: Four cylinder in-line engine, aluminium cylinder head, two valves per cylinder with roller rocker valves, programmed ignition with cylinder-selective anti-knock control, four single spark ignition coils, Longlife spark plugs, exhaust gas recirculation, three-way front catalyst, lambda control
- 1.4 litre/122 PS (<sup>01)</sup> (90 kW) petrol engine: CAXA TSI engine with homogeneous mode (Lambda 1), stratified high-pressure start, double injection catalytic converter heating, turbocharger with waste gate, air-to-liquid charge-air cooling, maintenance-free timing chain, plastic intake manifold with integrated intercooler, continuous inlet camshaft timing adjustment, grey cast iron cylinder block, steel crankshaft, duo-centric oil pump, dual-circuit cooling system. Fuel system regulated according to requirements using high-pressure fuel pump with integrated pressure limiting valve
- 1.4 litre/160 PS <sup>(01)</sup> (118 kW) petrol engine: EU5 compliant four cylinder in-line engine with homogeneous mode (Lambda 1), stratified high-pressure start, turbocharger with waste gate, additional mechanical supercharger, intercooler and dual-circuit cooling system. Fuel system regulated according to requirements using high pressure fuel pump with integrated pressure limiting valve. Intake manifold flap change-over omitted, regulated duo-centric oil pump, metal cartridge oil filter and three way catalytic converter
- 1.6 litre/90 PS <sup>(01)</sup> (66 kW) common rail diesel engine: EU5 emissions standard, four cylinder in-line engine, four valves per cylinder, aluminium-silicon alloy cylinder head, reduced piston crown volume (improves swirl generation in the cylinder), toothed backlash compensator, intake manifold with electric continual tumble flap control, electronically controlled common rail direct injection fuel system with Bosch high pressure pump (up to 1800 bar) and 8-hole piezo injector units, pre-supply electronic fuel pump, oil cooler, intercooler, low temperature exhaust gas recirculation, additional coolant pump, turbocharger with variable turbine geometry, catalytic converter and Diesel Particulate Filter (DPF)
- 1.6 litre/105 PS <sup>(01)</sup> (77 kW) common rail diesel engine: EU5 emissions standard, four cylinder in-line engine, four valves per cylinder, aluminium-silicon alloy cylinder head, reduced piston crown volume (improves swirl generation in the cylinder), toothed backlash compensator, intake manifold with electric continual tumble flap control, electronically controlled common rail direct injection fuel system with Bosch high pressure pump (up to 1800 bar) and 8-hole piezo injector units, pre-supply electronic fuel pump, oil cooler, intercooler, low temperature exhaust gas recirculation, additional coolant pump, turbocharger with variable turbine geometry, catalytic converter and Diesel Particulate Filter (DPF)
- 2.0 litre/110 PS <sup>(01)</sup> (81 kW) common rail diesel engine: EU5 emissions standard, four cylinder in-line engine, four valves per cylinder, aluminium-silicon alloy cylinder head, reduced piston crown volume (improves swirl generation in the cylinder), toothed backlash compensator, intake manifold with electric continual tumble flap control, electronically controlled common rail direct injection fuel system with Bosch high pressure pump (up to 1800 bar) and 8-hole piezo injector units, pre-supply electronic fuel pump, oil cooler, intercooler, low temperature exhaust gas recirculation, additional coolant pump, turbocharger with variable turbine geometry, catalytic converter and Diesel Particulate Filter (DPF)

#### Engines (continued)

- 2.0 litre/140 PS (01) (103 kW) common rail diesel engine: EU5 emissions standard, four cylinder in-line engine, four valves per cylinder, aluminium-silicon alloy cylinder head, reduced piston crown volume (improves swirl generation in the cylinder), toothed backlash compensator, intake manifold with electric continual tumble flap control, electronically controlled common rail direct injection fuel system with Bosch high pressure pump (up to 1800 bar) and 8-hole piezo injector units, pre-supply electronic fuel pump, oil cooler, intercooler, low temperature exhaust gas recirculation, additional coolant pump, turbocharger with variable turbine geometry, catalytic converter and Diesel Particulate Filter (DPF)

#### Transmission

- Front wheel drive through asbestos-free single-plate dry clutch. Hydraulic clutch-mechanism.
   Five or six speed manual, six or seven speed automatic DSG gearbox with double joint half axles
- Five speed manual: 1.4 litre 80 PS, 1.6 litre 102 PS, 1.6 litre TDI 90 PS, 1.6 litre TDI 105 PS, 2.0 litre TDI 110 PS
- Six speed manual: 1.4 litre TSI 122 PS, 1.4 litre TSI 160 PS, 2.0 litre TDI 140 PS
- Six speed automatic DSG: 2.0 litre TDI 140 PS
- Seven speed automatic DSG: 1.6 litre 102 PS, 1.4 litre TSI 122 PS, 1.4 litre TSI 160 PS, 1.6 litre TDI 105 PS

#### Running gear

- Electronic Stabilisation Programme (ESP) including Electronic Differential Lock (EDL), Traction Control (ASR) and Countersteer Support
- Front suspension through coil springs with telescopic shock absorbers, all elements integrated in chassis legs
- Rear suspension with gas pressure shock absorbers and separate springs
- Wheel control: front through chassis legs and (lower) triangular wishbones (directionally stabilising steering roll radius)
- Wheel control: rear through four-link suspension with independent wheel suspension
- Front and rear anti-roll bar

#### Steering

- Electro-mechanical steering rack
- Collapsible, height and lengthways adjustable safety steering column


#### **Brakes**

- Electronically controlled Anti-lock Braking System (ABS) with Electronic Brake-pressure Distribution (EBD)
- Diagonal twin-circuit brake system with inner-ventilated front disc brakes and rear disc brakes
- Asbestos-free brake pads
- Hydraulic Brake Assist (HBA)



## Dimensions

Maximum luggage capacity, litres VDA measuring method using 200 x 100 x 50 mm blocks	With rear seat upright With rear seat folded	350 1305
Exterior dimensions	Length, mm Width – excluding door mirrors, mm Width – opened front doors – 3 door/5 door, mm Height, mm Height – opened bonnet/floor, mm Height – opened tailgate/floor, mm Wheelbase, mm Turning circle, mm	4199 1786 4055/3631 1479 1713 2016 2578 10900
Interior dimensions	Effective headroom – front, mm (with sunroof) Effective headroom – rear, mm (with sunroof) Elbow width, front – 3 door/5 door, mm Elbow width, rear – 3 door/5 door, mm	987 (965) 979 (978) 1447/1447 1452/1420



#### Volkswagen service

## The Volkswagen Warranty. Three-year Warranty.

All Volkswagen new Golfs come with a three-year/60,000 miles warranty, which protects your car against the failure of most mechanical and electrical components due to manufacturing defects. This comprises a two-year manufacturer's warranty with unlimited mileage plus a further one-year/60,000 miles (whichever is soonest) Retailer Warranty. Should the mileage exceed 60,000 miles within the first two years, the manufacturer's two-year warranty will still be valid. If an additional warranty for subsequent years or higher mileage is desired, it may be purchased from an authorised Volkswagen retailer or repairer; however, this additional warranty must be purchased before the mileage reaches 60,000\*. Full details of the three-year warranty are available from your authorised Volkswagen retailer or repairer.

\* All warranty work must be completed by an authorised Volkswagen retailer or repairer.

#### Three-year Paint Warranty.

The paintwork of the new Golf is covered against manufacturing defects for a period of three years. Naturally, the new Golf must be cared for in compliance with the operating instructions which will be found in your vehicle handbook. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

#### 12-year Body Protection Warranty.

The internal body sections and panels of the new Golf are covered against rusting through from the inside for 12 years. Naturally, the new Golf must be cared for in compliance with the operating instructions. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

#### Approved Accessories.

A comprehensive range of accessories from alloy wheels to carpet mats is available to complement the factory-fitted option list. Volkswagen approved accessories purchased from and fitted by your authorised Volkswagen retailer at the point of vehicle sale will also benefit from the three-year vehicle warranty.

#### Service Intervals.

Volkswagen are pleased to offer you a choice on how your new Golf is serviced. The appropriate selection is entirely dependent on how the car is likely to be driven and its general use. To help you identify which type of service would be most suitable, please refer to the following guide.

The Time and Distance Service is recommended for vehicles that will cover less than 10,000 miles in 12 months and if the vehicle is likely to be used in the following way:

- Predominantly urban driving, short journeys with frequent cold starts.
- Activities regularly producing high engine loading, e.g. frequent hill climbs, driving with vehicle fully loaded and towing.
- Uneconomical driving style using high rpms with heavy acceleration and heavy braking.

The service intervals for the Time and Distance Service are as follows:

- Oil change service
   Every 10,000 miles/1 year (whichever is soonest).
- Interval service
   Every 20,000 miles/2 years (whichever is soonest).
- Inspection service
  Every 40,000 miles/3 years (whichever is soonest).

The LongLife Service is recommended for vehicles with a daily mileage of more than 25 miles where the vehicle is driven regularly mainly on longer distance journeys. The vehicle is driven mainly at a constant speed with minimum vehicle and engine loading, minimal towing and driven in an economical manner.

With the LongLife Service the vehicle can cover anywhere between 10,000† and a maximum of 18,000† miles or 24 months (whichever is soonest) between oil changes. Inspection service is typically in the third year of ownership and thereafter every second year, for vehicles with an approximate annual mileage of 10,000 miles.

† Please note that mileages are approximate as the service indicator system uses kilometres as the distance measurement. Please consult your authorised Volkswagen retailer or repairer for advice and full details.

#### **Extended Warranty.**

You may purchase additional protection from your authorised Volkswagen retailer or repairer, or contact 0870 9000 115.

#### Volkswagen Finance<sup>‡</sup>.

Volkswagen Finance specialises in providing funding solutions for Volkswagen drivers. Whether your Volkswagen is for private or business use, you can choose from a range of funding options.

- Solutions a personal contract plan
- Hire purchase
- · Lease purchase
- Finance lease
- · Contract hire

With all Volkswagen Finance products you can choose a fixed-cost maintenance plan to help you budget for your servicing and maintenance costs.

No matter what finance product you choose, your local Volkswagen retailer will be able to provide you with a personalised quote that could meet your budget and vehicle needs.

‡ Volkswagen Finance is a trading name of Volkswagen Financial Services (UK) Limited. An offer of finance depends on certain conditions. Available to people over 18 in the UK only.

#### Volkswagen Insurance±.

Competitive and comprehensive motor insurance designed especially for Volkswagen drivers. All new and Approved Used Volkswagens come with complimentary seven-day cover upon request – we'll e-mail a cover note straight to your retailer, enabling them to tax your car easily. This way, you can drive straight out of the showroom. Taking out annual cover is easy and it can start when the seven-day cover expires. For more information contact your local Volkswagen retailer or call 0800 051 3136.

± Volkswagen Insurance is underwritten and administered by Zurich Insurance plc. Volkswagen Insurance is a trading name of Volkswagen Insurance Service (Great Britain) Limited which is an appointed representative of Volkswagen Financial Services (UK) Limited. Zurich Insurance plc and Volkswagen Financial Services (UK) Limited are both authorised and regulated by the Financial Services Authority.

#### Volkswagen Roadside Assistance.

Every new car is registered for Volkswagen Roadside Assistance for one year. This provides vehicle home and roadside recovery in the unlikely event of a breakdown in the UK and Europe (subject to conditions). Volkswagen Roadside Assistance can also be purchased for subsequent years. For full details, please contact your authorised Volkswagen retailer or repairer.

#### Tax Free Sales.

For full details, please contact your authorised Volkswagen retailer.

#### CO<sub>2</sub> Emission.

Increased weight of a vehicle, including higher trim levels and the addition of options will have a detrimental influence on the level of fuel consumption and  $CO_2$  emissions produced.

The  $\rm CO_2$  and fuel consumption figures are obtained from tests on a representative vehicle of the type, conducted and approved in accordance with Council Directive 80/1268/EEC as amended by Directive 1999/100/EC (or later) on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

#### Please Note:

Some illustrations in this brochure do not necessarily reflect UK specifications and may not be available. In particular, controls and some items of equipment are positioned differently for the UK.

The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your authorised Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your authorised Volkswagen retailer prior to ordering.

Note: We would like to advise you that telephone calls to Volkswagen Customer Care may be monitored and recorded as part of our training and quality assurance processes. All our monitoring and recording processes meet Oftel regulations.

