

Renault SCENIC range Excitement relived everyday



Renault Scénic

Excitement relived everyday

Renault Scénic has a sense of detail and never runs out of ideas. The new front with its touches of chrome and lacquer black, make an attractive, dynamic statement. Four fuel-efficient yet powerful ENERGY engines afford impressive driving performance and a perfectly proportioned 'cockpit' cabin coupled with the Bose[®] Energy Efficient sound system make for the most exciting driving experience in the Scénic range.

Your enjoyment grows with Renault Scénic. Just drive away.



1. The large LED daytime running lights give emphatic presence whilst enhancing the premium quality. Coupled with the dynamic fog lights, the vehicle can really stand out. 2. Front end design: centred around the Renault logo consistent with the rest of the product range, the protruding front end gives the range a consistent presence on the road. 3. Satin chrome longitudinal roof bars: Practical, elegant and stylish, the roof bars not only look the part but allow owners to take additional luggage on journeys.

Driving Pleasure: with Renault

Energy engines

Flexible, efficient, economical: the Scénic is equipped with the energy engine range. With no fewer than four engines derived from Formula 1[®] technology, the Scénic combines excitement, economy and a limited environmental impact. And, going even further in the quest to blend performance, comfort and economy.



Energy engines: More technology, more pleasure and more fuel economy.

Energy engines offer a number of innovations designed to make driving an enjoyable experience while keeping fuel consumption in check. Dynamic, powerful, economical in terms of both fuel and CO₂, these engines – some of which are taken directly from the world of Formula 1[®] racing – are highly responsive. In terms of driving pleasure nothing is left to chance, whilst their fuel consumption and emissions are on a par with the very best. Downsizing (capacity reduction), Stop & Start and a new energy recovery system on braking and deceleration (Energy Smart Management): innovations that allow the three engines to combine a reduced environmental impact with driving pleasure!

A range of four widely-praised engines:

- TCe 115: consumption: 45.6mpg / CO₂ emissions: 140g / km
- TCe 130: consumption: 45.6mpg / CO₂ emissions: 140g / km
- dCi 110: consumption: 68.9mpg / CO₂ emissions: 105g / km
- dCi 130: consumption: 64.2mpg / CO₂ emissions: 114g / km

EDC automatic gearbox: comfort, moderate consumption and edc responsiveness

By choosing the EDC 6-speed dual-clutch automatic gearbox you will be choosing comfort and responsiveness while keeping your consumption and CO₂ emissions in check. In terms of comfort, its dual-clutch transmission and twin-mass damping flywheel technology guarantees smooth gear changes with no jolts. Dynamic and responsive, the EDC transmission allows almost instant acceleration and will quickly respond to your commands. The EDC 6-speed dual-clutch automatic gearbox is extremely smooth and has 6 gears, controlled automatically or manually. In terms of fuel economy, its fuel consumption is similar to that of a standard mechanical gearbox. Available with a dCi 110 engine, the EDC transmission is ideal for anyone looking for a practical, enjoyable and relaxed drive.

Winning Duo



Rob White Director of Renaultsport F1®

Gaspar Gascon Director Renault Power Train Engineering

At Renault, technological innovation is driven by the passion of our employees. **Rob White**, **Technical Director of Renault Sport F1**[®], works with his team to create the Renault engines that power multiple Formula 1[®] teams. Winning engines for over 35 years! World champions 12 times.

For production cars, **Renault Power Train Engineering Director Gaspar Gascon** and his staff develop the new range of Energy engines.

Think the two are unrelated? Think again. On a day-to-day basis, Rob and Gaspar keep in touch, discussing and working together to develop new ideas, each benefiting from the other's know-how with the enthusiasm of born pioneers. Their goal: to reduce fuel consumption and CO₂ emissions by 35%, test engine strength under extreme conditions and take the everyday pleasure of driving a Renault to ever greater heights.

When two teams of engineers obsessed with innovation combine their efforts and share their expertise, the drive for creating some of the world's best engines is doubled.

Smart technology and equipment Innovation for all



R-Link. With Renault R-Link you can travel while staying connected.
 Hands-free keycard: Simply carry the card with you for door opening and ignition without having to insert the card into the reader. The doors also lock automatically as soon as you move away.
 Visio system: With its high resolution camera, this system detects lane markings and alerts you visually and audibly whenever you cross a continuous line or broken line without indicating. The automatic headlights feature also adjusts between main and dipped beam, depending on the conditions.
 Rear parking camera: The reversing camera helps with manoeuvres. It complements the audio and visual sensor aids at the back.
 New standard radio: The new range of car stereos mean more connectivity for portable devices: a jack in the console and Bluetooth[®] functionality for hands-free telephony, and audio streaming. With the Plug & Music option, connect your player using the USB and audio jack, and command the whole system from the central controls.

Optional R-Link

Integrated 7" touchscreen multimedia system (with navigation). In addition to its many built-in features shown below, there are also applications to download from the R-Link Store. You can control it from the screen, steering wheel controls or even voice command.




Main menu with 6 icons Discover the six available menus: navigation, multimedia, telephone, vehicle information, services and applications, system settings.



Touchscreen navigation system Provided by TomTom[®] (12 months subscription to LIVE services from delivery).



Multimedia FM/AM/DAB tuner, connect devices via USB and AUX sockets or Bluetooth[®].



Reverse parking camera system Rear parking sensors with reverse parking camera, which displays the image on the navigation system screen alongside guidance aids.



Vehicle information The fun "ECO Driving" coach gives you handy tips to improve your driving style and reduce your fuel consumption.



Voice control Set your destination, call a contact or launch an application with voice control.

Bose[®] sound system - the sound

Experience

Deep bass and high-treble frequencies for close to 'live' sound experience ... the Bose® energy efficient series sound system in your Scénic.

Renault and Bose®: a concerted effort, a bespoke sound system

Since 2008, Renault and Bose[®] have been working together so that motorists may benefit from the achievements of both manufacturers in terms of innovation, enjoyment and excellence of quality. Values that allow the two manufacturers to achieve much more than a simple partnership and work in perfect harmony. The Renault-Bose[®] partnership is founded on shared expertise, dialogue and communication... All this work is the rehearsal before the performance and ensures the best possible sound experience!

A realistic sound experience:

The Bose® Energy Efficient Series sound system was specially designed and developed by Bose® for the Scénic range. Specially adapted for the cabin's acoustics, it provides both the front and rear seats with a bespoke sound experience. The system comprises 8 high-performance speakers, a compact, powerful subwoofer positioned under the front right-hand seat and a digital amplifier fitted on the dashboard. The latter has a built-in Bose® signal processor, configured to meet the specific features of the Scénic range cabin. Specially developed for the Scénic range, the components of the Bose[®] Energy Efficient Series system are 30% smaller and 40% lighter and they use 50% less power than other, similar systems. Whatever the volume, the sound is rich and natural and every detail can be heard, giving you an authentic sound experience, just as the musician would have wished. You will enjoy a unique acoustic experience.





Our absolute priority:

Your safety

Renault's vision is to provide its customers and their loved ones with the most advanced and efficient safety technology as standard. Scénic comes with safety as standard giving you complete peace of mind.

Anticipate

Anticipating risks and keeping the driver in control in all circumstances

Scenic is designed to empower and inform the driver in real time, the technologies developed by Renault provide you with a more serene and safer driving experience such as ABS.

Safe and secure

Actions for the safety of all



DECADE OF ACTION FOR ROAD SAFETY 2011-2020 SUPPORTED BY RENAULT

Prevent

Advanced technologies that change everything

Renault has developed driving aid systems such as electronic stability control, standard on every Scénic that ensure unfailing responsiveness and help to overcome road traffic hazards and driver error.

Renault places people at the heart of its business and is involved in many social initiatives relating to road risk prevention and raising awareness in schools and universities and other international organisations. The company is also committed to improving the effectiveness of emergency services when dealing with accidents.


Protect

Everyone on board and other road users

Thanks to its accident cause intelligence and innovative technology, Renault offers one of the safest product lines-ups on the market. Our priority: ensuring your safety, saving lives.

Renault safety at a glance

- More than 600 company employees who are solely responsible for vehicle safety.
- 100 million Euros are invested every year in safety research and development.
- We conduct 400 real crash tests and 4,000 numerical simulations each year.



1. Protection: Reinforced structure, high-efficiency front airbags, head/thorax side airbags, pressure sensor to detect impact, 3-point seat belts with pretensioners and load limiter (front seats), anti-whiplash head restraints, load limiter function (rear seat), luggage restraint partition, anti-submarining front and rear seats (Fix4sure). 3 Isofix three-point seat attachments. The bonnet is also designed for the best possible handling in case of impact with a pedestrian. 2. Hill start assistance: During a Hill Start, brake pressure is automatically maintained for 2 seconds to leave time for the driver to maneuver. 3. Visio system: With its high resolution camera, this system detects lane markings and alerts you visually and audibly whenever you cross a continuous line or broken line without indicating. The automatic headlights feature also adjusts between main and dipped beam, depending on the conditions. 4. Electronic Stability Control (ESC): With ASR traction control system and CSV understeer keep your Scénic on the road in difficult road conditions. 5. ASR: ASR provides active traction control in low grip conditions.

Renault

Quality

Thanks to the attention paid to comfort in every detail, the Renault Scénic demonstrates Renault's desire for quality. A seductive design, high quality materials and innovative technology combine for a unique driving experience. Through this approach, the Scénic embraces our vision of the future.

Quality is in Renault's genes. This quest for excellence can be found at every stage, from vehicle design through to after-sales service.

Renault is currently recognised by the press and specialist organisations for the performance and reliability of its passenger and commercial vehicle range.

And its sales network, thanks to an ongoing sense of duty towards its customers, is now amongst the best on the market in terms of service quality in both sales and after-sales.





"Quality continues to be a strategic priority for the Group and a value that benefits the image of our brands. Professionalism, competence, expertise and strictness: Renault applies these values at every stage in the life of a vehicle to offer customers the highest quality in terms of the vehicle and the service, and to ensure their complete satisfaction."

Jean-Pierre Vallaude, Quality Director for the Renault Group.

Renault quality in figures

- 9 out of 10 customers recommend Renault for the quality of its service. (New Vehicle Quality survey of 300,000 Renault customers worldwide in 2011.)
- 26,000 network employees trained in the Renault Excellence Plan. This plan has structured the service quality approach in the Renault network since 2006.
- Getting our vehicles driven for months and millions of miles. Tests performed by Renault on all continents.



Expect more elegance and pleasure

Panoramic sunroof, special upholstery, gloss black door mirrors, rear parking sensors – Limited Nav is all this, and a whole lot more. Very stylish features included in a very attractive offer. You have the opportunity to drive away in top-class style. Seize it.



It's impressive to see how quickly one gets used to the finishing touches on board. A leather steering wheel, exclusive upholstery, air-conditioning or a Bluetooth music player... Step into a car that offers more. Your enjoyment grows with Limited Nav. Just drive away.





Scénic and Grand Scénic core features

Dynamique Nav

Technology

FM/AM tuner and CD player, 4x20W speakers, Bluetooth® hands-free calls, USB and AUX sockets ABS with EBD (Electronic Brake Distribution) and Brake Assist ASR (traction control) Automatic Dual-Zone climate control Automatic parking brake Automatic headlights Automatic rain sensitive windscreen wipers Bluetooth[®] connectivity Carminat TomTom® LIVE navigation system with joystick control and UK mapping Cruise control and speed limiter CSV (understeer control) Deadlocking ESC (Electronic Stability Control) Hill Start Assist Insurance approved alarm (Thatcham category 1) R.A.I.D. (Renault Anti Intruder Device) automatic door locking Renault keyless entry with push button start Trip Computer

Additional equipment to Dynamique Nav

Technology

Rear parking sensors

Interior Airbags x 8 - driver and front passenger two stage auto-adaptive, front and rear curtain and front side impact Airbag - front passenger deactivation facility Aviation tables on rear of front seats Child minder mirror* Dashboard trims in high gloss piano black Electrochrome rear view mirror Headrests - height adjustable front and rear ISOFIX child seat fixing points - on three second row seats Pockets on rear of front seats Reading spotlights - front and rear Seats - driver with height and lumbar adjustment, passenger with folding facility Sliding centre console / storage unit Steering wheel - leather with height and reach adjustment Sunblinds - on 2nd row rear windows Sunvisors with illuminated vanity mirrors Thin Film Transistor (TFT) screen dashboard display with Ecodrive information and a choice of display colours Upholstery - Dark Carbon ESTRELLA synthetic leather and fabric with TEFLON protection Windows - electric front and rear

Exterior

Alloy wheels - 16" KALEIDO Body coloured side protection mouldings Door mirrors - body coloured, electrically adjustable and heated Extra tinted rear windows and tailgate Front fog lights Headlamps - double optic with 'See me Home' function Indicators with lane change function LED daytime running lights Roof bars** Tyre inflation kit

Interior

LIMITED cloth upholstery No illuminated vanity mirror on sunvisor No electrochrome rear view mirror

Exterior

Chrome door sill plates LIMITED Door mirrors - electrically adjustable, heated and folding with gloss black shell Panoramic sunroof

Bose[®]+ pack (optional only on Grand Scénic)

Additional equipment to Dynamique Nav (not available with 1.6VVT 110 engine)

Technology

BOSE® Energy Efficient Sound System: 9 speakers: single CD and digital amplifier

Rear parking camera with front and rear parking sensors

R-Link multimedia system: 7" touchscreen, TomTom® LIVE navigation with Western European mapping, FM/AM/DAB tuner and CD player, 4x35W speakers, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets, voice control, vehicle applications

Interic

Driver's sunglasses holder Electrochrome rear view mirror Footwell lights - front and rear Height adjustable passenger seat Upholstery - Dark Carbon luxury mix of synthetic leather and fabric with detail stitching

Exterior

Alloy wheels - 17" BLACK BASALT Door mirrors - electrically adjustable, heated and folding Rear parking sensors Satin chrome longitudinal roof bars** Windows - extra tinted rear and tailgate

<image>

Scénic and Grand Scénic colours

	Solid paint							Renault i.d. Metallic paint	
	1000								
	Glacier White 369	Mercury Grey D69	Oyster Grey KNG	Diamond Black GNE	Dune HNP	Damask Red NNM	Mocha CNB	Azzurro Blue RPB	Arctic White QNC
Dynamique Nav	•	0	0	0	O	0	O	0	QNC
Limited Nav	•	0	О	0	О	О	О	0	0
Bose®+ pack	•	0	О	0	0	0	О	0	0

• = Standard (therefore no cost) O = Optional - = Not available

Interiors and upholstery

Dynamique Nav



Dark carbon ESTRELLA synthetic leather and fabric with TEFLON protection and gloss black trim detail.

LIMITED Nav



LIMITED cloth upholstery.

Bose+ pack



Dark Carbon luxury mix of synthetic leather and fabric with detail stitching.



Relax+ pack option - leather



Luxurious dark carbon heated leather seats with Alcantara and adaptable headrests on front and second row seats.

Wheels



16" KALEIDO

alloy wheels



17" BLACK SARI alloy wheels

17" PRAGMA

alloy wheels



17" BLACK BASALT alloy wheels

16" KALEIDO alloy wheels	(
17" BLACK SARI alloy wheels	(
17" PRAGMA alloy wheels	
17" BLACK BASALT alloy wheels	(

Dynamique LIMITED Nav Nav

	11000	TNUV
	•	•
	0	-
	-	0
s	•*	-

● = Standard O = Optional ●* = Only available on Grand Scénic as part of the Bose®+ pack - = Not available

Equipment

A complete list of the equipment available for your vehicle. Everything you need for the car you want.

	SCENIC / GRAND SCENIC	SCENIC / GRAND SCENIC
EQUIPMENT	DYNAMIQUE NAV	LIMITEDNav
SAFETY		
Active and passive safety features		
ABS with EBD (electronic brake distribution) and Brake Assist	•	•
ASR traction control	•	•
Grip Xtend advanced ASR traction control system and mud & snow tyres (standard ASR on 17'' and dCi 110 EDC Auto engine)	-	-
CSV understeer control	•	•
Deactivation of front passenger airbag	•	•
Driver and front passenger two stage auto-adaptive airbags	•	•
Electric child safety locks on rear doors activated via a switch on the driver's door panel	•	•
Electronic Stability Control (ESC)	•	•
Front and rear curtain airbags	•	•
Front and rear headrests with height adjustment	•	•
Front lateral airbags	•	•
Height adjustable front seatbelts	•	•
Hill Start Assist	•	•
ISOFIX child seat mounting points on 3 second row seats		•
R.A.I.D. (Renault Anti Intruder Device) with automatic door locking	• •	•
Three point seatbelts fitted to all front and rear seats	•	•
See and be seen visibility features		
Automatic headlights	•	•
Automatic rain sensitive windscreen wipers		
Double Optic Headlamps		
Electrically adjustable and heated door mirrors (wide angle on driver's side)		
Front fog lights Heated rear windscreen		•
LED daytime running lights		•
'See Me Home' headlights	•	•
Vehicle security	•	•
Deadlocking	•	•
Insurance approved alarm system (Thatcham category 1)	•	•
Insurance approved engine immobiliser (Thatcham category 2)	•	•
Remote control central locking	•	•
EXTERIOR FEATURES		
Exterior styling		
16" KALEIDO alloy wheels	•	•
16" FRONTIER design wheels with Grip Xtend and mud & snow tyres	-	-
16" TUNDRA alloy wheels	-	-
Black longitudinal roof bars	-	-
Black body protection mouldings	-	-
Body coloured exterior door handles	•	•
Body coloured side protection	•	•
Chrome door sill plates LIMITED	-	•
Door mirrors - body coloured shell	•	
Door mirrors - gloss black shell		•
Door mirrors - Electrically adjustable, heated and folding	0	•
Panoramic sunroof	0	•
Roof bars (1)	•	•
COMFORT AND CONVENIENCE		
Driving technology		•
Cruise control with speed limiter Electronic automatic parking brake	•	•
Height and reach adjustable steering wheel	•	•
Indicators with lane change function	•	•
Leather gearknob	•	•
Leather steering wheel	•	•
Rear parking sensors		•
Renault keyless entry with push button start	•	•
Trip computer	•	•
Tyre inflation kit	•	•

EQUIPMENT	SCENIC / GRAND SCENIC DYNAMIQUE NAV	SCENIC / GRAND SCENIC
COMFORT AND CONVENIENCE (continued)		
Dashboard		
Digital fuel gauge with low fuel level warning light	•	•
Digital rev-counter	•	•
Digital speedometer in the centre of the dashboard	•	•
Driver and front passenger 'seatbelt not fastened' audible alert	•	•
Exterior temperature indicator	•	•
Rear 'seatbelt unfastened' audible alert	•	•
TFT screen dashboard display with Ecodrive information and a choice of display colours and layout	•	•
Windows and blinds		
Electric front windows - with 'one-touch' facility and anti-pinch	•	•
Electric rear windows with anti-pinch	•	•
Extra tinted rear windows and tailgate	\bullet	•
Rear window sunblinds	•	•
Ventilation		
Air conditioning	-	
Automatic Dual-Zone climate control (left and right front controls) and rear lateral air vents	•	•
Pollen filter	•	•
Seating, carpet mats, and interior styling	-	
2nd row - 3 individual seats which slide forwards / backwards, fold in half, tilt forward and can be removed completely	•	•
3rd row - 2 seats which fold flat into the floor (Grand versions only)		•
Stone Grey CAUSEWAY synthetic leather and fabric upholstery	-	
Dark Carbon ESTRELLA synthetic leather and fabric upholstery with contrast stitching	•	
Driver's seat with lumbar adjustment		•
Folding passenger seat	•	•
Height adjustable driver's seat		•
LIMITED cloth upholstery	•	
Upholstery with TEFLON protection (not with leather seats)	•	•
Storage and functional features	• · · · · · · · · · · · · · · · · · · ·	
Aviation tables on rear of front seats	•	•
Front and rear underfloor storage		
	•	•
Storage pockets on rear of front seats		•
Storage trays under front seats	•	v
Interior convenience and lighting		
12 volt power point located in boot / row 2	•	•
Child minder mirror ⁽²⁾		
Driver and passenger reading spotlights	•	•
Electrochrome rear view mirror	•	
Fixed centre console	-	0
Sliding centre console	•	•
Front and rear centre lighting	•	•
Glovebox and boot courtesy lights	•	•
Rear passenger reading spotlights	•	•
Sun visors - driver and passenger with vanity mirrors	•	•
Sun visors - driver and passenger with illuminated vanity mirrors	•	•
In car entertainment and communication		
FM/AM tuner and CD player, 4x20W speakers, Bluetooth® hands-free calls, USB and AUX sockets	•	•
Bluetooth® Connectivity	•	•
Carminat TomTom® LIVE navigation system with joystick control and UK mapping	•	•
Fingertip control audio system	•	•
USB connection in radio fascia	•	•

Options packs

A complete list of the options available for your vehicle. Everything you need for the car you want.

OPTIONS PACKS	SCENIC / GRAND SCENIC DYNAMIQUE NAV	SCENIC / GRAND SCENIC	TOTAL RETAIL PRICE
PACKS ON SCENIC AND GRAND SCENIC			
Bose®+ pack (not available on Scénic)			
17" BLACK BASALT alloy wheels			
Longitudinal roof bars with a satin chrome finish			
Body coloured side protection with chrome strip			
• Lateral Bose® badge			
 Extra tinted rear windows and tailgate 			
Electrically adjustable, heated and folding door mirrors			
Electrochrome rear view mirror	O**	-	£1,000.00
Height adjustable passenger's seat			
Driver's sunglasses holder			
 Rear parking camera with front and rear parking sensors 			
 R-Link Evolution with Western European mapping and DAB radio 			
 Sunvisors - driver and passenger with illuminated vanity mirrors 			
• BOSE® Energy Efficient Sound System: 9 speakers, radio, single CD and MP3 with a digital amplifier			
Dark carbon luxury mix of synthetic leather and fabric with detail stitching			
Relax+ pack			
 5 fully adaptable headrests for front and second row seats 			
Dark carbon leather upholstery with Alcantara	0		£1,800.00
 Electrically adjustable driver's seat with memory function 	0	-	£1,800.00
Heated front seats			
Height adjustable passenger's seat			
Safety pack (not available with Bose®+ pack)			
Electrically adjustable, heated and folding door mirrors	О	-	£485.00
• Front and rear parking sensors			

🗢 = Standard (therefore no cost) 🔿 = Optional -= Not available NC = Available as a no cost option * Must be ordered with Bose®+ Pack ** Not available with 1.6 110 engine 1) Not available on EDC



Options

A complete list of the options available for your vehicle. Everything you need for the car you want.

OPTIONS	SCENIC / GRAND SCENIC DYNAMIQUE NAV	SCENIC / GRAND SCENIC	TOTAL RETAIL PRICE
16" TUNDRA alloy wheels with Grip Xtend and mud and snow tyres (not available with EDC engine which has standard ASR and 17" alloy wheels)	-	-	£0.00
17" MESA alloy wheels (if Grip Xtend is required you must take the 16" alloys)	-	-	£310.00
17" BLACK SARI alloy wheels	О	-	£310.00
17" PRAGMA alloy wheels	-	О	£310.00
Metallic paint	О	О	£525.00
Renault i.d Metallic paint	О	О	£625.00
Emergency spare wheel	О	О	£95.00
Electric panoramic opening sunroof with sunblind	-	-	£700.00
Electric panoramic opening sunroof with sunblind	О	•	£900.00
R-Link multimedia system: 7" touchscreen, TomTom® LIVE navigation with Western European mapping, FM/AM/DAB tuner and CD player, 4x35W speakers, Bluetooth® audio streaming and hands-free calls, USB and AUX sockets, voice control, vehicle applications.	О	О	£400.00
Carminat TomTom [®] LIVE 3 year subscription	О	О	£150.00
Visio system by Renault	O*	-	£400.00
Service Plan 3 yrs / 30,000 miles†	О	О	£479.00
Service Plan 4 yrs / 40,000 miles [†]	О	О	£819.00

• = Standard (therefore no cost) O = Optional - = Not available NC = Available as a no cost option * Must be ordered with Bose[®]+ Pack ** Not available with 1.6 110 engine ¹For further information please refer to inside back cover For compatibility please refer to https://www.renault.co.uk/services/multimedia/bluetooth-compatibility.html

Accessory pricing⁺

ADVENTURER PACK	SCENIC	GRAND SCENIC	TOTAL RETAIL PRICE
Side embellishers Transversal roof bars Boot protector	-	-	£395.00
TOURING PACK			TOTAL RETAIL PRICE
Transversal roof bars Swan neck tow bar Luggage boot net	О	О	£485.00
STANDARD DELIVERY PACK			TOTAL RETAIL PRICE
Comfort Evolution mats Safety kit	О	О	£45.00
PREMIUM MAT UPGRADE			TOTAL RETAIL PRICE
Expression mats Safety kit	-	_	£65.00
PREMIUM DELIVERY PACK			TOTAL RETAIL PRICE
Expression mats Boot mat Safety kit	О	О	£85.00
INDIVIDUAL ACCESSORY			TOTAL RETAIL PRICE
DAB digital radio	О	О	£240.00
Rear body colour parking sensors	О	О	£275.00

Scénic and Grand Scénic

Accessory packs

Want even more style and practicality? Renault offers a wide range of Accessories, specially designed and developed for your Scénic. Why not choose an accessory pack? Designed with you and your car in mind, our key accessories come in great value packs saving you up to 20%.

Adventurer pack

Get ready to look good in the great outdoors.



1. Boot protector: Protects the loading area from dirt, scrapes and scuffs. 2. Transversal roof bars: Tested to the highest standards, our roof bars are guaranteed to fit your car perfectly. Quick and easy fitting, allows you to carry your roof box, cycle carriers, etc. (please note, roof box sold separately). 3. Door sill plates: Enhance the design of your Scénic with this stylish protection of the door sills.

Touring pack

1.

Everything you need to hit the open road with your caravan or trailer.




1. Euroride carrier for 2 bikes: Tested to the highest standards, our bike carrier is guaranteed to fit your car perfectly. Easy to use and safe, allows you to carry your cycles everywhere. **2. Swan neck tow bar with 7-pin electric kit.** This towbar, designed, developed and tested by Renault, offers reliability, high strength and durability. It therefore ensures total compatibility with the vehicle, avoiding any risk of damaging the vehicle body **3. Luggage boot net:** This easy-to-install boot net will stop your possessions rolling around inside your boot (not shown).

Premium delivery pack



Upgrade your delivery pack with the premium Expression mats and a boot mat.

Standard delivery pack



 Comfort Evolution mats: Front and rear made to measure mats, they will effectively protect the foot well of your new car.
 Safety kit: Complete kit including a warning triangle, a thermal blanket, a vest and a first aid kit.

Rear parking sensors



Rear body colour parking sensors: Allows you to park with confidence.

Scénic and Grand Scénic range overview and pricing

ENGINES	CO₂g /km	COMBINED FUEL CONSUMPTION (mpg)	HP	BENEFIT IN KIND	INSURANCE GROUP	BASIC PRICE (£)	VAT 20% (£)	TOTAL RETAIL (£)	MANUFACTURER'S "ON THE ROAD" R.R.P.*
SCENIC (5 seats)									
Dynamique Nav TCe 115	140	45.6	115	23%	18E	16,479.17	3,295.83	19,775.00	£20,555.00
Dynamique Nav TCe 130	140	45.6	130	23%	19E	16,770.83	3,354.17	20,125.00	£20,905.00
Dynamique Nav dCi 110	105	68.9	110	19%	18E	17,287.50	3,457.50	20,745.00	£21,395.00
Dynamique Nav dCi 110 Auto	114	64.2	110	20%	18E	18,204.17	3,640.83	21,845.00	£22,495.00
Dynamique Nav dCi 130	114	64.2	130	20%	23E	18,204.17	3,640.83	21,845.00	£22,495.00
Limited Nav TCe 115	140	45.6	115	23%	18E	16,895.83	3,379.17	20,275.00	£21,055.00
Limited Nav Tce 130	140	45.6	130	23%	19E	17,187.50	3,437.50	20,625.00	£21,405.00
Limited Nav dCi 110	105	68.9	110	19%	18E	17,704.17	3,540.83	21,245.00	£21,895.00
Limited Nav dCi 110 Auto	114	64.2	110	20%	19E	18,620.83	3,724.17	22,345.00	£22,995.00
Limited Nav dCi 130	114	64.2	130	20%	23E	18,620.83	3,724.17	22,345.00	£22,995.00
GRAND SCENIC (7 seats)									
Dynamique Nav TCe 115	145	43.5	115	24%	19E	17,495.83	3,499.17	20,995.00	£21,790.00
Dynamique Nav TCe 130	145	43.5	130	24%	20E	17,775.00	3,555.00	21,330.00	£22,125.00
Dynamique Nav dCi 110	105	68.9	110	19%	19E	18,304.17	3,660.83	21,965.00	£22,615.00
Dynamique Nav dCi 110 Auto	114	64.2	110	20%	19E	19,220.83	3,844.17	23,065.00	£23,715.00
Dynamique Nav dCi 130	114	64.2	130	20%	24E	19,220.83	3,844.17	23,065.00	£23,715.00
Limited Nav TCe 115	145	43.5	115	24%	19E	17,912.50	3,582.50	21,495.00	£22,290.00
Limited Nav TCe 130	145	43.5	130	24%	20E	18,191.67	3,638.33	21,830.00	£22,625.00
Limited Nav dCi 110	105	68.9	110	19%	19E	18,720.83	3,744.17	22,465.00	£23,115.00
Limited Nav dCi 110 Auto	114	64.2	110	20%	19E	19,637.50	3,927.50	23,565.00	£24,215.00
Limited Nav dCi 130	114	64.2	130	20%	24E	19,637.50	3,927.50	23,565.00	£24,215.00

*Manufacturer's "On The Road" Recommended Retail Price Includes delivery to the dealer premises, number plates, a one-litre bottle of oil for all cars. 12 months government road fund licence (depending on CO₂ emissions) and First Registration Fee at £55. Other goods or services supplied by agreement between the customer and the Dealer are not included.

Dimensions

Maximum load length, behind third row (seats in place)	Scénic	Grand Scénic
Boot (ISO3832) with second row seats in place (dm ³)	437 to 555	564 to 702
Boot (ISO3832) with third row seats in place (dm ³) - 208	-	208
Boot (ISO3832) with third row seats folded under boot cover (dm ³)	1,637	1,863
Boot (ISO3832) without third row seats folded under boot cover (dm ³)	1,870	2,063
Storage compartments (dm3)	86	92

A Overall length 4,366 4,573 B Wheelbase 2,702 2,770 C Front overhang 885 885 D Rear overhang 757 905 E Front track 1,545 1,536 F Rear track 1,547 1,539 G Overall width with door mirrors folded 1,845 1,845 G1 Overall width with door mirrors extended 2,077 2,077 H Unladen height (with roof bars) 1,640 1,645 (1,671) H1 Height with hatch/tailgate open 2,004 1,984 J Unladen sill height 602 614 K Ground clearance, laden > 120 > 120 M Front elbow width 1,478 1,478 M1 Rear elbow width - second row 1,436 1,445 N1 Rear shoulder width - second row 1,436 1,445 N1 Rear shoulder width - second row - 1,209 P Front seat h	DIM	ENSIONED DRAWING (mm)	Scénic	Grand Scénic
C Front overhang 885 885 D Rear overhang 757 905 E Front track 1,545 1,536 F Rear track 1,547 1,539 G Overall width with door mirrors folded 1,845 1,845 G1 Overall width with door mirrors extended 2,077 2,077 H Unladen height (with roof bars) 1,640 1,645 (1,671) H1 Height with hatch/tailgate open 2,004 1,984 J Unladen sill height 602 614 K Ground clearance, laden > 120 > 120 M Front elbow width 1,478 1,478 M1 Rear elbow width - second row 1,436 1,433 M2 Rear elbow width - second row 1,436 1,445 N1 Rear shoulder width 1,445 1,445 N1 Rear shoulder width - third row - 1,209 P Front shoulder width - third row - 1,209 P1	А	Overall length	4,366	4,573
DRear overhang757905EFront track1,5451,536FRear track1,5471,539GOverall width with door mirrors folded1,8451,845G1Overall width with door mirrors extended2,0772,077HUnladen height (with roof bars)1,6401,645 (1,671)H1Height with hatch/tailgate open2,0041,984JUnladen sill height602614KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - second row1,4361,433N2Rear shoulder width1,4451,445N1Rear shoulder width1,4361,433N2Rear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P2Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening9751,010Y2Width bot opening9751,010Y2Width of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771273Z2Maximum load length behind second row (seats in place)847 / 9771273 <t< td=""><td>В</td><td>Wheelbase</td><td>2,702</td><td>2,770</td></t<>	В	Wheelbase	2,702	2,770
E Front track 1,545 1,536 F Rear track 1,547 1,539 G Overall width with door mirrors folded 1,845 1,845 G1 Overall width with door mirrors extended 2,077 2,077 H Unladen height (with roof bars) 1,640 1,645 (1,671) H1 Height with hatch/tailgate open 2,004 1,984 J Unladen sill height 602 614 K Ground clearance, laden > 120 > 120 M Front elbow width 1,478 1,478 M1 Rear elbow width - second row 1,436 1,433 M2 Rear elbow width - second row 1,436 1,433 M2 Rear shoulder width 1,445 1,445 N1 Rear shoulder width 1,445 1,445 N1 Rear shoulder width - third row - 1,209 P Front seat headroom at 14 degrees - second row 901 908 P1 Rear seat headroom at 14 degrees - second row 868 <	С	Front overhang	885	885
FRear track1,5471,539GOverall width with door mirrors folded1,8451,845G1Overall width with door mirrors extended2,0772,077HUnladen height (with roof bars)1,6401,645 (1,671)H1Height with hatch/tailgate open2,0041,984JUnladen sill height602614KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - third row-1,209NFront shoulder width - second row1,4361,433N2Rear shoulder width - third row-1,209PFront saturd the degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row-842YUpper width of boot opening9751,010Y2Width bot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105Z1Height of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	D	Rear overhang	757	905
GOverall width with door mirrors folded1,8451,845G1Overall width with door mirrors extended2,0772,077HUnladen height (with roof bars)1,6401,645 (1,671)H1Height with hatch/tailgate open2,0041,984JUnladen sil height602614KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - second row-1,209NFront shoulder width1,4451,445N1Rear shoulder width - second row-1,209PFront shoulder width - second row-1,209PFront shoulder width - second row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees with sunroof - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening9751,010Y2Width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4<		Front track	1,545	1,536
G1Overall width with door mirrors extended2,0772,077HUnladen height (with roof bars)1,6401,645 (1,671)H1Height with hatch/tailgate open2,0041,984JUnladen sill height602614KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - third row-1,209NFront shoulder width - second row1,4361,445N1Rear shoulder width - second row1,4361,433N2Rear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P2Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening9251,010Y2Width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	F	Rear track	1,547	1,539
HUnladen height (with roof bars)1,6401,645 (1,671)H1Height with hatch/tailgate open2,0041,984JUnladen sill height602614KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - second row-1,209NFront shoulder width1,4451,445N1Rear shoulder width - second row-1,209NFront shoulder width - second row-1,209NRear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	G	Overall width with door mirrors folded	1,845	1,845
H1Height with hatch/tailgate open2,0041,984JUnladen sill height602614KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - third row-1,209NFront shoulder width1,4451,445N1Rear shoulder width - second row1,4361,433N2Rear shoulder width - second row-1,209NFront shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105Z1Height of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	G1	Overall width with door mirrors extended	2,077	2,077
JUnladen sill height602614KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - third row-1,209NFront shoulder width - second row1,4451,445N1Rear shoulder width - second row1,4361,433N2Rear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	Н	Unladen height (with roof bars)	1,640	1,645 (1,671)
KGround clearance, laden> 120> 120MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - third row-1,209NFront shoulder width1,4451,445N1Rear shoulder width - second row1,4361,433N2Rear shoulder width - second row1,4361,433N2Rear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	H1	Height with hatch/tailgate open	2,004	1,984
MFront elbow width1,4781,478M1Rear elbow width - second row1,4361,433M2Rear elbow width - third row-1,209NFront shoulder width1,4451,445N1Rear shoulder width - second row1,4361,433N2Rear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105Z1Height of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	J	Unladen sill height	602	614
M1Rear elbow width - second row1,4361,433M2Rear elbow width - third row-1,209NFront shoulder width 11,4451,445N1Rear shoulder width - second row1,4361,433N2Rear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105Z1Height of boot opening858845Z1Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	К	Ground clearance, laden	> 120	> 120
M2 Rear elbow width - third row - 1,209 N Front shoulder width 1,445 1,445 N1 Rear shoulder width - second row 1,436 1,433 N2 Rear shoulder width - third row - 1,209 P Front seat headroom at 14 degrees 968 968 P1 Rear seat headroom at 14 degrees - second row 901 908 P1 Rear seat headroom at 14 degrees - second row - 868 P2 Rear seat headroom at 14 degrees - third row - 842 Y Upper width of boot opening 980 925 Max width of boot opening 975 1,010 Y2 Width bot opening 975 1,010 Y2 Width between the wheel housing 1,105 1,105 Z Height of boot opening 858 845 Z1 Maximum load length behind driver's seat (seats down) 1,680 1,900 Z3 Maximum load length with passenger's seat folded (seats down) 2,508 2,756 Z4 Maximum load length with passenger's seat folded (seats down) 416	М	Front elbow width	1,478	1,478
N Front shoulder width 1,445 1,445 N1 Rear shoulder width - second row 1,436 1,433 N2 Rear shoulder width - third row - 1,209 P Front seat headroom at 14 degrees 968 968 P1 Rear seat headroom at 14 degrees - second row 901 908 P1 Rear seat headroom at 14 degrees - second row - 868 P2 Rear seat headroom at 14 degrees - second row - 868 P2 Rear seat headroom at 14 degrees - third row - 842 Y Upper width of boot opening 980 925 Max width of boot opening 1,092 1,059 Y1 Lower width of boot opening 975 1,010 Y2 Width between the wheel housing 1,105 1,105 Z Height of boot opening 858 845 Z1 Maximum load length behind driver's seat (seats down) 1,680 1,900 Z3 Maximum load length with passenger's seat folded (seats down) 2,508 2,756 Z	M1	Rear elbow width - second row	1,436	1,433
N1 Rear shoulder width - second row 1,436 1,433 N2 Rear shoulder width - third row - 1,209 P Front seat headroom at 14 degrees 968 968 P1 Rear seat headroom at 14 degrees - second row 901 908 P1 Rear seat headroom at 14 degrees with sunroof - second row - 868 P2 Rear seat headroom at 14 degrees with sunroof - second row - 868 P2 Rear seat headroom at 14 degrees - third row - 842 Y Upper width of boot opening 980 925 Max width of boot opening 975 1,010 Y2 Width bot opening 975 1,010 Y2 Width between the wheel housing 1,105 1,105 Z1 Height of boot opening 858 845 Z1 Maximum load length behind second row (seats in place) 847 / 977 1273 Z2 Maximum load length behind driver's seat (seats down) 1,680 1,900 Z3 Maximum load length with passenger's seat folded (seats down) 2,508 2,756 Z4 Maximum load length with passenger's sea	M2	Rear elbow width - third row	-	1,209
N2Rear shoulder width - third row-1,209PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees with surroof - second row901908P2Rear seat headroom at 14 degrees with surroof - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	Ν	Front shoulder width	1,445	1,445
PFront seat headroom at 14 degrees968968P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees with sunroof - second row868P2Rear seat headroom at 14 degrees - third row842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771.273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	N1	Rear shoulder width - second row	1,436	1,433
P1Rear seat headroom at 14 degrees - second row901908P1Rear seat headroom at 14 degrees with sunroof - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771.273Z2Maximum load length with passenger's seat folded (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)-416	N2	Rear shoulder width - third row	-	1,209
P1Rear seat headroom at 14 degrees with sunroof - second row-868P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771.273Z2Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	Ρ	Front seat headroom at 14 degrees	968	968
P2Rear seat headroom at 14 degrees - third row-842YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771.273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	P1	Rear seat headroom at 14 degrees - second row	901	908
YUpper width of boot opening980925Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771,273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	P1	Rear seat headroom at 14 degrees with sunroof - second row	-	868
Max width of boot opening1,0921,059Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771,273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	P2	Rear seat headroom at 14 degrees - third row	-	842
Y1Lower width of boot opening9751,010Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771.273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	Υ	Upper width of boot opening	980	925
Y2Width between the wheel housing1,1051,105ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771 273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416		Max width of boot opening	1,092	1,059
ZHeight of boot opening858845Z1Maximum load length behind second row (seats in place)847 / 9771 273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	Y1	Lower width of boot opening	975	1,010
Z1Maximum load length behind second row (seats in place)847 / 9771 273Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416		Width between the wheel housing	1,105	1,105
Z2Maximum load length behind driver's seat (seats down)1,6801,900Z3Maximum load length with passenger's seat folded (seats down)2,5082,756Z4Maximum load length with passenger's seat folded (seats down)-416	Ζ	Height of boot opening	858	845
Z3 Maximum load length with passenger's seat folded (seats down) 2,508 2,756 Z4 Maximum load length with passenger's seat folded (seats down) - 416	Z1	Maximum load length behind second row (seats in place)	847/977	1 273
Z4 Maximum load length with passenger's seat folded (seats down) - 416	Z2	Maximum load length behind driver's seat (seats down)	1,680	1,900
	Z3	Maximum load length with passenger's seat folded (seats down)	2,508	2,756
Height under rear shelf / cover 550 510	Z4	Maximum load length with passenger's seat folded (seats down)	-	416
		Height under rear shelf / cover	550	510

Scénic



Grand Scénic





Technical specifications

	TCe 115	TCe 130	dCi 110 🕫 🥙	dCi 110 Auto	dCi 130 😇 🥙
BODY TYPE					
Body Type Classification	Scénic/Grand Scénic	Scénic/Grand Scénic	Scénic/Grand Scénic	Scénic/Grand Scénic	Scénic/Grand Scénic
ENGINE					
Engine type	H5Ft 408	H5Ft 408	K9K 656	K9K 657	R9M 414
Emissions conformance	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6
With Particulate Filter (FAP)	-	-	FAP	FAP	FAP
Induction Capacity (cc)	1198	1198	1461	1461	1598
Bore x Stroke	72.0 x 73.2	72.0 x 73.2	76.0 x 80.5	76.0 x 80.5	80.0 x 79.5
Compression ratio	10.0 : 1	10.0 : 1	15.6 : 1	15.2 : 1	15.4 : 1
Maximum power - kw ISO	85	96	81	81	96
Maximum Power - hp DIN	115	130	110	110	130
Maximum power - rpm	4500	5500	4000 260	4000 240	4000
Maximum Torque - Nm ISO Maximum Torque (rpm)	2000	205	1750	1750	320
Fuel Type	Petrol	Petrol	Diesel	Diesel	Diesel
Injection type	Direct Injection	Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	
No. of Cylinders	4	4	4	4	4
No. of Valves	16	16	8	8	16
PERFORMANCE					
0- 62 mph - secs (0-100 km/h)	11.7 /12.6	11.4 / 12.3	12.5 / 13.5	13.4 / 14.3	10.3 / 11.1
Maximum Speed mph (km/h)	112 (180)	118 (190)	112 (180)	112 (180)	121 (195)
Standing 1000m in seconds	33.2 / 34	33 / 33.9	34.1/34.9	34.7 / 35.5	32 / 32.8
FUEL CONSUMPTION & EMISSIONS (in I/100km and g/km)					
CO2 (g/km)	140 / 145	140 / 145	105	114	114
Urban cycle - mpg	TBC	37.2 / 36.2	62.8	58.9	56.5
Urban cycle - I/100 km	TBC	7.6 / 7.8	4.5	4.8	5
Extra-urban cycle - mpg	TBC	52.3 / 49.6	72.4	68.9	70.6
Extra-urban cycle - I/100 km	TBC	5.4 /5.7	3.9	4.1	4
Combined cycle - mpg	45.6 / 43.5	45.6/43.5	68.9	64.2	64.2
Combined cycle - I/100 km	6.2 / 6.5	6.2 /6.5	4.1	4.4	4.4
GEARBOX					
Number of forward gears	6	6	6	6	6
Manual / Automatic	Manual	Manual	Manual	EDC (Auto)	Manual
BRAKING SYSTEM					
ABS			Standard		
Front Ø / width (mm)			VD 296		
Rear Ø / width (mm)			PD 260 / PD 260 / PD 274		
STEERING Power Assisted			Electric with variable assistance		
Turning Circle Between Kerbs (m)			11.29		
WHEELS / TYRES			11.25		
Standard Wheel Size in inches			16/17		
Reference wheels (16" alloy wheels)			6.5 J 16		
Reference tyres (16" alloy wheels)		Scénic : 20	5/60 R16 91H, Grand Scénic : 205	/60 R16 96H	
Reference tyres (17" alloy wheels)			5/60 R17 91H, Grand Scénic : 205		
Spare wheel			Inflation kit		
FUEL TANK CAPACITY					
Fuel tank capacity - Litres (Gallons)			60 (13.20)		
WEIGHT					
Kerb Weight	1,410 / 1,491	1,410 / 1,491	1,434 / 1,516	1,461 / 1,544	1,490 / 1,563
Gross Vehicle Weight	1,955 / 2,190	1,955 / 2,190	1,967 / 2,200	1,993 / 2,230	2,035 / 2,249
Maximum Gross Train Weight	3,255 / 3,490	3,255 / 3,490	3,267 / 3,500	3,293 / 3,530	3,335 / 3,549
Payload	544 / 699	544 / 699	533 / 684	532 / 686	545 / 686
	1 700 / 1 700	1 700 / 1 700	1 700 / 1 700	1 700 / 1 700	1 700 / 1 700
Max (Driver only) Towing weight = braked	1,300 / 1,300	1,300 / 1,300	1,300 / 1,300	1,300 / 1,300	1,300 / 1,300
Max (Driver only) Towing weight = unbraked SERVICING INTERVALS	695 / 750	695 / 750	730 / 750	750 / 750	750 / 750
Oil Change Interval in miles / 1 year (whichever is the sooner)			18000		

RENAULT

The eco^2 symbol shows the vehicle emits less than 120g/km of CO_2 , is manufactured in a plant that has been certified ISO14001. The vehicle can be 95% recoverable at the end of its life cycle. Find out more at www.renault.co.uk

* Official Fuel consumption figures are produced for comparison purpose and are measured according to the European Directive 80/1268/EEC. These figures are specific for a vehicle type and not for a single car. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. For further information, please visit the Vehicle Certification Agency web site www.vca.gov.uk. For more information on CO₂ banding and Company Car Tax Benefit In Kind go to www.renault.co.uk.



WITH 4 YEARS WARRANTY AND RENAULT ASSISTANCE AS STANDARD

4 YEARS WARRANTY

Your vehicle is covered by a warranty package for up to 4 years/100,000 miles (whichever comes first). The first 2 years are unlimited mileage, followed by a further 2 years up to 100,000 miles. Your dealer is able to repair or replace, without charge, parts that are found to have a material or assembly defect that is recognised by Renault. The paintwork warranty runs for a period of 3 years and the anti-corrosion warranty for a period of 12 years.

4 YEARS RENAULT ASSISTANCE

Should you need it, we'll provide emergency roadside repairs or tow you to the nearest Renault dealer. This service is available 24 hours a day, every day of the year. Renault Assistance Cover provided from months 0 to 48 includes, assistance at the roadside and home, national recovery, onward travel with European cover from months 0 to 36 only. Cover includes mechanical or electrical defects covered by the warranty.



SERVICING

A Renault Service plan allows you to budget for the future cost of your routine servicing. It really is the hassle-free way to take care of your Renault. There are many benefits to a Renault Service plan.

- Inflation-proof servicing You know exactly what you'll pay and there are no hidden costs
- Full peace of mind No matter where life takes you, we'll be there
- Renault expertise Our highly trained technicians know your Renault inside out

We have a range of service plans to meet the needs of practically all of our customers'; the two most popular being our 3 year/30,000 miles plan available at £479* and 4 year/40,000 miles available at £819*. Speak to your Renault dealer for more information on these plans or a price for an age and mileage profile that best meets your needs.

FINANCE OPTIONS

There are a wide variety of ways in which the purchase of a new vehicle can be financed. Renault Finance offers all of them, so whether you're a fleet buyer or private buyer, Renault Finance is ideally placed to tell you which plan or combination of plans best suits your needs and circumstances.

All vehicles are provided with 4 years' warranty and Renault Assistance as standard. For warranty exclusions refer to Terms & Conditions. For full Renault Warranty Terms and Conditions visit www.renault.co.uk/warranty. For Renault Assistance Terms and Conditions visit www.renault.co.uk/assistance. *The Service plan offer is available for vehicle ordered between 1st January 2016 and 31st March 2016 and registered in 2016. The plan Renault Service Plan covers the manufacturer's minimum maintenance programme requirements for the term of the plan purchased (refer to the Warranty and Service sheat in the Handover Document wallet for details). The plan ends when you reach the age or mileage limit (whichever comes first). Services must be carried out in line with the manufacturer's minimum maintenance programme requirements of the term 1,000 miles of the service interval and can only be carried out at a Renault Approved outlet. Service plans do not cover wear and tear items such as (but not limited to) tyres, wiper blades or brakes. To qualify you must order and purchase the Service jnen from a Renault Approved outlet before the first service or within the first 12 months (whichever comes first). Cannot be part exchanged, refunded or transferred. Finance provided by Renault Finance Ltd, P.O. Box 149, Watford, WD17 1FJ. Guarantees and indemnities may be required. You must be at least 18 and a UK resident (excludes lsle of Man and Channel Islands) to apply. Subject to status, terms and conditions apply. *Calls may be recorded. All quotes are based on individual circumstances and subject to insurers underwriting criteria. Renault Insurance, Isandared by iGO4 Partners Limited by the Subject to automice Advices, Staniland Way, Werrington, Peterborough, PE4 61r. Registered 1 meland and Wales No. 6710272.

RENAULT INSURANCE

A car as well designed as your Renault deserves an insurance policy to match. Renault Insurance has been specifically created to provide superb protection for you and your car. In addition to a very competitive premium, Renault Insurance also includes: Renault Genuine parts fitted in Renault Accident Repair Centres, protecting your 12 year anti-corrosion warranty; repairs guaranteed for 3 years; a courtesy car for the duration of any repairs - subject to availability when you use an approved repairer; payment by instalments - subject to status.

Renault Car Insurance: 0345 603 6525[†] www.renaultinsurance.co.uk

Lines open 8am – 8pm weekdays, 9am – 5pm Saturdays and 10am – 3pm Sundays.

CUSTOMER Renault knows the value of communicating with its customers and we have established effective ways to keep in touch with you. If after speaking to your local Renault dealership you are not completely satisfied, please contact the Renault UK Customer Relations Department on 0344 3350000 (Mon-Fri 9.00am to 5.30pm, except Weds 10.00am to 5.30pm. Closed on Bank Holidays). You can also visit our website www.renault.co.uk Or write to us at: Renault UK Ltd, The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth, Hertfordshire, WD3 9YS.





Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Renault U.K. reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given. It is therefore necessary to check with your Renault Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised. Publication date 4 January 2016.