

Ford Ranger. A legend in the making.



4x2 XL Single Cab Chassis 2.5L in Titanium Grey. Shown with aftermarket tray and rear mudflaps.



4x4 XLT Super Cab Pick-up in Titanium Grey.




4x4 XLT Crew Cab Pick-up in Titanium Grey.

The latest in a long line of tough Ford trucks, the Ranger is a legend in the making. The instant you cast your eyes over the muscular body and rugged styling you'll instinctively know that whatever you dish up to the Ranger, it'll just keep on coming back for more. And when it's time for work, you'll find there's a Ranger that's perfect for just about every job imaginable. There are Single Cab, Super Cab and Crew Cab models to choose from, and all are available with the versatility of a Cab Chassis or Pick-up body style. Plus, there's a range of 4x2 and 4x4 choices, including a 4x2 High Rider with increased ground clearance. Ranger's Duratorq common rail TDCi diesel engines give you plenty of high-tech power, loads of torque throughout the rev range and great fuel economy. Add to that, a payload exceeding one tonne and towing capacity up to 3,000kg*, which is equal to the best in its class. And once you climb inside the spacious cabin, you'll find car-like levels of comfort. Ranger also boasts high levels of safety with features like driver and front passenger airbags as standard and ABS with Electronic Brakeforce Distribution (EBD): All of this means that whether you're moving massive loads for work or tackling a big weekend away, the Ford Ranger is definitely up for it.



Interior trims.



XL



Dark Grey cloth

XLT



Sports Weave

Exterior colours.







Red



Titanium Grey*



Arizona Gold*



Black Mica*



Strato Blue*



Andaman Blue*



Viridian Green*



Silver Metallic*



Silver Metallic/Titanium Grey^



Black Mica/Titanium Grey[^]



Andaman Blue/Titanium Grey^

ENGINE		2.	.5L TDCi (Turbo	diesel)			3.0L TDCi (Turbo diesel)							
Engine type			4 Cyl DOHC (16	valve)				4 Cyl	DOHC (16 valve)				
Fuel injection			Adva	nced high pr	ressure con	nmon-rail dire	ct-injection fuel m	anagement sy	stem					
Compression ratio			18.0:1				18.0:1							
Maximum power (EEC)			105kW@3500)rpm				115	kW@3200rpm					
Maximum torque (EEC)			330Nm@1800	Orpm			380	Nm@1800rpm						
Bore x stroke (mm)			93 x 92					96 x 102						
Displacement (cc)			2499				2953							
TRANSMISSION/RATIOS			5-Speed mar	nual			5-Speed manual 5-Speed automatic							
1st			3.905				3.9	3.220						
2nd			2.248				2.2	2.290	2.290					
3rd			1.491				1.49	1.550						
4th			1.000				1.000 1.000							
5th			0.800				0.8	0.710	0.710					
Reverse			3.391				3.391 3.070							
4x4 Transfer case ratios			-						Low: 2.020					
			-					I	High: 1.000					
FUEL														
Fuel tank capacity						70 Litro	es							
Fuel consumption (L/100km)1.			8.3				9.:	2		10.4				
ELECTRICAL/CLUTCH														
Battery (type)			95D31R						95D31R					
Alternator			12V - 70 An	пр			12V - 70 Amp							
Clutch		Hydraulic, single dry plate with diaphragm spring												
Clutch dimensions (mm)		250 x 155												
TOWING CAPACITY (kg)														
Braked ^{2,4.}	2250						3000 2500							
Unbraked ^{3,4} ·			750				750 750							
VEHICLE MASSES (kg)	4x2													
Cabstyle	Single Super										Crew			
Series		XL						XL XL						
Bodystyle	C/C		C/C HR	P/	'U	C/C H		/U HR	P/U HR		VU HR			
Transmission	5M			51		5M	,	5M	5M		5A			
Gross vehicle mass5.	2841		2933	28		2951		2951	2921		2941			
Kerb mass (maximum)	1468		1525	16:		1616		1748	1782		1802			
Payload (maximum)6.	1373		1408	12:		1335		1203	1139		1139			
Gross combination mass7.	5100		5500	510		5500		5500	5500		4875			
Front axle load	1170		1430	113		1430		1430	1430		1430			
Rear axle load	1860		1850	180		1850		1850			1850			
VEHICLE MASSES (kg)	1000			701		4x4			1000		,000			
Cabstyle	Sin	σΙρ			ıper	77.4			Crew					
Series	X	_	XL		ipei	XLT		XL	Clew	VI	т			
							0.70		D /U	XI				
Bodystyle	C/		C/C	P/U	51.0	P/U	C/C		P/U		/U			
Transmission	5M	5A	5M	5M	5M	5A	5M	5M	5A	5M	5A			
Gross vehicle mass5.	3044	2981	3039	3039	3025	3048		3012	3068	3000	306			
Kerb mass (maximum)	1638	1653	1731	1864	1923	1933	1770	1897	1907	1957	196			
Payload (maximum)6.	1406	1328	1308	1175	1102	1115	1242	1115	1161	1043	110			
Gross combination mass7.	5500	4875	5500	5500	5500	4875	5500	5500	4875	5500	487			
Front axle load	1430	1430	1430	1430	1430	1430	1430	1430	1430	1430	143			
Rear axle load	1850	1850	1850	1850	1850	1850		1850	1850	1850	185			
PICK-UP BOX DIMENSIONS (mm)						Supe				Crew				
Load length - at floor		Single 2280							1530					
Load width - at floor		1450			1753 1456									
									1456					
Load width - at top		1459			1459				1459					
Load width - between wheelhouses		1090				1090			1090					
	465					465			465					
Load height - at floor Width of rear opening		1328				1328				1328				

HR - High Rider. C/C - Cab Chassis. P/U - Pick-up.

1. Figures obtained from tests conducted to ADR 81/01. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use. 2. When fitted with a Genuine Ford heavy duty towpack and load levelling kit. Subject to State and Territory regulations. 3. When fitted with a Genuine Ford towpack. Subject to State and Territory regulations. 4. The weight of thre vehicle must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Individual alwa capacities and van a maximum of 520kg or 10% of the total trailer lead must not be exceeded. 5. GVM is defined as the sum of the kerb mass and the payload. Payload is reduced by 78kg when bucket seats are fitted. 6. Payload is defined as the maximum combined value for the occupants/cargo/added options/added structures/towball download (when towing). 7. Includes braked trailer.

CARCTVIE		Cincola	4	x2 I c		Current	Circula		Current	4x4		C	
CABSTYLE		Single XL		Su _l	per	Crew	Single XL	X	Super	VIT	Х	Crew	VIT
Series	C/C	C/C HR	P/U		P/U HR	P/U HR	C/C	C/C	P/U	XLT P/U	C/C	P/U	XLT P/U
Bodystyle EXTERIOR DIMENSIONS (mm)	0/0	C/C HK	P/ U	C/C HK	P/U HK	P/U HK	0/0	0/0	P/U	P/ U	C/C	P/ U	P/U
	4841	4841	5169	4841	5169	5169	4841	4841	5169	5175	4841	5169	5175
Overall length Overall width ⁸ -	1715	1807	1715	1807	1807	1807	1807	1807	1807	1807	1807	1807	1807
	1622	1743	1622	1743	1743	1755	1743	1743	1743	1743	1755	1755	1755
Overall height Wheelbase	2985	3000	2985	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
Front track	1445	1445	1445	1445	1445	1445	1445	1445	1445	1475	1445	1445	1475
Rear track	1450	1440	1450	1440	1440	1440	1440	1440	1440	1470	1440	1440	1470
Front overhang	884	884	884	884	884	884	884	884	884	884	884	884	884
Rear overhang	004	-	1300	-	1285	1285	-	-	1285	1291	-	1285	1291
	181	207	181	207	207	207	207	207	207	207	207	207	207
Ground clearance	400	750	400	750	750	750	750	750	750	750	750	750	750
Wading depth													
Approach angle (degrees)	24	34	24	34	34	34	34	34	34	34	34	34	34
Departure angle (degrees)	23 21	33 28	19	33 28	26 28	26 28	33 28	33 28	26 28	18 28	33 28	26 28	18
Ramp breakover angle (degrees)	ZI	28	21	28	28	28	28	28	28	28	28	28	28
MECHANICAL													
2.5L TDCi	C		c										
5-Speed manual transmission	S	-	S	-	-	-	-	-	-	-	-	-	-
3.0L TDCi		C		_	C	C	C	C	C	C	C	C	C
5-Speed manual transmission	-	S	-	S	S	S	S	S	S	S	S	S	S
5-Speed automatic transmission	-	-	-	-	-	0	O9.	-	-	0	-	0	0
RIDE AND HANDLING													
Fully independent double wishbone front suspension	S	S	S	S	S	S	S	S	S	S	S	S	S
Dual rate semi-elliptic leaf spring rear suspension	S	S	S	S	S	S	S	S	S	S	S	S	S
Front ventilated disc brakes	S	S	S	S	S	S	S	S	S	S	S	S	S
Rear self-adjusting drum brakes	S	S	S	S	S	S	S	S	S	S	S	S	S
Dash mounted park brake	S	S	S	S	S	S	S	S	S	S	S	S	S
Power steering (RPM sensitive)	S	S	S	S	S	S	S	S	S	S	S	S	S
Turns (lock-to-lock)	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
Turning circle (kerb-to-kerb)	12.0	12.0	12.0	12.0	12.0	12.0	12.6	12.6	12.6	12.6	12.6	12.6	12.6
15" x 6.5" Styled steel wheel with 215/70R15 tyres	S	-	S	-	-	-	-	-	-	-	-	-	-
15" x 6.5" Styled steel wheel with 235/75R15 tyres	-	S	-	S	S	S	S	S	S	-	S	S	-
16" x 7" Alloy wheel with 245/70R16 tyres	-	-	-	-	-	-	-	-	-	S	-	-	S
Limited Slip Differential (LSD)	-	S	-	S	S	S	S	S	S	S	S	S	S
4x4 Shift on the fly	-	-	-	-	-	-	S	S	S	S	S	S	S
Electronic remote front wheel hub lock	-	-	-	-	-	-	S	S	S	S	S	S	S
2W-4WH-4WL selector switch10.	-	-	-	-	-	-	0	-	-	0	-	0	0
EXTERIOR													
Prestige paint	0	0	0	0	0	0	0	0	0	0	0	0	0
Two-tone paint	-	-	-	-	-	-	-	-	-	011.	-	-	O11.
Body colour front bumper	S	S	S	S	S	S	S	S	S	S	S	S	S
Body colour rear step bumper	-	-	S	-	S	S	-	-	S	-	-	S	-
Stainless steel rear step bumper	-	-	-	-	-	-	-	-	-	S	-	-	S
Painted wheel arch flares with integrated mudflaps	-	-	-	-	-	-	-	-	-	S	-	-	S
Black moulded wheel arch flares with integrated mudflaps	-	S12.	-	S12.	S	S	S 12.	S 12.	S	-	S12.	S	-
Mudflaps	S 12.	-	S	-	-	-	-	-	-	-	-	-	-
4-Door Dual Rear Access System	-	-	-	S	S	-	-	S	S	S	-	-	-
Rear quarter opening window	-	-	-	S	S	-	-	S	S	S	-	-	-
Titanium Grey painted grille	S	S	S	S	S	S	S	S	S	-	S	S	-
Chrome grille	-	-	-	-	-	-	-	-	-	S	-	-	S
Front fog lamps	-	-	-	-	-	-	-	-	-	S	-	-	S
Manual exterior mirrors	S	S	S	S	S	S	S	S	S	-	S	S	-
Power exterior mirrors	-	-	-	-	-	-	-	-	-	S	-	-	S
Chrome exterior mirrors, door and tailgate handles	-	-	-	-	-	-	-	-	-	S	-	-	S
Side steps 13.	-	-	-	-	-	-	-	-	-	S	-	-	S

HR - High Rider. C/C - Cab Chassis. P/U - Pick-up. S - Standard. O - Options that can be ordered before a vehicle is manufactured. A - Accessory that can be added at anytime.

8. Not including exterior mirrors. 9. Air-conditioning is mandatory with optional bucket seats and/or optional automatic transmission (where available). 10. With optional automatic transmission. 11. Only available in Silver Metallic/Titanium Grey, Andaman Blue/Titanium Grey and Black Mica/Titanium Grey combinations. 12. Front only. 13. Alternate side steps fitted when front side airbags are optioned.

			4	x2						4x4			
CABSTYLE	Single			Su	per	Crew	Single	Super			Crew		
Series		XL		Х	(L	XL	XL	Х	L	XLT)	L	XLT
Bodystyle	C/C	C/C HR	P/U	C/C HR	P/U HR	P/U HR	C/C	C/C	P/U	P/U	C/C	P/U	P/U
EXTERIOR CONT.													
Sports bar with high mounted stop light	-	-	-	-	Α	Α	-	-	Α	S	-	Α	S
Bedliner with 12 volt power socket	-	-	-	-	A14.	A 14.	-	-	Д14.	S	-	A 14.	S
External rope rail	-	-	S	-	S	S	-	-	S	-	-	S	-
Inner rope hooks	-	-	-	-	-	-	-	-	-	S	-	-	S
SAFETY AND SECURITY													
Driver and front passenger airbags	S	S	S	S	S	S	S	S	S	S	S	S	S
4-Wheel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	0	0	0	-	-	-	0	-	-	S	-	-	S
Safety pack featuring 4-wheel ABS with EBD, front side airbags, Sports Weave trim, central locking 15. & power windows	-	-	-	O16.	O16.	0	-	O16.	O16.	-	0	0	-
Front side airbags 17.	_	_	_	_	_	_	_	_	_	0	_	_	0
Anti-theft alarm system	_	_	_	_	_	_	_	_	_	S	_	_	S
Engine immobiliser	_	_	_	-	_	_	_	_	_	S	_	_	S
Remote fuel lid opener	_	_	S	-	S	S	-	_	S	S	_	S	S
Locking fuel cap	S	S	_	S	_	_	S	S	_	_	S	-	_
Remote keyless entry with 2 key fobs	_	_	_	_	_	_	_	_	_	S	_	_	S
INTERIOR													
Tilt adjustable steering column	S	S	S	S	S	S	S	S	S	S	S	S	S
Air-conditioning	O18./A	S	S	S	S	S	O18./A	S	S	S	S	S	S
Leather steering wheel	_	_	_	_	_	_	-	_	_	S	_	_	S
Leather gear knobs ^{19.}	_	_	_	_	_	_	_	_	_	S	_	_	S
Power windows ²⁰ ·	_	_	_	O16.	O16.	0	_	O16.	O16.	S16.	0	0	S
Variable intermittent wipers	S	S	S	S	S	S	S	S	S	S	S	S	S
Inner chrome door handles	_	_	_	_	_	_	_	_	_	S	_	_	S
Ashtray and lighter	S	S	S	S	S	S	S	S	S	S	S	S	S
Driver's left footrest	S	S	S	S	S	S	S	S	S	S	S	S	S
Digital clock (in radio)	S	S	S	S	S	S	S	S	S	S	S	S	S
Ticket holder on driver sunvisor	S	S	S	S	S	S	S	S	S	S	S	S	S
Vanity mirror on passenger sunvisor	S	S	S	S	S	S	S	S	S	S	S	S	S
Fan boosted ventilation/heater/demister	S	S	S	S	S	S	S	S	S	S	S	S	S
Heated rear window	_	_	_	S	S	S	_	S	S	S	S	S	S
Passenger grab handle	S	S	S	S	S	S	S	S	S	S	S	S	S
INTERIOR STORAGE													
Passenger side sliding lunch tray	S	S	S	S	S	S	S	S	S	S	S	S	S
Double lid centre console with arm rest	_	_	_	S	S	S	_	S	S	S	S	S	S
Under floor storage in rear compartment	_	_	_	S	S	_	_	S	S	S	_	_	_
Cup holders	S	S	S	S	S	S	S	S	S	S	S	S	S
Lockable glove box	S	S	S	S	S	S	S	S	S	S	S	S	S
SEATING AND TRIMS													
Cloth trim	S	S	S	S	S	S	S	S	S	-	S	S	-
Sports Weave trim	_	-	_	O20.	O20.	O20.	-	O20.	O20.	S	O20.	O20.	S
Front bench seat	S	-	-	-	-	-	S	-	-	-	-	-	-
Front bucket seats	O18.	S	S	S	S	S	O18.	S	S	S	S	S	S
Rear jump seats	-	-	-	S	S	-	-	S	S	S	-	-	-
Rear bench seat with head rests	_	-	_	-	-	S	-	-	-	-	S	S	S
Lap/sash front seatbelts (2)	S	S	S	S	S	S	S	S	S	S	S	S	S
Lap belt in centre front position (models with bench seat fitted)	S	-	-	-	-	-	S	-	-	-	-	-	-
Lap/sash rear seatbelts (2)	_	-	-	S	S	S	-	S	S	S	S	S	S
Lap belt in centre rear position	_	-	_	-	-	S	-	-	-	-	S	S	S
Vinyl floor covering	S	S	S	-	-	_	S	_	-	-	_	-	-
Cloth floor covering	_	-	-	S	S	S	-	S	S	S	S	S	S
AUDIO													
Single slot CD player with MP3 compatibility	S	S	S	S	S	S	S	S	S	-	S	S	-
6-Disc in-dash CD player with MP3 compatibility	_		_	_	_	_	_	_	_	S	_	_	S

\$ - Standard. O - Options that can be ordered before a vehicle is manufactured. NCO - No cost options that can be ordered before a vehicle is manufactured. A - Accessory that can be added at anytime.

14. Bedliner and 12 volt auxiliary power socket sold separately. 15. Does not include remote keyless entry. 16. Super Cab models receive power front windows only. 17. Available on XLT from June, 2007. Alternate side steps fitted when front side airbags are optioned. 18. Air-conditioning is mandatory with optional bucket seats and/or optional automatic transmission (where available). 19. On manual transmission XLT models. Not available with optional automatic transmission. 20. Available in safety pack option on Super and Crew Cab XL models.

Personalise your Ranger. The choice is yours.



Bedliner. Helps to protect rear cargo area and minimise movement of gear during transit. Optional 12V auxiliary power socket located in the Pick-up box area allows you to run compatible fridges and other equipment.



Sports bar. Made from strong, polished stainless steel, the sports bar will enhance the look of your Ranger. Available with and without a high mounted stop light.



Bonnet protector. Made from tough, durable acrylic to help deflect stones and other objects. Available in a clear or tinted finish.

The Ranger is one tough workhorse. And while Ranger is built to handle the toughest of jobs, you'll find there are plenty of accessories that will help make your job a whole lot easier. Whether it's the Genuine Ford heavy duty towpack or a soft tonneau cover designed to help protect your equipment, Ranger has all your needs covered. So no matter if it's tackling work or getting more enjoyment from your Ranger 'after hours', the choice is yours.





Towpack. Genuine Ford towpack makes towing a breeze, whether it's for work or a weekend trip.



Soft tonneau cover. Helps protect equipment and valuables from rain and dust. Features elasticised bungee looping and includes a steel tonneau bow to assist with water run-off.




Scuff plates. Enhance your vehicle's appearance and help protect the doorstep from scratches and scuffs. Made from stainless steel.


ACCESSORIES AVAILABLE BY MODEL	XL	XLT
EXTERIOR STYLING		
Sports bar with high mounted stop light 1.	A ^{2.}	S
Sports bar without high mounted stop light	A ^{2.}	-
EXTERIOR PROTECTION		
Bonnet protector - clear or tinted	А	Α
Bull bar - airbag compatible.3.	A	А
Headlamp guards	А	Α
Soft tonneau cover ² ·	А	А
Weathershields ⁴ -	Α	A
TOWING AND CARRYING		
Bedliner	A ² ·	S
Towpack - standard 1,800kg ^{5.}	A	A
Towpack - heavy duty 2,500kg (including load levelling kit).5.	Α	A
Towpack - heavy duty 3,000kg ^{6.} (including load levelling kit). ^{5.}	А	A
INTERIOR STYLING		
Scuff plates7-	А	Α
INTERIOR COMFORTS AND STORAGE		
Air-conditioning kit	A8.	S
Carpet mats – front and rear set ^{7.}	А	А
Waterproof seat covers ⁹ .	Α	A
Rubber floor mats - front and rear set	A10.	A
Heavy duty rubber floor mats - front and rear set 11.	A	A
IN CAR ENTERTAINMENT AND ELECTRICAL		
Auxiliary power socket (for bedliner) 12V ^{1,2} ·	Α	S

A - Accessories that can be added at any time. S - Standard on this model. - Not available.


1. Must be fitted with Genuine Ford bedfiner. 2. Available on Super and Crew Cab Pick-up models only. 3. Available from June, 2007. 4. Left and right Genuine Ford front weathershields sold separately. 5. Subject to State and Territory regulations. Genuine Ford towpacks include towbar, towball and trailer wiring. 6. Available on 3.0L manual models only. 7. Available on Super and Crew Cab models only. 8. Available on Single Cab models with manual transmission and standard bench seats only. Air-conditioning is standard on all other models. 9. Driver and passenger Genuine Ford waterproof seat covers sold separately. Not compatible on vehicles fitted with standard bench seat or optional side airbags. 10. Rear mats not compatible with Single Cab models. 11. Front and rear sets sold separately.

Models.













About this specification sheet: This sheet is designed to provide you with selected specification data for the Ford products which have been described in a general way in the relevant brochure. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchasers. Because of variations which occur in manufactured products, all capacities, measurements, dimensions and weights quoted in the relevant brochure and this specification sheet should be taken as approximate only. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order. *FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed May 2007.

