

0

EG 215 GB

NOSK ND

VAN OF HE YEAR



# MADE TO MEASURE THE WORK IN THE CITY.



A true asset to your business, the new Doblò Work Up has the space you need. Agile and tough, able to carry heavy loads it moves through the city with ease. **The entire vehicle is designed, constructed and guaranteed by Fiat Professional**. The compact dimensions make Doblò Work Up easy to manoeuvre in urban areas and ideal for daily use. The same characteristics that lead to the Fiat Doblò Cargo being awarded International Van of the Year 2011 shine through on the Doblò Work Up as well. Class leading payload, fuel economy, comfort and safety make the Doblò Work Up the choice of professionals.

# THE RIGHT SIZE FOR ANY LOAD.

The figures speak for themselves. With a total length of 4.96 m, a max. payload of 1,000 kg and a max. rear axle weight of 1,450 kg Doblò Work Up has no rivals. The flat-bed is constructed from tough, anti-scuff marine plywood. At 2.3 m long and 1.82 m wide the total area is a massive 4.2 m<sup>2</sup>, large enough to accommodate 3 europallets, or...33 boxes of fruit.





Load up to 33 boxes of fruit...



... or 3 europallets

Innovation and attention to detail are hallmarks of Fiat Professional vehicles. The Doblò Work Up features fold out steps to ease access to the load area, shaped aluminium sides allow loads to be secured safely, quick release latches and a lockable compartment means tools up to 2 m in length can be stored out of sight and transported safely.

Hooks to secure loads to the bulkhead





#### COMFORT & TECHNOLOGY.

Comfort and functionality are strengths of Doblò Work Up. Numerous storage compartments keep the cabin organised, whilst the car-like driving position and comfortable seats make everyday driving a pleasure.



# LESS CONSUMPTION FOR GREATER PERFORMACE.

Thanks to the range of MultiJet engines, performance, refinement, reliability and fuel economy are better than ever. All MultiJet engines have been designed to minimise running costs. The 1.3 16v MultiJet II Euro 5 has 'best in class' service intervals of 21,000 miles and fuel economy of 5.1 L/100km (55.4 MPG) with Start&Stop (combined cycle). In addition, when fitted with Start&Stop the engine is switched off automatically when stationary. The engine then restarts when the clutch pedal is pushed - saving you more on fuel costs.





Available as option, Blue&Me<sup>™</sup> makes your journey safer and easier. Users connect their mobile phone using Bluetooth and can make calls using voice recognition or the audio/phone commands mounted on the steering wheel. Blue&Me™ can also play MP3 files from USB sticks or MP3 players all without taking your hands off the steering wheel. Available in Lineaccessori, Blue&Me TomTom LIVE, is the most up to date satellite navigation system and interfaces with all Blue&Me™ audio/ phone commands. In addition, users will benefit from a free 1-year subscription to LIVE services. These include: LIVE traffic updates, a database of fixed speed



cameras, a local Google search for your destination and LIVE weather updates. eco:Drive, is another welcome innovation that analyses your driving style and makes suggestions to optimize fuel economy.


#### **BI-LINK REAR SUSPENSION.**

The innovative Bi-link rear suspension allows the rear wheels to react independently, this maximises contact between the wheels and the road for maximum grip, whilst reducing vibrations into the body. An anti-roll bar is also fitted for additional stability and a max. rear axle weight of 1,450kg means loads are transported in total safety.



### TECHNICAL SPECIFICATION.

DIMENSIONS.	
-------------	--



	90 MultiJet II	105 MultiJet	135 MultiJet
Engine			
No. cylinders, arrangement	4 in line, transverse front	4 in line, transverse front	4 in line, transverse front
Displacement (cm³)	1248	1598	1956
Emissions level	Euro 5	Euro 5	Euro 5
Compression ratio	16.8:1	16.5:1	16.5:1
Max. power kW (bhp) @ rpm	66 (90) 4000	77 (105) 4000	99 (135) 3500
Max. torque Nm (kgm) @ rpm	200 (20.4) 1500	290 (29.6) 1500	320 (32.6) 1500
Timing system (command)	2 OHC (toothed drive belt) with hydra	ulic tappets, 4 vales per cylinder	
Fuel	diesel	diesel	diesel
Fuel system	MultiJet II electronically controlled, Common Rail direct injection, turbo and intercooler	MultiJet electronically controlled Common Rail direct injection, turbo and intercooler	MultiJet electronically controlled Common Rail direct injection, turbo and intercooler
Ignition	by compression	by compression	by compression
Transmission			
Traction (driven wheels)	front	front	front
Clutch	dry, single plate with cup engagement spring, hydraulic drive	dry, single plate with cup engagement spring, hydraulic drive	dry, single plate with cup engagement spring, hydraulic drive
Gearbox: no. gears	5 + reverse	6 + reverse	6 + reverse
Steering			
Туре	rack and pinion with hydraulic power assistance	rack and pinion with hydraulic power assistance	rack and pinion with hydraulic power assistance
Turning circle (metres - kerb to kerb)	11.2	11.2	11.2
Braking system - D (self-ventilated of	discs) - T (drum)		
Туре	hydraulic system with 2 independent	crossover circuits	
Front: ø mm	D 305	D 305	D 305
Rear: ø mm	T 254	T 254	T 254
Servo brake: ø	10"	10"	10"
Suspension		<u>^</u>	<u>^</u>
Front	independent wheel McPherson with w coil spring and anti-roll bar	vishbones anchored to subframe, telesco	opic hydraulic shock absorbers,
Rear	independent wheel Bi-Link, coil sprin	gs with telescopic shock absorbers and	l anti-roll bar
Wheels	·		
Tyres	195/60 R16	195/60 R16	195/60 R16
Electrical system (12v)		1	1
Battery capacity (Ah)	50/60/70/72	60/70/72	72
Dattory capacity (11)			
Alternator current (A)	70/90/120	1 100/120/130	1 100/120/150
	70/90/120	100/120/150	100/120/150
Fuel tank			
Fuel tank Capacity (litres/kg)	70/90/120   60	60	60
Fuel tank Capacity (litres/kg) Performance and consumption	60	60	60
Fuel tank Capacity (litres/kg) Performance and consumption Max. speed (km/h)			
Fuel tank Capacity (litres/kg) Performance and consumption Max. speed (km/h) Max. speed in MPH	60	60	60
Alternator current (A) Fuel tank Capacity (litres/kg) Performance and consumption Max. speed (km/h) Max. speed in MPH Combined consumption (l/100 km) Consumption in MPG	60 141 88	60 149 93	60 163 101

\* with Start&Stop

Wheelbase		3105	
Length	4965 1872 1510 1530 2049 895 803 600		
Width			
Front track			
Rear track			
Max. height (unladen)			
Front overhang			
Rear overhang			
Height external wire bulkhead			
Load area dimensions (mm)			
nternal length		2300	
_oad area width	1818		
_oad area (m²)	4,2		
Height of aluminium sides	368		
_oad threshold	890		
Weights (kg)	90 MultiJet II	105 MultiJet	135 MultiJet
	2430	2505	2505
GVW	2430	2000	2000
	1430	1505	1505
Kerb weight			
GVW Kerb weight Payload inc. driver Max. trailer weight (braked)	1430	1505	1505


# STANDARD EQUIPMENT AND OPTIONS.

Exterior		90 MultiJet II	105 MultiJet	135 MultiJet
Side protection strips in black	927	•	•	•
Fiat Professional wheel trims	878	0	0	0
Fog lights	097	0	0	0
Body coloured bumpers	876	0	0	0
Door mirrors with manual adjustment	043	•	•	•
Door mirrors with electrical adjustment and defrost function	041	0	0	0
Body coloured door mirrors	976	0	0	0
Metallic paint	210	0	0	0
Box body in aluminium with marine plywood floor	288	٠	•	•
Interior				
Steel bulkhead with window	199	•	•	•
Bulkhead soundproofing	552	•	٠	•
Roof mounted storage shelf	835	٠	•	•
Storage under passenger seat	658	•	٠	•
Leather steering wheel	320	0	0	0
Driver's seat with armrest, height and lumbar adjust	627	0	0	0

#### STANDARD EQUIPMENT AND OPTIONS.

Functional / Comfort		90 MultiJet II	105 MultiJet	135 MultiJet
Remote control central locking	008	0	0	0
Additional remote control spare key	4YV	0	0	0
Height adjustable steering wheel	011	•	•	•
Electric front windows	028	•	•	•
Smoking kit	989	0	0	0
12v socket	823	•	•	•
Upgraded 120 Amp alternator	065	0	0	0
Trip computer		•	•	•
Fastening hooks in load area		•	•	•
Manual air conditioning	025	0	0	0
Cruise control	416	0	0	0
Full size spare wheel	980	•	•	•
Locking fuel cap	352	•	•	•
Alarm	50902775/81	Δ		Δ
Steel storage basket PC/PL (100 kg)	50902260/59	Δ	Δ	Δ
Safety / Mechanical				
ABS with four sensors + EBD (Electronic Brake Distribution	n) 009	•	•	•
Driver airbag		•	•	•
Passenger airbag	502	0	0	0
Anti-intrusions bars in cabin doors		•	•	•
Fire Prevention System (FPS) with intertia switch		•	•	•
Start&Stop	5DE	0	0	0
Upgraded front disc brakes	44B	•	•	•
Audio / Phone / Navigation				
High level speakers	4HL	•	•	•
Radio/CD player	315	•	•	•
Radio/CD/MP3 player (only with 6J8)	41A	0	0	0
Blue&Me <sup>™</sup> with AUX and USB	65W	0	0	0
Pack Blue&Me <sup>™</sup> 2 (65W+4HL+41A+245+68R)	6J8	0	0	0
Audio commands (steering wheel mounted)	245	0	0	0
Blue&Me <sup>™</sup> -TomTom <sup>®</sup>	71806151	Δ	Δ	Δ
Docking station for Blue&Me <sup>™</sup> -TomTom <sup>®</sup>	68R	0	0	0

# INTERIOR AND BODY COLOURS.



#### INTERIOR / EXTERIOR COLOUR COMBINATIONS.

Colour	Star Red 231
Red 168	•
White 249	•
Blue 479	-
Light Grey 612	•





CIAO FIAT is the customer support and relations service which can be contacted on the universal freephone number 00800 3428 0000. The number can be reached from major European countries and is easy to remember; it corresponds to entering "FIAT" on your telephone keypad (00800-FIAT 0000 becomes 00800-3428 0000). CIAO FIAT is ready to provide you with roadside assistance and information on anything that you want to know about our models (versions, optional extras, promotions, prices), our services and FIAT dealerships and to help you book a test drive, and our team is available to meet any need or request linked to your car's use. The service is available from 8 a.m. to 8 p.m., Monday to Saturday for customer relations and information and 24 hours a day, 7 days a week for roadside assistance services.

The call is free from both landlines and mobiles. In some European countries a fee is charged to the caller by some mobile networks depending on the plan applied by the particular local operator.

While every effort has been made to ensure the brochure is correct at the time of publication, standard equipment, options and external paint colours may change. Fiat Professional reserves the right to change specifications and availability at any time. For the most up to date information please contact your nearest dealer.

#### www.fiatprofessional.co.uk

Model trim levels and optional extras may vary according to market or legal requirements. All data contained in this publication is purely indicative. Fiat may change the models described in this publication at any time for reasons of a technical or commercial nature. Fiat Marketing 02.3.1077.52 - S - 03/2012 - Printed in Italy - GRAF ART - Venaria (TO). Printed on chlorine-free paper.

