

MODEL HIGHLIGHTS

MODEL	TECHNICAL DATA	TRANSMISSION	KEY HIGHLIGHTS
Sport MKBL742BD	2.OL DOHC 16V dual (VVT) Petrol 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	5-speed manual transmission including Hill Start Assist (HSA)	17-inch alloy wheels with tech silver finish Air conditioning Black roof rails Heated Premium cloth bucket seats Leather-wrapped steering wheel with audio and cruise controls Power folding heated mirrors Remote central locking with illuminated entry Security alarm Uconnect Voice Command with Bluetooth*
Sport MKBL7424C	2.OL DOHC 16V dual (VVT) Petrol 1,998cc, 4 cylinder 115kW, 190Nm Front wheel drive	Continuously Variable Automatic Transaxle (CVT2) with AutoStick	Uconnect* 135 CD/MP3 radio with audio jack input for mobile devices
Limited MKUH742GF	2.4 DOHC 16V dual (VVT) Petrol 2,360cc, 4 cylinder 125kW, 220Nm Freedom Drive I 4WD system with selectable lock feature	6-speed automatic	17-inch alloy wheels with tech silver finish 6-way power drivers seat Boston Acoustics 9 speaker audio system with subwoofer & two articulating liftgate speakers Climate control air conditioning Deep tint sunscreen glass from B-pillar back Freedom Drive I 4WD system with selectable lock feature Front fog lights Heated leather-trimmed front bucket seats Uconnect Voice Command with Bluetooth* Uconnect* 731N system featuring 6.5-inch colour touchscreen, CD/DVD player, AM/FM radio, MP3/HDD compatibility and Navigation

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep dealer.

MODEL HIGHLIGHTS

SPORT STANDARD EQUIPMENT

oc	Exterior	ОС	Safety & Security	oc
JKP	• 215/60 R17 tyres	TMD	Active head restraints	CBD
RCD	17-Inch Tech Silver aluminium alloys	WFW	Anti-lock Braking System (ABS)	BGE
HAA	Black side roof rails	MWE	Electronic Roll Mitigation (ERM)	BNS
RSU	Body-color door handles	MNK	Electronic Stability Control (ESC)	BNB
NHM	Body-color grille	MFN	Hill Start Assist (manual only)	BNG
CDH	Body-colour fascias	MLA	Mutli-stage driver and front passenger airbags	CG1
CLX	Full size spare	TBB	Remote keyless/Illuminated entry	GXP
CWP	Headlight levelling system	JKL	Security alarm	LSD
SCC	Power folding heated mirrors	GUL	Sentry Key® Antitheft Engine Immobilizer	GXX
C7*	Power windows with driver's one-touch down	JPD	Speed sensitive power locks	JPH
CAX	Rear fog lights	LPG	Supplemental side-curtain front/rear airbags	CJ4
GN5	Rear window defroster	GFA		
RSX	Rear window wiper/washer	JHB	Groups	
RDZ			Safety and comfort group	AJ1
SUA			Heated front seats	CMA
RSQ			Supplemental front seat-mounted side air bags	CJ1
REL			Tire pressure monitoring warning lamp	LAB
	JKP RCD HAA RSU NHM CDH CLX CWP SCC C7* CAX GN5 RSX RDZ SUA RSQ	JKP • 215/60 R17 tyres RCD • 17-Inch Tech Silver aluminium alloys HAA • Black side roof rails RSU • Body-color door handles NHM • Body-color grille CDH • Body-colour fascias CLX • Full size spare CWP • Headlight levelling system SCC • Power folding heated mirrors C7* • Power windows with driver's one-touch down CAX • Rear fog lights GN5 • Rear window defroster RSX • Rear window wiper/washer RDZ SUA RSQ	JKP • 215/60 R17 tyres TMD RCD • 17-Inch Tech Silver aluminium alloys WFW HAA • Black side roof rails MWE RSU • Body-color door handles MNK NHM • Body-color grille MFN CDH • Body-colour fascias MLA CLX • Full size spare TBB CWP • Headlight levelling system JKL SCC • Power folding heated mirrors GUL C7* • Power windows with driver's one-touch down JPD CAX • Rear fog lights LPG GNS • Rear window defroster GFA RSX • Rear window wiper/washer JHB RDZ SUA RSQ	JKP • 215/60 R17 tyres RCD • 17-Inch Tech Silver aluminium alloys HAA • Black side roof rails RSU • Body-color door handles NHM • Body-color grille CDH • Body-colour fascias CLX • Full size spare CWP • Headlight levelling system SCC • Power folding heated mirrors CAX • Rear fog lights CAX • Rear window defroster RSX RSA RSQ RSQ Active head restraints WFW • Anti-lock Braking System (ABS) MME • Electronic Roll Mitigation (ERM) • Anti-lock Braking System (ABS) MME • Electronic Roll Mitigation (ERM) • Electronic Stability Control (ESC) MHN • Hill Start Assist (manual only) • Hill Start Assist (manual only) • MFN • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual only) • MFN • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability Control (ESC) • Hill Start Assist (manual entry electronic Stability electroni

LIMITED STANDARD EQUIPMENT IN ADDITION TO OR REPLACING SPORT

Interior	oc	Exterior	oc	Groups	
Climate control air conditioning	HAB	Body-colour fascias with bright inserts	MCY	Technology Group	ADG
Manual driver lumbar adjustment	CDL	Bright exhaust tip	NEC	2 articulating liftgate speakers	RFS
 Perforated Leather-trimmed heated front bucket seats 	SL*	Bright side roof rails	MW1	9 Boston Acoustics speakers	RC9
Power 6-way drivers seat	JPS	Front fog lights	LNJ	Uconnect 731N CD/DVD/HDD/NAV radio with 6.5-inch	RHP
		Deep tint sunscreen glass	GEG	touchscreen	

	_			
PATRIO				
MODEL HIGHLIG	SHTS	8 P O R T	LIMITED	00
GROUPS AND OPT	IONS			
Blackhawk Package 17-inch alloy wheels with Black side roof rails Body-color rear bumper Gloss Black Patriot badg Gloss Black grille mesh a Gloss Black Jeep badge	with step pad	0	N/A	AHG
Comfort / Convenience of Deep-tint sunscreen glass Fog lights		0	S	AFB
Power Sunroof		N/A	0	GWG
S = Standard N/A = Not A	vailable O = Optional	P O O T	LIMITED	U O
ALLOY WHEELS		v		0
ALLOY WHEELS	17-inch alloy wheels with tech silver finish F/R: 215/60 R17	S	S	WFW
	17-inch alloy wheels with gloss black finish F/R: 215/60 R17 (Only available as part of Blackhawk package)	0	N/A	WFP

MODEL HIGHLIGHTS

SPORT LIMITED

INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE)

INTERIOR COLOURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM S	Ant LL)			
	Duet/Cubic Cloth Dark Slate Gray with Gray matching accent stitching	S	N/A	C7DV
	Duet/Cubic Cloth Light Pebble Beige with Beige matching accent stitching	NCO	N/A	C7DK
	McKinley Premium Leather Trim Dark Slate Gray with Light Slate Gray accent stitching	N/A	S	SLDV
	McKinley Premium Leather Trim Light Pebble Beige with matching accent stitching	N/A	NCO	SLDK

Overseas model images shown above

S = Standard N/A = Not Available O = Optional NCO = No Cost Option

\ 	
E L L A B I	
MOD AVA	(

METALLIC PAINT (ACT	UAL COLOUR MAY VARY FROM SAMPLE)		
	Bright White Clear Coat	All	PW7
	Black Clear Coat	All	PX8
	Deep Cherry Red Crystal Pearl	All	PRP
	Billet Silver Metallic	All	PSC
	True Blue Pearl Coat (Not Available with Blackhawk Pack)	All	PBU
	Granite Crystal Metallic	All	PAU

MODEL HIGHLIGHTS

TECHNICAL INFORMATION		
	Sport	Limited
Powertrain Engine Displacement (cu cm) kW (hp) @ rpm Torque (Nm @ rpm) Fuel System Exhaust System	2.0 DOHC 16V dual VVT, 4-cylinder 1,998 115 kW (156 hp) @ 6,300 190 @ 5,100 Sequential multiport, electronic fuel injection Oversized displacement muffler for reduced back pressure and noise; long-life design	2.4 DOHC 16V dual VVT, 4-cylinder 2,360 125 kW (170 hp) @ 6,000 220 @ 4,500 Sequential multiport, electronic fuel injection Oversized displacement muffler for reduced back pressure and noise; long-life design
Transmission	5-speed manual* with overdrive / Continuously Variable Automatic II (CVT2)	6-speed PowerTech automatic with AutoStick electronic controls
Drive systems	Front wheel drive (2WD) transaxle with constant-velocity joints and equallength half-shafts	Freedom Drive I active full-time 4-wheel drive (4WD) with selectable LOCK mode (requires 2.4)
Tyres Standard version	215/60 R17	215/60 R17
Body/Suspension/Chassis Body Design	Unitised steel construction with a structural safety cage utilizing advanced hot- stamped, tailor-rolled, dual-phase steel technologies and advanced joint design for added strength, reduced weight and improved NVH; front crumple zone	Unitised steel construction with a structural safety cage utilizing advanced hot- stamped, tailor-rolled, dual-phase steel technologies and advanced joint design for added strength, reduced weight and improved NVH; front crumple zone
Steering Turns (Lock-to-lock) (17-inch wheels) Kerb-to-kerb turning circle (m) Brake System	Power-assisted, rack and pinion 10.8m ABS 4-wheel disc hydraulic, power-assisted, 294mm x 26mm vented front / 262mm x 10mm solid rear	Power-assisted, rack and pinion 10.8m ABS 4-wheel disc hydraulic, power-assisted, 294mm x 26mm vented front / 262mm x 10mm solid rear
Electronic Stability Control (ESC)	4-channel, 4-wheel antilock with active wheel speed, vehicle-speed, steering-wheel angle, yaw-rate and lateral-acceleration sensors, vehicle stability management with 2-stage activation switch, all-speed traction control, Brake Assist, Electronic Roll Mitigation (ERM) and Electronic Brake-force Distribution	4-channel, 4-wheel antilock with active wheel speed, vehicle-speed, steering-wheel angle, yaw-rate and lateral-acceleration sensors, vehicle stability management with 2-stage activation switch, all-speed traction control, Brake Assist, Electronic Roll Mitigation (ERM) and Electronic Brake-force Distribution
Suspension Front / Rear	Front: Independent with MacPherson struts, coil springs over gas-charged shocks and stabilizer bar Rear: Independent multilink with coil springs, gas-charged shocks and link-type stabilizer bar	Front: Independent with MacPherson struts, coil springs over gas-charged shocks and stabilizer bar Rear: Independent multilink with coil springs, gas-charged shocks and link-type stabilizer bar
Exterior (millimeters) Wheelbase Overall Length Overall Width Track (front/rear) Overall Height (with roof rails) Ground Clearance Approach Angle (degrees) Breakover Angle (degrees) Departure Angle (degrees)	2,635 4,424 1,808 1,520 / 1,520 1,667 205 20 20 20	2,635 4,424 1,808 1,520 / 1,520 1,667 203 20 20 28

Disclaimer: All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Lege dealer.

MODEL HIGHLIGHTS

	Sport	Limited
Interior (millimeters) (front/rear)		
Seating Capacity	5 adults	5 adults
Head Room (without sunroof)	1,040 / 1,014	1,040 / 1,014
Leg Room	1,032 / 1,001	1,032 / 1,001
Shoulder Room	1,385 / 1,372	1,385 / 1,372
Hip Room	1,329/ 1,295	1,329/1,295
Cargo Volume (rear seat up/folded) (litres)	652 / 1532	652 / 1532
Weights & Towing Capacities (kg)		
Tare Mass (Manual/CVT)	1,433 / 1,443	1,522
GVM	2,010	2,010
Maximum Towing Mass (Braked Trailer)	454	907
Maximum Towing Mass (Non-Braked Trailer)	450	750
Fuel Consumption (Manual/CVT)		
Combined (L/100km)	7.6 / 8.3	8.9
Urban (L/100km)	10.2 / 10.9	12.0
Extra Urban (L/100km)	6.1 / 6.8	7.1
CO2 (g/km)	175 / 192	208

