

panda





You'll never be bored with your Panda. It just fills your days with colour, freedom and fun! And now it has two superb new shades to enliven your day: Electronica Blue and Minimal Grey. The Panda combines charm and refinement.

The alloy wheels give an extra touch of character to a car brimming with extravagant personality.



THE MOST ASTONISHING NOVELTIES START INSIDE.

The interior shows a mass of innovations: in today's Panda you'll find the steering wheel design and the instrument panel graphics boldly displayed, plus even more original fabrics, and seats with contrasting stitching.

Even your most familiar road will look suddenly new seen from behind this wheel!





AMA HALLINGS THE MANAGEMENT OF THE STATE OF

Wendy his hed allow wheels understore, the adventurous nature of the Panda Arivort. Padde like he wer before. while it's smaller size provides in it's like the additive it's smaller of the provides in it's in it's in the provides in it's in it' it offers all and all a reserve to the state of the state most compact off-road car in its category.







BE TOUGH, BUT STAY FRIENDLY

Amaze whoever's watching you with the Panda City Cross and dominate the city with its aggressive urban mini SUV style:

with black roof bars and door mirrors, front and rear bumper with body coloured skid plate and body coloured side mouldings.



A CITY CROSS WITH EVEN MORE STYLE.

Reach the peak of Panda City Cross style with the dedicated Cross Style Pack.
With red double front towing hooks body coloured door mirrors, ultrashine front and rear skid plates, silver side mouldings and roof bars, Cross upholstery and copper dashboard.





PANDA CROSS.



ONE ADVENTURE AFTER ANOTHER,

IN YOUR POCKET SUV.

The Panda Cross is a concentrate of compact but big innovations packed in a body only 3.7 metres long.

One glance is enough to see that it's a toughy: front with skid plate, shiny red tow hooks, aggressive wheel arch, silver mouldings sporting the "Cross" badge and roof rails with the same finishes as the skid plate.

If you're ready to try unexplored emotions, the Panda Cross is waiting to amaze you.

IRRESISTIBLE PERFORMANCE... AND COMFORT TOO.

The Panda Cross's assertive personality can be seen on board as well, where comfort reigns supreme: seats in natural fabric with brown eco-leather sides and matching door panels.

The front seats show off the word Cross, while the dashboard is matt brown with a silver instrument frame and central unit.

Steering wheel with integrated controls and gear knob - both in leather - complete the visual statement. The Panda Cross also offers the All Terrain Selector Switch so you can decide how to use your full-wheel drive, offering three modes to help you conquer any type of terrain: Auto, Off-road and Hill Descent Control.



Lavish with its surprises, Panda offers new contents, like the innovative Uconnect™ infotainment system, now enhanced by the invaluable Panda Uconnect[™] App with Bluetooth® connection.

The app lets you use your smartphone as an extension of your car by interacting directly with its Uconnect display to access all infotainment functions.

Thus, for example, choosing your playlist, consulting the weather in real time or checking your appointments becomes just as easy as driving a Panda.

ALWAYS ONE APP

INFOTAINMENT

RADIO

Radio station selection Favourite radio station management DAB (optional)/FM/AM source selection

MUSIC

USB/AUX/Bluetooth® audio source selection Music folder and playlist management Information on music files being played on display

MEDIA APP

Direct access to external music streaming apps, such as Deezer and TuneIn.







meanings

MY CAR

Notification of service intervals

Find a nearby Fiat workshop

Direct call for Fiat assistance

Direct call to Fiat Call Centre Quick guide to emergency light

AHEAD.

COMMUNICATION

TELEPHONE

Incoming and outgoing call management Phonebook consultation

FUNCTIONALITY

Notification of appointments stored in calendar Time and calendar Real time weather







Direct access to external navigation apps such as Google Maps and Waze.



INTERIOR TRIM

PAINT FINISHES



	Pop	Ea	isy	Lou	inge	4:	×4	City (Cross	Cross
Body colour code	131	137	139	143	142	226	222	313	227	227
078 Pastel Tango Red	•	•	•	•	•		•	•	•	•
296 Pastel Ambient White	•	•	•	•	•	•	•	•	•	•
509 Pastel Tropicalia Yellow								•	•	•
516 Pastel Sicilian Orange							•			
601 Pastel Darkwave Black	•	•	•	•	•	•	•	•	•	•
374 Metallic Tuscany Green						•	•		•	•
446 Metallic Anthracite Grey	•	•	•	•	•	•	•	•	•	•
565 Metallic Active Grey	•	•	•	•	•	•	•			
567 Metallic Mediterranean Blue			•		•	•	•			
785 Pastel Minimal Grey		•	•	•	•	•	•	•	•	•
789 Pastel Electronica Blue										



078 TANGO RED



296 ANBIENT WHITE



516 SICILIAN ORANGE



601 DARKWAVE BLACK



785 MINIMAL GREY



374 TUSCANY GREEN



446 ANTARACITE GREY



565 ACTIVE GREY



567 MEDITERRANEAN BLUE



789 ELECTRONICA BLUE



509 TROPICALIA YELLOW

## CHARACTERISTICS ## CH	TECHNICAL	Pop / Easy / Lounge	Easy / Lounge		4x4	CITY CROSS	CF	OSS
March Marc		1.2 69 hp				1.2 69hp Start&Stop		
Material	ENGINE							
Product Pro	No. of cylinders, layout	4, inline	2, inline	4, inline	2, inline	4, inline	4, inline	2, inline
Mars	Bore x stroke (mm)	70.8 x 78.9	80.5 x 86	69.6 x 82	80.5 x 86	70.8 x 78.9	69.6 x 82	80.5 x 86
December				1248		1242		875
March Mar	Emission standard	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6
## 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940 1940	Compression ratio	11.1 : 1	10:1	16.8 : 1			16.8 : 1	10:1
1900 1900 1900 1900 1900 1900 1900 1900	Max. power (kW [HP] at rpm)				63 [85] at 57 [77.5] at 5500	51 [69] at 5000		
Section Sec	Max. torque (N m [kgm] at rpm)				145 [14.8] at 100 [10.2] a 1900 2000	t 102 [10.4] at 3000		
## Part	Fuel type	petrol	petrol	diesel	petrol	petrol	diesel	petrol
Part	Ignition	controlled	controlled	by compression	controlled	controlled	by compression	controlled
Paralle Pa	TRANSMISSION							
Page	Drive	front	front			front		
Per	Gearbox type, no. of gears	manual, 5+R	manual, 5+R / Dualogic™	manual, 5+R	manual, 6+R	manual, 5+R	manual, 5+R	manual, 6+R
Mary	STEERING							
	Туре	rack and pinion with Duald	drive™ electric power steering		rack a	nd pinion with Dualdrive™ electric pov	ver steering	
Post	Turning circle (m)	9.3	9.3	9.7	9.7	9.7	9.7	9.7
Peer 500 mine 100	BRAKES - D (disc) - T (drum)							
Section Profession Profe	Front: type and size Ø (mm)	D 257 x 12	D 257 x 22 ventilated	D 257 x 22 ventilated	D 257 x 22 ventilated	D 257 x 22 ventilated	D 257 x 22 ventilated	D 257 x 22 ventilated
Part	Rear: type and size Ø (mm)	T 203	T 203	D 240 x 11	D 240 x 11	T 203	D 240 x 11	D 240 x 11
Page	SUSPENSION							
New Note No.	Front	independer	nt, MacPherson			independent, MacPherson type		
Membra M	Rear torsion beam					torsion beam		
Fortier forck princy 1400H 1407 1400H 1407 1400H 1407 1400H 1407 1400H 1407 1400H	DIMENSIONS							
Long from 1985 1985 1985 1986 1986 1986 1986 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 1985 19	Wheelbase (mm)	2300	2300	2300	2300	2300	2300	2300
March Marc	- · · · · · · · · · · · · · · · · · · ·							
1882 (with mirroray	Length (mm)							
Book capachy (dm/) min/max 258/70 258/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70 225/70	Width (mm)							
Paper Pape	Height (mm)	1551	1551	1605	1605	1635	1657	1657
Pop/Easy 175/66 R14 82T Lourge 185/56 R16 82T Max Lourge 185/56 R16 R16 R16 R16 R16 R16 R16 R16 R16	Boot capacity (dm³) min/max	225/870	225/870	225/870	225/870	225/870	225/870	225/870
Type Stage Pop Fasty Type File Stage Pop Fasty Pop Fasty	WHEELS							
Disk be weight (kg) 940 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980 980	Tyre size			175/65 R15 84T M+S	175/65 R15 84T M+S	M+S not compatible with snow	M+S not compatible with snow	M+S not compatible with snow
Max. towing weight (kg) 800 (braked) 800 (braked) 800 (braked) 400 (non-braked) 400 (non-braked)	WEIGHTS AND CAPACITIES							
Max. (willy weight (kg) 400 (non-braked) 400	DIN kerb weight (kg)	940	980	1125	1050	1000	1165	1090
Payload including drive (kg) 480 (4 seat version) 4	Max. towing weight (kg)							
Fuel tank capacity (litres) 37 37 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 35 <t< td=""><td>Payload including driver (kg)</td><td></td><td></td><td></td><td></td><td>445 (5 seat version)</td><td>470 (5 seat version)</td><td>495 (5 seat version)</td></t<>	Payload including driver (kg)					445 (5 seat version)	470 (5 seat version)	495 (5 seat version)
Top speed (mph) 102 110 104 103 96 104 104 Acceleration from 0 to 62 mph (sec) 14.2 11.2 / 11.5* 12.5 12.1 14.5 12.7 12 FUEL CONSUMPTION urban cycle (mpg [l / 100 km]) 42.8 [6.6] 55.5 [5.0] / 58.9 [4.8]* 60.1 [4.7] 47.9 [5.9] 38.7 [7.3] 58.9 [4.8] 47.9 [5.9] extra-urban cycle (mpg [l / 100 km]) 65.7 [4.3] 65.7 [4.3] 65.7 [4.3] 62.8 [4.5] 64.2 [4.4] 65.7 [4.3] combined cycle (mpg [l / 100 km]) 55.4 [5.1] 67.3 [4.2] / 68.9 [4.1]* 64.2 [4.4] 57.6 [4.9] 51.4 [5.5] 62.8 [4.5] 62.8 [4.5] 57.6 [4.9]	Fuel tank capacity (litres)	37	37	35	35	35	35	35
Acceleration from 0 to 62 mph (sec) 14.2 11.2 11.5 12.1 14.5 12.7 12 FUEL CONSUMPTION urban cycle (mpg [l / 100 km]) 42.8 [6.6] 55.5 [5.0] / 58.9 [4.8]* 60.1 [4.7] 47.9 [5.9] 38.7 [7.3] 58.9 [4.8] 47.9 [5.9] extra-urban cycle (mpg [l / 100 km]) 65.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7 [4.3] 66.7	PERFORMANCE							
FUEL CONSUMPTION urban cycle (mpg [l / 100 km]) 42.8 [6.6] 55.5 [5.0] / 58.9 [4.8]* 60.1 [4.7] 47.9 [5.9] 38.7 [7.3] 58.9 [4.8] 47.9 [5.9] extra-urban cycle (mpg [l / 100 km]) 65.7 [4.3] 65.7 [4.3] 65.7 [4.3] 62.8 [4.5] 64.2 [4.4] 65.7 [4.3] combined cycle (mpg [l / 100 km]) 55.4 [5.1] 67.3 [4.2] / 68.9 [4.1]* 64.2 [4.4] 57.6 [4.9] 51.4 [5.5] 62.8 [4.5] 57.6 [4.9]	Top speed (mph)	102	110	104	103	96	104	104
urban cycle (mpg [l / 100 km]) 42.8 [6.6] 55.5 [5.0] / 58.9 [4.8]* 60.1 [4.7] 47.9 [5.9] 38.7 [7.3] 58.9 [4.8] 47.9 [5.9] extra-urban cycle (mpg [l / 100 km]) 65.7 [4.3] 74.3 [3.8] / 76.3 [3.7]* 65.7 [4.3] 65.7 [4.3] 62.8 [4.5] 64.2 [4.4] 65.7 [4.3] combined cycle (mpg [l / 100 km]) 55.4 [5.1] 67.3 [4.2] / 68.9 [4.1]* 64.2 [4.4] 57.6 [4.9] 51.4 [5.5] 62.8 [4.5] 57.6 [4.9]	Acceleration from 0 to 62 mph (sec)	14.2	11.2 / 11.5*	12.5	12.1	14.5	12.7	12
extra-urban cycle (mpg [l / 100 km]) 65.7 [4.3] 74.3 [3.8] / 76.3 [3.7]* 65.7 [4.3] 65.7 [4.3] 62.8 [4.5] 64.2 [4.4] 65.7 [4.3] combined cycle (mpg [l / 100 km]) 55.4 [5.1] 67.3 [4.2] / 68.9 [4.1]* 64.2 [4.4] 57.6 [4.9] 51.4 [5.5] 62.8 [4.5] 57.6 [4.9]	FUEL CONSUMPTION							
combined cycle (mpg [1 / 100 km]) 55.4 [5.1] 67.3 [4.2] / 68.9 [4.1]* 64.2 [4.4] 57.6 [4.9] 51.4 [5.5] 62.8 [4.5] 57.6 [4.9]	urban cycle (mpg [l / 100 km])	42.8 [6.6]	55.5 [5.0] / 58.9 [4.8]*	60.1 [4.7]	47.9 [5.9]	38.7 [7.3]	58.9 [4.8]	47.9 [5.9]
	extra-urban cycle (mpg [l / 100 km])	65.7 [4.3]	74.3 [3.8] / 76.3 [3.7]*	65.7 [4.3]	65.7 [4.3]	62.8 [4.5]	64.2 [4.4]	65.7 [4.3]
CO ₂ emissions (g/km) 119 99 / 95* 117 114 129 119 114	combined cycle (mpg [l / 100 km])	55.4 [5.1]	67.3 [4.2] / 68.9 [4.1]*	64.2 [4.4]	57.6 [4.9]	51.4 [5.5]	62.8 [4.5]	57.6 [4.9]
	CO ₂ emissions (g/km)	119	99 / 95*	117	114	129	119	114

^{*} With Dualogic™ gearbox

MAIN STANDARD EQUIPMENT AND OPTIONS		POP	EASY	LOUNGE	4x4	CITY CROSS	CROSS
LINE AND STYLE							
Longitudinal roof bars	357	0		•		•	_
Longitudinal roof bars - silver		-	-	-	-	0	
Body-coloured door mirrors	5J8	-	0	•		0	
Side mouldings in black	927	0	0	•		-	
Side mouldings in body colour		-	-	-	-	•	-
Side mouldings in silver		-	-	-	-	0	
Body-coloured door handles	61A	-	0	•		-	-
Body-coloured bumpers			•	•	-	-	-
Body-coloured bumpers with matching shields and skid plates		-	-	-	-	•	-
Body-coloured bumpers with silver shields and skid plates		-	-	-		-	-
Body-coloured bumpers with silver shields and skid plates and shiny red tow hooks		-	-	-	-	0	
Chrome exhaust pipe		-	-	-	-	-	
Leather steering wheel and gear knob*	320	-	0	•		•	
14" seel wheels with wheel cups			•	-	-	-	-
15" alloy wheels with silver fi nish	431	-	0	•	-	-	-
15" alloy wheels with smoked fi nish	420	-	-	-		-	-
15" Off-Road alloy wheels		-	-	-	-	•	
	,						
COMFORT / FUNCTIONALITY							
Centralised locking system		•	•	•	•	•	
Remote control central door locking	800	-	•	•	•	•	•
				-		-	

COMPORT / FUNCTIONALITY						
Centralised locking system		•	-			
Remote control central door locking 008	-	•	•			
Power front windows		-	-			
Automatic climate control 140	-	0	0	0	•	•
Manual air conditioning 025	0	•	•	•	-	-
Electrically adjustable and heated door mirrors 041	0	0	0			
Folding rear seats	•	•	-	•	•	•
Height adjustable driver's seat 626	0	•	•	•	•	•
5 seats with folding rear seats and 3 rear head restraints 273+965	0	0	0	0	-	-
5 seats with 60/40 split rear seats and 3 rear head restraints 273+195	0	0	0	0	•	•
Height adjustable steering wheel	•	•	•		•	
12 V power socket	•	•	•		•	•
Smoking kit 665	0	0	0	0	0	0
Dualdrive™ electric power steering with City Mode	•	•	•	•	•	•
Dualogic™ semi-automatic gearbox (available only on 0.9 TwinAir 85 hp engines)	-	0	0	-	-	-
Start&Stop (not available on 1.2 69 hp engines except City Cross)	-	•	•		•	•

* In Dualogic versions the gear knob is not leather		
in Dualogic versions the gear know is not leather	- atandard	- antional - not available

MAIN STANDARD EQUIPMENT AND OPTIONS	POP	EASY	LOUNGE	4x4	CITY CROSS	CROSS
SAFETY						
Front airbags (driver and passenger)		•	•	•	•	•
Head protection curtain airbag (front and rear)		•	•	•	•	
Front side airbags (driver and passenger)	05 0	0	0	0	•	-
ABS + EBD (Electronic Brake Distribution)		•	•	•	•	•
ESC + ASR + HILL HOLDER		•	•	•	•	•
City Brake Control 6	oc -	0	0	0	0	0
Rear parking sensors	08 -	0	0	0	0	0
Daytime Running Lights with LED technology	-	-	-	-	•	
Fog lights (97 0	0	•	•	•	
Front anti-whiplash head restraints	•	■.	•	•	•	•
Rear head restraints	82 0	•	•	•	•	-
Fix&Go - Puncture repair kit		•	•	•	•	•
Space-saver spare wheel 8	03 0	0	0	0	0	0
Steering wheel controls 5	BH -	0	•	•	•	-
AUDIO / TELEMATICS						
Radio CD/MP3 (4 speakers)	14 ■		-	-	-	_
Uconnect™ Bluetooth® radio with smartphone cradle, USB and Aux	FB -	0		•	•	•
DAB radio 42B	2B -	0	0	0	0	0
PACKS						
COMFORT PACK - Electrically Adjustable Heated Door Mirrors, rear parking sensors	-	0	0	-	-	-
SAFETY PACK - Electrically Adjustable Heated Door Mirrors, rear parking sensors, City Brake Control	-	0	0	-	-	-
WINTER PACK - Heated windscreen and heated front seats	R7 -	0	0	0	0	0
EASY STYLE PACK - Front fog lights, 15" Alloy Wheels silver finishing	-	0	-	-	-	-
CITY CROSS STYLE PACK - body coloured door mirrors, ultrashine silver skid plates, ultrashine silver side mouldings and roof bars, red front hooks, Cross upholstery and copper dasboard	-	-	-	-	0	-
OFF ROAD						
Electronic Locking Differential	-	-	-	•	-	
Terrain Control with 3 modes (auto / off-road / hill descent control)	_	_	_	_	_	

 \blacksquare = standard \bigcirc = optional - = not available



FIAT FINANCIAL SERVICES*

Fiat Financial Services offers a comprehensive range of finance and insurance plans including Fiat i-Deal, traditional Hire Purchase (HP), Combined Guaranteed Protection (GAP) and Return to Invoice (RTI) Insurance.

Please ask your Fiat dealer for more information or visit the www.fiat.co.uk website. Quotations available on request.

FIAT CONTRACT HIRE**

Fiat Contract Hire provides hassle free motoring for private and business customers - you benefit from low initial outlay, regular rentals and no worry about disposing of your vehicle at the end of the contract.

You can also include a full maintenance package within the monthly rental. For more information please contact your Fiat dealer. Written quotations available on request.

*Fiat Financial Services is a trading style of FCA Automotive Services UK Ltd. FCA Automotive Services UK Ltd is authorised and regulated by the Financial Conduct Authority (Firm Reference Number 312683). Credit available from Fiat Financial Services, PO Box 4465, Slough, SL1 0RW.

**Fiat Contract Hire is a trading style of Leasys UK Ltd. Leasys UK Ltd is authorised and regulated by the Financial Conduct Authority (Firm Reference Number 664865). Credit available to anyone aged 18 or over subject to status. A guarantee may be required. Quotations are available from Fiat Contract Hire, PO Box 4590, Slough, SL1 0WU.