

LIMITED

Engine

3.2L Pentastar[®] V6 Engine 200kW 315Nm

Transmission

9-Speed Automatic All Wheel Drive

Towing Capacity

Maximum Towing Capacity (Braked Trailer) - 2,200kg

Fuel Consumption (1)

Combined Cycle (L/100km) 3.2L - 9.8

Features

- Premium Leather-Trimmed Bucket Seats
- 8-Way Power Driver/Passenger Seat with 4-way Power Lumbar Adjust
- Jeep Active Drive I AWD System
- 18-Inch Alloy Wheels
- 8.4-Inch Touchscreen
- Satellite Navigation
- ParkSense® Rear Parking Sensors
- Parallel & Perpendicular Park & Unpark Assist with Stop System
- Side Distance WarningAdaptive Cruise Control w/ Stop
- & Go
 Radio/Driver Seat/Exterior Mirror
- Memory
- Automatic Highbeam
- 7-Inch Full Colour Instrument Cluster Display
- 9-Speaker Alpine Sound System with Subwoofer
- Heated & Ventilated Front Seats
- Deep Tinted Privacy Glass
 Foot-Operated/Hands-free Power Liftgate
- Remote Proximity Keyless Entry
- Push-Button Start (Keyless Go)
- Remote Start

S-LIMITED

Engine 3.2L Pentastar[®] V6 Engine 200kW 315Nm

Transmission 9-Speed Automatic All Wheel Drive

Towing Capacity Maximum Towing Capacity (Braked Trailer) - 2,200kg

Fuel Consumption ⁽¹⁾ Combined Cycle (L/100km) 3.2L - 9.8

Features

(in addition to or replacing Limited):

- S-Limited exclusive 19-Inch Granite Crystal Alloy Wheels
 Granite Crystal 7-Slot Jeep Grille
- Surrounds
- Black Side Window Surrounds
- Body Colour Lower Front Fascia Insert
- Granite Crystal Roof Rails
 Granite Crystal Front Door Badging
- Granite Crystal 4x4 Rear Liftgate Badging
- Granite Crystal Badging Front Bonnet and Rear Liftgate Badge
- Granite Crystal S Badge on Rear Liftgate
- Dual Pane Sunroof
- Black Headliner
- 8.4-Inch Touchscreen
- Satellite Navigation
- Premium Leather Trimmed Bucket Seats with Tungsten Accent Stitching
- Door Armrest and Console Lid with Tungsten Accent Stitch

TRAILHAWK

Engine

3.2L Pentastar[®] V6 Engine 200kW 315Nm

Transmission

9-Speed Automatic Four Wheel Drive

Towing Capacity

Maximum Towing Capacity (Braked Trailer) - 2,200kg

Fuel Consumption (1)

Combined Cycle (L/100km) 3.2L - 10.2

Features

(in addition to or replacing Limited):

- Trail Rated
- Jeep Active Drive Lock 4x4
 System
- Jeep Selec-Terrain with Rock
 Mode
- Off-Road Suspension with Raised Ride Height
- Two Speed Power Transfer Unit
- Rear Locking Differential
- Unique Front and Rear Fascia
- 17-Inch Off-Road Alloy Wheels
- Black Anti-Glare Hood Decal
- Red Tow Hooks
- Hill Descent Control
- 4 Underbody Skid Plates
- Trailhawk Seats with Red Accent Stitch
- All-Weather Floor Mats

Neutral Grey Exterior Accents







Jeep

MODEL HIGHLIGH

Comfort & Convenience	Code	Limited	S-Limited	Trailhawk
Dual Zone Climate Control	HAF	200	•	102.
Push Button Start	GX4	1000		
Keyless Entry - Remote Proximity	GXD	3.12		ist. The
Remote Start	XBM			
Heated Front Seats	JPM	•	2	•
Ventilated Front Seats	CAJ			•
Power 8-Way Driver/Passenger Seats	JPT			
Power 4-Way Driver/Passenger Lumbar	JRN	1.5.000	•	-3.3.0.23
Power Windows	JP3	10 ·		•
Radio/Driver Seat/Exterior Mirror - Memory	LEZ	See. 100	•	
Hands-Free Power Liftgate (Foot-Activated)	JK2	•	•	
Automatic Headlamps	LMG	•	•	•
Automatic High Beam Control	LMS	•	•	•
Automatic Dimming Internal Rear Vision Mirror	GNK	•	•	•
Rain Sensitive Windshield Wipers	JHC			- 4.
Tilt & Telescopic Steering Column Adjust	SUD		• 11	•
Capless Fuel Door	XJM		•	•
Power Folding Multi-Function Mirrors	GU5	•	• (8)	•
Side Exterior Mirrors with Defrost	NHJ	•	• 4	
Steering Wheel Paddle Shifters	XBQ	•	•	
Rear Window Wiper	JHB	•	• 23	200
Rear Window Defroster	GFA	•	•23	-
Performance & Capability	Code	Limited	S-Limited	Trailhawk
Jeep Active Drive I AWD System	DK2	1	•	
Jeep Active Drive Lock 4x4 System	XX9	States -	-	4
Two Speed Power Transfer Unit			-	•
Jeep Selec-Terrain Traction Management System	XAB	•	•	•
Rear Locking Differential	DSH	1-	/	•
Off-Road Suspension	SDJ	- /		•****
Heavy Duty Engine Cooling	NMC	- • 6		A
Auxillary Transmission Cooler	NHB	• %		•
Disconnecting Rear Axle	-	anathe N	A.	•
Hill Start Assist	BNG		•	•

Performance (Continued)	Code	Limited	S-Limited	Trailhawk
Hill Descent Control	BNH	- 14		•
Steel Spare Wheel	TBB			3.07
Black Anti-Glare Hood Decal	MYA		A STATE OF	
Red Tow Hooks (2 x Front, 1 x Rear)	XEW	1 1 1 C		•
Skid Plate - Fuel Tank	XEE	1.1.2		17 ·
Skid Plate - Front Suspension	XEU	and a start		•
Skid Plate - Transmission	XE9		-	
Skid Plate - Underbody	XF3			4 ·**
Safety, Security & Driver Assistance	Code	Limited	S-Limited	Trailhawk
Parkview™ Reverse Parking Camera	XAC	· · · · · · ·	•	•
ParkSense® Rear Parking Sensors	XHY	•	989 •	•22
ParkSense® Front Parking Sensors	13-14- 1 A	•	•	•
Parallel & Perpendicular Park & Unpark Assist with Stop System	XPL	•	-	•
Side Distance Warning	XAJ	Red .	•	•
7 Airbags (2 Front, 2 Side Curtain, 2 Side Seat, 1 Driver Knee)		• •	•	•
Advanced Brake Assist	BGG	•	•	•
Full Speed Forward Collision Warning Plus	LSU	•		1961 - 198
Pedestrian Emergency Braking	LST		•	•
Lane Departure Warning Plus	LAS	•	•	•
Blind Spot Monitoring	XAN	•	•	5.
Rear Cross Path Detection			•	•
Security Alarm	LSB	•	•	n
Cruise Control	NHM		•	•
Cruise Control - Adaptive with Stop & Go Function	NHZ	•	•	•
Speed Limiter	NH2	•	•	•
Tyre Pressure Monitoring System	XGM	•	•	•
Electric Power Steering	SBL	1.	•	•
Electronic Stability Control	BNB	• /	•	•
Electronic Roll Mitigation	BNS	•	•	•
Traction Control	BNP	•	•	•
Trailer Sway Control	BNT	•	•	•
Engine Immobiliser	GXW	•	•	•
Front Passenger Active Head Restraints	CDP	•	•	•
Passenger Seat Belt Alert - Front	LAX	•	•	•
Passenger Seat Belt Alert - Rear	LAU	•	•	•

Standard (•) Option (°) Not Offered (-)



Audio & Connectivity	Code	Limited	S-Limited	Trailhawk
Uconnect® 8.4 (with AM/FM/Digital Radio, Bluetooth®	UJQ	275.73	12 Martin	Not The
Phone/Audio and Navigation)	1	10.0.3		1
Satellite Navigation	JLN RFL	1 Carry	Contractor I	A ora
8.4-Inch Touchscreen Display		Carl Port Bar		1. H. J. C. C. C.
9 Speaker Alpine® Audio System Including Subwoofer 506 Watt Amplifier	RC3	•	•	···
Apple CarPlay® (7) (9)	RFP	•	•	•
Android Auto® (8) (9)	RF5	•	•	•
Steering Wheel Mounted Audio Controls	RDZ	10.000		53. · · · · ·
Media Hub (USB/AUX)	CU7	N.	1.0	•
12V Power Outlet - Centre Console	JJJ	Vinter of	•	· .
12V Power Outlet - Cargo Area	JJM		•	1.
Interior	Code	Limited	S-Limited	Trailhawk
Seat Fabric - Cloth/Premium Vinyl			-	•
Seat Fabric - Leather		•	•	•
Stitching Accents - Tungsten	1.00	1-11-	•	1.30-23
Stitching Accents - Red	CEB	218 <u>-</u> 665		
Steering Wheel - Premium Wrapped	SCJ	•	•	
Shift Knob - Leather Wrapped	CVB	•	• 3	1 n
Door Trim - Vinyl	CBG	•	•	•
Instrument Cluster - 7.0-Inch Display	JAJ	•	• 3	•
Electric Park Brake	XC4		• 5%	5-00-
Height Adjustable Front Seat Belts	CGD		•23	
Rear Centre Armrest with Cupholder	CSN	•	•	
Rear Seat - 60/40 Split Folding	САК	•	•	. 1
Rear Seat - Fore/Aft Adjust	CAY	1990	•	
Sliding Sun Visors with Illuminated Mirrors	GNC	•	•	•
Rear Reading/Courtesy Lamps	LBH	•		•
Floor Mats - Carpted Front & Rear	CLE	•	•	-
Floor Mats - All Weather Front & Rear	CLF	1 - 00		•
Cargo Area - Carpeted Trim Panels	СКЗ	• 6		A
Cargo Area Tonneau Cover	CSD	• 24		•
Cargo Tie Down Loops - Boot	СКТ		AC.	

Exterior	Code	Limited	S-Limited	Trailhawk
LED - Headlights	LM6	• 6	32.	•
LED Daytime Running Headlamps	LMZ	200 · 25	S	•
LED Tail Lamps	LAY	•	• • • •	
Rear Fog Lamps	LPG		•	•
LED Fog Lamps	LNV			
Dual-Pane Panoramic Sunroof	GWJ	0	1 m	0
Alloy Wheels - 17-inch	12	- %	-	•
Alloy Wheels - 18-inch	14 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1.4.1	1.000	4. 5%
Alloy Wheels - 19-inch	202-64		· · .	
Roof Rails - Bright	MW1	· • • • • •		
Roof Rails - Granite Crystal			989 • T	
Roof Rails - Neutral Grey	MW3	- 24	i de la companya de l	•
Glass - Deep Tint Sunscreen (#)	GEG	•		•
Grille - Bright Surround	MYV	•	•	
Grille - Granite Crystal Surround				
Grille - Neutral Grey	MF4	Sec.	and the second	•
Lower Door Cladding - Black	MJA	•	•	•
Side Window Surrounds - Black	MMF	84 G - 1	•	
Side Window Surrounds - Bright	MMP	•		
Door Handles - Body Colour	MNK	•	•	•
Exterior Mirrors - Supplemental Turn Signals	LEB	•	•	•
Exterior Mirrors - Courtesy Lamps	LEC	1.1	•	•
Exterior Mirrors - Body Colour	LEP	•	• •	
Exterior Mirrors - Neutral Grey	LE6	Signal I	1.1.2-1.4	•
Shark Fin Antenna - Body Colour	RHC		•	•
Off-Road Wheel Flares	MMZ		100- K	•
Accent Colour Exterior Badging	MVL		-	•
Trail Rated Badge	MT2	1-	-	•

(#) Glass - Tinted applies to rear passenger and rear cargo windows only. Front passenger windows and windscreen are not tinted.

Standard (•) Option (o) Not Offered (-)

SPECIFICATIONS

Jeep

Group / Option	Code	Comments	Limited	S-Limited	Trailhawk
Dual Pane Panoramic Sunroof	GWJ	A COLOR	0	1999 - Contraction of the second s	0
	STR. State P. Th		Carlos and	No. C.	

Option (O) Standard (S) Not Available (-) Not Available With (NAW)



WPD - 18-Inch Satin Chrome Painted Alloy Wheels (Standard on Limited)



WPX - 19-Inch Granite Crystal Alloy Wheels (Standard on S-Limited)



WBG - 17-Inch Black Painted Alloy Wheels (Standard on Trailhawk)





PW7 - Bright White (Standard)



PAU - Granite Crystal (Option)



PSC - Billet Silver (Option)



PXJ - Diamond Black (Option)



PRV - Velvet Red (Option)



PBJ - Hydro Blue (Option)



PT6 - Light Brownstone (Option)



PFP - Olive Green (Option)

EXTERIOR COLOURS

Jeep

CHEROK



DLX9 - Black Leather (Standard on Limited)



DLXS - Black & Ski Grey Leather (Option on Limited)



DLX9 - Black Leather with Tungsten Accent Stitch (Standard on S-Limited)



BLX9 - Black Leather with Red Accent Stitch (Standard on Trailhawk)

Jeep

INTERIOR TRIM GUIDE

	Lin	nited	S-Limited	Trailhawk
Option Code	DLX9	DLXS	DLX9	BLX9
Seat Material	Leather	Leather	Leather	Leather
Seat Colour	Black	Ski Grey	Black	Black
Bezel Colour	Si	ilver	Silver	Silver
Steering Wheel	Premium	n Wrapped	Premium Wrapped	Premium Wrapped
Headliner	- U	Light		Light
terior Colour				
Bright White (PW7)	187	1 1		SS DIE V
Granite Crystal (PAU)		Contra and All		AT KINA A
Billet Silver (PSC)	Ref	Chines .	- 660 (MR) - 6	26 9.8 . 23
Velvet Red (PRV)	N. K	10637	1	· · · · · · · · · · · · · · · · · · ·
Hydro Blue (PBJ)		and the second second	A STATE STATE	· ·
Light Brownstone (PT6)			The second second	238 • 36
Diamond Black (PXJ)		· · · · ·	a section • monoresters	Charles and the
Olive Green (PFP)	A STATISTICS STATISTICS	And the second sec	w the resulting	

Available (•) Not Offered (-)



Technical Specifications	Limited 3.2L 9AT AWD	S-Limited 3.2L 9AT AWD	Trailhawk 3.2L 9AT 4x4
Body & Chassis		1000	0.1
Layout	Front Engine, AWD Front Engine		
Construction	a show a	Steel Unibody	1.200
Assembly Plant	Belvidere Asse	embly Complex. Belvider	re, Illinois. USA.
Doors	Variation and	5	
Seats	Contraction of the	5	
Model Code	KLUP74-26G	KLUH74-27E	
Powertrain	C. Alton	ALC: NO	
Description	3.2L Pentas	star [®] V6 Engine with Sto	p/Start (ESS)
Capacity	NOTING	3,239	R. S. Startes
Cylinders	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	6	
Configuration		V	California (
Aspiration (Natural / Forced)		Natural	and the second second
Max. Power (kW @ rpm)		200 @ 6500	and the second
Max. Torque (Nm @ rpm)	315 @ 4300		
Valves		24	
Compression		10.7:1	
Bore & Stroke (mm)	The second s	91.0 x 83.0	
Engine Stop/Start	1.22	Standard	
Fuel (1)		and the second se	
System	Sequentia	al, Multiport, Electronic,	Returnless
Туре		Unleaded Petrol	243
Tank Capacity (L)		66.0	200
Economy (Urban, L/100km) (1)	1:	3.8	13.7
Economy (Highway, L/100km) (1)	7	.5	8.1
Economy (Combined, L/100km) (1)	9	.8	10.2
Emissions (1)		1- 1	
Emission Standard Met		6	
Emissions (Combined, CO ₂ g/ km) ⁽¹⁾	2.	28	236
Performance			
Acceleration (Seconds 0-100km/h)	7	.5	8.5
Maximum Speed (km/h)	2	10	180

Technical Specifications	Limited 3.2L 9AT AWD	S-Limited 3.2L 9AT AWD	Trailhawk 3.2L 9AT 4x4	
Weights			3 9.05	
Tare Vehicle Weight (kg)	1,8	806	1,889	
Max. Braked Towing Capacity (kg)	2,200		States -	
Max. Unbraked Towing Capacity (kg)	750			
Max. Tongue Download (kg) (2)		220	a grade	
Gross Vehicle Mass (kg)	2,4	458	2,494	
Gross Combined Mass (kg) Incl. Braked Towing	4,4	438	4,474	
Tow Hook Weight Rating (kg)		ter state	3,742	
Roof Luggage Rack Load Limit (kg)	SE 19 05	68	14.0	
Transmission	20 22			
Туре	9-Sr	peed Automatic Transmis	sion	
Ratio - 1st		4.71		
Ratio - 2nd	2.84			
Ratio - 3rd	1.91			
Ratio - 4th	1.38			
Ratio - 5th	1.00			
Ratio - 6th	0.81			
Ratio - 7th		0.70	5	
Ratio - 8th	0.58			
Ratio - 9th		0.48		
Reverse		3.83	1	
Brakes		7		
Front - Type	Ventilated Disk	, Floating Twin Piston C	aliper with ABS	
Front - Size (mm)		330 x 28		
Rear - Type	Solid Disk, Single Piston Floating Caliper with ABS			
Rear - Size (mm)	320 x 12		1-	
Steering			1	
Туре	Electric, Rack-and-Pinion Power Steering (EPS)			
Turning Circle - Kerb to Kerb (m)	11.6			
Column Adjustment	1 second	Tilt & Telescopic		
Spare Wheel	Under-Veh	icle Mounted Matching A	alloy Wheel	



Weights & Capacities	Limited 3.2L 9AT AWD	S-Limited 3.2L 9AT AWD	Trailhawk 3.2L 9AT 4x4
Dimensions			
Length (mm)	4,6	51	4,645
Width (mm)	1,859		1,904
Height (mm)	1,683		1,724
Wheelbase (mm)	2,7	07	2,720
Front Track (mm)	1,6	01	1,622
Rear Track (mm)	1,6	12	1,626
Wheel & Tyre		And And	
Wheel Type		Alloy	
Wheel Size (Inches)	18 x 7.0	19 x 7.5	17 x 7.5
Tyre Size	225 / 55	235 / 50	245 / 65
Spare Wheel	Full Size Spare - Steel Wheel		
Suspension		A CONTRACTOR	- States
Туре	Coil		
Front	McPherson Strut, Long Travel Coil Springs, One-Piece Stee Sub-Frame, Aluminum Lower Control Arms, Stabilizer Bar		
Rear	Four Link Rear Suspension with Trailing Arm, Aluminum Lateral Links, Isolated High-Strength Steel Rear Cradle, Coil Springs, Stabilizer Bar		
4x4 Specifics	1000		
4x4 System	Jeep Active	Drive I AWD	Jeep Active Drive II 4x4
Operating Mode	Part-Time, Seam	lessly Engages AWD /	4x4 at any speed
Power Transfer Unit	1 Sp	eed	2 Speed
Rear Locking Differential		1. 1. 250	Standard
Disconnecting Rear Axle		Standard	
Running Clearance (mm)	18	35	221
Approach Angle	18	.9	29.9
Breakover Angle	19	19.5	
Departure Angle	25	.0	32.2
	405 ⁽³⁾ 480 ⁽³⁾		480 (3)
Wading Depth (mm)			
• • • •			
Warranty & Service		12,000 km / 12 months	
Wading Depth (mm) Warranty & Service Service Intervals Warranty		12,000 km / 12 months 5 year / 100,000 km ⁽⁵⁾	

TECHNICAL INFORMATION





jeep.com.au

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer. (^) Terms & conditions apply. Please visit www.jeep.com.au/there-and-back or contact an authorised Jeep Dealer for full terms & conditions.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (3) Avoid driving in standing water deeper than 405mm (16 inches) for Longitude & Limited variants, or 480mm (19 inches) for Trailhawk variants. Reduce speed appropriately to minimise wave effects. Maximum speed in water is less than 8 km/h (5 mp/h). (4) This ANCAP safety rating applies to variants with a 4 cylinder engine. Other variants are unrated. (5) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (6) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (7) Apple Carplay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple Carplay® requires mobile data for full capability. Compatibility and performance can vary and change. (8) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (9) Android Auto® and Apple Carplay® is available* on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties.