

# D) (A) (O) R

### SPORT S

#### Engine

3.6 Pentastar V6 with ESS 209kW 347Nm

#### Transmission

**8-Speed Automatic** Four Wheel Drive

4x4 System

Selec-Trac® Active On-Demand 4x4

#### Features:

- Premium Black Cloth Trim Seats
- Uconnect 7.0" Touch Screen Display
- Apple CarPlay <sup>(2)(4)</sup> & Android Auto <sup>(3)(4)</sup>
- 7.0" Driver Information Display
- 17" Tech Silver Aluminum Wheels
- Black Three-Piece Freedom Hard Top
- Black Fender Flares
- LED Headlights/Taillights/Day-Time Running Lights/Fog Lights
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- · Blind Spot Monitor with Rear Cross Path Detection
- 9 Speaker Alpine Premium Audio System
- Parkview Rear Backup Camera
- ParkSense Front/Rear Park Assist System
- · Remote Proximity Keyless Entry & Push **Button Start**
- Selectable Tyre Fill Alert

#### **OVERLAND** Engine

3.6 Pentastar V6 with ESS 209kW 347Nm

#### Transmission **8-Speed Automatic**

# Four Wheel Drive

4x4 System Selec-Trac® Active On-Demand 4x4

#### Features:

- · McKinley Leather Trimmed Seats with **Overland Logo**
- Leather-Wrapped Shift Knob & Parking Brake Handle
- Premium-Wrapped Instrument Panel Bezel
- · Heated Front Seats & Steering Wheel
- Body Colour Three-Piece Freedom Hard Top Roof
- Body Colour Fender Flares
- Uconnect 8.4" Touch Screen Display
- Satellite Navigation
- 18" Alloy Wheels
- Deep Tint Sunscreen Glass
- Bright Chrome Exterior Accents Security Alarm
- Remote Start System

Engine 3.6 Pentastar V6 with ESS

RUBICON

# 209kW 347Nm

Transmission **8-Speed Automatic** Four Wheel Drive

#### 4x4 System

Rock-Trac® Active On-Demand 4x4

## **Features**


- (in addition, or replacing Overland): Rock-Trac® Active On-Demand 4x4
- System [4:1 Transfer Case]
- 77.2:1 Crawl Ratio
- Tru-Lok® Front & Rear Locking Differentials
- Electronic Front Sway-Bar Disconnect
- · FOX aluminum-bodied 2" diameter shocks [front/rear]
- 32" BFGoodrich Off-Road Tyres [255/75R17]
- 17" Granite Crystal Alloy Wheels
- Steel Rear Bumper
- Rubicon Hood Decal
- All-Weather Floor Mats







# GH L GH MODEL



| Capability & Performance  | Code | Sport S | Overland | Rubicon | Safety, Security & Driver Assistance                | Code       | Sport S          | Overland              | Rubicon |
|---|------|---------|----------|---------|---|------------|------------------|-----------------------|---------|
| Selec-Trac® Active On Demand 4x4 System                           | DHP  | •       | •        | -       | Full Speed Forward Collision Warning Plus           | LSU        | •                | •                     |         |
| Rock-Trac® Active On Demand 4X4 System                            | DHF  | -       | -        | •       | Blind Spot Monitoring                               | XAN        | •                | •                     | •       |
| Tru-Lok® Front & Rear Locking Differentials                       | DSE  | -       | -        | •       | Rear Cross Path Detection                           | -          | •                | •                     | •       |
| Rear Stabiliser Bar   | SHF  | •       | •        | •       | Tyre Pressure Monitoring Display                    | XGM        | •                | •                     | •       |
| Fox Performance Shocks - Front                                    | SFC  | -       | -        | •       | Comfort & Convenience                               | Code       | Sport S          | Overland              | Rubicon |
| Fox Performance Shocks - Rear                                     | SGC  | -       | -        | •       | Automatic Headlamps                                 | LMG        | •                | •                     | •       |
| Electronic Front Stabiliser Bar Disconnect                        | SHG  | -       | -        | •       | Automatic Headlamp Leveling System                  | JKJ        | •                | •                     | •       |
| Dana M210 Front Axle  | DJF  | •       | •        | •       | Rear View Auto Dim Mirror                           | GNK        | •                | •                     | •       |
| Dana M220 Rear Axle   | DRF  | •       | •        | •       | Remote Start System                                 | XBM        | 0                | •                     | •       |
| Rear Axle Ratio 3.73  | DME  | •       | •        | -       | Speed Limiting Device                               | NH2        | •                | •                     | •       |
| Rear Axle Ratio 4.10  | DMF  | -       | -        | •       | Air Conditioning with Automatic Temperature Control | HAB        | •                | •                     | •       |
| Skid Plate - Fuel Tank  | XEE  | •       | •        | •       | Speed-Sensitive Power Locks                         | JPH        | •                | •                     | •       |
| Skid Plate - Transfer Case  | XEF  | •       | •        | •       | Power Adjustable, Heated Mirrors                    | GTB        | •                | •                     | •       |
| Skid Plate - Transmission   | XE9  | •       | •        | •       | Power Windows                                       | JPY        | •                | •                     | •       |
| Black Injection Molded Front Bumper                               | MBA  | •       | •        | •       | 12V Auxiliary Power Outlet                          | JJJ        | •                | •                     | •       |
| Steel Front Bumper  | MC6  | -       | -        | 0       | Tilt/Telescope Steering Column                      | SUD        | •                | •                     | •       |
| Steel Rear Bumper   | MD6  | -       | -        | •       | Torx Tool Kit                                       | XE4        | •                | •                     | •       |
| Wash-Out Interior with Removable Carpet and Drain Plugs           | -    | •       | •        | •       | Freedom Panel Storage Bag                           | CS2        | •                | •                     | •       |
| Safety, Security & Driver Assistance                              | Code | Sport S | Overland | Rubicon | Rear Window Defroster                               | GFA        | •                | •                     | •       |
| Electronic Stability Control                                      | BNB  | •       | •        | •       | Utility   | Code       | Sport S          | Overland              | Rubicon |
| Hill Start Assist   | BNG  | •       | •        | •       | Cargo Area Tie Down Loops                           | СКТ        | •                | •                     | •       |
| Traction Control  | BNM  | •       | •        | •       | Cargo Group with Trail Rail Management System C     |            | 0                | 0                     | 0       |
| Electronic Roll Mitigation  | BNS  | •       | •        | •       | Spray-In Bedliner XMF o                             |            | 0                | 0                     | 0       |
| Trailer Sway Control  | BNT  | •       | •        | •       |   |            | 0                | 0                     | 0       |
| Heavy Duty 4-Wheel Disk Brakes with ABS                           | BR2  | •       | •        | •       | Aux Switches (4x Programmable Switches)             | LH2        | 0                | 0                     | 0       |
| Sport Bar   | CLM  | •       | •        | •       | 240 Amp Alternator BAL o o                          |            | 0                | 0                     |         |
| Remote Keyless Entry  | GXM  | •       | •        | •       | 700 Amp Maintenance Battery     BCV     o     o     |            | 0                | 0                     |         |
| Selectable Tire Fill Alert  | LA5  | •       | •        | •       | -   | I          | (a) Option (c) N | lot Offered (-) Not / | L       |
| Remote Proximity Keyless Entry                                    | GXD  | •       | •        | •       | -   | Standard ( |                  | IOL OIIEIEU (-) NOLA  |         |
| Sentry Key Theft Deterrent System                                 | GXX  | •       | •        | •       | -   |            |                  |                       |         |
| Security Alarm  | LSB  | 0       | •        | •       | -   |            |                  |                       |         |
| 4 Airbags (2 Front, 2 Side Seat)                                  | -    | •       | •        | •       | -   |            |                  |                       |         |
|   | XAC  | •       | •        | •       | -   |            |                  |                       |         |
| Parkview Reverse Parking Camera                                   |      |         |          |         |   |            |                  |                       |         |
| Parkview Reverse Parking Camera ParkSense Rear Park Assist System | XAA  | •       | •        | •       |   |            |                  |                       |         |
| ParkSense Rear Park Assist System                                 |      | •       | •        | •       | -   |            |                  |                       |         |
| •   | XAA  |         |          |         | -   |            |                  |                       |         |

| Audio & Connectivity  | Code  | Sport S | Overland | Rubicon | Exterior  | Code | Sport S | Overland           | Rubicon      |
|---|-------|---------|----------|---------|---|------|---------|--------------------|--------------|
| .0" Uconnect 4 Touch Screen                                       |       |         |          |         | Daytime Running Lamp System - LED                   | LPY  | •       | •                  |              |
| Bluetooth Phone & Audio<br>AM/FM/DAB+ Radio                       | UJG   |         |          |         | Tailgate Mounted Full Size Tyre Carrier             | TBR  | •       | •                  | •            |
| Apple CarPlay <sup>(2)(4)</sup>                                   | 0JG • |         | -        | -       | Rubicon Hood Decal                                  | MYA  | -       | -                  | •            |
| Android Auto (3)(4)   |       |         |          |         | Vented Hood   | -    | •       | •                  |              |
| 3.4" Uconnect 4 Touch Screen with Navigation                      |       |         |          |         | Trail Rated Badge - Left, Front Fender              | MT2  | •       | •                  | -            |
| Satellite Navigation<br>Bluetooth Phone & Audio                   |       |         |          |         | Red Trail Rated Badge                               | МТВ  | -       | -                  | •            |
| AM/FM/DAB+ Radio  | UJQ   | 0       | •        | •       | Fixed Long Mast Antenna - Right, Front Fender       | RDD  | •       | •                  | •            |
| Apple CarPlay <sup>(2)(4)</sup><br>Android Auto <sup>(3)(4)</sup> |       |         |          |         | Interior  | Code | Sport S | Overland           | Rubicon      |
|   | 141   |         |          |         | - Seat - Cloth Bucket                               | *A7  | •       | -                  | -            |
| 7.0" Multi-View Driver Information Display                        | JAL   | •       | •        | •       | Seat - Rubicon Premium Cloth Bucket                 | *D5  | -       | -                  |              |
| 9-Speaker Alpine Premium Audio System including Subwoofer         | RC4   | •       | •        | •       | Seat - McKinley Leather Trimmed with Overland Logo  | *ML  | -       | •                  | -            |
| Steering Wheel Mounted Audio Controls                             | RDZ   | •       | •        | •       | Seat - Rubicon Leather Trimmed Bucket               | *AL  | -       | -                  | 0            |
| Nireless Bluetooth Speakers                                       | RSJ   | 0       | 0        | 0       | - Seat - Heated Front                               | JPM  | -       | •                  | 0            |
| ntegrated Off-Road Camera   | XNY   |         | -        | 0       | Rear Seat - 60/40 Split Folding                     | CFN  | •       | •                  | •            |
| Media Hub (USB, AUX, 12V)   | RSF   | •       | •        | •       | Silver Platinum I/P Bezels                          | JET  | •       | _                  | 0            |
| Remote USB Port   | RSX   | •       | •        | •       | Red-Ical I/P Bezels                                 | JEL  | -       | _                  | 0            |
| Exterior  | Code  | Sport S | Overland | Rubicon | Premium Wrapped I/P Bezels                          | JEK  | -       | •                  | -            |
| Alloy Wheels - 17-inch  | -     | •       | -        | •       | Base Interior Accents                               | XSB  | •       |                    | _            |
| Alloy Wheels - 18-inch  | -     | -       | •        | -       | Bright Interior Accents                             | XSC  |         |                    |              |
| Heavy Duty Rock Slider with Step Assist                           | MMU   | •       | •        | •       | Floor Mats - Front & Rear                           | CLE  | •       |                    |              |
| Grille - Body Colour  | MFT   | •       | -        | -       | - All-Weather Floor Mats                            | CWA  |         |                    |              |
| Grille - Bright   | MFZ   | -       | •        |         |   | SCV  | •       | -                  |              |
| Grille - Body Colour/Accent Colour                                | MF4   | -       | -        | •       | - Steering Wheel - Leated                           | NHS  | •       | •                  | •            |
| Fender Flares - Black   | MM2   | •       | -        | •       |   |      | •       | 0                  |              |
| Fender Flares - Body Colour                                       | MM3   | -       | •        | 0       | Urethane Shift Knob CV3 • -                         |      | -       | -                  |              |
| Soft Top - Premium Black Sunrider Soft Top                        | STB   | -       | -        | o       | Leather-Wrapped Shift Knob                          | CVW  | -       | •                  | •            |
| Hard Top - Removable, Black 3-Piece                               | HT1   | •       | -        | •       | Leather-Wrapped Parking Brake Handle CVP - •        |      | •       |                    |              |
| Hard Top - Removable, Body Colour 3-Piece                         | HT3   | -       | •        | 0       | Premium Door Trim Panel CBF - •                     |      | 0       |                    |              |
| Deep Tint Sunscreen Windows                                       | GCD   | 0       | •        | •       | Front Seat Back Map Pockets     CSM     CSM         |      | •       |                    |              |
| Removable Full Metal Doors  | GCF   | •       | •        | •       | Sliding Sun Visors w/Mirrors     GNU     GNU     -  |      | -       |                    |              |
| Fold Down Windscreen  | -     | •       | •        | •       | Sun Visors w/Illuminated Vanity Mirrors     GNC - • |      | •       |                    |              |
| inted Windshield Glass  | GBB   | •       | •        | •       | Passenger Assist Handles CSR • •                    |      | •       |                    |              |
| ront Door Tinted Glass  | GCB   | •       | •        | •       | Lockable Rear Underseat Storage     CUW     O     O |      | 0       |                    |              |
| exterior Mirrors - Black  | LE4   | •       | •        | •       | LED Interior Lighting LHA - •                       |      | •       |                    |              |
| xterior Mirrors - with Supplemental Signals                       | LEB   | •       | •        | •       | Hard Top Acoustic Headliner                         | CHD  | 0       | •                  | •            |
| eadlamps - LED  | LPX   | •       | •        | •       | -   |      | S       | tandard (•) Option | (o) Not Offe |
| og Lamps - LED  | LNV   | •       | •        | •       | -   |      |         |                    |              |
| ail Lamps - LED   | LAY   |         |          | -       | -   |      |         |                    |              |



|  | Code  | Comments                           | Sport S | Overland | Rubicon |
|--|---|------------------------------------|---------|----------|---------|
| Comfort & Technology Group<br>Uconnect 4 Nav with 8.4" Touchscreen<br>8.4" Touchscreen Display<br>Apple CarPlay <sup>(2)(4)</sup><br>Android Auto <sup>(3)(4)</sup><br>USB Host Flip<br>Digital Audio Broadcasting<br>Comfort & Convenience Group<br>Mopar Hardtop Headliner<br>Remote Start System<br>Security Alarm<br>Deep Tint Sunscreen Windows | UJQ<br>RFL<br>RFP<br>RF5<br>RF7<br>RS9<br>AFB<br>CHD<br>XBM<br>LSB<br>GCD |                                    | 0       |          |         |
| Lifestyle Adventure Group<br>HD Electrical Group<br>AUX Switches (4x Programmable Switches)<br>240 Amp Alternator<br>700 Amp Maintenance Battery<br>Cargo Group with Trail Rail System<br>Lockable Rear Underseat Storage<br>Spray In Bedliner<br>Roll-Up Tonneau Cover<br>Wireless Speaker - Bluetooth  | ADH<br>LH2<br>BAL<br>BCV<br>CMD<br>CUW<br>XMF<br>CSD<br>RSJ               |                                    | 0       | 0        | 0       |
| Body-Colour 3-Piece Hard Top<br>Freedom Panel Storage Bag<br>Rear Window Defroster<br>Rear Sliding Window  | HT3<br>CS2<br>GFA<br>GFD  | -                                  | -       | -        | 0       |
| Rubicon Luxury Package<br>Rubicon Leather Bucket Seats<br>Premium Door Trim Panel<br>Body Colour Fender Flares<br>Heated Front Seats<br>Heated Steering Wheel  | *AL<br>CBF<br>MM3<br>JPM<br>NHS   | -                                  | -       | -        | 0       |
| Dual Top Group<br>Premium Black Sunrider Soft Top  | AEN<br>ST2  | M/H Lifestyle<br>Adventure Group   | -       | -        | 0       |
| Trail Ready Package<br>Integrated Off-Road Camera<br>Steel Front Bumper  | MC6<br>XNY  | Removes XHU - Front<br>Park Assist | -       | -        | 0       |
| 17-Inch Polished Black Alloy Wheels  | WFN   | -                                  | -       | -        | 0       |

Option (O) Standard (S) Not Available (-) Not Available With (NAW)



WFS - 17-Inch Tech Silver Alloy Wheels (Standard on Sport S)



WPT - 18-Inch Granite Crystal Alloy Wheels (Standard on Overland)



WFJ - 17-Inch Granite Crystal Alloy Wheels (Standard on Rubicon)



WFN - 17-Inch Polished Black Alloy Wheels (Option on Rubicon)

# WHEELS



PX8 - Black (Standard)



PW7 - Bright White (Standard)



PSC - Billet Silver (Option)



PAU - Granite Crystal (Option)



PDN - Sting Grey (Option)



PGG - Sarge Green (Option)



PRC - Firecracker Red (Option)



PRV - Snazzberry (Option)



PBJ - Hydro Blue (Option)

# EXTERIOR COLOURS



A7X9 - Black with Peak Embossing and Black Stitching (Standard - Sport S)



MLX9 - Black McKinley Leather with Overland Logo (Standard - Overland)



MLTV - Black/Dark Saddle McKinley Leather with Overland Logo (Option - Overland)



D5X9 - Black Premium Cloth Low-Back Bucket Seats (Standard - Rubicon)



ALX9 - Black Leather Trimmed Bucket Seats (Option - Rubicon)



Jeep

ALTV - Dark Saddle Leather Trimmed Bucket Seats (Option - Rubicon)

|                       | Sport S | Ove             | rland             |         | Rubicon |             |
|-----------------------|---------|-----------------|-------------------|---------|---------|-------------|
| Option Code           | A7X9    | MLX9            | MLTV              | D5X9    | ALX9    | ALTV        |
| Seat Material         | Cloth   | Leather         | Leather           | Cloth   | Leather | Leather     |
| Seat Colour           | Black   | Black           | Black/Dark Saddle | Black   | Black   | Dark Saddle |
| Instrument Panel      | Silver  | Premium Wrapped | Premium Wrapped   | Redical | Redical | Silver      |
| Steering Wheel        |         |                 | Leather Wr        | apped   |         |             |
| r Colour              |         |                 |                   |         |         |             |
| Black (PX8)           | •       | •               | •                 | •       | •       | •           |
| Bright White (PW7)    | •       | •               | •                 | •       | •       | •           |
| Billet Silver (PSC)   | •       | •               | •                 | •       | •       | •           |
| Granite Crystal (PAU) | •       | •               | •                 | •       | •       | •           |
| Sting Grey (PDN)      | •       | •               | •                 | •       | •       | •           |
| Firecracker Red (PRC) | •       | •               | •                 | •       | •       | •           |
| Hydro Blue (PBJ)      | •       | •               | •                 | •       | •       | •           |
| Sarge Green (PGG)     | -       | •               | •                 | •       | •       | •           |
| Snazzberry (PRV)      |         | •               | •                 |         | •       |             |

Available (•) Not Offered (-)



| Technical Specifications                              | Sport S / Overland<br>3.6L 8AT 4x4       | Rubicon<br>3.6L 8AT 4x4 | Technical Specifications                        | Sport S / Overland<br>3.6L 8AT 4x4                              | Rubicon<br>3.6L 8AT 4x4         |  |
|---|--|-------------------------|---|---|---------------------------------|--|
| Body & Chassis  |  |                         | Weights   |   |                                 |  |
| Layout  | Front Engine, 4x4                        |                         | Max. Braked Towing Capacity (kg) <sup>(9)</sup> | 2,721   |                                 |  |
| Construction  | Body on frame chassis, open s            | steel and aluminum body | Max. Unbraked Towing Capacity (kg)              | 750   |                                 |  |
| Assembly Plant  | Toledo Supplier Park. Toledo, Ohio. USA. |                         | Max. Tongue Download (kg) (5)                   | 2   | 72                              |  |
| Doors   | 4-Door                                   | r                       | Kerb Mass (kg)                                  | 2,104   | 2,215                           |  |
| Seats   | 5  |                         | Gross Vehicle Mass (kg)                         | 2,631   | 2,835                           |  |
| Model Code  | JTUL98-24B (Sport S)                     | JTUS98-24R              | Payload (kg) (10)                               | 527   | 620                             |  |
|   | JTLUP98-24G (Overland)                   |                         | Gross Combined Mass (kg) Incl. Braked Towing    | 5,080   | 5,284                           |  |
| Powertrain  |  |                         | Transmission                                    |   |                                 |  |
| Description 3.6L Pentastar V6 w/ ESS                  |  |                         | Туре  | 8-Speed Automatic   |                                 |  |
| Capacity  | 3604                                     |                         | Ratio - 1st                                     | 4.71  |                                 |  |
| Cylinders   | 6  |                         | Ratio - 2nd                                     | 3.13  |                                 |  |
| Configuration   | V  |                         | Ratio - 3rd                                     | 2.10  |                                 |  |
| Aspiration (Natural / Forced)                         | Naturally Aspirated                      |                         | Ratio - 4th                                     | 1.67  |                                 |  |
| Max. Power (kW @ rpm)                                 | 209 @ 6400                               |                         | Ratio - 5th                                     | 1.28  |                                 |  |
| Max. Torque (Nm @ rpm)                                | 347 @ 4100                               |                         | Ratio - 6th                                     |   | 00                              |  |
| Valves  | 24                                       |                         | Ratio - 7th                                     | 0.84  |                                 |  |
| Compression   | 11:03:01                                 |                         | Ratio - 8th                                     | 0.67  |                                 |  |
| Bore & Stroke (mm)                                    | 96.0 x 83.0                              |                         | Reverse   | 3.30  |                                 |  |
| Fuel (1)  |  |                         | Brakes  |   |                                 |  |
| System Sequential, Multi Port, Electronic, Returnless |  |                         | Front - Type                                    | Ventilated disk, floating twin piston caliper with ABS          |                                 |  |
| Туре  | Unleaded Petrol                          |                         | Front - Size (mm)                               | 330 x 28  |                                 |  |
| Fuel Tank Capacity (L)                                | 83                                       |                         |   |   |                                 |  |
| Economy (Urban, L/100km)                              | 14.3                                     | 15.4                    | Rear - Type<br>Rear - Size (mm)                 | Solid disk, floating single piston caliper with ABS<br>350 x 22 |                                 |  |
| Economy (Highway, L/100km)                            | 9.4                                      | 10.6                    |   | 550   | X 22                            |  |
| Economy (Combined, L/100km)                           | 11.2                                     | 12.4                    | Wheel & Tyre                                    |   |                                 |  |
| Emissions   |  |                         | Wheel Type                                      |   | loy                             |  |
| Emission Standard Met                                 | Euro 6B                                  |                         | Wheel Size (Inches)                             | 18.0 x 7.5  | 17.0 x 7.5                      |  |
| Emissions (Combined, CO, g/km)                        | 260 288                                  |                         | Tyre Size                                       | 255 / 70  | 255 / 75                        |  |
| Steering  |  |                         | Spare Wheel                                     | Under-Vehicle Mounted Alloy Wheel                               | Under-Vehicle Mounted Steel Whe |  |
| Туре  | Electro-Hydraul                          | lic Power               |   |   |                                 |  |
| Turning Circle - Kerb to Kerb (m)                     | 13.6                                     |                         |   |   |                                 |  |
|   |  |                         |   |   |                                 |  |



| Weights & Capacities                 | Sport S / Overland<br>3.6L 8AT 4x4                     | Rubicon<br>3.6L 8AT 4x4                                    |  |  |  |
|--------------------------------------|--|--|--|--|--|
| Dimensions                           |  |  |  |  |  |
| Length (mm)                          | 5,5  | 591  |  |  |  |
| Width (mm)                           | 1,8  | 894  |  |  |  |
| Height (mm)                          | 1,905  | 1,909  |  |  |  |
| Wheelbase (mm)                       | 3,   | 488  |  |  |  |
| Front Track (mm)                     | 1,0  | 636  |  |  |  |
| Rear Track (mm)                      | 1,0  | 636  |  |  |  |
| Suspension                           |  |  |  |  |  |
| Туре                                 | c  | coil   |  |  |  |
| Front                                | Solid axle, link coil, leading arms,                   | track bar, coil springs, stabilizer bar                    |  |  |  |
| Rear                                 | Solid axle, link coil, trailing arms, t                | track bar, coil springs, stabilizer bar                    |  |  |  |
| Shocks                               | Gas-charged monotube shock<br>absorbers                | High-pressure, gas charged Fox<br>Aluminum monotube shocks |  |  |  |
| Electronic Stabiliser Bar Disconnect | -  | Front  |  |  |  |
| 4x4 Specifics                        |  |  |  |  |  |
| 4x4 System                           | Selec-Trac® 4x4 Active On-Demand                       | Rock-Trac® 4X4 Active On-Demand                            |  |  |  |
| Operating Mode                       | 2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low    |  |  |  |  |
| Low Range Ratio                      | 2.72:1   | 4.0:1  |  |  |  |
| Rear Axle Ratio                      | 3.73   | 4.10   |  |  |  |
| Front Axle                           | Dana M210  |  |  |  |  |
| Rear Axle                            | Dana   | M220   |  |  |  |
| Electronic Locking Differentials     | -  | Tru-Lock® Front & Rear                                     |  |  |  |
| Running Clearance (mm)               | 2  | 49   |  |  |  |
| Approach Angle                       | 40   | 0.7  |  |  |  |
| Breakover Angle                      | 11   | 8.4  |  |  |  |
| Departure Angle                      | 25   | 5.1  |  |  |  |
| Wading Depth (mm)                    | 760 (6)  |  |  |  |  |
| Warranty & Service                   | Sport S / Overland<br>3.6L 8AT 4x4                     | Rubicon<br>3.6L 8AT 4x4                                    |  |  |  |
| Service Intervals                    | 12,000km   | / 12 months  |  |  |  |
| Warranty (7)                         | 5 year / 1   | 00,000 km  |  |  |  |
| Roadside Assist (8)                  | Lifetime roadside assist when you service through Jeep |  |  |  |  |





#### jeep.com.au

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto® and Apple Carplay® is available\* on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM) (10) Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass (GVM) minus the kerb mass. Paylo