RANGER WILDTRAK X Ford RANGER

GO WILD IN STYLE

Introducing the Ranger Wildtrak X



Go Further



Nudge Bar & LED Light Bar

Wildtrak X comes fitted with a genuine Ford black nudge bar and an LED light bar, increasing protection and providing extra visibility when you're heading off-road.



Black Wheel Arch Flares

The new Ranger Wildtrak X comes with Ebony Black wheel arch flares, ensuring this Ranger has an assertive stance.



Rear Sail Plane

The upgraded Ranger Wildtrak X comes fitted with an Ebony Black rear sail plane with Saber coloured accents across the sides which is seamlessly integrated with the standard power roller shutter.



Arctic White



Aluminium Silver*



18" Black Alloys

Get noticed with special edition, 18-inch black alloy wheels featuring a 35mm offset.



Unique Front Grille

Wildtrak X features a new Ebony Black front grille with Saber accent nostrils that sets this Ranger apart from the rest.



Interior Accents

Look and feel good with Wildtrak X's premium interiors, including illuminated scuff places, a unique seat trim and accent colours throughout the vehicle.



Saber*







Shadow Black*

Body Type		Exterior Dimensions (mm) ^{1.} (co	ontinued)		
Double Cab Pick-Up		Approach Angle (unladen, degree	<u> </u>	29	
Drivetrains			•		
4x4		Departure Angle (unladen, degre	E5).	21	
3.2L TDCi Diesel Engine		a) measured to tow bar			
Availability	S	Ramp Breakover Angle (degrees	s)	25	
Engine Type	Inline 5 Cylinder	Turning Circle - Kerb to Kerb (m)	12.7	
Engine Size (cm³)	3198	Interior Dimensions(mm)			
Maximum Power	147kW @ 3000rpm 470Nm @	2nd Row Headroom		986	
Maximum Torque	1750-2500rpm	2nd Row Legroom		902	
Fuel Management System	Turbocharged direct	2nd Row Shoulder Room		1430	
	common rail injection	Front Headroom		1022	
Combined Fuel Economy (L/100km) ² (Auto)	8.9	Front Legroom		1058	
CO ² Emissions (g/km) ² (Auto)	234				
Fuel Type	80 Diesel	Front Shoulder Room		1440	
Fuel Type Transmission	6 Speed Auto	Vehicle Masses(kg) ^{1.}			
2.0L Bi-Turbo Diesel Engine	0 Speed Auto		3.2L TDCi Diesel	Bi-Turbo Diesel	
Availability	0	Kerb Weight - Total ^{3.}	2287	2257	
Engine Type	Inline 4 Cylinder	Kerb Weight - Front Axle ^{3.}	1291	1236	
Engine Size (cm³)	1996	Kerb Weight - Rear Axle ^{3.}	996	1021	
Maximum Power	157kW @ 3750rpm	Payload ^{4.}	913	943	
	500Nm @	Gross Vehicle Mass	32	3200	
Maximum Torque	1750-2000rpm	Gross Combined Mass	60	00	
Fuel Management System	Turbocharged direct	Maximum Braked Towing Capa	city ^{5.} 35	00	
Combined Fuel Feenews (1 /100km) ² (Auto)	common rail injection 7.4	Maximum Axle Load - Front	148	1480	
Combined Fuel Economy (L/100km) ² (Auto) CO2 Emissions (g/km) ² (Auto)	195	Maximum Axle Load - Rear	18!	1850	
Fuel Tank Capacity (L)	80	Exterior			
Fuel Type	Diesel	Genuine Ford Black Nudge Bar		S	
Transmission	10 Speed Auto	Centre High Mounted Stop Ligh	t	S	
Pick-up Box Dimensions (mm)		Exterior Lighting - LED Daytime	Running Lamps,		
Height - at centreline of axle	511	Front Fog Lamps (LED) & High Performance S		S	
Height - floor height to ground	840	Bi-LED Headlamps			
Length - at floor	1549	Exterior Mirrors - Power Adjustable, Power Folding & S		S	
Length - top of box	1485	Heated with Turn Indicator & Puddle Lamps			
Width - between wheelhouses	1139	Front Bumper - Body Colour		S	
Width - pick-up box	1560	LED Light Bar		S	
Width - rear opening	1330	Mud Flaps - Front and Rear		S	
Exterior Dimensions (mm) ¹ .		Privacy Glass		S	
Length - with rear bumper	5446	Rear Sports Bar - Sailplane		S	
Width - exterior mirrors extended	2163	Tow Bar Unique 18" Black Alloy Wheels V	Vith 35mm Offset	S 	
Width - exterior mirrors folded	1977	Wheel Arch Flares in Ebony Black		s	
Height	1848	Unique Front Grille In Ebony Bla			
Overhang - Front	928	Accent 'Nostrils'		S	
Overhang - Rear	1226	Unique Illuminated Scuff Plates for Front Doors		S	
		Black Side Steps S		S	
Track - Front and Rear	1560	Ebony Black Finishings on:			
Wheelbase	3220	Roof Rails, Box Rails, Lower Front Bumper Insert,		S	
Ground Clearance (unladen, mm)	237	Rear Bumper, Headlamp / Fog Lamp Bezels, Mirror			
Wading Depth	800	Caps, Fender Features, Door And	ı ıaılgate Handles		

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured

1. The Ranger Wildtrak X is based on the 4x4 Wildtrak Double Cab Pick-up 3.2 Diesel and 2.0 Bi-Turbo Diesel and all weights and dimensions shown are for the 4x4 Wildtrak Double Cab Pick-up 3.2 Diesel and 2.0 Bi-Turbo Diesel without Ranger Wildtrak X's standard accessories. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Payload, Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 2. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driving scholar prevailing conditions and the vehicle's equipment, condition and use. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. Vehicle dimensions/weights are approximate and subject to individual variances. Vehicles should be weighed before adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM) and Gross Combined Mass (GCM) are not exceeded. 4. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 5. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Subject to State and Territory regulations. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

Load Box Elements		Audio And Communication (continued)	
Bedliner with 12V Socket S		Satellite Navigation with Traffic Message Channel ^{9.} S	
Inner Tie Downs	S	SYNC®3 with Voice-Activated Controls ^{10.}	S
Load Box Illumination	S	USB Ports x 2	S
Power Roller Shutter	S	Safety, Security and Driver Assistance	
Unique Rear Sail Plane In Ebony Black with	Unique Rear Sail Plane In Ebony Black with		S
Sabre Accents	-	3 Point Lap Sash Seat Belt - All Positions Active Park Assist ^{11.}	S
Tailgate Lock - Power (activated with Central Locking)	S		
Tailgate with Lift Assistance	S	Adaptive Cruise Control ^{11.}	S
Seating		Adjustable Speed Limiter	S
Unique Seat Materials and Accent Colours	S	Airbags - Driver and Front Passenger, Front Seat	S
6-way Power Driver Seat Adjustment (plus Lumbar Support)	S	Side & Side Curtain (Full Length) Alarm with Perimeter, Interior Motion &	S
Heated Front Seats	S	Vehicle Inclination Sensors	
Comfort and Convenience		Anti-Lock Braking System (ABS) ^{11.}	S
230V Inverter - Rear of Centre Console	S	Auto High Beam ^{11.}	S
Acoustic Windshield	S	Autonomous Emergency Braking (AEB) with	C
Ambient Lighting - Multi-Colour	S	Pedestrian Protection ^{11.}	S
Auxillary 12V Power Outlet - Lower Dashboard &	S	Beltminder™ - All Positions	S
Rear of Centre Console	-	- Cruise Control	S
Centre Console - Single Lid with 2 Cup Holders	S	– Driver Impairment Monitor ^{11.}	S
Child Seat - Upper Anchorage Points (x 2) & ISOFIX Anchorage Points (x 2)	S	Dynamic Stability Control (DSC) ^{11.}	S
Climate Control - Dual Zone Automatic	S	Emergency Assistance ^{12.}	S
Dual Colour 4.2" Instrumentation Screens	S	Emergency Brake Assist	S
Floor Coverings - Carpet	S	Emergency Brake Light	S
Floor Mats (Wildtrak)	Driver & Front Passenger	Hill Descent Control ^{11.}	S
Headlamps - Auto On/Off Function	S	Hill Launch Assist ^{11.}	S
Leather Wrapped Steering Wheel & Gear Knob	S	Lane Keeping Aid ^{11.}	S
Power Front Windows (Auto Driver) &	S	Load Adaptive Control ^{11.}	S
Rear Windows		- MyKey®	S
Rain Sensing Windscreen Wipers	S	Parking Sensors - Front & Rear	S
Rear Window Defrost	S	Rear Differential - eLocking	S
Rear View Mirror - Electrochromatic	S	Rear View Camera	S
Windscreen Mounted USB Port	S		
Audio And Communication		Roll Over Mitigation ^{11.}	S
FordPass Connect - Embedded Modem ^{6.}	S	Smart Keyless Entry with Push Button Start - 2 Fobs Provided	S
8" Colour Touch Screen	S	- Traction Control System ^{11.}	S
6 Speakers (2 Tweeters, 4 Woofers)	S	<u> </u>	
AM/FM Stereo Radio	S	Traffic Sign Recognition ^{11.}	S S
Apple CarPlay & Android Auto ^{7.}	S	Trailer Sway Control ^{11.}	
Bluetooth® with Phone/Audio Streaming ^{8.}	S	Tyre Pressure Monitoring System S	
CD Player (MP3 compatible)	S	Regular Production Options	
DAB+ Digital Radio	S	Prestige Paint	0

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured

6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, including associated fees. The FordPass Connect Modern and FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 7. Apple CarPlay / Android Auto requires phone with compatible verifications of Apple iOS / AndroidMa (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is under license. Some phones not compatible. 9. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 10. SYNC®3 features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. 12. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.