

Grand Cherokee L Buyers Guide.

February 2022



Jeep[®]

Grand Cherokee L

NIGHT EAGLE

Engine

3.6L V6 Petrol
210 kW 344 Nm

Transmission

8-Speed Automatic
4x4

Maximum Towing Capacity⁽⁶⁾

Braked Trailer
3.6L 4x4 - 2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)
3.6L 4x4 - 10.6

Features:

- Jeep Quadra Trac I Active 4x4 System
- 7 Passenger Seating
- 20-inch Alloy Wheels
- UConnect 5 Navigation with 8.4inch Touchscreen Display with Apple CarPlay⁽⁷⁾⁽⁹⁾ and Android Auto⁽⁸⁾⁽⁹⁾
- Black Suede & Leather-Accented Bucket Seats
- Heated 8-way power seats and 4-way power lumbar for both driver and front passenger
- Heated steering wheel
- Heated first-row seating
- Six Speaker Audio System
- Power liftgate with adjustable height settings
- Automatic LED headlamps
- Three-Zone Automatic Climate Control
- 12 USB ports (6 type A, 6 type C)
- 10.25" Multiview Display cluster
- ParkView Rear Back-up Camera with Front and Rear Park Assist with Stop
- Tyre Pressure Monitoring
- Passive Entry with Keyless Go
- Hill Start Assist
- Blind Spot Monitoring with Rear Cross-Path Detection
- Adaptive Cruise Control with Stop and Go
- Active Lane Management
- Pedestrian Automatic Emergency Braking (with cyclist detection)
- Drowsy Driver Detection
- Traffic Sign Recognition
- Intersection Collision Assist

LIMITED

Engine

3.6L V6 Petrol
210 kW 344 Nm

Transmission

8-Speed Automatic
4x4

Maximum Towing Capacity⁽⁶⁾

Braked Trailer
3.6L 4x4 - 2,813 kg

Fuel Consumption⁽¹⁾

Combined (L/100km)
3.6L 4x4 - 10.6

Features (in addition, or replacing Night Eagle):

- Jeep Quadra Trac I Active 4x4 System with Selec-Terrain
- Uconnect 5 Navigation with 10.1-inch Touchscreen Display with Apple CarPlay and Android Auto
- Premium Capri leather-trimmed seats
- Driver Seat Memory
- Heated first and second-row seating
- Ventilated front seating
- Second-row window shades
- Nine Speaker Premium Audio System with Active Noise Control
- Ambient LED Lighting
- Auto High Beam Headlamp Control
- Jeep Off-Road Info Pages

SUMMIT RESERVE

Engine

3.6L V6 Petrol
210 kW 344 Nm

Transmission

8-Speed Automatic
4x4

Maximum Towing Capacity⁽⁶⁾

Braked Trailer
3.6L 4x4 - 2,268 kg

Fuel Consumption⁽¹⁾

Combined (L/100km)
3.6L 4x4 - 10.6

Features (in addition, or replacing Limited):

- Jeep Quadra Trac II Active 4x4 system with Selec-Terrain and Quadra Lift Air Suspension & Adaptive Damping
- Quilted Palermo leather-trimmed seats
- Berber floor mats
- Deluxe headliner
- Black painted roof
- Dual-Pane Panoramic Sunroof
- 21-inch Polished / Painted Alloy Wheels
- Premium McIntosh High Performance Audio System with 19 speakers and 760-watt amplifier
- Unique wood appliqué in instrument panel, steering wheel and doors
- Enhanced multi-colour interior ambient/courtesy lighting
- Illuminated sill plates
- 12-way power with 4-way power lumbar adjustment for driver and front passenger seat with memory
- Driver and front passenger seat massage function
- Four-Zone Automatic Climate Control
- Hands-free power liftgate
- Power folding third-row seat
- Proximity wake-up
- Interior Rear Facing Camera
- 360-Degree Surround View Camera
- ParkSense Parallel & Perpendicular Park Assist
- Highway Assist System



MODEL HIGHLIGHTS

Jeep

Grand Cherokee L

SPECIFICATIONS

Capability & Performance	Code	Night Eagle	Limited	Summit Reserve
3.6L Pentastar V6 Petrol Engine with ESS	ERC	•	•	•
8-Speed Automatic Transmission	DFT	•	•	•
Quadra-Trac I® 4x4 System	DHY	•	•	–
Quadra-Trac II® 4x4 System	DKA	–	–	•
Hill Descent Control	BNH	–	–	•
Selec-Terrain® Traction Management System	XAB	–	•	•
Quadra-Lift® Air Suspension	SER	–	–	•
Semi Active Damping	SMC	–	–	•
Heavy Duty Engine Cooling	NMC	•	•	•
Trailer Hitch Zoom	XNQ	•	•	•
Rear Load Leveling Suspension	SES	•	•	•
160 Amp Alternator	BAB	•	–	–
220 Amp Alternator	BAJ	–	•	–
240 Amp Alternator	BAL	–	–	•
700 Amp Maintenance Free Battery	BCV	–	–	•
650 Amp AGM Battery	BCZ	•	•	–
Conventional Differential Rear Axle	DS8	•	•	•
Conv Diff Frt Axle with Disconnect	DSM	•	•	•
Electric Power Steering	SBL	•	•	•
Four Wheel Traction Control	BNR	•	•	•
Sport Mode	XG8	•	•	•
Jeep Off-Road Info Pages	JA8	–	•	•
Map-In-Cluster Display	JBA	–	–	•
Stop-Start Dual Battery System	XHZ	•	•	•
Aux Battery	BC1	•	•	•
Selectable Tyre Fill Alert	LA5	•	•	•
Tyre Pressure Monitoring Display	XGM	•	•	•

Exterior	Code	Night Eagle	Limited	Summit Reserve
Dual Exhaust Tips	NEK	•	•	–
Dual Bright Exhaust Tips	NEL	–	–	•
Wheel Flares - Black	MMJ	•	•	–
Black Lower Rear Fascia	MLK	•	•	–
Black Lower Front Fascia	MLX	•	•	–
Wheel Flares - Painted	MM3	–	–	•
Painted Lower Front Fascia	ML6	–	–	•
Painted Lower Rear Fascia	MLN	–	–	•
Body Color Door Handles	MNK	•	•	•
Exterior Accents - Gloss Black	MHP	•	–	–
Exterior Accents - Chrome	MHU	–	•	–
Exterior Accents - Platinum Chrome	MCG	–	–	•
Door Cladding - Black	MJW	•	•	–

Exterior	Code	Night Eagle	Limited	Summit Reserve
Door Cladding - Painted/Bright	MJY	–	–	•
Lower Rocker Panel Cladding - Black	MJ5	•	•	–
Lower Rocker Panel Cladding - Painted	MJ6	–	–	•
Body Color Shark Fin Antenna	RHC	•	•	•
Roof Rails - Black / Gloss Black	MWE	•	–	–
Roof Rails - Black / Bright	MWG	–	•	–
Roof Rails - Fine Silver / Gloss Black	MW1	–	–	•
Upper Active Grille Shutters	MDX	•	•	•
Grand Cherokee Badge	MVB	•	•	•
Jeep Badge	MVC	•	•	•
4X4 Badge	MWT	•	•	•
Limited Badge	MVA	–	•	–
Summit Reserve Badge	MZ5	–	–	•
Black Painted Roof	MXS	–	–	•
Roof - Body Color	MXU	•	•	–
Power Sunroof	GWA	o	–	–
Dual-Pane Panoramic Sunroof	GWJ	–	o	•
Interior Rear Facing Camera	XPR	–	o	•

Interior	Code	Night Eagle	Limited	Summit Reserve
7 Passenger Seating	CYE	•	•	•
Black Suede & Leather-Accented Bucket Seats	*KL	•	–	–
Capri Leather-trimmed Seats	*AL	–	•	–
Palermo Leather-trimmed Seats	*EC	–	–	•
Soft Touch Door Trim	CTL	•	–	–
Vinyl Door Trim	CBH	–	•	–
Palermo Leather Door Trim	CTX	–	–	•
Black Headliner	CHK	•	–	–
Deluxe Headliner	CHE	–	–	•
Door Trim Panel-Soft Touch Armrest	CTL	•	–	–
Front & Rear Floor Mats	CLE	•	•	–
Floor Mat, 3rd Row	CWB	–	•	•
Premium Berber Floor Mats	CCG	–	–	•
Reversible Carpet/Vinyl Cargo Mat	CKK	–	–	•
Sun Visors with Illuminated Vanity Mirrors	GNC	•	•	•
Interior Assist Handles	CSV	•	•	•
Illuminated Cupholders	CWP	•	•	•
Window Shades, 2nd Row	GF1	–	•	•
Cargo Tie Down Loops	CKT	•	•	•
Cargo Compartment Cover	CSC	•	•	•
3rd Row 50/50 Manual Fold Seat	CFG	•	•	–
3rd Row 50/50 Power Fold Seat	CBB	–	–	•

Standard (•) Option (o) Not Offered (-)



Grand Cherokee L

SPECIFICATIONS

Interior	Code	Night Eagle	Limited	Summit Reserve
3rd Row Remote Headrest Dumping	CEE	•	•	•
2nd Row 60/40 Bench, Manual Tip/Slide	CF1	•	•	•
2nd Row Centre Rear 3-Point Seat Belt	CG6	•	•	•
2nd Row Three Rear Seat Head Restraints	CSH	•	•	•
2nd Row Seat Centre Armrest/Cupholders	CSN	•	•	•
2nd Row Manual Fold Seatbacks	CYP	•	•	–
2nd Row Power Fold Seatbacks	CFQ	–	–	•
Steering Wheel Mounted Shift Control	XBQ	•	•	•
TechnoLeather Wrapped Steering Wheel	SCC	•	•	–
Wood/Leather Wrapped Steering Wheel	SCM	–	–	•
Illuminated Sill Plates	LP1	–	–	•
Coat Hooks	XCT	•	•	•

Comfort & Convenience	Code	Night Eagle	Limited	Summit Reserve
Three-Zone Climate Control	HAH	•	•	–
Four-Zone Climate Control	HAL	–	–	•
Driver Seat Memory	LEQ	–	•	•
Passenger Seat Memory	LE5	–	–	•
Driver Seat - Power Adjust 8-Way	JVG	•	•	–
Driver Seat - Power Adjust 12-Way	JVJ	–	–	•
Front Passenger Seat - Power Adjust 8-Way	JWG	•	•	–
Front Passenger Seat - Power Adjust 12-Way	JWJ	–	–	•
Heated Steering Wheel	NHS	•	•	•
Heated Front Seats	JPM	•	•	•
Heated Second Row Seats	JPZ	–	•	•
Ventilated Front Seats	CAJ	–	•	•
Ventilated Second Row Seats	CAH	–	–	•
Power Liftgate	JRC	•	•	–
Hands Free Power Liftgate	JK2	–	–	•
Electric Park Brake	XC4	•	•	•
Speed Sensitive Power Locks	JPH	•	•	•
Pushbutton Start	GX4	•	•	•
Rear View Auto Dim Mirror	GNK	•	•	•
Rain Sensitive Windshield Wipers	JHC	•	•	•
4 Way Front Headrests	CDP	•	•	•
Power Seat Back Massage - Front Passenger	CE5	–	–	•
Power Seat Back Massage - Driver	CE9	–	–	•
Passive Entry-Front Doors, Liftgate	GXD	•	–	–
Passive Entry-Front & Rear Doors, Liftgate	GX5	–	•	•
Power Front Windows, 1-Touch, Up & Down	JP3	•	•	–

Comfort & Convenience	Code	Night Eagle	Limited	Summit Reserve
Power Windows, Front & Rear 1-Touch Up/Down	JSB	–	–	•
Power Windows Global Up & Down with Keyfob	JSE	–	–	•
Power Tilt/Telescope Steering Column	SUB	–	•	•
Tilt/Telescope Steering Column	SUD	•	–	–
Memory Steering Column	LEW	–	–	•
Power Mirrors - Base	GUB	•	–	–
Auto Power-Folding Mirrors	LFF	•	•	•
Ext. Mirrors W/Supplemental Signals	LEB	•	•	•
Exterior Spotter Mirrors	LES	•	•	•
Heated Exterior Mirrors	LE1	•	•	•
Gloss Black Exterior Mirrors	LE7	•	•	•
Power Mirrors - High	GUE	–	•	•
Auto Dim Exterior Driver Mirror	GNZ	–	•	•
Exterior Mirrors W/Memory	LEM	–	•	•
Auto Dim Exterior Passenger Mirror	LEU	–	•	•
Auto Adjust In Reverse Ext Mirrors	LEX	–	•	•
Exterior Mirrors Approach Lamps	LE9	–	•	•
Acoustic Laminated Rear Door Glass	GAH	•	•	•
Acoustic Windshield	GAK	•	•	•
Acoustic Laminated Front Door Glass	GAP	•	•	•
Laminated Rear Glass	GAZ	–	–	•
Deep Tint Privacy Glass #	GEG	•	•	•
Windshield Wiper De-Icer	NHL	–	–	•

Audio & Connectivity	Code	Night Eagle	Limited	Summit Reserve
Uconnect 5 Navigation with 8.4-inch Touchscreen Display	UUL	•	–	–
Uconnect 5 Navigation with 10.1-inch Touchscreen Display	UUN	–	•	•
GPS Navigation	JLN	•	•	•
GPS Antenna Input	JLP	•	•	•
Apple CarPlay (Wireless)	RFP	•	•	•
Google Android Auto (Wireless)	RF5	•	•	•
USB Host Flip	RF7	•	•	•
Digital Audio Broadcasting	RS9	•	•	•
Integrated Voice Command W/Bluetooth	XRB	•	•	•
Six Speaker Audio System	RCG	•	–	–
Nine Speaker Premium Audio System	RC3	–	•	–
506 Watt Amplifier	RFD	–	•	–
Premium McIntosh High Performance Audio System with 19 speakers and 760-watt amplifier	RCA	–	–	•

(#) Deep Tint Glass applies to rear passenger and rear cargo windows only. Front passenger windows and windshield are not tinted.

Standard (•) Option (◦) Not Offered (–)



Grand Cherokee L

SPECIFICATIONS

Audio & Connectivity	Code	Night Eagle	Limited	Summit Reserve
Active Noise Control System	JLW	–	•	•
950 Watt Amplifier	RDH	–	–	•
Wireless Charging Pad	RFX	•	•	◦
Cluster 10.25" TFT Colour Display	JAU	•	•	•
Steering Wheel Mounted Audio Ctrl's	RDZ	•	•	•
Media Hub - 4 USB, 2 Fully Func, Aux	RSF	•	•	•
2nd Row 4 Charge-Only USB Ports	RS2	•	•	•
3rd Row 4 Charge-Only USB Ports	RS3	•	•	•
Rear Cargo Area 12V Power Outlet	JJM	•	•	•
12V Auxiliary Power Outlet	JKP	•	•	•
230V/50Hz Auxiliary Power Outlet	JKZ	–	•	•

Lighting	Code	Night Eagle	Limited	Summit Reserve
Automatic Headlamps	LMG	•	•	•
Auto High Beam Headlamp Control	LMS	–	•	•
LED Reflector Headlamps	LPX	•	•	•
Automatic Headlamp Leveling System	JKJ	•	•	•
LED Taillamps	LAY	•	•	•
LED Daytime Running Lamps - Park/Turn	LPJ	•	•	•
Front LED Fog Lamps	LNV	•	•	•
Front Corner LED Lamps	LNB	–	–	•
Rear LED Fog Lamps	LPM	•	•	•
Exterior Door Handle Approach Lamps	LC2	–	–	•
Proximity Approach Lamps	LNR	–	–	•
Multi-Colour Ambient LED Interior Lighting	LBZ	–	–	•
Ambient LED Interior Lighting	LCJ	–	•	–
LED Front Footwell Lighting	LBB	•	•	•
Glove Box Lamp	LBC	•	•	•
Front Reading/Map Lamps	LBG	•	•	•
Rear Reading/Courtesy Lamps	LBH	•	•	•
Liftgate Door Puddle Lamps	LBP	•	•	•
Front & Rear LED Map Pockets	LBU	•	•	•
Footwell Courtesy Lamp - Rear	LBW	–	–	•
Door Courtesy Lamps	LCB	–	–	•
Overhead Cargo Area Lighting - LED	LCP	•	•	•
3rd Row Passenger LED Reading Lamps	LCQ	•	•	•

Safety, Security & Driver Assistance	Code	Night Eagle	Limited	Summit Reserve
Hold 'N Go	BHG	•	•	•
Electronic Stability Control	BNB	•	•	•
Hill Start Assist	BNG	•	•	•
Trailer Sway Damping	BNT	•	•	•

Safety, Security & Driver Assistance	Code	Night Eagle	Limited	Summit Reserve
Rain Brake Support	BHC	•	•	•
Ready Alert Braking	BHD	•	•	•
Security Alarm	LSB	•	•	–
Deluxe Security Alarm	LSD	–	–	•
Full Speed Forward Collision Warn Plus	LSU	•	•	•
Advanced Brake Assist	BGG	•	•	•
Pedestrian & Cyclist Emergency Braking	LST	•	•	•
Intersection Collision Assist	XPS	•	•	•
Drowsy Driver Detection	XNM	•	•	•
Speed Control	NHM	•	•	–
Adaptive Cruise Control with Stop & Go	NHZ	•	•	•
Highway Assist System	SJA	–	–	•
Traffic Sign Recognition	SJB	•	•	•
Active Driving Assist System	SJJ	–	–	•
Active Lane Management System	XNW	•	•	•
Parkview Rear Back-Up Camera	XAC	•	•	–
360-Degree Surround View Camera	XAK	–	–	•
Rear Back Up Camera Washer	JHE	–	–	•
Integrated Off-Road Camera	XNY	–	–	•
Blind Spot and Rear Cross Path Detection	XAN	•	•	•
Parksense Front & Rear Park Assist with Stop	XH4	•	•	–
Parallel & Perpendicular Park & Unpark Assist with Stop	XPL	–	–	•
Side Distance Warning	XAJ	–	–	•
Child Seat Upper Tether Anchorages	CF4	•	•	•
Child Seat Anchor System-Latch Ready (ISOFIX)	CGU	•	•	•
Advanced Multistage Front Air Bags	CG3	•	•	•
Driver Inflatable Knee-Bolster Air Bag	CGY	•	•	•
Passenger Inflatable Knee-Bolster Air Bag	CHF	•	•	•
Supplemental Frt Seat Side Air Bags	CJ1	•	•	•
Supplemental Side Curtain Front & Rear Air Bags	CJ2	•	•	•
Occupant Detection Sensor - 2nd Row	XCC	•	•	•
Occupant Detection Sensor - 3rd Row	XCE	•	•	•
Rear Seat Reminder Alert	JFB	•	•	•
Driver Seat Belt Alert	LAF	•	•	•
Rear Passenger Seat Belt Alert	LAU	•	•	•
Front Passenger Seat Belt Alert	LAX	•	•	•
Quick Disconnect Battery Terminal	XAV	•	•	•
Capless Fuel Filler	XJM	•	•	•
Locking Push-Push Fuel Filler Door	XJ6	•	•	•

Standard (•) Option (◦) Not Offered (-)



Grand Cherokee L

Wheels	Code	Night Eagle	Limited	Summit Reserve
20-inch Gloss Black Painted Alloy Wheels	WHF	•	-	-
20-inch Polished / Painted Alloy Wheels	WHC	-	•	-
21-inch Polished / Painted Alloy Wheels	WJE	-	-	•

Standard (•) Option (◦) Not Offered (-)



WHF

(Standard on Night Eagle)




WHC

(Standard on Limited)



WJE


(Standard on Summit Reserve)



SPECIFICATIONS

Grand Cherokee L

Options	Code	Night Eagle	Limited	Summit Reserve
Power Sunroof	GWA	0	-	-
Vision Group	ADG + GWJ	-	0	-
Dual Pane Sunroof	GWJ			
Interior Rear Facing Camera	XPR			
Head Up Display	LBK			
Advanced Technology Group	AAN	-	-	0
Head Up Display	LBK			
Wireless Charging Pad	RFX			
Night Vision/Ped-Animal Detection	XNT			
Front Passenger Interactive Display (available from MY22)	RJA			



GROUPS & OPTIONS.

Grand Cherokee L



PW7 - Bright White
(Standard)



PRV - Velvet Red
(Option)



PSE - Silver Zynith
(Option)



PAS - Baltic Grey
(Option)



PXJ - Diamond Black
(Option)



PBJ - Hydro Blue
(Option)



PFJ - Rocky Mountain
(Option)



PCQ - Midnight Sky
(Option)



PHC - Ember
(Option)

EXTERIOR COLOURS

Jeep

Grand Cherokee L



KLX7 - Black Suede & Leather-accented trim
(Standard - Night Eagle)



ALX7 - Black Capri Leather-trim
(Standard - Limited)



ECX7 - Black Palermo Leather-trim
(Standard - Summit Reserve)



ECT7 - Tupelo Palermo Leather-trim
(Option - Summit Reserve)

Trim	Night Eagle	Limited	Summit Reserve	
Option Code	KLX7	ALX7	ECX7	ECT7
Seats	Suede & Leather-accented	Capri Leather-trimmed	Palermo Leather-trimmed	
	Black	Black	Black	Tupelo
Steering Wheel	TechnoLeather		Leather	
Headliner	Grey	Grey	Black	

Exterior Colour	Night Eagle	Limited	Summit Reserve	
Bright White (PW7)	•	•	•	•
Baltic Grey (PAS)	•	•	•	•
Silver Zynith (PSE)	•	•	•	•
Midnight Sky (PCQ)	-	•	-	-
Rocky Mountain (PFJ)	-	•	-	-
Ember (PHC)	-	•	-	-
Velvet Red (PRV)	•	•	•	-
Diamond Black (PXJ)	•	•	•	•
Hydro Blue (PBJ)	-	•	-	-

COLOUR & TRIM MATRIX

Grand Cherokee L

3.6L 4x4

Body & Chassis

Layout	Front Engine 4x4
Construction	Steel Unibody
Assembly Plant	Detroit Assembly Complex – Mack Plant, Detroit, Michigan
Doors	4
Seats	7

Powertrain

Description	3.6 Pentastar V6 Engine with Stop/Start (ESS)
Capacity	3,604
Cylinders	6
Configuration	V
Aspiration (Natural / Forced)	Naturally Aspirated
Max power (kW @ rpm)	210 @ 6,400
Max torque (Nm @ rpm)	344 @ 4,000
Valves	Chain-driven DOHC, 24 valves and hydraulic end-pivot roller rockers
Compression	11.3:1
Bore & Stroke (mm)	96 x 83
Engine Stop/Start	Standard

Fuel

System	Sequential Multi Port, Electronic Fuel Injection
Type	Unleaded Petrol
Tank capacity (L)	104
Economy (Urban, L/100km) ⁽¹⁾	13.9
Economy (Highway, L/100km) ⁽¹⁾	8.7
Economy (Combined, L/100km) ⁽¹⁾	10.6

Emissions

Emission Standard Met	EURO 6
Emissions (Combined, CO2 g/100km)	243

3.6L 4x4

Transmission

Type	8-Speed Automatic Transmission with Steering Wheel Mounted Paddle Shifters
Ratio - 1st	4.71
Ratio - 2nd	3.14
Ratio - 3rd	2.11
Ratio - 4th	1.67
Ratio - 5th	1.29
Ratio - 6th	1.00
Ratio - 7th	0.84
Ratio - 8th	0.67
Reverse	3.30

Brakes

Front – Type	Ventilated Disc, Two-Piston Floating Caliper with ABS
Front – Size (mm)	354 x 28
Rear – Type	Ventilated Disc, Floating Single Piston Caliper with ABS
Rear – Size (mm)	350 x 22

Steering

Type	Electric rack-and-pinion steering
Turning Circle - Kerb to Kerb (m)	11.7
Column Adjustment	Tilt & Telescopic

Service & Warranty

Service Intervals	12,000km / 12 months
Warranty	5 year / 100,000km ⁽⁴⁾
Roadside Assist	Lifetime roadside assist when you service through Jeep ⁽⁵⁾

Grand Cherokee L

	Night Eagle	Limited	Summit Reserve
Dimensions			
Length (mm)	5,204		
Width (mm)	2,149		
Height (mm)	1816	1816	1817
Wheelbase (mm)	3,091		
Front Track (mm)	1,664		
Rear Track (mm)	1,664		
Wheel & Tyre			
Wheel Type	Alloy Wheels		
Wheel Size (inches)	20 x 8.5		21 x 9.0
Tyre Size	265 / 50		275 / 45
Spare Wheel	265 / 60 R18 Full Size Steel Spare Wheel		
Weights			
Tare Weight (kg)	2,190		2,270
Maximum Braked Towing Capacity (kg) ⁽⁷⁾	2,813		2,268
Maximum Unbraked Towing Capacity (kg) ⁽⁷⁾	750		
Maximum Tongue Download (kg) ⁽³⁾	281		227
Gross Vehicle Mass (kg)	2,948		3,039
Gross Combined Mass (kg) incl. Braked Towing	5,761		5,307
Roof Rack Load Limit (kg)	68		
Suspension			
Type	Coil		Air
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock absorbers, all aluminum arms and knuckles		
Rear	Multi-link rear suspension, twin tube shocks, all aluminum arms and knuckles (including extruded aluminum spring links)		
4x4 Specifics			
4x4 System	Jeep Quadra-Trac I		Jeep Quadra-Trac II
Operating Mode	Full-time Active 4WD		4x4 Low (Lock), Neutral; Full-time Active 4x4
Transfer Case	Single-speed electronically shifted		Two-speed electronically shifted
Running Clearance (mm)	215		276 ⁽²⁾
Approach Angle (Degrees)	20.6		28.2 ⁽²⁾
Breakover Angle (Degrees)	18.2		22.6 ⁽²⁾
Departure Angle (Degrees)	21.5		23.6 ⁽²⁾
Wading Depth (mm) ⁽¹⁰⁾	530		610 ⁽²⁾

TECHNICAL INFORMATION



jeep.com.au

(*) Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. FCA Australia Pty Ltd ABN 23 125 956 505 trading as FCA Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Air suspension in position Off-Road #2 (3) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (4) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (5) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (6) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details. (7) Apple Carplay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple Carplay® requires mobile data for full capability. Compatibility and performance can vary and change. (8) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (9) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (10) Capability varies by model and valid for standing water only, less for flowing water. Maximum speed no greater than 8km/h (5mph). Do not attempt water fording unless depth is known and consistent with the vehicle's water fording rating in the Owner's Manual. Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty.