





A different path, Bobbi and Tom always chose it.

And now that they're parents, their kids are following

it, too. Today's lesson is fly fishing. Grabbing all the gear from

the back of their Expedition, they showed the kids the

basics. Amazingly, on the first cast, one of them

landed a nice, fat trout. Thinking the river was

thick with fish, the kids started casting furiously.

Bobbi and Tom decided it was the perfect time to

kick back and catch some rays.



Expedition Eddie Bauer



Expedition Eddie Bauer shown in Black Clearcoat.

and ruggedness which has become synonymous with the legendary outfitting company. Expedition's adventurous spirit is complemented by its outstanding technological advancements and refined level of comfort.

The Expedition is designed for those who enjoy an active lifestyle and need a vehicle to fit all their needs. This year, Ford is proud to announce that the Expedition will be classified as a Low Emissions Vehicle

(LEV), emitting 45% lower smog forming hydrocarbon emissions than before.

Because in order to enjoy your environment, you have to take care of it.



Captain's chairs with leather seating surfaces combine exceptional comfort with luxurious style.



Expedition XLT




Expedition XLT with Comfort/Convenience Group shown in Harvest Gold Clearcoat Metallic.

The Expedition XLT combines **Superb ride and handling**with versatility and roominess. A perfect vehicle for those outdoor
family adventures with available **Seating for nine** and
loads of cargo space. Designed for a smooth ride, the XLT is filled
with features that make driving **enjoyable and safe**.

The Expedition comes equipped with a standard Remote Keyless
Entry system, keyless entry pad system and the SecuriLock™ passive
anti-theft system, which allows the vehicle to start only with your
specially coded key.



Liftgate with flip glass allows you the convenience of opening the whole liftgate or simply the glass.



Whoever said, "He who dies with the most toys wins," wouldn't

want to compete with Roger. Especially when he gears
up for winter. He heads for the great white outdoors
with everything from heated socks to snowmobiles.

Not to mention his ice skates, snowshoes, cross-country skis and downhill skis. One set for cruising. One for moguls. Roger says he never

likes to decide what he's going to do until he gets

there. Though one decision was easy, the Expedition

that serves as his four-wheel toy chest.





convenience



Power Adustable Pedal system.

POWER ADJUSTABLE
BRAKE AND ACCELERATOR
PEDALS HAVE A RANGE
OF 3 INCHES (76 MM)
ALLOWING FOR MORE
KNEE ROOM, BETTER
ACCESS TO CONSOLE
FEATURES AND
OVERALL IMPROVED

DRIVING COMFORT.

only vehicle in its class to offer **power adjustable pedals.**Expedition Eddie Bauer also has an electronic automatic temperature control, which maintains the selected temperature, along with an auxiliary system that allows rear passengers to maintain comfortable temperatures.

Expedition's sophisticated **load-leveling suspension** allows for easier entry and exit from the vehicle by lowering and raising three inches from the ground (rear with 4x2, 4-corner with 4x4). These features combine to make Expedition a **truly enjoyable driving experience.**



Class exclusive: Optional power adjustable pedals can be easily adjusted by the switch conveniently located on the instrument panel.



Signal mirrors (standard on Eddie Bauer) display directional arrows invisible to the driver for improved safety while turning or changing lanes.

durability

Maximum Towing Weights

	Axle Ratio	Maximum GCWR (lbs.)	4×2	4×4
4.6L V8/4-Speed Automatic	3.31	11,000	5,900	-
	3.55	11,500*	_	6,000
	3.55	11,000**	-	5,500
5.4L V8/4-Speed Automatic	3.31	12,000	6,800	6,400
	3.73	13,500*	8,300	7,900
	3.73	13,000**	-	7,400

* With 16" tires. ** With 17" tires. Note: Maximum trailer weights shown. The combined weight of the towing vehicle (including hitch, passengers and cargo) and the loaded trailer must not exceed the Gross Combination Weight Rating (GCWR).

Frontal area considerations:

- Not to exceed base vehicle frontal area without Class III Trailer Towing Group
- Not to exceed 60 square feet with Class III Trailer Towing Group

Required equipment:

Class III Trailer Towing Group for trailers over 4,000 lbs.

Trailer Towing Package content:

- 7-pin trailer wiring harness
 Class III frame-mounted hitch receiver
- · Auxiliary automatic transmission oil cooler
- Rear load-leveling suspension (4x2 only)
- Super engine cooling


In order to achieve maximum towing weights, refer to the Ford RV Trailer Towing Guide for specific trailer towing limits and corresponding required equipment.

The Expedition is Built Ford Tough, with a **solid frame structure** and side door intrusion beams, and offers the choice of two **Triton engines**, a 4.6L SEFI V8 or a 5.4L

SEFI V8. Expedition can also be equipped (standard in the 4x4 models) with **Control-Trac**, a computer-controlled traction system, which provides 4-wheel traction capability in all weather conditions. Expedition also allows for 100,000-mile tune-up intervals* and has increased horsepower and torque.



Triton, the first and only line of engines in the segment to provide a fail-safe cooling system to help protect the engine from damage due to coolant loss.



Expedition's technologically advanced load-leveling air suspension is designed to help improve ride and handling and trailer towing capability by keeping the vehicle at a constant normal height, while adjusting for changes in passenger, cargo and towing loads.

*Under normal driving conditions with routine fluid/filter changes.







Interior



Expedition XLT interior shown in Medium Prairie Tan cloth.

The Expedition offers luxurious comfort, while giving you the versatility that you need with a busy lifestyle. Features such as the second-row 60/40 rear split seat and the fold-flat removable third-row bench seat with rollers (standard on Eddie Bauer) make switching between passenger and cargo needs a snap. Available leather trimmed captain's chairs offer the ultimate in driving comfort, making even long road trips a pleasure. The Premium Audio System has an available 6-disc CD changer and traffic seek feature, making it simple to find traffic information quickly (XLT only).




Versatile fold-flat third-row bench seat with rollers allows for easy installation and removal.



MACH® Audio System, standard on Eddie Bauer, has 6-disc CD changer, traffic seek feature, speed sensitive volume control, seven premium speakers and 290 watts peak power.






running is a lose-lose situation. And playing dead is
way too risky. Looking straight at this 900-lb. menace,
Dale decides to calmly backtrack to his Expedition,
knowing that **One wrong move**and he's dinner. With his

heart in his throat and adrenaline coursing through every vein, he puts the pedal to the metal and roars that Triton™ V8 somewhere clear into Idaho.

Paint Colors

Oxford White Clearcoat





Laser Red Tinted Clearcoat




Medium Wedgewood Blue Clearcoat Metallic



Spruce Green Clearcoat Metallic



Dark Toreador Red Clearcoat Metallic



Deep Wedgewood Blue Clearcoat Metallic

Tropic Green
Clearcoat Metallic

Black Clearcoat

EXTERIOR PAINT	INTERIOR TRIM		
	Medium Prairie Tan	Medium Graphite	Dark Graphite*
XLT (available cloth and leather)			
Harvest Gold Clearcoat Metallic			
Spruce Green Clearcoat Metallic			•
Dark Toreador Red Clearcoat Metallic			•
Medium Wedgewood Blue Clearcoat Metallic			
Deep Wedgewood Blue Clearcoat Metallic			
Tropic Green Clearcoat Metallic			
Silver Clearcoat Metallic		•	
Black Clearcoat			•
Oxford White Clearcoat			
*Dark Graphite available only in cloth.			
Eddie Bauer (available leather only)			
Laser Red Tinted Clearcoat	•		
Spruce Green Clearcoat Metallic	•	•	
Dark Toreador Red Clearcoat Metallic	•		
Medium Wedgewood Blue Clearcoat Metallic			
Black Clearcoat			
Oxford White Clearcoat			







- A 16" XLT styled steel wheel
- C 17' 4x4 chromed steel wheel

B 16" 4x2 cast aluminum wheel

Dealer Accessories



The cargo tray helps protect the cargo area from dirt and wear



and windshield



The front end cover is custom fit and helps protect the vehicle against road debris.

A cargo organizer with removable divider lets you sort and secure your cargo. It's both lightweight and durable.





Convenient bike rack allows for easy loading/unloading and transport. Ford bike rack by Yakima.

Exterior Features	XLT	Eddie Ba
Chrome front bumper	S	S
Chrome rear step bumper (4,000-lb. towing rating)	S	S
Fog lamps	0	S
Solar tinted glass	S	S
Privacy glass in rear quarter, rear doors and rear window		S
Power flip-out quarter windows		S
Bright grille surround	S	
Color-keyed grille surround		S
Aerodynamic headlamps	S	S
Liftgate with flip-up glass	S	S
Low profile luggage rack	S	S
Dual power fold-away mirrors	S	S
Color-keyed moldings with bright insert	S	
Color-keyed moldings		S
Wheellip and rocker moldings in Prairie Tan accent		S
High mount center stop light	S	S
Front tow hooks (4x4)	0	S
Power signal mirrors (show directional signal in mirror)		S
Power heated mirrors (not available with Eddie Bauer power signal mirrors)	0	_
Illuminated running boards	0	S
Speed-sensitive intermittent front windshield wipers	S	S
Rear intermittent wiper/washer/defroster	S	S
16" styled steel wheel	S	-
16" 4x2 cast aluminum wheel (Note: included in Comfort Convenience Group with XLT)	0	S
17" 4x4 chrome steel wheel	0	S
License plate bracket	0	0

In	terior	Fea	ture
			LULIC

Air conditioning, manual	S	
Electronic automatic temperature control		S
Assist handles, first row (1) and second row (2)	S	S
Cargo area tie downs	S	S
Color-keyed carpeting	S	S
Carpeted front and rear floor mats	S	S

Interior Features Cont.	XLT	Eddie Bauer
Coat hooks, second row (2) and cargo area (2)	S	S
Overhead console with map lights, sunglasses holder, garage door opener bin, power rear quarter window switch, electronic display with distance-to-empty, average fuel economy and compass		S
Floor console with storage, coin holder, rear audio controls, rear power point, headphone jacks, tissue holder, rear flow-through fan module with bi-level controls, two cupholders		S
Cupholders, six total with two in each row	S	S
Analog instrumentation: voltmeter, oil pressure, water temperature, speedometer/odometer, tachometer and fuel	S	S
Lights: underhood, glove box, front door puddle, front dome/map, overhead rear cargo	S	S
Lights: second-row map lights		S
Power door locks with childproof rear doors	S	S
Power windows with "one-touch-down" driver's side	S	S
Power point located on instrument panel	S	S
Power moonroof (not available with auxiliary air conditioning)		0
Power Adjustable Pedal System	0	0
Rear floor heat ducts	S	S
Speed control	S	S
Tilt wheel (leather-wrapped with Eddie Bauer)	S	S
Warning lights: door ajar, fasten safety belts, anti-lock brakes, fuel reset, engine check, airbag, high beams on, parking brake, low fuel, high temperature, low oil pressure, low washer fluid, anti-theft and turn signal	S	S
Auxiliary visors	S	S
Right-hand visor mirrors	S	_
Engines	3	_
4.6L SOHC 4-speed auto O/D	S	S
5.4L SOHC 4-speed auto O/D	0	0
Seating		
40/60 cloth split bench with power driver seat and manual driver lumbar support	S	

High back captain's chairs with leather

adjustment, map pockets

seating surfaces, floor console, 6-way power

driver's seat, manual driver/passenger lumbar

Seating Cont.	XLT	Eddie Bauer
High back cloth captain's chairs with floor console, 6-way power driver's seat, manual driver/passenger lumbar adjustment, map pockets	0	
Heated front driver and passenger captain's chairs with leather seating surfaces		0
Removable fold-flat third-row bench seat with rollers (includes leather seating surfaces with Eddie Bauer)	0	S
Vinyl bucket seats (fleet only)	0	
Safety and Security		
Second Generation driver and front passenger airbag supplemental restraint system	S	S
Height-adjustable 3-point lap/shoulder belts for all outboard passengers	S	S
4-wheel power disc brakes with 4-wheel anti-lock system	S	S
Remote Keyless Entry system with two key fobs and illuminated entry system	S	S
Keyless entry keypad	S	S
SecuriLock™ passive anti-theft system	S	S
Childproof rear door locks	S	S
Side door intrusion beams	S	S
Audio		
Premium AM/FM stereo/cassette/Premium Sound with four speakers	S	-
MACH® Audio System with Premium AM/FM stereo/cassette and 290 watts peak power, with seven premium speakers		S
6-disc CD changer (requires Comfort and Convenience Group and captain's chairs)	0	А
Performance Features		
Class II Trailer Towing Package	S	S
		0
Class III Trailer Towing Package with rear load-leveling on 4x2	0	0
	0	0
rear load-leveling on 4x2	0	0

Captain's chairs with floor condriver's seat, manual driver as third-row bench seat, rear au conditioner, privacy glass, during mirrors, 16" cast aluminum w	nd passenger lumbar xiliary heater/air al illuminated visor	0	S
Specifications 4x2			
Drivetrain:			4x2
Engine type:	4.6-li	ter V8; 5.4-lit	ter V8 optional
Induction system:			electronic fuel EC-V computer
Compression ratio:			9.0:1
Transmission:	Electronic 4-spee	ed automatic	OD (4.6L/5.4L)
Horsepower, SAE net (4.6L V	B):	24	0 @ 4,750 rpm
Torque, SAE net (4.6L V8):		293 lbsft	t. @ 3,500 rpm
Horsepower, SAE net (5.4L V	3):	26	0 @ 4,500 rpm
Torque, SAE net (5.4L V8):		345 lbsft	t. @ 2,300 rpm
Battery:	72 AH; 650 CCA maintenance-free with battery saver		
Alternator:		110 amp	s, 1,950 watts
Frame: Box	ked front to rear axle; six	crossmemb	ers; 36,000 psi
GAWR			
Minimum front:			3,050 lbs.
Maximum front:			3,200 lbs.
Minimum rear:			3,900 lbs.
Maximum rear:			4,128 lbs.
Front suspension:	Independent SLA, coil gas-pressurized sho	17	
Rear suspension:		-link and a la	i-link type with teral track bar, s, stabilizer bar
Rear load-leveling suspension (included with 4x2 trailer tow		ngs and 30-g	allon fuel tank
Steering:	Power-assisted recircularity with variable		peed-sensitive :1 overall ratio
Brakes:	4-wheel power disc w	ith 4-wheel a	anti-lock sytem
Fuel tank:			26 gallons
Wheels (type/size):	XLT: argent style with XLT); cast aluminum (standard with Eddie Ba *Spare wheels are steel	n with bright auer, optiona	hub/16"x7.0"J I with XLT) (4)*
Tires:	P255/70R16 BSW all-		

P255/70R16 OWL all-terrain (standard with Eddie Bauer, optional with XLT)

Drivetrain:		4x4
Engine type:		4.6-liter V8; 5.4-liter V8 optional
Induction system		Sequential multi-port ectronic fuel injection with EEC-V computer
Compression rat	io:	9.0:1
Transmission:		Electronic 4-speed automatic OD (4.6L/5.4L)
Horsepower, SA	E net (4.6L V8):	240 @ 4,750 rpm
Torque, SAE net	(4.6L V8):	293 lbsft. @ 3,500 rpm
Horsepower, SA	E net (5.4L V8):	260 @ 4,500 rpm
Torque, SAE net	(5.4L V8):	345 lbsft. @ 2,300 rpm
Battery:		72 AH; 650 CCA maintenance-free with battery saver
Alternator:		110 amps, 1,950 watts
Frame:	Boxed fron	t to rear axle; six crossmembers; 36,000 psi
GAWR		
Minimum	front:	3,500 lbs.
Maximum	front:	3,500 lbs.
Minimum	rear:	3,900 lbs.
Maximum	rear:	4,128 lbs.
Front suspension	n: Ind	dependent SLA, torsion bar, gas-pressurized shock absorbers, stabilizer bar
Rear suspension		Coil spring variable-rate 5-link type with outboard 4-link and a lateral track bar, s-pressurized shock absorbers, stabilizer bar
Transfer case:	2-s	peed, low-to-high gear ratio 2.64:1 - 1.00:1
Control-Trac	Ce	enter disconnect front axle, "set and forget"
4WD system:		mputer controlled when set in A4WD. Other are: 4H (4-wheel high), and 4L (4-wheel low)
4-corner load-le (4x4 optional)	veling suspension	Rear air springs and front air shocks
Steering:	sensi	Power-assisted recirculating ball, speed- tive with variable assist, 16.1:1 overall ratio
Brakes:	4-whee	el power disc with 4-wheel anti-lock system
Fuel tank:		30 gallons
Wheels (type/si	16" x 7.0" J cast alur steel/17" x 7.5"J (op	styled steel/16" x 7.0"J (standard with XLT); ninum (optional with XLT) (4)"; chrome styled tional with XLT, standard in Eddie Bauer) (4)" pare wheels are steel and four tires with matching spare
Tires: P25		ason (standard with XLT); P255/70R16 OWL ional with XLT); P265/70R17 OWL all-terrain (optional with XLT, included in Eddie Bauer)

Dimensions	4x2	4x4	
Angle of approach – loaded	21.8°	26.8°	
Angle of departure – loaded	19°	21.1°	
Axle clearance – loaded (rear)	7.8*	7.0"	
Vehicle height (empty – includes standard roof rack)	76.5"	78.4"	
Cargo length with rear seat up @ floor	50.9"	50.9"	
with rear seat down @ belt	82.2"	82.2"	
Cargo volume with rear seat up	63.8	63.8	
(cu. ft.) with rear seat down	118.7	118.7	
Front head room	39.8*	39.8"	
shoulder room	63.9*	63.9"	
hip room	61.5"	61.5"	
leg room	41.0*	41.0"	
Liftgate opening height	36.0"	36.0"	
Load floor height (empty)	33.4"	35.3"	
Open liftgate to ground (empty)	72.1*	73.7"	
Overall length	204.6"	204.6"	
Overall width	78.7*	78.7"	

Dimensions Cont.	4×2	4×4
Overhang (front/rear)	38.7"/46.9"	38.7"/46.9"
Ramp breakover angle – loaded	17.3°	22.5°
Rear cargo opening width @ floor	57.0"	57.0"
Rear head room	39.8"	39.8"
shoulder room	64.4"	64.4"
hip room	62.3"	62.3"
leg room	40.0"	40.0"
Seating capacity (standard/maximum)	6*/9	6*/9
Tread (front/rear)	65.4"/65.5"	65.4"/65.5"
Wheelbase	119.0"	119.0*
Width between wheelhouses	48.5"	48.5"
*8 passengers standard with Eddie Bauer trim.		

Powertrain Availability		XLT	Eddie Bauer	
4.6L V8/4-s	peed automa	tic overdrive	S	S
5.4L V8/4-s	5.4L V8/4-speed automatic overdrive		0	0
S = Standard	O = Optional	A = Additional equipment at no charge.		

Engine Specifications

Competitive comparisons based on published 1998 competitive data.

Engine	Displacement (liters/cubic inches)	Bore x Stroke	Compression Ratio	Horsepower (SAE net)	Torque, lbs./ft. (SAE net)
4.6-liter SEFI V8	4.6/281	3.55 x 3.54	9.0:1	240 @ 4,750 rpm	293 @ 3,500 rpm
5.4-liter SEFI V8	5.4/330	3.55 x 4.16	9.0:1	-	-



"Tread Lightly" is an educational program

designed to increase the awareness of land-use regulations and responsibilities in our wilderness areas. Ford joins the U.S. Forest Service and the Bureau of Land Management in encouraging you to preserve our national forests and other public and private lands by "treading lightly."





Product Changes and Options Availability: Following publication of the catalog, certain changes in standard equipment, options, prices and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is your best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations. Options shown or described are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

Roadside Assistance: Every new Ford includes the assurance of a 24-hour emergency Roadside Assistance Program provided during the 3-year/36,000-mile bumperto-bumper warranty. Ask your Ford Dealer for a copy of the limited warranty and

complete details on this program which includes such services as fuel delivery, tire change, jump start, or even help when you're locked out of your vehicle.





The Susan G. Komen Race For The Cure:

As part of our ongoing commitment to breast cancer research and public awareness, Ford Division is proud to continue its national sponsorship of the Susan G. Komen Foundation's Race For The Cure.



Visit the Ford website at www.ford.com