
1985 CHEVROLET







Drive Monte Carlo. You'll immediately feel the smooth, controlled ride that comes from its Full Coil suspension. And sense the quiet that results from its thick, sound-absorbing insulation. Even the padded cut-pile carpet is installed in one piece, without seams, to help block road noise.

From the driver's seat it's like a private club: a quiet, luxurious atmosphere surrounding rich upholstery. And adding even more to Monte Carlo's visible level of quality is the available CL Custom Interior shown here. Its deeply contoured 55/45 front seat provides individualized comfort for driver and passenger, separated by a padded pull-down center armrest. (This seat is also available with a six-way power adjustment on the driver's side.)

Monte Carlo's combination of engineering, style and comfort makes it one of America's most appealing personal luxury cars. Reserve your seat and enjoy the performance.





MONTE CARLOSS.

SUPER SPORT EXCITEMENT, MONTE CARLO

320" inlet, 320" exhaust

404" inlet, .415" exhaust

Cast nodular iron, five main bearings

Low-restriction, dual main pipe

with smooth (laminar) flow inlet

wide-mouth monolith converter,

dual 21/4" rear exhaust pipes with

dual mufflers.

Camshaft duration

Exhaust system

Valve lift

Crankshaft

STYLE.

From its aerodynamic front fairing to its Formula One-derived radials, Monte Carlo SS has been tracktested and refined, and they've got it decidedly right.

The power is the famous 5.0 Liter High Output V8 with low-restriction dual exhaust. A 4-speed automatic transmission effectively transfers the driving force through a 3.73 performance axle and wide, white-lettered Eagle GT radials on big 15" x 7" Rally Wheels. Keeping a grip on all that performance is F41 Sport Suspension, tuned to the car's weight and powertrain, with large-diameter stabilizer bars, front and rear. The special SS trim, padded Sport steering wheel and gages, with tach, set off the interior. And the SS exterior is instantly recognizable in your choice of four colors, from the distinctive rear spoiler and exclusive black-out trim to the Monte Carlo SS identification.

There's more to tell, but we'll let Monte Carlo SS say it. After all, action speaks louder than words.

GM Wind Tunnel test results: Cd = .375.

Cylinder block, heads

Compression ratio

Valve diameter

Carburetion Valve train

1.57:1

Cast iron

5.0 liters (305 CID)

9.5:1 with electronic spark control

4-bbl. Rochester quadrajet

Pushrod, hydraulic lifters

1.84" inlet, 1.50" exhaust

NOTE: Performance data was

on a GM Test Track.

compiled by a professional driver

1/4 Mile

0-60

0-50

6.0 8.4 16.1 Sec.

FEATURES AND OPTIONS

100	White*
	Silver Met*
	Medium Gray Met.
a meta	Black*
38	Light Blue Met.
	Dark Blue Met.
	Light Green Met.
	Medium Green Met.
	Light Brown Met.
	Cream Beige
	Medium Brown Met.
	Dark Maroon Met*
the div	Light Blue Met,
	Dark Blue Met.
	Medium Brown Met.
	THE RESERVE OF THE PERSON NAMED IN

Light Green Met. Silver Met.

Medium Green Met.

Dark Maroon Met.

Light Brown Met.

Silver Met.

Medium Gray Met.

*Monte Carlo SS available in these colors.



	Ordering Code	Sport Coupe SS		Automatic Transmission	
Engines		Engines		3-Spd.	4-Spd./00
4.3 Liter V6 w/EFI*	L84	S	NA	S	0
5.0 Liter 4-Bbl. V81	LG4	0	NA	\$	NA
5.0 Liter 4-Bbl. High Output V8	B4V	NA	s	NA	s
S: Standard. 0: *Electronic Fuel Inject	The second second second	The Park Park Park Park Park Park Park Park	ot Ava		

- GM-Delco radio equipment: (All radios include dual front speakers; all stereos also include dual rear speakers)
- AM/FM radio
- AM/FM stereo radio
- Dual rear speakers
- Power antenna:

- P195/75R-14 steel-belted radial ply white-stripe all-season*
- all-season:

Rally Wheels (Std. on SS) ■ Wire wheel covers with locking package: *Not available on SS.

An option that offers service protection in addition to that provided by GM's newvehicle limited warranty. Available only in the U.S. and Canada for the 1985 model year. Ask your dealer

- AM/FM stereo radio with stereo cassette player
- (monaural radios)

- P205/70R-14 steel-belted radial ply white-stripe
- Aluminum wheels*

about this option.



For 1985, Monte Carlo has a new standard Electronic Fuel Injection 4.3 Liter V6 engine that uses the same cylinder bore and stroke as Corvette for a 13.2% displacement increase.



cassette player and air conditioning are options that will make your Monte Carlo even more



You'll appreciate the convenience of the available Comfortilt steering wheel.



Optional electronic speed control and wiper delay switch are at your fingertips.

- Monte Carlo V6's Electronic Fuel Injection system is designed to work with GM's Computer Command Control to give you the following advantages: Dependable operation
- that uses just four moving parts. Everything else is solid-state circuitry sealed from dirt, dust and moisture.
- Dependable cold starts without flooding delays from pumping the accelerator.
- Dependable hot starts without vapor lock delays.
- Self-adjusting idle to help prevent stalling when cold and fuel waste when warm.
- Optimized engine performance between recom-
- mended service intervals. Automatic idle increase when accessories are engaged to help maintain
- battery charge. Efficient combustion for clean-running engine and
- emissions control. Automatic adjustment to changing elevation minimizes power loss and fuel waste.
- Reduced maintenance (no choke, carburetor, accelerator pump or needle valve adjustment required).
- Available air conditioning switches off automatically under full throttle for better acceleration.
- Self-pressurizing system provides easy starts after refilling without "priming the carburetor" if you run out of gas.
- Positive fuel shutoff to help prevent "run-on" after ignition is switched off.

FACTS

Sport Coupe SS

Safety Features Occupant Protection

 Manual lap/shoulder belts for driver and right front passenger (driver's side includes visual and audible warning system) • Manual lap belts at each rear seat position (and center front, when applicable) **Exterior Features**

- Energy-absorbing steering column = Energy-absorbing instrument panel = Energyabsorbing tops, front seats
- Laminated safety windshield glass and tempered safety side and rear window glass
- Safety interlocking door latches = Passenger-guard inside door lock handles
- Inertia-locking, folding front seat-back = Safety armrests
- Safety-strength seat attachments = Head restraints, driver and right front passenger (adjustable).

Accident Avoidance

- Side marker lights and reflectors = Parking lamps that illuminate with headlamps
 Four-way hazard warning flasher = Backup lights
- Directional signal control and lane-change feature
- Windshield defroster, washer and dual-speed wipers
- Inside rearview mirror with vinyl-bonded glass = Outside left and right rearview mirrors
- Brake system with dual master cylinder and warning light
 Starter safety switch = Dual-
- action hood-latch system
- Low-glare finish on instrument panel top, inside windshield moldings, wiper arms/blades, metallic steering wheel surfaces = Illuminated heater and defroster controls
- Tires with built-in tread-wear indicators.

Anti-Theft

Audible reminder for ignition key removal = Anti-theft steering column lock = Visible vehicle identification number.

Exterior Features	Sport Coupe	SS
Black door handles, locks, roof drip, window and belt reveal moldings	NA.	s
Black grille and headlamp bezels with soft front facia	NA NA	S
Bright grille and headlamp bezels	\$	NA
Bright lower body side, roof drip and window reveal moldi	ngs S	NA
Concealed dual speed electric windshield wipers	\$	S
Corrosion Protection:	1 tons	1
Anti-chip protective coating on lower body Protective observe coating and lower door moiding	NA NA	S
 Protective chrome rocker panel and lower door molding Seven-stage zinc phosphate anti-corrosion process 	S	S
Hot-melt-wax submersion of entire frame	5555	NA S S S
Liberal use of precoated steels and zinc-rich primers		_
Dual bright outside rearview mirrors	\$	NA
Dual Sport mirrors, LH remote and RH manual	0	S
Full wheel covers	S	NA
Rolly Wheels	0	8
Wheel opening moldings	S	NA
Interior Features		
AM push-button radio with dual front speakers*	\$	S
Black steering wheel, column, trim plate and control levers	/ NA	s
Color-keyed seat belts, carpeting and instrument panel	S	S
Color-keyed steering wheel and column	S	NA
Gage package with tachometer, quartz clock	NA NA	S
Glove compartment lock	/ /\$/	S
Luggage compartment mat	/ \$	S
Multi-function dimmer/turn signal/washer lever	S	S
Six-passenger seating with front bench seat	S	S
Mechanical Features	a for fill	
Automotic transmission	S	NA
Automatic transmission with overdrive	/ 0	S
Computer Command Control	S	S
Disc brake audible wear sensors	\$	S
Dual exhaust system	NA NA	S
F41 Sport Suspension	0	S
Front stabilizer bar	S	S
Full Coil suspension system	S	S
Full-perimeter frame	S	S
High Energy Ignition system	S	S
P195/75R-14 steel-belted radial ply all-season tires	S	NA.
P215/65R-15 Eggle GT white-lettered tires	NA.	S
Power front disc/rear drum brake system	S	ş
Power steering	S	S
S: Standard. O: Optional. NA: Not Available. *Radio may	be deleted for c	redit.
Dimensions (in.)	Sport Coupe or	nd SS
Wheelbase	108.0	
Length (overall)	200.4*	
Width (overall)	71.8	
Height (looded)	54.41	
Head Room-Front	37.9	
Head Room-Rear	38.1	
Leg Room-Front	42.8	
Leg Room-Rear	36.5	
THE RESIDENCE OF THE PARTY OF T		
	The state of the s	
the second of th		
Leg Room-Rear Hip Room-Front Hip Room-Rear Shoulder Room-Front Shoulder Room-Rear Luggage Capacity (cu. ft.) Fuel Tank Capacity (gals.) *202.4 on Monte Carlo SS. 155.0 on Monte Carlo SS.	51.7 54.9 56.3 55.9 16.2 17.6**	_

Let's Get It Together... Buckle Up.

Every new 1985 Monte Carlo delivered by a Chevrolet dealer in the United States comes with a one-year, \$10,000 seat belt insurance certificate from MIC General Insurance Corporation at no additional charge. \$10,000 will be paid to the estate of any occupant who suffers fatal injuries as a result of an accident involving that vehicle while wearing a GM seat belt. Buckle up every time you drive.

Important: A Word About This Catalog. We have tried to make this catalog as comprehensive and factual as possible. However, since the time of printing, some of the information may have been updated. Also, some of the equipment shown or described throughout this catalog is available at extra cost. Your dealer has details and, before ordering, you should ask him to bring you up to date. The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

A Word About Updated
Service Information.
Chevrolet regularly sends its
dealers useful service bulletins about Chevrolet
products. Chevrolet monitors
product performance in the
field. We then prepare bulletins
for servicing our products
better. Now you can get these
bulletins, too. Ask your dealer.
To get ordering information,
call toll-free 1-800-551-4123.

A Word About Assembly, Components and Optional Equipment in These Chevrolets.

The Chevrolets described in this catalog are assembled at facilities operated by General Motors or GM of Canada. These vehicles incorporate thousands of different components produced by car groups and various component divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process. it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements, or for other reasons, to produce Chevrolet products with different components or differently sourced components than initially scheduled. All such components have been approved for use in Chevrolet products and will provide the quality performance associated with the Chevrolet name.

With respect to extra-cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your car is built. Your dealer receives advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your car includes optional equipment you ordered or, if there are changes, that they are acceptable to you.

A Word About Engines.
Chevrolets are equipped with engines produced at facilities operated by GM car groups, subsidiaries or affiliated companies worldwide.



uel Tank Capacity (gals.)

202.4 on Monte Carlo SS. 155.0 on Monte Carlo SS. **18.1 with V8 engines.

Live Toolay's
Chevrolet