#### HUNDA JAZZ



Honda Australia Pty. Ltd. A.C.N. 004 759 611. 95 Sharps Road, Tullamarine, Victoria, 3043. Melbourne (03) 9285 5555. Brisbane (07) 3260 4888. Sydney (02) 8748 3333. Perth (08) 9450 8207. honda.com.au

The fuel consumption figures quoted in this brochure are based on ADR81/01 test results. You may experience different results depending on driving conditions and the condition of the vehicle. The specifications and major features listed herein are accurate as at the date of printing (February 2005/05 YM). However, Honda Australia Pty. Ltd. reserve the right to change or modify specifications and major features at any time without prior notice. Due to ordering, shipping and freight factors, some colour and model availabilities may vary from time to time. Check with your Honda Dealer for current information on availability. Only Genuine Honda Accessories are made to fit Honda vehicles. For a Genuine Honda Accessory brochure contact your Honda Dealer or Honda Australia on 1800 804 954. VTi-S model shown on cover.

△ Printed on recycled paper. FCB HON3536









Wherever you go in the Jazz, you're assured of superb performance, handling and stability – and the choice of two exciting engines. Press the accelerator and the GLi's

four cylinder, fuel injected 1.3 L i-DSI (intelligent Dual and Sequential Ignition) engine responds with a surge of power. This engine generates 61 kW of power at 5700 rpm and maximum torque of 119 Nm at only 2800 rpm, which is great for city and highway driving.

Besides being lightweight and compact, the twin spark i-DSI engine was created to deliver the ultimate in combustion efficiency and a fuel economy of just 6.0 litres per 100 km (combined)\*.

And at the same time, Honda's LEV (Low Emission Vehicle) technology means that exhaust emission levels far exceed Australian standards – taking care of both people and the environment.

Or there's also the VTEC approach to performance and economy found in the 1.5 L VTi and VTi-S Jazz. Honda's renowned Variable Valve Timing and Lift Electronic Control (VTEC) system

generates 81 kW of power at 6000 rpm and maximum torque of 143 Nm at only 4800 rpm – offering zippy, powerful performance along with excellent fuel economy.

All models have the option of a sporty 5-speed manual transmission, or automatic Continuously Variable Transmission (CVT). Exclusive to the VTi and VTi-S model is an all new F1 inspired, 7-speed Sequential Shift CVT automatic transmission controlled by steering wheel-mounted paddles. The left hand paddle is used to change down and the right hand paddle to change up a gear in true Formula 1 style, while a "7 Speed Mode" button on the right switches between sequential and automatic modes. This means you can enjoy the convenience of automatic gear changing, or, when the mood takes you, fingertip shifting. Why should Formula One drivers have all the fun?

\*Jazz GLi Manual - based on ADR81/01 test results.



Driving a Jazz means you automatically set yourself apart. Every detail is a statement of your individual style. The large lower opening with mesh grille on the front bumper, combined with the flared wheel arches, emphasises the low, sporty stance. For a bolder look, the Jazz VTi-S features larger bumpers with integrated body skirts. In all models, big, multi-reflector headlamps with chromeplated headlight rings flank a steeply raked, scalloped bonnet, accentuating the sleek lines and distinctive form – and it doesn't stop there.

The interior of the Jazz features bold curves and striking metallic accents, as well as a slick control panel and chrome instrument cluster to create an inviting and dynamic driving environment. The three main dials of the instrument panel are self-illuminating – transforming to a

bright display when the door is unlocked, and an even higher contrast when the ignition is switched on, for optimum legibility.

The audio system which includes CD tuner and AM/FM stereo radio is fully integrated, providing seamless styling continuity with large switches for easy operation. A highly legible liquid crystal reading permanently displays the time as well as radio and CD track information.

Jazz's user-friendly cabin puts you in total control. Whether you're changing radio stations or operating the power windows and mirrors, you'll find everything is within arm's reach.

Controls are firm to the touch and every surface has a solid, quality feel. And because a comfortable, relaxing interior creates a better driving experience, the Jazz is designed to be supremely quiet.





When it comes to getting things moving, you can fit almost anything in a Jazz. With its revolutionary 'Magic Seat' system, you can open up a huge range of loading possibilities in seconds. With three seat configurations to choose from (utility, tall and long mode), a simple fold of a seat will see you transporting mountain bikes, suitcases or other bulky items in no time.

Jazz in tall mode with the back seat cushion raised, creates enough

space to accommodate four large suitcases stood upright, three large golf bags stacked on top of one another, or a tall shrub stood upright.

In utility mode, the rear seats fully collapse making sufficient space for mountain bikes, suitcases and just about anything else you can think of.

With the Magic Seats in long mode, the passenger front seat back can be fully reclined onto the collapsed rear seats to allow items of up to 2.4m in length to be stowed, perfect for a surfboard.

For smaller, everyday objects, there's a deep storage pocket in the centre console along with three cup holders. You'll also find extra storage trays on both sides of the dash and even a handy secret parcel space beneath the rear seats. The Jazz makes use of every millimetre to provide a spacious cabin where everything's within arm's reach.











VTi model shown



VTi-S model shown

occupant protection, Jazz has been constructed with an array of ingenious new safety technologies. Utilising Honda's advanced G-Force control technology (G-CON), crumple zones in the front and rear absorb crash forces by progressively deforming. In a side-impact, a beam in each door resists intrusion while a rigid floor beam is designed to transmit lateral forces beneath the cabin, preserving the space within.

Even the fuel tank has extra crash protection by being located centrally beneath the floor.

Developed through repeated stringent crash tests, the protective car body meets the world's strictest government safety standards, giving you driving confidence.

And of course, standard driver and front passenger dual SRS airbags, Anti-Lock Brakes (ABS) and front seat belt pre-tensioners contribute to

keeping trouble at a distance and are testament to Honda's ongoing commitment to safety. Jazz also continues Honda's push for pedestrian safety with an unobstructed area between the bonnet and engine, bonnet hinges that compress upon impact and energy absorbing wiper pivots that all contribute to pedestrian safety.

When you drive a Jazz, you're already making a statement, but why stop there when there's a full range of genuine Honda accessories to personalise your Jazz?

Accentuate the sleek lines with a colour coordinated body kit and alloy wheels, or create your own driving space with a 6-disc CD changer.

Your Honda Dealer can help you select the accessories for your Jazz and have them installed at the time of purchase. They'll then be fully covered by the 3-year, 100,000 kilometre new car warranty.









Red cloth seat covers









|            |                                    | GLi                                   | VTi                           | VTi-S                                 |
|------------|------------------------------------|---------------------------------------|-------------------------------|---------------------------------------|
| Powertrain | Engine                             | Inline 4 cylinder                     | Inline 4 cylinder             | Inline 4 cylinder                     |
|            |                                    | SOHC i-DSI                            | SOHC VTEC                     | SOHC VTEC                             |
|            | Capacity                           | 1.3 litre - 1339 cc                   | 1.5 litre - 1497 cc           | 1.5 litre - 1497 cc                   |
|            | Max power                          | 61 kW @ 5700 rpm                      | 81 kW @ 6000 rpm              | 81 kW @ 6000 rpm                      |
|            | Max torque                         | 119 Nm @ 2800 rpm                     | 143 Nm @ 4800 rpm             | 143 Nm @ 4800 rpm                     |
|            | Control system                     | Honda Programmed                      | Honda Programmed              | Honda Programmed                      |
|            |                                    | Fuel Injection (PGM-FI)               | Fuel Injection (PGM-FI)       | Fuel Injection (PGM-FI)               |
|            | Emission Standard                  | Low Emission Vehicle (LEV)            | Low Emission Vehicle (LEV)    | Low Emission Vehicle (LEV)            |
|            | Manual transmission                | 5 speed                               | 5 speed                       | 5 speed                               |
|            | Automatic transmission             | CVT with                              | CVT with 7-speed sequential   | CVT with 7-speed sequential           |
|            |                                    | grade logic control                   | shift and grade logic control | shift and grade logic control         |
|            | Fuel type                          | Unleaded                              | Unleaded                      | Unleaded                              |
|            |                                    |                                       |                               |                                       |
| Chassis    | Body Type                          | Monocoque                             | Monocoque                     | Monocoque                             |
|            | Front suspension                   | MacPherson strut                      | MacPherson strut              | MacPherson strut                      |
|            | Rear suspension                    | Torsion beam                          | Torsion beam                  | Torsion beam                          |
|            | Stabiliser bars                    | Front & rear                          | Front & rear                  | Front & rear                          |
|            | Electric Power steering            | ✓                                     | ✓                             | ✓                                     |
|            | Wheel type                         | Steel                                 | Steel                         | Alloy                                 |
|            | Spare wheel type                   | Temporary                             | Temporary                     | Temporary                             |
|            | Front brakes                       | Vented disc                           | Vented disc                   | Vented disc                           |
|            | Rear brakes                        | Drum                                  | Drum                          | Drum                                  |
|            |                                    |                                       |                               |                                       |
| Exterior   | Bumpers                            | Impact absorbing                      | Impact absorbing              | Impact absorbing & sports type        |
|            | Front fog lamps                    |                                       |                               | ✓                                     |
|            | Front underbody spoiler            |                                       |                               |                                       |
|            | Front wiper                        | 2 speed & intermittent                | 2 speed & intermittent        | 2 speed & intermittent                |
|            | Headlights                         | halogen type                          | halogen type                  | halogen type                          |
|            | Keyless entry *                    | •                                     | x 2 transmitters              | x 2 transmitters                      |
|            | Power door mirrors                 | ✓                                     | ✓                             | ✓                                     |
|            | Rear tailgate spoiler              | •                                     |                               | <b>√</b>                              |
|            | Rear underbody spoiler             |                                       |                               |                                       |
|            | Rear window demister               | ✓                                     | ✓                             | ✓                                     |
|            | Rear wiper                         | ✓                                     | ✓                             | ✓                                     |
|            | Side sill garnish                  | •                                     |                               | <b>/</b>                              |
| luta da u  | A                                  |                                       |                               |                                       |
| Interior   | Accessory socket Airconditioning * | <u> </u>                              | <u> </u>                      | <u> </u>                              |
|            |                                    |                                       | <u> </u>                      | <u> </u>                              |
|            | Ashtray                            | •                                     | •                             |                                       |
|            | Central locking                    | · · · · · · · · · · · · · · · · · · · | <b>V</b>                      | · · · · · · · · · · · · · · · · · · · |
|            | Convenience hook                   | Front passenger seatback              | Front passenger seatback      | Front passenger seatback              |
|            | Cup holders                        | x3                                    | x3                            | x3                                    |
|            | Dashboard warning lights           | Comprehensive array                   | Comprehensive array           | Comprehensive array                   |
|            | Digital clock (in radio)           | <u> </u>                              | <b>√</b>                      | <u> </u>                              |
|            | Door pockets                       | front x 2                             | front x 2                     | front x 2                             |
|            | Drivers seat height adjuster       | <b>√</b>                              | <b>✓</b>                      | <b>√</b>                              |
|            | Drivers window                     | Auto up / down                        | Auto up / down                | Auto up / down                        |
|            | Glovebox                           | <b>√</b>                              | ✓                             | ✓                                     |
|            | Head rests - front                 | Adjustable                            | Adjustable                    | Adjustable                            |
|            | Head rests - rear                  | x 2                                   | x 2                           | x 2                                   |
|            | Interior illumination              | Courtesy light                        | Courtesy light                | Courtesy light                        |
|            | Interior illumination              | Map lights                            | Map lights                    | Map lights                            |
|            | Interior illumination              | Cargo area                            | Cargo area                    | Cargo area                            |
|            | Lights-on warning                  | Audible                               | Audible                       | Audible                               |
|            | Low fuel warning                   | ✓                                     | ✓                             | ✓                                     |
|            | Luggage cover                      | ✓                                     | ✓                             | ✓                                     |
|            | Power windows                      | <b>√</b>                              | ✓                             | <b>√</b>                              |
|            | Seats - front                      | Fully reclining                       | Fully reclining               | Fully reclining                       |
|            | Seats - rear                       | 60 / 40 split with fold               | 60 / 40 split with fold       | 60 / 40 split with fold               |
|            |                                    | down and tip up                       | down and tip up               | down and tip up                       |
|            | Seatback pocket                    | Passenger side                        | Passenger side                | Passenger side                        |
|            | ·                                  |                                       |                               |                                       |

|                   |   | GLi  | VTi  | VTi-S  |
|-------------------|---|--|--|--|
|                   | Seatbelt height adjuster  | Front  | Front  | Front  |
|                   | Steering column   | Tilt adjustable  | Tilt adjustable  | Tilt adjustable  |
|                   | Steering wheel  | Urethane   | Urethane   | Leather covered  |
|                   | Tachometer  | ✓  | ✓  | ✓  |
|                   | Trim  | Cloth  | Sports cloth   | Sports cloth   |
|                   | Tripmeter   | ✓  | ✓  | <b>√</b>   |
|                   | Vanity mirrors  | Driver & passenger   | Driver & passenger   | Driver & passenger   |
|                   | Windows   | Heat absorbing   | Heat absorbing   | Heat absorbing   |
| ofatri Faatriisaa | Airbox CDC  | Driver 9 management  | Driver 9 pageagger   | Driver 9 pagagagar   |
| afety Features    | Airbag SRS Anti-Lock Brakes (ABS)   | Driver & passenger   | Driver & passenger   | Driver & passenger   |
|                   | Child proof door locks  |  |  |  |
|                   | Child safety seat anchorages  | x3   | x3   | x3   |
|                   | Convex door mirror  | Passenger side   | Passenger side   | Passenger side   |
|                   | Fire retardant interior   | /  | rassenger side ✓   | -  |
|                   |   | <u> </u>   |  | /  |
|                   | Front windscreen  | Laminated  | Laminated  | Laminated  |
|                   | Fuel tank roll over valve   | <u> </u>   | <u> </u>   | <u> </u>   |
|                   | Hazard warning lights   | <i></i>  | <u> </u>   | <b>√</b>   |
|                   | High mounted stop light   | <u> </u>   | <u> </u>   | <u> </u>   |
|                   | Honda G-CON technology  | <u>√</u>   | <u>√</u>   | ✓  |
|                   | Immobiliser system  | 1  | <b>√</b>   | 7  |
|                   | Progressive crumple zones   | Front & rear   | Front & rear   | Front & rear   |
|                   | Rear view mirror  | Day / night type   | Day / night type   | Day / night type   |
|                   | Screw type fuel cap   | <b>√</b>   | <b>√</b>   | <b>√</b>   |
|                   | Seatbelt pretensioners  | Front seating positions  | Front seating positions  | Front seating positions  |
|                   | Seatbelt reminder light   | Driver   | Driver   | Driver   |
|                   | Seatbelts - 3 point ELR   | All seating positions  | All seating positions  | All seating positions  |
|                   | Side impact protection  | / til seating positions  | / III scaling positions  | / til seating positions  |
|                   |   | Energy absorbing type  | <u> </u>   | Energy absorbing type  |
|                   | Steering column   | Energy absorbing type  | Energy absorbing type  | Energy absorbing type  |
|                   | Transmission shiftlock  | Auto only  | Auto only  | Auto only  |
| imensions         | Length  | 3845 mm  | 3845 mm  | 3855 mm  |
| IIICIISIOIIS      | Width   | 1675 mm  | 1675 mm  | 1675 mm  |
|                   |   |  |  |  |
|                   | Height  | 1525 mm  | 1525 mm  | 1525 mm  |
|                   | Ground clearance - laden  | 125 mm   | 125 mm   | 125 mm   |
|                   | Weight - tare man   | 1010 kg  | 1025 kg  | 1040 kg  |
|                   |   |  |  |  |
|                   | auto  | 1035 kg  | 1050 kg  | 1065 kg  |
|                   | auto Turning circle   | 1035 kg<br>9.4 m   | 1050 kg<br>9.4 m   | 1065 kg<br>9.8 m   |
|                   | auto  | <u> </u>   | <u> </u>   | <u> </u>   |
|                   | auto Turning circle   | 9.4 m  | 9.4 m  | 9.8 m  |
|                   | auto Turning circle Fuel economy Combined (litres/100km)  | 9.4 m<br>5.7 Man / 5.8 Auto<br>42 litres   | 9.4 m<br>6.0 Man / 6.1 Auto  | 9.8 m<br>6.0 Man / 6.1 Auto  |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size  | 9.4 m<br>5.7 Man / 5.8 Auto  | 9.4 m<br>6.0 Man / 6.1 Auto<br>42 litres   | 9.8 m<br>6.0 Man / 6.1 Auto<br>42 litres   |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size  | 9.4 m<br>5.7 Man / 5.8 Auto<br>42 litres<br>14 x 5.5 JJ  | 9.4 m<br>6.0 Man / 6.1 Auto<br>42 litres<br>14 x 5.5 JJ  | 9.8 m<br>6.0 Man / 6.1 Auto<br>42 litres<br>15 x 6.0 JJ  |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity -  | 9.4 m<br>5.7 Man / 5.8 Auto<br>42 litres<br>14 x 5.5 JJ<br>175 / 65 R14 82T  | 9.4 m<br>6.0 Man / 6.1 Auto<br>42 litres<br>14 x 5.5 JJ<br>175 / 65 R14 82T  | 9.8 m<br>6.0 Man / 6.1 Auto<br>42 litres<br>15 x 6.0 JJ<br>185 / 55 R15 82V  |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes   | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg  | 9.8 m<br>6.0 Man / 6.1 Auto<br>42 litres<br>15 x 6.0 JJ<br>185 / 55 R15 82V<br>1000 kg man / 800 kg auto<br>450 kg   |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  |
| udio              | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes   | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg  | 9.8 m<br>6.0 Man / 6.1 Auto<br>42 litres<br>15 x 6.0 JJ<br>185 / 55 R15 82V<br>1000 kg man / 800 kg auto<br>450 kg   |
| ıdio              | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  |
| udio              | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  |
| rdio              | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  |
| ıdio              | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker   | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  |
| udio              | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers Rear speakers Antenna  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5 4 channel x 40 watts   |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers Rear speakers Antenna  Exterior  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers Rear speakers Antenna  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5 4 channel x 40 watts  x 2 x 2 Roof mounted   |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers Rear speakers Antenna  Exterior  | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior  | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers Rear speakers Antenna  Exterior Nighthawk Black Pearl                                | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Blue / Black                           | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Black / Grey                           | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Black / Grey                           |
|                   | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers Rear speakers Antenna  Exterior Nighthawk Black Pearl Vivid Blue Pearl Taffeta White | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Blue / Black Blue / Black Blue / Black | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Black / Grey Black / Grey Black / Grey | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Black / Grey Black / Grey Black / Grey |
| udio              | auto Turning circle Fuel economy Combined (litres/100km) Fuel tank capacity Wheel size Tyre size Maximum towing capacity trailer with brakes - trailer without brakes Seating capacity  AM/FM Radio, Single CD tuner CD stacker Front speakers Rear speakers Antenna  Exterior Nighthawk Black Pearl Vivid Blue Pearl               | 9.4 m 5.7 Man / 5.8 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Blue / Black Blue / Black              | 9.4 m 6.0 Man / 6.1 Auto 42 litres 14 x 5.5 JJ 175 / 65 R14 82T  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Black / Grey Black / Grey              | 9.8 m 6.0 Man / 6.1 Auto 42 litres 15 x 6.0 JJ 185 / 55 R15 82V  1000 kg man / 800 kg auto 450 kg 5  4 channel x 40 watts  x 2 x 2 Roof mounted  Interior Black / Grey Black / Grey              |

#### \*\*

### 

Nighthawk Black Pearl†

Vivid Blue Pearl†



Taffeta White

Sirius Blue Metallic†



Satin Silver Metallic†



Milano Red



Dreams inspire innovation. At Honda, they spark our concept for designing cars, believing the fastest way to evolve new technology is at 300km/h on a racetrack. The hothouse environment of Formula One is where the dreams of our engineers are tested and then transferred into superior road cars. Cars that are powerful yet fuel-efficient. Cars with superior handling dynamics and safety. Cars so well built, they're a pleasure to own and drive.

And while we are proud of the technological breakthroughs wrought on the racetrack, collecting trophies has never been our focus. Our ultimate triumph has been injecting F1 technology into every new Honda, making advanced technology available to all people, putting our customers in touch with The Power of Dreams.







